

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2026/2178
Application type	Conservation Area Notification
Site Address:	15 Leaside Avenue, Hornsey, London, N10 3BT
Proposal	<i>T1 - Apple: Remove close to ground level and treat stumps with herbicide to inhibit regrowth.</i> <i>TG2 - Indian Bean: Remove close to ground level and treat stumps with herbicide to inhibit regrowth</i>

RECOMMENDATION:	No Objection	
Application date	31/08/2026	
Tree Inspector	DM	Date: 24 th August 2026

Site

The trees as listed above, highlighted in the reports, marked on the plan, and seen in the photographs are situated in the front and rear garden of the property. They are not publicly visible to the rear.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Fortis Green Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

T1 - Apple: Remove close to ground level and treat stumps with herbicide to inhibit regrowth.

TG2 - Indian Bean: Remove close to ground level and treat stumps with herbicide to inhibit regrowth

Issues

I hold no objections to the proposed removal of the low-grade trees.

Not for the implicated subsidence reasons as the submitted details and evidence is inconclusive i.e. Driscoll's guideline is not met, no roots of the above species under the foundations, and no level or crack monitoring results.

The trees are not worthy of further protection when using a methodology to rate its worthiness for a Tree Preservation Order.

Recommendation

No Objection