


eb7 © copyright 2026

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026


EB7 Ltd
Site Photographs
Ordnance Survey



Project: Ashley Road Tottenham Hale

Title: East Apartments Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix WM01	Page no.	19



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey




Project: Ashley Road Tottenham Hale

Title: West Apartments Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106

Rel no.	Prefix	Page no.
	WM01	20



2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey




Project: Ashley Road Tottenham Hale

Title: West Apartments Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix: WM01	Page no.	21

eb7 © copyright 2026




eb7 © copyright 2026

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey




Project: Ashley Road Tottenham Hale

Title: Millstream Tower
Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106

Rel no.	Prefix	Page no.
	WM01	22



eb7 © copyright 2026

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project: Ashley Road Tottenham Hale

Title: Millstream Tower Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106


Rel no.	Prefix	Page no.
	WM01	23

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey





Project: Ashley Road Tottenham Hale


Title: Millstream Tower
Window Map

Drawn	Checked
TR	--

Date	Project
20/07/2026	10106

Rel no.	Prefix	Page no.
	WM01	24

eb7 © copyright 2026



2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information


Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	11-21 Hale Road Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	25

eb7 © copyright 2026



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk


Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	11-21 Hale Road Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	26



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk


Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	11-21 Hale Road Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	27



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026


EB7 Ltd
Site Photographs
Ordnance Survey



Project: Ashley Road Tottenham Hale

Title: 1-9 Hale Road Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix: WM01	Page no.	28



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk


Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	1-9 Hale Road Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	29



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk


Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	165-195 High cross road Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	30



2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information


Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale		
Title	165-195 High cross road Window Map		
Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix WM01	Page no.	31

eb7 © copyright 2026



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey




Project: Ashley Road Tottenham Hale

Title: WalterTull House Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106

Rel no.	Prefix	Page no.
	WM01	32



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026


EB7 Ltd
Site Photographs
Ordnance Survey



Project: Ashley Road Tottenham Hale

Title: WalterTull House Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix: WM01	Page no.	33



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey




Project: Ashley Road Tottenham Hale

Title: WalterTull House Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106

Rel no.	Prefix	Page no.
	WM01	34



2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information


Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	Hale Brew Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	35

eb7 © copyright 2026



eb7 © copyright 2026

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey




Project: Ashley Road Tottenham Hale

Title: Hale Brew Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106

Rel no.	Prefix	Page no.
	WM01	36




eb7 © copyright 2026

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026


EB7 Ltd
Site Photographs
Ordnance Survey



Project: Ashley Road Tottenham Hale

Title: Sessile Apartments Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix WM01	Page no.	37




eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey




Project: Ashley Road Tottenham Hale

Title: Sessile Apartments Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106

Rel no.	Prefix	Page no.
	WM01	38



eb7 © copyright 2026

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey




Project: Ashley Road Tottenham Hale

Title: Sessile Apartments Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106

Rel no.	Prefix	Page no.
	WM01	39




eb7 © copyright 2026

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026


EB7 Ltd
Site Photographs
Ordnance Survey



Project: Ashley Road Tottenham Hale

Title: Sessile Apartments Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix: WM01	Page no.	40




eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk


Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale		
Title	Sessile Apartments Window Map		
Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix WM01	Page no.	41




2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale		
Title	Sessile Apartments Window Map		
Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix	Page no.	
	WM01	42	



eb7 © copyright 2026

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk


Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	Rosa Luxemburg Apartments Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	43



eb7 © copyright 2026

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	Rosa Luxemburg Apartments Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	44



eb7 © copyright 2026

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026


EB7 Ltd
Site Photographs
Ordnance Survey



Project: Ashley Road Tottenham Hale

Title: Rosa Luxemburg Apartments Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix: WM01	Page no.	45



eb7 © copyright 2026

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk


Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale		
Title	Rosa Luxemburg Apartments Window Map		
Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix WM01	Page no.	46



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026


EB7 Ltd
Site Photographs
Ordnance Survey



Project: Ashley Road Tottenham Hale

Title: 3-7A Park View Road Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix: WM01	Page no.	47



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk


Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	3-7A Park View Road Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	48



2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information


Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	3-7A Park View Road Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	49

eb7 © copyright 2026



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk


Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	3-7A Park View Road Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	50



2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information


Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	1-2 Park View Road Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	51

eb7 © copyright 2026



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk


Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale		
Title	1A-1B Park View Road Window Map		
Drawn	TR	Checked	--
Date	20/07/2026	Project	10106
Rel no.	Prefix WM01	Page no.	52



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk


Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	1A-1B Park View Road Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	53



eb7 © copyright 2026

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey




Project: Ashley Road Tottenham Hale

Title: The Volunteer Window Map

Drawn	TR	Checked	--
Date	20/07/2026	Project	10106

Rel no.	Prefix	Page no.
	WM01	54



eb7 © copyright 2026

2nd Floor, Chancery
Exchange, 10 Furnival
Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information


Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

EB7 Ltd
Site Photographs
Ordnance Survey



Project	Ashley Road Tottenham Hale
Title	The Volunteer Window Map
Drawn	TR
Checked	--
Date	20/07/2026
Project	10106
Rel no.	
Prefix	WM01
Page no.	55

Future Baseline Scenario



eb7 © copyright 2026

Note: All heights are shown in meters Above Ordnance Datum (AOD)

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

DLA
03 Ashley House - Design Freeze_ selected_2026-07-30_12-06-41pm
Received 30/07/2026

EB7 Ltd
Site Photographs
Ordnance Survey


NORTH

Key
- Cumulative Development
- Existing Building
- Surrounding Context
- Proposed Development

Project: Ashley Road Tottenham Hale

Title: Existing Condition Plan View

Drawn	TR	Checked	--
Date	08/08/2026	Project	10106
Rel no.	Prefix	Page no.	
08	DS03		01



eb7 © copyright 2026

Note: All heights are shown in meters Above Ordnance Datum (AOD)

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

DLA
03 Ashley House - Design Freeze_ selected_2026-07-30_12-06-41pm
Received 30/07/2026

EB7 Ltd
Site Photographs
Ordnance Survey

Key

- Cumulative Development
- Existing Building
- Surrounding Context
- Proposed Development


Project: Ashley Road
Tottenham Hale

Title: Existing Condition
3D View

Drawn	TR	Checked	--
Date	08/08/2026	Project	10106

Rel no.	Prefix	Page no.
08	DS03	02

Cumulative Scenario



eb7 © copyright 2026

Note: All heights are shown in meters Above Ordnance Datum (AOD)

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

DLA
03 Ashley House - Design Freeze_ selected_2026-07-30_12-06-41pm
Received 30/07/2026

EB7 Ltd
Site Photographs
Ordnance Survey


NORTH

Key
- Cumulative Development
- Existing Building
- Surrounding Context
- Proposed Development

Project: Ashley Road Tottenham Hale

Title: Proposed Development Plan View

Drawn	Checked
TR	--
Date	Project
08/08/2026	10106
Rel no.	Prefix / Page no.
08	DS03 / 03



eb7 © copyright 2026

Note: All heights are shown in meters Above Ordnance Datum (AOD)

2nd Floor, Chancery Exchange, 10 Furnival Street, EC4A 1AB
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk

Sources of information

Cloud 10
Ashley Rd_TH Pt1 15-06-2026
Received 15/06/2026
Ashley Rd_TH Pt2 19-06-2026
Received 22/06/2026

DLA
03 Ashley House - Design Freeze_ selected_2026-07-30_12-06-41pm
Received 30/07/2026

EB7 Ltd
Site Photographs
Ordnance Survey

Key

- Cumulative Development
- Existing Building
- Surrounding Context
- Proposed Development

Project: Ashley Road
Tottenham Hale

Title: Proposed Development
3D View

Drawn	TR	Checked	--
Date	08/08/2026	Project	10106

Rel no.	Prefix	Page no.
08	DS03	04

Appendix: Daylight, Sunlight, Overshadowing and Solar Glare

Annex 1: Drawings of Existing, Proposed and Surrounding Buildings

Annex 2: Results of the Daylight and Sunlight Assessments with Neighbouring Properties

Annex 3: Results of the Cumulative Daylight and Sunlight Assessments

Annex 4: Results of the Future Baseline Daylight and Sunlight Assessments

Annex 5: Results of the Consented Baseline Daylight and Sunlight Assessments

Annex 6: Results of the Mirrored Assessment for Rosa Luxemburg Apartments

Annex 7: Results of the Sunlight Amenity Assessments

Annex 8: Transient Shadow Images

Annex 9: Solar Glare Images

Annex 10: Policy and Legislation Review

Annex 11: Hale Road Properties

Annex 2

Results of the daylight and sunlight assessments within neighbouring properties

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Ferry Island Building 1																			
First	R1	W1-L	LKD	11.6	11.4	0.2	1.5%												
		W1-U						34.9	18.9	54%	18.9	54%	0.0	0.0%	21	10	21	10	0.0%	0.0%
First	R2	W2	Bedroom	12.1	11.7	0.4	3.0%	13.5	6.6	49%	6.6	49%	0.0	0.0%	19	7	19	7	0.0%	0.0%
First	R3	W3	Residential	12.9	12.3	0.6	4.5%	19.7	11.7	60%	11.7	59%	0.0	0.3%	22	9	22	9	0.0%	0.0%
First	R4	W4	Residential	16.9	15.7	1.1	6.8%													
		W5		18.5	17.6	0.8	4.5%	18.4	13.1	71%	12.9	70%	0.2	1.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W6	Residential	18.5	18.0	0.5	2.5%													
		W7		20.3	20.1	0.2	1.1%	14.1	13.6	96%	13.5	96%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W8	Residential	20.0	19.9	0.1	0.3%	17.0	13.4	79%	13.4	79%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W9	Bedroom	19.7	19.6	0.1	0.4%	15.1	12.3	81%	12.3	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W10	LKD	19.0	18.9	0.1	0.4%													
		W11		31.0	31.0	0.0	0.0%	24.2	22.4	93%	22.4	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R1	W1-L	LKD	12.2	12.0	0.2	1.5%													
		W1-U						34.9	18.9	54%	18.9	54%	0.0	0.0%	22	10	22	10	0.0%	0.0%
Second	R2	W2	Bedroom	12.8	12.4	0.4	3.0%	13.5	6.8	51%	6.8	51%	0.0	0.0%	21	7	21	7	0.0%	0.0%
Second	R3	W3	Bedroom	13.6	13.0	0.6	4.4%	14.9	10.4	69%	10.4	69%	0.0	0.2%	23	9	23	9	0.0%	0.0%
Second	R4	W4	Bedroom	17.7	16.5	1.2	6.7%	10.9	4.7	43%	4.7	43%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W5	LKD	19.3	18.4	0.9	4.6%													
		W6		19.3	18.9	0.5	2.5%													
		W7		21.5	21.3	0.2	0.9%	41.8	37.4	90%	36.9	88%	0.5	1.4%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W8	Bedroom	21.3	21.3	0.0	0.2%	13.6	11.9	88%	11.9	88%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W9	Bedroom	21.1	21.0	0.0	0.1%	15.1	12.7	84%	12.7	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R8	W10	LKD	20.4	20.4	0.0	0.1%													
		W11		31.8	31.8	0.0	0.0%	24.2	23.3	96%	23.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	LKD	12.9	12.7	0.2	1.5%													
		W1-U						34.9	18.8	54%	18.8	54%	0.0	0.0%	22	10	22	10	0.0%	0.0%
Third	R2	W2	Bedroom	13.5	13.2	0.4	2.8%	13.5	7.1	53%	7.1	53%	0.0	0.0%	21	7	21	7	0.0%	0.0%
Third	R3	W3	Bedroom	14.4	13.8	0.6	4.2%	14.9	10.7	72%	10.7	72%	0.0	0.1%	24	9	24	9	0.0%	0.0%
Third	R4	W4	Bedroom	18.5	17.3	1.2	6.4%	10.9	5.0	46%	5.0	46%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W5	LKD	20.1	19.2	0.9	4.4%													
		W6		20.2	19.7	0.5	2.4%													
		W7		22.7	22.5	0.2	0.8%	41.8	37.8	90%	37.3	89%	0.5	1.3%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W8	Bedroom	22.5	22.5	0.0	0.0%	13.6	12.0	88%	12.0	88%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Third	R7	W9	Bedroom	22.4	22.4	0.0	0.0%	15.1	12.8	84%	12.8	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R8	W10	LKD	21.9	21.9	0.0	0.0%													
		W11		32.7	32.7	0.0	0.0%	24.2	23.6	97%	23.6	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R1	W1-L	LKD	13.7	13.4	0.2	1.7%													
		W1-U						34.9	18.8	54%	18.8	54%	0.0	0.0%	23	10	23	10	0.0%	0.0%
Fourth	R2	W2	Bedroom	14.4	14.0	0.4	2.7%	13.5	7.6	56%	7.6	56%	0.0	0.1%	21	7	21	7	0.0%	0.0%
Fourth	R3	W3	Bedroom	15.3	14.7	0.6	3.8%	14.9	11.1	74%	11.1	74%	0.0	0.1%	25	9	25	9	0.0%	0.0%
Fourth	R4	W4	Bedroom	19.4	18.2	1.1	5.8%	10.9	5.5	50%	5.5	50%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W5	LKD	20.9	20.0	0.8	4.0%													
		W6		21.1	20.7	0.5	2.2%													
		W7		23.7	23.6	0.2	0.7%	41.8	38.0	91%	37.5	90%	0.5	1.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W8	Bedroom	23.7	23.7	0.0	0.0%	13.6	12.1	89%	12.1	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W9	Bedroom	23.7	23.7	0.0	0.0%	15.1	12.9	85%	12.9	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R8	W10	LKD	23.4	23.4	0.0	0.0%													
		W11		33.6	33.6	0.0	0.0%	24.2	23.8	98%	23.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R1	W1-L	LKD	14.6	14.4	0.3	1.8%													
		W1-U						34.9	18.7	54%	18.7	54%	0.0	0.0%	23	10	23	10	0.0%	0.0%
Fifth	R2	W2	Bedroom	15.4	15.0	0.4	2.9%	13.5	7.9	59%	7.9	59%	0.0	0.2%	22	7	22	7	0.0%	0.0%
Fifth	R3	W3	Bedroom	16.4	15.8	0.5	3.3%	14.9	11.4	76%	11.4	76%	0.0	0.0%	27	9	27	9	0.0%	0.0%
Fifth	R4	W4	Bedroom	20.3	19.2	1.1	5.3%	10.9	5.9	54%	5.9	54%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W5	LKD	21.7	20.9	0.8	3.6%													
		W6		22.0	21.6	0.4	2.0%													
		W7		24.9	24.7	0.2	0.6%	41.8	38.1	91%	37.7	90%	0.5	1.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W8	Bedroom	24.8	24.8	0.0	0.0%	13.6	12.2	90%	12.2	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W9	Bedroom	24.8	24.8	0.0	0.0%	15.1	13.0	86%	13.0	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R8	W10	LKD	24.7	24.7	0.0	0.0%													
		W11		34.3	34.3	0.0	0.0%	24.2	23.8	99%	23.8	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R1	W1-L	LKD	15.6	15.3	0.3	1.9%													
		W1-U						34.9	18.7	54%	18.7	54%	0.0	0.0%	24	10	24	10	0.0%	0.0%
Sixth	R2	W2	Bedroom	16.3	15.9	0.5	2.9%	13.5	8.2	60%	8.1	60%	0.0	0.2%	22	7	22	7	0.0%	0.0%
Sixth	R3	W3	Bedroom	17.2	16.7	0.5	3.0%	14.9	11.6	77%	11.6	77%	0.0	0.0%	28	9	28	9	0.0%	0.0%
Sixth	R4	W4	Bedroom	20.8	19.8	1.0	4.8%	10.9	6.3	58%	6.3	58%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W5	LKD	22.3	21.5	0.7	3.3%													
		W6		22.6	22.2	0.4	1.8%													
		W7		25.7	25.5	0.2	0.6%	41.8	38.3	92%	37.8	91%	0.5	1.2%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Sixth	R6	W8	Bedroom	25.7	25.7	0.0	0.0%	13.6	12.4	91%	12.4	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W9	Bedroom	25.7	25.7	0.0	0.0%	15.1	13.1	87%	13.1	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R8	W10	LKD	25.6	25.6	0.0	0.0%													
		W11		34.6	34.6	0.0	0.0%	24.2	23.8	98%	23.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W1-L	LKD	9.3	9.3	0.0	0.0%													
		W1-U						36.5	18.2	50%	18.2	50%	0.0	0.0%	8	0	8	0	0.0%	0.0%
Seventh	R8	W2-L	Bedroom	10.7	10.7	0.0	0.0%													
		W2-U						11.7	6.6	57%	6.6	57%	0.0	0.0%	11	0	11	0	0.0%	0.0%
Seventh	R9	W3-L	Bedroom	10.6	9.6	0.9	8.8%													
		W3-U						15.1	4.8	32%	4.8	32%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R10	W4-L	LKD	12.1	11.4	0.7	5.4%													
		W4-U																		
		W5-L		14.0	13.5	0.5	3.3%													
		W5-U																		
		W6-L		15.1	14.9	0.1	0.9%													
		W6-U						35.8	31.2	87%	30.5	85%	0.7	2.3%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R11	W7-L	Bedroom	14.8	14.8	0.0	0.0%													
		W7-U						10.3	7.5	73%	7.5	73%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R12	W8-L	Bedroom	14.2	14.2	0.0	0.0%													
		W8-U						10.9	9.7	89%	9.7	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W1-L	LKD	3.4	3.4	0.0	0.0%													
		W1-U						36.5	16.6	45%	16.6	45%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Eighth	R8	W2-L	Bedroom	4.4	4.4	0.0	0.0%													
		W2-U						11.7	5.8	50%	5.8	50%	0.0	0.1%	4	0	4	0	0.0%	0.0%
Eighth	R9	W3-L	Bedroom	5.0	4.1	0.9	17.3%													
		W3-U						15.1	4.3	29%	4.3	29%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R10	W4-L	LKD	6.3	5.7	0.6	9.6%													
		W4-U																		
		W5-L		6.8	6.4	0.4	6.2%													
		W5-U																		
		W6-L		6.7	6.6	0.1	1.8%													
		W6-U						35.8	30.3	85%	29.4	82%	0.9	3.1%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R11	W7-L	Bedroom	6.9	6.9	0.0	0.0%													
		W7-U						10.3	6.8	65%	6.8	65%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R12	W8-L	Bedroom	6.2	6.2	0.0	0.0%													
		W8-U						10.9	8.9	81%	8.9	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R1	W1-L	LKD	22.2	22.0	0.3	1.1%													
		W1-U						38.5	22.6	59%	22.6	59%	0.0	0.0%	37	10	37	10	0.0%	0.0%
Ninth	R2	W2-L	Bedroom	22.5	22.1	0.4	1.8%													
		W2-U						11.4	9.9	87%	9.9	87%	0.0	0.0%	38	9	38	9	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Ninth	R3	W3-L	LKD	22.8	22.4	0.4	1.8%													
		W3-U																		
		W4-L		24.4	23.6	0.9	3.5%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	42	12	42	12	0.0%	0.0%
Ninth	R4	W5-L	Bedroom	25.7	25.0	0.7	2.7%													
		W5-U						11.6	8.9	76%	8.9	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W6-L	LKD	26.6	26.2	0.4	1.5%													
		W6-U																		
		W7-L		4.6	4.6	0.0	0.0%													
		W7-U																		
		W8-L		4.6	4.5	0.1	1.3%													
		W8-U						28.7	28.0	98%	28.0	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R6	W9-L	Bedroom	3.5	3.4	0.1	2.0%													
		W9-U																		
		W10-L		30.3	30.3	0.0	0.0%													
		W10-U						15.1	13.9	92%	13.9	92%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Ninth	R7	W11-L	LKD	30.4	30.4	0.0	0.0%													
		W11-U																		
		W12-L		30.4	30.4	0.0	0.0%													
		W12-U																		
		W13-L		11.5	11.5	0.0	0.0%													
		W13-U						39.2	38.1	97%	38.1	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%													
		W14-U																		
		W15-L		37.6	37.6	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R1	W1-L	LKD	25.3	25.1	0.2	0.9%													
		W1-U						38.5	27.0	70%	27.0	70%	0.0	0.0%	43	12	43	12	0.0%	0.0%
Tenth	R2	W2-L	Bedroom	25.1	24.7	0.4	1.4%													
		W2-U						11.4	10.4	91%	10.4	91%	0.0	0.0%	39	9	39	9	0.0%	0.0%
Tenth	R3	W3-L	LKD	25.0	24.7	0.4	1.5%													
		W3-U																		
		W4-L		25.6	24.8	0.8	3.2%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	44	14	44	14	0.0%	0.0%
Tenth	R4	W5-L	Bedroom	26.9	26.2	0.7	2.5%													
		W5-U						11.6	8.9	76%	8.9	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R5	W6-L	LKD	27.8	27.4	0.4	1.5%													
		W6-U																		
		W7-L		5.1	5.1	0.0	0.0%													
		W7-U																		
		W8-L		5.4	5.3	0.1	2.0%													
		W8-U						28.7	28.0	98%	28.0	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R6	W9-L	Bedroom	3.8	3.7	0.1	2.7%													
		W9-U																		
		W10-L		31.8	31.7	0.0	0.1%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W10-U						15.1	13.9	92%	13.9	92%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Tenth	R7	W11-L	LKD	31.9	31.9	0.0	0.0%													
		W11-U																		
		W12-L		31.9	31.8	0.0	0.0%													
		W12-U																		
		W13-L		11.7	11.7	0.0	0.0%													
		W13-U						39.2	38.4	98%	38.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%													
		W14-U																		
		W15-L		38.1	38.1	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R1	W1-L	LKD	28.3	28.1	0.2	0.8%													
		W1-U						38.5	31.0	81%	31.0	81%	0.0	0.0%	48	15	48	15	0.0%	0.0%
Eleventh	R2	W2-L	Bedroom	27.7	27.4	0.3	1.2%													
		W2-U						11.4	10.4	91%	10.4	91%	0.0	0.0%	45	14	45	14	0.0%	0.0%
Eleventh	R3	W3-L	LKD	27.3	26.9	0.4	1.3%													
		W3-U																		
		W4-L		26.9	26.1	0.8	3.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	45	15	45	15	0.0%	0.0%
Eleventh	R4	W5-L	Bedroom	28.1	27.4	0.7	2.5%													
		W5-U						11.6	8.9	76%	8.9	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R5	W6-L	LKD	29.1	28.6	0.5	1.8%													
		W6-U																		
		W7-L		5.6	5.6	0.0	0.0%													
		W7-U																		
		W8-L		6.2	6.0	0.2	3.9%													
		W8-U						28.7	28.0	98%	28.0	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R6	W9-L	Bedroom	4.0	3.9	0.2	4.2%													
		W9-U																		
		W10-L		33.2	33.0	0.2	0.5%													
		W10-U						15.1	14.0	93%	14.0	93%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Eleventh	R7	W11-L	LKD	33.3	33.1	0.1	0.5%													
		W11-U																		
		W12-L		33.3	33.1	0.2	0.5%													
		W12-U																		
		W13-L		11.8	11.8	0.0	0.0%													
		W13-U						39.2	38.4	98%	38.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%													
		W14-U																		
		W15-L		38.5	38.5	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R1	W1-L	LKD	31.0	30.8	0.2	0.7%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	49	17	49	17	0.0%	0.0%
Twelfth	R2	W2-L	Bedroom	30.0	29.7	0.3	1.0%													
		W2-U						11.4	10.4	92%	10.4	92%	0.0	0.0%	47	17	47	17	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Twelfth	R3	W3-L	LKD	29.2	28.8	0.3	1.1%												
		W3-U																	
		W4-L		27.9	27.1	0.8	2.8%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	46	17	46	17	0.0%	0.0%
Twelfth	R4	W5-L	Bedroom	29.1	28.4	0.7	2.5%												
		W5-U						11.6	8.9	76%	8.9	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W6-L	LKD	30.2	29.6	0.6	2.0%												
		W6-U																	
		W7-L		5.6	5.6	0.0	0.0%												
		W7-U																	
		W8-L		6.5	6.1	0.4	6.0%												
		W8-U						28.7	28.0	98%	28.0	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R6	W9-L	Bedroom	4.0	3.7	0.2	6.0%												
		W9-U																	
		W10-L		34.3	33.9	0.4	1.1%												
		W10-U						15.1	14.1	93%	14.1	93%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Twelfth	R7	W11-L	LKD	34.4	34.0	0.4	1.0%												
		W11-U																	
		W12-L		34.4	34.1	0.4	1.0%												
		W12-U																	
		W13-L		11.2	11.2	0.0	0.0%												
		W13-U						39.2	38.4	98%	38.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R8	W14-L	Bedroom	2.5	2.5	0.0	0.0%												
		W14-U																	
		W15-L		38.5	38.5	0.0	0.0%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R1	W1-L	LKD	33.2	33.0	0.2	0.6%												
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	52	18	52	18	0.0%	0.0%
Thirteenth	R2	W2-L	Bedroom	32.0	31.8	0.3	0.9%												
		W2-U						11.4	10.7	94%	10.7	94%	0.0	0.0%	50	18	50	18	0.0%	0.0%
Thirteenth	R3	W3-L	LKD	31.0	30.7	0.3	1.0%												
		W3-U																	
		W4-L		29.6	28.8	0.8	2.6%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	50	19	50	19	0.0%	0.0%
Thirteenth	R4	W5-L	Bedroom	30.8	30.1	0.7	2.4%												
		W5-U						11.6	8.9	77%	8.9	77%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R5	W6-L	LKD	32.0	31.3	0.7	2.2%												
		W6-U																	
		W7-L		6.5	6.5	0.0	0.0%												
		W7-U																	
		W8-L		7.9	7.3	0.5	6.9%												
		W8-U						28.7	28.0	98%	28.0	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R6	W9-L	Bedroom	4.5	4.2	0.3	7.0%												
		W9-U																	
		W10-L		35.9	35.4	0.6	1.6%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-U						15.1	14.2	94%	14.2	94%	0.0	0.0%	1	0	1	0	0.0%	0.0%
Thirteenth	R7	W11-L	LKD	36.0	35.5	0.5	1.5%													
		W11-U																		
		W12-L		36.0	35.5	0.5	1.4%													
		W12-U																		
		W13-L		12.0	12.0	0.0	0.0%													
		W13-U						39.2	38.4	98%	38.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%													
		W14-U																		
		W15-L		39.1	39.1	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R1	W1-L	LKD	34.0	33.9	0.2	0.5%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	53	19	53	19	0.0%	0.0%
Fourteenth	R2	W2-L	Bedroom	32.9	32.6	0.3	0.8%													
		W2-U						11.4	10.9	96%	10.9	96%	0.0	0.0%	51	19	51	19	0.0%	0.0%
Fourteenth	R3	W3-L	LKD	31.8	31.5	0.3	0.8%													
		W3-U																		
		W4-L		30.7	30.0	0.7	2.3%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	49	19	49	19	0.0%	0.0%
Fourteenth	R4	W5-L	Bedroom	31.9	31.2	0.7	2.2%													
		W5-U						11.6	9.0	77%	9.0	77%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R5	W6-L	LKD	33.1	32.4	0.7	2.2%													
		W6-U																		
		W7-L		6.8	6.8	0.0	0.0%													
		W7-U																		
		W8-L		8.4	7.8	0.6	7.2%													
		W8-U						28.7	28.0	98%	28.0	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R6	W9-L	Bedroom	4.7	4.3	0.4	7.5%													
		W9-U																		
		W10-L		36.8	36.2	0.7	1.8%													
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	1	0	1	0	0.0%	0.0%
Fourteenth	R7	W11-L	LKD	36.9	36.3	0.6	1.7%													
		W11-U																		
		W12-L		36.9	36.3	0.6	1.5%													
		W12-U																		
		W13-L		12.0	12.0	0.0	0.0%													
		W13-U						39.2	38.4	98%	38.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%													
		W14-U																		
		W15-L		39.2	39.2	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R1	W1-L	LKD	34.8	34.6	0.1	0.4%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	53	18	53	18	0.0%	0.0%
Fifteenth	R2	W2-L	Bedroom	33.7	33.5	0.2	0.7%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	50	19	50	19	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fifteenth	R3	W3-L	LKD	32.7	32.4	0.2	0.7%												
		W3-U																	
		W4-L		31.7	31.1	0.6	1.9%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	48	18	48	18	0.0%	0.0%
Fifteenth	R4	W5-L	Bedroom	32.8	32.2	0.6	1.9%												
		W5-U						11.6	9.1	78%	9.1	78%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R5	W6-L	LKD	33.9	33.3	0.6	1.9%												
		W6-U																	
		W7-L		7.2	7.2	0.0	0.0%												
		W7-U																	
		W8-L		8.5	8.0	0.5	6.0%												
		W8-U						28.7	28.0	98%	28.0	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R6	W9-L	Bedroom	4.7	4.4	0.3	6.4%												
		W9-U																	
		W10-L		37.4	36.8	0.5	1.5%												
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Fifteenth	R7	W11-L	LKD	37.4	36.9	0.5	1.4%												
		W11-U																	
		W12-L		37.4	36.9	0.5	1.3%												
		W12-U																	
		W13-L		12.1	12.1	0.0	0.0%												
		W13-U						39.2	38.4	98%	38.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%												
		W14-U																	
		W15-L		39.2	39.2	0.0	0.0%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R1	W1-L	LKD	35.6	35.5	0.1	0.3%												
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	54	20	54	20	0.0%	0.0%
Sixteenth	R2	W2-L	Bedroom	34.7	34.5	0.2	0.5%												
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	50	19	50	19	0.0%	0.0%
Sixteenth	R3	W3-L	LKD	33.7	33.5	0.2	0.6%												
		W3-U																	
		W4-L		32.9	32.4	0.5	1.6%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	48	18	48	18	0.0%	0.0%
Sixteenth	R4	W5-L	Bedroom	33.9	33.4	0.5	1.5%												
		W5-U						11.6	9.4	81%	9.4	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R5	W6-L	LKD	34.9	34.3	0.5	1.5%												
		W6-U																	
		W7-L		7.5	7.5	0.0	0.0%												
		W7-U																	
		W8-L		8.7	8.2	0.4	5.1%												
		W8-U						28.7	28.0	98%	28.0	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R6	W9-L	Bedroom	4.7	4.4	0.3	5.3%												
		W9-U																	
		W10-L		37.9	37.4	0.5	1.2%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Sixteenth	R7	W11-L	LKD	38.0	37.5	0.4	1.2%													
		W11-U																		
		W12-L		38.0	37.6	0.4	1.1%													
		W12-U																		
		W13-L		12.1	12.1	0.0	0.0%													
		W13-U						39.2	38.5	98%	38.5	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.3	39.3	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R1	W1-L	LKD	36.4	36.3	0.1	0.3%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Seventeenth	R2	W2-L	Bedroom	35.7	35.5	0.1	0.4%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Seventeenth	R3	W3-L	LKD	34.9	34.8	0.2	0.5%													
		W3-U																		
		W4-L		34.2	33.8	0.4	1.2%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Seventeenth	R4	W5-L	Bedroom	35.1	34.7	0.4	1.2%													
		W5-U						11.6	10.0	86%	10.0	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R5	W6-L	LKD	35.9	35.5	0.4	1.2%													
		W6-U																		
		W7-L		7.8	7.8	0.0	0.0%													
		W7-U																		
		W8-L		8.8	8.5	0.4	4.0%													
		W8-U						28.7	28.0	98%	28.0	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R6	W9-L	Bedroom	4.7	4.5	0.2	4.3%													
		W9-U																		
		W10-L		38.4	38.0	0.4	1.0%													
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Seventeenth	R7	W11-L	LKD	38.4	38.1	0.4	0.9%													
		W11-U																		
		W12-L		38.5	38.2	0.3	0.9%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.3	39.3	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R1	W1-L	LKD	37.0	37.0	0.1	0.2%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	51	17	51	17	0.0%	0.0%
Eighteenth	R2	W2-L	Bedroom	36.5	36.4	0.1	0.3%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	50	17	50	17	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Eighteenth	R3	W3-L	LKD	36.0	35.9	0.1	0.3%													
		W3-U																		
		W4-L		35.5	35.2	0.3	0.9%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	48	17	48	17	0.0%	0.0%
Eighteenth	R4	W5-L	Bedroom	36.1	35.8	0.3	0.9%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R5	W6-L	LKD	36.7	36.4	0.3	0.9%													
		W6-U																		
		W7-L		7.5	7.5	0.0	0.0%													
		W7-U																		
		W8-L		8.4	8.1	0.3	3.3%													
		W8-U						28.7	28.1	98%	28.1	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R6	W9-L	Bedroom	4.4	4.2	0.2	3.7%													
		W9-U																		
		W10-L		38.5	38.3	0.3	0.8%													
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	1	0	1	0	0.0%	0.0%
Eighteenth	R7	W11-L	LKD	38.6	38.4	0.3	0.7%													
		W11-U																		
		W12-L		38.7	38.4	0.3	0.7%													
		W12-U																		
		W13-L		11.5	11.5	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R8	W14-L	Bedroom	2.5	2.5	0.0	0.0%													
		W14-U																		
		W15-L		39.0	39.0	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R1	W1-L	LKD	38.4	38.3	0.1	0.2%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Nineteenth	R2	W2-L	Bedroom	38.1	38.0	0.1	0.2%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	56	20	56	20	0.0%	0.0%
Nineteenth	R3	W3-L	LKD	37.8	37.7	0.1	0.2%													
		W3-U																		
		W4-L		37.5	37.3	0.2	0.6%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	56	20	56	20	0.0%	0.0%
Nineteenth	R4	W5-L	Bedroom	37.9	37.7	0.2	0.6%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R5	W6-L	LKD	38.2	38.0	0.2	0.6%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	8.8	0.2	2.2%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R6	W9-L	Bedroom	4.7	4.6	0.1	2.3%													
		W9-U																		
		W10-L		39.3	39.1	0.2	0.5%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	1	0	1	0	0.0%	0.0%
Nineteenth	R7	W11-L	LKD	39.3	39.1	0.2	0.5%													
		W11-U																		
		W12-L		39.4	39.2	0.2	0.5%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.5	39.5	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R1	W1-L	LKD	39.2	39.1	0.0	0.1%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Twentieth	R2	W2-L	Bedroom	39.1	39.1	0.1	0.1%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Twentieth	R3	W3-L	LKD	39.0	39.0	0.1	0.1%													
		W3-U																		
		W4-L		39.0	38.9	0.1	0.4%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	56	20	56	20	0.0%	0.0%
Twentieth	R4	W5-L	Bedroom	39.1	38.9	0.1	0.4%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R5	W6-L	LKD	39.2	39.0	0.1	0.4%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	8.8	0.1	1.4%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R6	W9-L	Bedroom	4.7	4.6	0.1	1.5%													
		W9-U																		
		W10-L		39.4	39.3	0.1	0.3%													
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Twentieth	R7	W11-L	LKD	39.4	39.3	0.1	0.3%													
		W11-U																		
		W12-L		39.4	39.3	0.1	0.3%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.5	39.5	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R1	W1-L	LKD	39.4	39.4	0.0	0.1%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-First	R2	W2-L	Bedroom	39.5	39.4	0.0	0.1%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Twenty-First	R3	W3-L	LKD	39.4	39.4	0.0	0.1%												
		W3-U																	
		W4-L		39.5	39.4	0.1	0.2%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-First	R4	W5-L	Bedroom	39.5	39.4	0.1	0.2%												
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R5	W6-L	LKD	39.5	39.4	0.1	0.2%												
		W6-U																	
		W7-L		8.2	8.2	0.0	0.0%												
		W7-U																	
		W8-L		9.0	8.9	0.1	0.6%												
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R6	W9-L	Bedroom	4.7	4.7	0.0	0.6%												
		W9-U																	
		W10-L		39.5	39.4	0.1	0.2%												
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-First	R7	W11-L	LKD	39.5	39.4	0.1	0.1%												
		W11-U																	
		W12-L		39.5	39.4	0.1	0.1%												
		W12-U																	
		W13-L		12.2	12.2	0.0	0.0%												
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%												
		W14-U																	
		W15-L		39.4	39.4	0.0	0.0%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Secc	R1	W1-L	LKD	39.4	39.4	0.0	0.0%												
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Secc	R2	W2-L	Bedroom	39.4	39.4	0.0	0.0%												
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Secc	R3	W3-L	LKD	39.4	39.4	0.0	0.0%												
		W3-U																	
		W4-L		39.5	39.5	0.0	0.0%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Secc	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%												
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Secc	R5	W6-L	LKD	39.5	39.5	0.0	0.0%												
		W6-U																	
		W7-L		8.2	8.2	0.0	0.0%												
		W7-U																	
		W8-L		9.0	9.0	0.0	0.0%												
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Secc	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%												
		W9-U																	
		W10-L		39.4	39.4	0.0	0.0%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Secc	R7	W11-L	LKD	39.4	39.4	0.0	0.0%													
		W11-U																		
		W12-L		39.4	39.4	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Secc	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.4	39.4	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Thir	R1	W1-L	LKD	39.4	39.4	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Thir	R2	W2-L	Bedroom	39.4	39.4	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Thir	R3	W3-L	LKD	39.4	39.4	0.0	0.0%													
		W3-U																		
		W4-L		39.4	39.4	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Thir	R4	W5-L	Bedroom	39.4	39.4	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Thir	R5	W6-L	LKD	39.4	39.4	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Thir	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.4	39.4	0.0	0.0%													
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Thir	R7	W11-L	LKD	39.4	39.4	0.0	0.0%													
		W11-U																		
		W12-L		39.4	39.4	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Thir	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.4	39.4	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Four	R1	W1-L	LKD	39.0	39.0	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Four	R2	W2-L	Bedroom	39.1	39.1	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Twenty-Four	R3	W3-L	LKD	39.1	39.1	0.0	0.0%													
		W3-U																		
		W4-L		39.1	39.1	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Four	R4	W5-L	Bedroom	39.1	39.1	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Four	R5	W6-L	LKD	39.1	39.1	0.0	0.0%													
		W6-U																		
		W7-L		7.6	7.6	0.0	0.0%													
		W7-U																		
		W8-L		8.4	8.4	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Four	R6	W9-L	Bedroom	4.4	4.4	0.0	0.0%													
		W9-U																		
		W10-L		39.1	39.1	0.0	0.0%													
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Four	R7	W11-L	LKD	39.0	39.0	0.0	0.0%													
		W11-U																		
		W12-L		39.1	39.1	0.0	0.0%													
		W12-U																		
		W13-L		11.5	11.5	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Four	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%													
		W14-U																		
		W15-L		39.0	39.0	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Fifth	R1	W1-L	LKD	39.5	39.5	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Fifth	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Fifth	R3	W3-L	LKD	39.5	39.5	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Fifth	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Fifth	R5	W6-L	LKD	39.5	39.5	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Fifth	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.5	39.5	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Fifth	R7	W11-L	LKD	39.5	39.5	0.0	0.0%													
		W11-U																		
		W12-L		39.5	39.5	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Fifth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.5	39.5	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Sixth	R1	W1-L	LKD	39.5	39.5	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Sixth	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Sixth	R3	W3-L	LKD	39.5	39.5	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Sixth	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Sixth	R5	W6-L	LKD	39.5	39.5	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Sixth	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.5	39.5	0.0	0.0%													
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Sixth	R7	W11-L	LKD	39.5	39.5	0.0	0.0%													
		W11-U																		
		W12-L		39.5	39.5	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Sixth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.5	39.5	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Seve	R1	W1-L	LKD	39.4	39.4	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Seve	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Twenty-Seve	R3	W3-L	LKD	39.4	39.4	0.0	0.0%												
		W3-U																	
		W4-L		39.5	39.5	0.0	0.0%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Seve	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%												
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Seve	R5	W6-L	LKD	39.5	39.5	0.0	0.0%												
		W6-U																	
		W7-L		8.2	8.2	0.0	0.0%												
		W7-U																	
		W8-L		9.0	9.0	0.0	0.0%												
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Seve	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%												
		W9-U																	
		W10-L		39.5	39.5	0.0	0.0%												
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Seve	R7	W11-L	LKD	39.5	39.5	0.0	0.0%												
		W11-U																	
		W12-L		39.5	39.5	0.0	0.0%												
		W12-U																	
		W13-L		12.2	12.2	0.0	0.0%												
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Seve	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%												
		W14-U																	
		W15-L		39.4	39.4	0.0	0.0%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Eigh	R1	W1-L	LKD	39.4	39.4	0.0	0.0%												
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Eigh	R2	W2-L	Bedroom	39.4	39.4	0.0	0.0%												
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Eigh	R3	W3-L	LKD	39.4	39.4	0.0	0.0%												
		W3-U																	
		W4-L		39.5	39.5	0.0	0.0%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Eigh	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%												
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Eigh	R5	W6-L	LKD	39.5	39.5	0.0	0.0%												
		W6-U																	
		W7-L		8.2	8.2	0.0	0.0%												
		W7-U																	
		W8-L		9.0	9.0	0.0	0.0%												
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Eigh	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%												
		W9-U																	
		W10-L		39.4	39.4	0.0	0.0%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Eigh	R7	W11-L	LKD	39.4	39.4	0.0	0.0%													
		W11-U																		
		W12-L		39.4	39.4	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Eigh	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.4	39.4	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Nint	R1	W1-L	LKD	39.4	39.4	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Nint	R2	W2-L	Bedroom	39.4	39.4	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Nint	R3	W3-L	LKD	39.4	39.4	0.0	0.0%													
		W3-U																		
		W4-L		39.4	39.4	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Nint	R4	W5-L	Bedroom	39.4	39.4	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Nint	R5	W6-L	LKD	39.4	39.4	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Nint	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.4	39.4	0.0	0.0%													
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twenty-Nint	R7	W11-L	LKD	39.4	39.4	0.0	0.0%													
		W11-U																		
		W12-L		39.4	39.4	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Nint	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.4	39.4	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirtieth	R1	W1-L	LKD	39.0	39.0	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	52	17	52	17	0.0%	0.0%
Thirtieth	R2	W2-L	Bedroom	39.1	39.1	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	52	17	52	17	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Thirtieth	R3	W3-L	LKD	39.1	39.1	0.0	0.0%													
		W3-U																		
		W4-L		39.1	39.1	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	52	17	52	17	0.0%	0.0%
Thirtieth	R4	W5-L	Bedroom	39.1	39.1	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirtieth	R5	W6-L	LKD	39.1	39.1	0.0	0.0%													
		W6-U																		
		W7-L		7.6	7.6	0.0	0.0%													
		W7-U																		
		W8-L		8.4	8.4	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirtieth	R6	W9-L	Bedroom	4.4	4.4	0.0	0.0%													
		W9-U																		
		W10-L		39.1	39.1	0.0	0.0%													
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	10	0	10	0	0.0%	0.0%
Thirtieth	R7	W11-L	LKD	39.0	39.0	0.0	0.0%													
		W11-U																		
		W12-L		39.1	39.1	0.0	0.0%													
		W12-U																		
		W13-L		11.5	11.5	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirtieth	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%													
		W14-U																		
		W15-L		39.0	39.0	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-First	R1	W1-L	LKD	39.5	39.5	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-First	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-First	R3	W3-L	LKD	39.5	39.5	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-First	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-First	R5	W6-L	LKD	39.5	39.5	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-First	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.5	39.5	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-First	R7	W11-L	LKD	39.5	39.5	0.0	0.0%													
		W11-U																		
		W12-L		39.5	39.5	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-First	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.5	39.5	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Secon	R1	W1-L	LKD	39.5	39.5	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Secon	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Secon	R3	W3-L	LKD	39.5	39.5	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Secon	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Secon	R5	W6-L	LKD	39.5	39.5	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Secon	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.5	39.5	0.0	0.0%													
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Secon	R7	W11-L	LKD	39.5	39.5	0.0	0.0%													
		W11-U																		
		W12-L		39.5	39.5	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Secon	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.5	39.5	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Third	R1	W1-L	LKD	39.5	39.5	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Third	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Thirty-Third	R3	W3-L	LKD	39.5	39.5	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Third	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Third	R5	W6-L	LKD	39.5	39.5	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Third	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.5	39.5	0.0	0.0%													
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Third	R7	W11-L	LKD	39.5	39.5	0.0	0.0%													
		W11-U																		
		W12-L		39.5	39.5	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Third	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.5	39.5	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fourth	R1	W1-L	LKD	39.5	39.5	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Fourth	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Fourth	R3	W3-L	LKD	39.5	39.5	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Fourth	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fourth	R5	W6-L	LKD	39.5	39.5	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fourth	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.5	39.5	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Fourth	R7	W11-L	LKD	39.5	39.5	0.0	0.0%													
		W11-U																		
		W12-L		39.5	39.5	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fourth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.4	39.4	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fifth	R1	W1-L	LKD	39.4	39.4	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Fifth	R2	W2-L	Bedroom	39.4	39.4	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Fifth	R3	W3-L	LKD	39.4	39.4	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Fifth	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fifth	R5	W6-L	LKD	39.5	39.5	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fifth	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.4	39.4	0.0	0.0%													
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Fifth	R7	W11-L	LKD	39.4	39.4	0.0	0.0%													
		W11-U																		
		W12-L		39.4	39.4	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fifth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.4	39.4	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Sixth	R1	W1-L	Bedroom	19.3	19.3	0.0	0.0%													
		W1-U																		
		W2-L		39.4	39.4	0.0	0.0%													
		W2-U						18.4	18.4	100%	18.4	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Thirty-Sixth	R2	W3-L	Bedroom	39.4	39.4	0.0	0.0%												
		W3-U																	
		W4-L		16.8	16.8	0.0	0.0%												
		W4-U						15.3	15.3	100%	15.3	100%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Sixth	R3	W5-L	LKD	18.5	18.5	0.0	0.0%												
		W5-U																	
		W6-L		23.0	23.0	0.0	0.0%												
		W6-U						35.4	33.0	93%	33.0	93%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Sixth	R4	W7-L	LKD	39.4	39.4	0.0	0.0%												
		W7-U																	
		W8-L		39.4	39.4	0.0	0.0%												
		W8-U																	
		W9-L		22.0	22.0	0.0	0.0%												
		W9-U																	
		W10-L		15.6	15.6	0.0	0.0%												
		W10-U						40.4	40.2	100%	40.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Sixth	R5	W11-L	Bedroom	10.8	10.8	0.0	0.0%												
		W11-U																	
		W12-L		39.4	39.4	0.0	0.0%												
		W12-U						14.8	14.6	99%	14.6	99%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirty-Sixth	R6	W13-L	Bedroom	39.4	39.4	0.0	0.0%												
		W13-U																	
		W14-L		19.0	19.0	0.0	0.0%												
		W14-U						15.9	15.8	100%	15.8	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Sixth	R7	W15-L	LKD	17.1	17.1	0.0	0.0%												
		W15-U																	
		W16-L		39.4	39.4	0.0	0.0%												
		W16-U						20.9	20.5	98%	20.5	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Mezzanine	R1	W1-L	Residential	10.9	10.7	0.2	1.5%												
		W1-U																	
		W2-L		11.1	10.8	0.3	2.7%												
		W2-U						56.8	48.3	85%	48.2	85%	0.0	0.0%	23	10	23	10	0.0%	0.0%
Mezzanine	R2	W3-L	Residential	11.9	11.3	0.5	4.5%												
		W3-U																	
		W4-L		14.9	13.8	1.1	7.6%												
		W4-U																	
		W5-L		17.0	16.2	0.8	4.8%												
		W5-U																	
		W6-L		17.3	16.9	0.5	2.7%												
		W6-U																	
		W7-L		18.6	18.3	0.3	1.4%												
		W7-U																	
		W8-L		18.1	18.0	0.2	0.8%												
		W8-U																	
		W9-L		17.8	17.6	0.2	0.9%												
		W9-U																	
		W10-L		20.5	20.5	0.0	0.0%												
		W10-U																	
		W11-L		20.6	20.6	0.0	0.0%												
		W11-U						152.1	151.9	100%	151.9	100%	0.0	0.0%	52	15	52	15	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Ferry Island Building 2																			
First	R1	W1-L	LKD	13.2	13.2	0.0	0.0%												
		W1-U																	
		W2-L		16.7	16.7	0.0	0.0%												
		W2-U																	
		W3		23.3	23.3	0.0	0.1%	33.5	23.6	70%	23.6	70%	0.0	0.0%	40	18	40	18	0.0%	0.0%
First	R2	W4	Bedroom	22.0	22.0	0.0	0.0%	12.4	9.5	77%	9.5	77%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W5-L	LKD	8.2	8.2	0.0	0.0%												
		W5-U						32.4	20.6	64%	20.6	64%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R4	W6	Bedroom	16.8	16.8	0.0	0.0%	12.4	6.2	50%	6.2	50%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W7	LKD	16.4	16.4	0.0	0.0%												
		W8-L		7.3	7.3	0.0	0.0%												
		W8-U						35.2	14.1	40%	14.1	40%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W9	Bedroom	11.4	11.4	0.0	0.0%	12.2	4.7	38%	4.7	38%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W10	Bedroom	13.3	13.3	0.0	0.0%	11.5	6.0	52%	6.0	52%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W11-L	Studio	3.3	3.3	0.0	0.0%												
		W11-U						29.1	5.5	19%	5.5	19%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R9	W12	LKD	9.0	9.0	0.0	0.0%												
		W13-L		1.3	1.3	0.0	0.0%												
		W13-U						35.1	6.8	19%	6.8	19%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R10	W14	Bedroom	5.4	5.4	0.0	0.0%	11.3	2.1	18%	2.1	18%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R11	W15	Bedroom	6.4	6.4	0.0	0.0%	14.5	1.9	13%	1.9	13%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R12	W16	Bedroom	6.6	6.6	0.0	0.0%	10.0	1.1	11%	1.1	11%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R13	W17	Bedroom	7.0	7.0	0.0	0.0%												
		W18		7.8	7.8	0.0	0.0%	11.3	4.3	38%	4.3	38%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R14	W19	LKD	8.7	8.7	0.0	0.0%												
		W20-L		0.1	0.1	0.0	14.3%												
		W20-U																	
		W21-L		0.9	0.9	0.0	0.0%												
		W21-U																	
		W22-L		5.1	5.1	0.0	0.0%												
		W22-U						43.1	14.4	33%	14.4	33%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R1	W1-L	LKD	13.7	13.7	0.0	0.0%												
		W1-U																	
		W2-L		17.3	17.3	0.0	0.0%												
		W2-U																	
		W3		24.5	24.3	0.2	0.7%	33.5	23.6	70%	23.6	70%	0.0	0.1%	40	18	40	18	0.0%	0.0%
Second	R2	W4	Bedroom	23.3	23.1	0.2	0.7%	12.4	9.9	80%	9.9	80%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W5-L	LKD	9.2	9.1	0.1	1.0%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W5-U						32.4	21.6	67%	21.3	66%	0.3	1.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R4	W6	Bedroom	18.2	18.2	0.1	0.4%	12.4	7.2	58%	7.2	58%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W7	LKD	17.8	17.8	0.0	0.1%													
		W8-L		8.3	8.3	0.0	0.0%													
		W8-U						35.2	16.1	46%	16.1	46%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W9	Bedroom	12.9	12.9	0.0	0.0%	12.2	5.3	44%	5.3	44%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W10	Bedroom	14.9	14.9	0.0	0.0%	11.5	7.3	64%	7.3	64%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R8	W11-L	Studio	4.0	4.0	0.0	0.0%													
		W11-U						29.1	6.0	21%	6.0	21%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R9	W12	LKD	10.3	10.3	0.0	0.0%													
		W13-L		1.7	1.7	0.0	0.0%													
		W13-U						35.1	8.3	24%	8.3	24%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R10	W14	Bedroom	6.2	6.2	0.0	0.0%	11.3	2.5	22%	2.5	22%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R11	W15	Bedroom	7.2	7.2	0.0	0.0%	14.5	2.1	15%	2.1	15%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R12	W16	Bedroom	7.4	7.4	0.0	0.0%	10.0	1.3	13%	1.3	13%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R13	W17	Bedroom	7.7	7.7	0.0	0.0%													
		W18		8.5	8.5	0.0	0.0%	11.3	4.6	40%	4.6	40%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R14	W19	LKD	9.3	9.3	0.0	0.0%													
		W20-L		0.1	0.1	0.0	12.5%													
		W20-U																		
		W21-L		0.9	0.9	0.0	1.1%													
		W21-U																		
		W22-L		5.4	5.4	0.0	0.0%													
		W22-U						43.1	15.1	35%	15.1	35%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	LKD	13.8	13.8	0.0	0.0%													
		W1-U																		
		W2-L		17.4	17.4	0.0	0.0%													
		W2-U																		
		W3		25.6	25.2	0.4	1.5%	33.5	23.6	70%	23.6	70%	0.0	0.2%	40	18	40	18	0.0%	0.0%
Third	R2	W4	Bedroom	24.4	24.0	0.4	1.6%	12.4	10.0	81%	10.0	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W5-L	LKD	9.9	9.6	0.4	3.5%													
		W5-U						32.4	22.7	70%	22.0	68%	0.7	3.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W6	Bedroom	19.6	19.3	0.3	1.7%	12.4	8.5	69%	8.5	69%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W7	LKD	19.2	18.9	0.3	1.4%													
		W8-L		9.3	9.2	0.2	1.9%													
		W8-U						35.2	18.2	52%	18.0	51%	0.2	1.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W9	Bedroom	14.5	14.4	0.1	1.0%	12.2	6.5	53%	6.5	53%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W10	Bedroom	16.5	16.4	0.0	0.3%	11.5	8.0	69%	8.0	69%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Third	R8	W11-L	Studio	5.0	5.0	0.0	0.0%													
		W11-U						29.1	8.3	28%	8.3	28%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R9	W12	LKD	11.6	11.6	0.0	0.0%													
		W13-L		2.5	2.5	0.0	0.0%													
		W13-U						35.1	11.2	32%	11.2	32%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R10	W14	Bedroom	7.0	7.0	0.0	0.0%	11.3	3.1	27%	3.1	27%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R11	W15	Bedroom	8.1	8.1	0.0	0.0%	14.5	2.5	17%	2.5	17%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R12	W16	Bedroom	8.2	8.2	0.0	0.0%	10.0	1.6	16%	1.6	16%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R13	W17	Bedroom	8.5	8.5	0.0	0.0%													
		W18		9.2	9.2	0.0	0.0%	11.3	4.9	43%	4.9	43%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R14	W19	LKD	10.0	10.0	0.0	0.0%													
		W20-L		0.1	0.1	0.0	0.0%													
		W20-U																		
		W21-L		1.0	1.0	0.0	0.0%													
		W21-U																		
		W22-L		5.8	5.8	0.0	0.0%													
		W22-U						43.1	15.6	36%	15.6	36%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R1	W1-L	LKD	13.7	13.7	0.0	0.0%													
		W1-U																		
		W2-L		17.3	17.3	0.0	0.0%													
		W2-U																		
		W3		26.7	26.1	0.6	2.3%	33.5	23.6	70%	23.6	70%	0.0	0.2%	39	18	39	18	0.0%	0.0%
Fourth	R2	W4	Bedroom	25.7	25.0	0.6	2.5%	12.4	10.1	81%	10.1	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R3	W5-L	LKD	10.7	10.1	0.6	5.8%													
		W5-U						32.4	24.0	74%	24.0	74%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R4	W6	Bedroom	21.2	20.6	0.6	2.9%	12.4	8.8	71%	8.8	71%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W7	LKD	20.7	20.1	0.6	2.9%													
		W8-L		10.5	10.0	0.5	5.0%													
		W8-U						35.2	22.6	64%	22.1	63%	0.5	2.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W9	Bedroom	16.3	15.8	0.5	3.2%	12.2	7.4	61%	7.4	61%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W10	Bedroom	18.3	17.9	0.4	2.3%	11.5	8.0	70%	8.0	70%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R8	W11-L	Studio	6.9	6.8	0.1	0.9%													
		W11-U						29.1	15.6	54%	15.5	53%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R9	W12	LKD	13.1	13.1	0.0	0.0%													
		W13-L		4.3	4.3	0.0	0.0%													
		W13-U						35.1	16.4	47%	16.4	47%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R10	W14	Bedroom	7.7	7.7	0.0	0.0%	11.3	3.5	31%	3.5	31%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R11	W15	Bedroom	9.1	9.1	0.0	0.0%	14.5	3.1	22%	3.1	22%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R12	W16	Bedroom	9.2	9.2	0.0	0.0%	10.0	2.1	21%	2.1	21%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fourth	R13	W17	Bedroom	9.4	9.4	0.0	0.0%												
		W18		10.1	10.1	0.0	0.0%	11.3	5.2	47%	5.2	47%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R14	W19	LKD	10.8	10.8	0.0	0.0%												
		W20-L		0.1	0.1	0.0	0.0%												
		W20-U																	
		W21-L		1.0	1.0	0.0	0.0%												
		W21-U																	
		W22-L		6.3	6.3	0.0	0.0%												
		W22-U						43.1	16.5	38%	16.5	38%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R1	W1-L	LKD	13.7	13.7	0.0	0.0%												
		W1-U																	
		W2-L		17.3	17.3	0.0	0.0%												
		W2-U																	
		W3		27.9	27.1	0.8	3.0%	33.5	23.6	70%	23.6	70%	0.0	0.1%	39	18	39	18	0.0%	0.0%
Fifth	R2	W4	Bedroom	27.0	26.1	0.9	3.2%	12.4	10.1	82%	10.1	82%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R3	W5-L	LKD	11.4	10.6	0.9	7.6%												
		W5-U						32.4	24.8	76%	24.8	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R4	W6	Bedroom	23.3	22.4	0.9	3.9%	12.4	8.8	71%	8.8	71%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W7	LKD	22.4	21.5	0.9	4.1%												
		W8-L		11.7	10.8	0.9	7.6%												
		W8-U						35.2	29.2	83%	27.4	78%	1.8	6.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W9	Bedroom	18.2	17.3	0.9	5.1%	12.2	7.5	62%	7.5	62%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W10	Bedroom	20.2	19.4	0.8	4.0%	11.5	8.1	70%	8.1	70%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R8	W11-L	Studio	7.5	7.2	0.2	3.0%												
		W11-U						29.1	22.0	76%	21.9	75%	0.2	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R9	W12	LKD	14.5	14.5	0.0	0.0%												
		W13-L		4.7	4.7	0.0	0.0%												
		W13-U						35.1	26.7	76%	26.7	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R10	W14	Bedroom	8.5	8.5	0.0	0.0%	11.3	3.7	33%	3.7	33%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R11	W15	Bedroom	10.0	10.0	0.0	0.0%	14.5	3.8	26%	3.8	26%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R12	W16	Bedroom	10.2	10.2	0.0	0.0%	10.0	3.0	30%	3.0	30%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R13	W17	Bedroom	10.4	10.4	0.0	0.0%												
		W18		10.9	10.9	0.0	0.0%	11.3	5.7	50%	5.7	50%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R14	W19	LKD	11.5	11.5	0.0	0.0%												
		W20-L		0.2	0.2	0.0	0.0%												
		W20-U																	
		W21-L		1.0	1.0	0.0	0.0%												
		W21-U																	
		W22-L		6.8	6.8	0.0	0.0%												
		W22-U						43.1	17.8	41%	17.8	41%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R1	W1-L	LKD	13.7	13.7	0.0	0.0%													
		W1-U																		
		W2-L		17.3	17.3	0.0	0.0%													
		W2-U																		
		W3		29.1	28.0	1.0	3.5%	33.5	23.6	70%	23.6	70%	0.0	0.0%	39	18	39	18	0.0%	0.0%
Sixth	R2	W4	Bedroom	28.3	27.2	1.1	3.8%	12.4	10.1	82%	10.1	82%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R3	W5-L	LKD	26.7	25.6	1.1	4.2%													
		W5-U						32.4	25.0	77%	25.0	77%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W6	Bedroom	25.6	24.4	1.1	4.5%	12.4	8.9	72%	8.9	72%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W7	LKD	24.0	22.8	1.2	5.0%													
		W8-L		14.0	12.8	1.2	8.6%													
		W8-U						35.2	30.5	87%	29.0	82%	1.5	4.8%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W9	Bedroom	20.0	18.7	1.3	6.3%	12.2	7.6	63%	7.6	63%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W10	Bedroom	22.0	20.8	1.1	5.2%	11.5	8.3	72%	8.3	72%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R8	W11-L	Studio	9.7	9.3	0.4	3.6%													
		W11-U						29.1	23.9	82%	23.7	82%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R9	W12	LKD	15.8	15.8	0.0	0.0%													
		W13-L		6.3	6.3	0.0	0.0%													
		W13-U						35.1	29.8	85%	29.8	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R10	W14	Bedroom	8.9	8.9	0.0	0.0%	11.3	3.7	33%	3.7	33%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R11	W15	Bedroom	11.0	11.0	0.0	0.0%	14.5	3.9	27%	3.9	27%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R12	W16	Bedroom	11.2	11.2	0.0	0.0%	10.0	3.5	35%	3.5	35%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R13	W17	Bedroom	11.4	11.4	0.0	0.0%													
		W18		11.8	11.8	0.0	0.0%	11.3	6.1	54%	6.1	54%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R14	W19	LKD	12.1	12.1	0.0	0.0%													
		W20-L		0.4	0.4	0.0	0.0%													
		W20-U																		
		W21-L		1.1	1.1	0.0	0.0%													
		W21-U																		
		W22-L		7.4	7.4	0.0	0.0%													
		W22-U						43.1	19.6	46%	19.6	46%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R1	W1-L	LKD	36.1	36.1	0.0	0.0%													
		W1-U																		
		W2-L		33.2	33.2	0.0	0.0%													
		W2-U																		
		W3		25.4	24.1	1.3	5.1%													
		W4-L		14.0	12.6	1.4	9.7%													
		W4-U						39.4	39.4	100%	39.3	100%	0.1	0.2%	72	26	72	26	0.0%	0.0%
Seventh	R2	W5	Bedroom	21.5	20.1	1.4	6.3%	12.3	7.8	64%	7.8	64%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R3	W6	Bedroom	23.4	22.2	1.3	5.4%	11.2	8.3	74%	8.3	74%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Seventh	R4	W7-L	Studio	9.6	9.2	0.4	4.4%													
		W7-U						29.2	23.7	81%	23.6	81%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W8	LKD	17.0	17.0	0.0	0.0%													
		W9-L		6.3	6.3	0.0	0.0%													
		W9-U						34.2	29.9	87%	29.9	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W10	Bedroom	9.6	9.6	0.0	0.0%	11.1	3.6	33%	3.6	33%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W11	Bedroom	12.0	12.0	0.0	0.0%	14.5	4.0	28%	4.0	28%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R8	W12	Bedroom	12.3	12.3	0.0	0.0%	10.1	3.7	36%	3.7	36%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R9	W13	Bedroom	12.4	12.4	0.0	0.0%													
		W14		12.7	12.7	0.0	0.0%	11.2	6.5	58%	6.5	58%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R10	W15	LKD	12.9	12.9	0.0	0.0%													
		W16-L		0.6	0.6	0.0	0.0%													
		W16-U																		
		W17-L		1.2	1.2	0.0	0.0%													
		W17-U																		
		W18-L		8.1	8.1	0.0	0.0%													
		W18-U						42.4	21.1	50%	21.1	50%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R1	W1	LKD	37.0	37.0	0.0	0.0%													
		W2-L		38.7	38.7	0.0	0.0%													
		W2-U																		
		W3-L		38.5	38.5	0.0	0.0%													
		W3-U																		
		W4		26.4	25.2	1.2	4.6%	34.8	33.4	96%	33.4	96%	0.0	0.0%	87	30	87	30	0.0%	0.0%
Eighth	R2	W5-L	Bedroom	14.7	13.5	1.3	8.5%													
		W5-U						8.3	7.0	85%	7.0	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R3	W6	Bedroom	22.6	21.3	1.3	5.6%	11.8	7.7	65%	7.7	65%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R4	W7	Bedroom	24.5	23.3	1.2	4.8%	11.2	8.7	78%	8.7	78%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W8-L	Studio	10.3	10.0	0.4	3.8%													
		W8-U						29.2	23.8	81%	23.6	81%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R6	W9	LKD	17.9	17.9	0.0	0.0%													
		W10-L		6.8	6.8	0.0	0.0%													
		W10-U						34.2	30.2	88%	30.2	88%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W11	Bedroom	10.1	10.1	0.0	0.0%	11.1	3.6	33%	3.6	33%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R8	W12	Bedroom	12.8	12.8	0.0	0.0%	14.5	4.0	28%	4.0	28%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R9	W13	Bedroom	13.1	13.1	0.0	0.0%	10.1	3.8	38%	3.8	38%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R10	W14	Bedroom	13.2	13.2	0.0	0.0%													
		W15		13.4	13.4	0.0	0.0%	11.2	6.9	62%	6.9	62%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R11	W16	LKD	13.6	13.6	0.0	0.0%													
		W17-L		0.7	0.7	0.0	0.0%													
		W17-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing	Proposed	Loss	Loss	Room	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%	Area	m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W18-L		1.3	1.3	0.0	0.0%													
		W18-U																		
		W19-L		8.8	8.8	0.0	0.0%													
		W19-U						42.4	21.6	51%	21.6	51%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R1	W1	LKD	37.2	37.2	0.0	0.0%													
		W2-L		38.8	38.8	0.0	0.0%													
		W2-U																		
		W3-L		38.7	38.7	0.0	0.0%													
		W3-U																		
		W4		27.7	26.5	1.1	4.0%	34.8	33.4	96%	33.4	96%	0.0	0.0%	89	30	89	30	0.0%	0.0%
Ninth	R2	W5-L	Bedroom	15.8	14.6	1.2	7.3%													
		W5-U						8.3	7.2	88%	7.2	88%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R3	W6	Bedroom	23.9	22.8	1.2	4.9%	11.8	8.4	71%	8.4	71%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R4	W7	Bedroom	25.9	24.8	1.1	4.2%	11.2	9.3	83%	9.3	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W8-L	Studio	11.3	10.9	0.4	3.3%													
		W8-U						29.2	23.8	81%	23.7	81%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R6	W9	LKD	19.1	19.1	0.0	0.0%													
		W10-L		7.3	7.3	0.0	0.0%													
		W10-U						34.2	30.6	89%	30.6	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R7	W11	Bedroom	10.7	10.7	0.0	0.0%	11.1	3.6	33%	3.6	33%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R8	W12	Bedroom	13.6	13.6	0.0	0.0%	14.5	4.1	28%	4.1	28%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R9	W13	Bedroom	13.9	13.9	0.0	0.0%	10.1	4.0	39%	4.0	39%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R10	W14	Bedroom	13.9	13.9	0.0	0.0%													
		W15		14.2	14.2	0.0	0.0%	11.2	7.5	67%	7.5	67%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R11	W16	LKD	14.4	14.4	0.0	0.0%													
		W17-L		0.8	0.8	0.0	0.0%													
		W17-U																		
		W18-L		1.4	1.4	0.0	0.0%													
		W18-U																		
		W19-L		9.4	9.4	0.0	0.0%													
		W19-U						42.4	22.1	52%	22.1	52%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R1	W1	LKD	37.4	37.4	0.0	0.0%													
		W2-L		39.0	39.0	0.0	0.0%													
		W2-U																		
		W3-L		38.8	38.8	0.0	0.0%													
		W3-U																		
		W4		29.9	28.9	1.0	3.4%	34.8	33.4	96%	33.4	96%	0.0	0.0%	90	30	90	30	0.0%	0.0%
Tenth	R2	W5-L	Bedroom	16.8	15.8	1.1	6.4%													
		W5-U						8.3	7.6	92%	7.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R3	W6	Bedroom	26.4	25.3	1.1	4.1%	11.8	9.7	82%	9.7	82%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R4	W7	Bedroom	27.5	26.5	1.0	3.6%	11.2	9.6	86%	9.6	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Tenth	R5	W8-L	Studio	12.2	11.9	0.3	2.8%													
		W8-U						29.2	24.2	83%	24.1	82%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R6	W9	LKD	20.9	20.9	0.0	0.0%													
		W10-L		7.7	7.7	0.0	0.0%													
		W10-U						34.2	30.9	90%	30.9	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W11	Bedroom	12.3	12.3	0.0	0.0%	11.1	3.6	33%	3.6	33%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R8	W12	Bedroom	14.6	14.6	0.0	0.0%	14.5	4.1	28%	4.1	28%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R9	W13	Bedroom	14.7	14.7	0.0	0.0%	10.1	4.1	41%	4.1	41%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R10	W14	Bedroom	14.7	14.7	0.0	0.0%													
		W15		15.0	15.0	0.0	0.0%	11.2	7.8	70%	7.8	70%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R11	W16	LKD	15.2	15.2	0.0	0.0%													
		W17-L		0.9	0.9	0.0	0.0%													
		W17-U																		
		W18-L		1.6	1.6	0.0	0.0%													
		W18-U																		
		W19-L		9.8	9.8	0.0	0.0%													
		W19-U						42.4	22.9	54%	22.9	54%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R1	W1	LKD	37.6	37.6	0.0	0.0%													
		W2-L		39.1	39.1	0.0	0.0%													
		W2-U																		
		W3-L		39.0	39.0	0.0	0.0%													
		W3-U																		
		W4		31.5	30.6	0.9	3.0%	34.8	33.4	96%	33.4	96%	0.0	0.0%	90	30	90	30	0.0%	0.0%
Eleventh	R2	W5-L	Bedroom	30.9	29.9	1.0	3.2%													
		W5-U						8.3	7.6	93%	7.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R3	W6	Bedroom	30.2	29.2	1.0	3.3%	11.8	11.2	95%	11.2	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R4	W7	Bedroom	29.0	28.0	0.9	3.2%	11.2	9.6	86%	9.6	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R5	W8-L	Studio	26.0	25.7	0.3	1.2%													
		W8-U						29.2	25.5	87%	25.5	87%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R6	W9	LKD	22.8	22.8	0.0	0.0%													
		W10-L		16.0	16.0	0.0	0.0%													
		W10-U						34.2	31.2	91%	31.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R7	W11	Bedroom	15.5	15.5	0.0	0.0%	11.1	3.7	33%	3.7	33%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R8	W12	Bedroom	15.4	15.4	0.0	0.0%	14.5	4.1	28%	4.1	28%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R9	W13	Bedroom	15.5	15.5	0.0	0.0%	10.1	4.3	42%	4.3	42%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R10	W14	Bedroom	15.6	15.6	0.0	0.0%													
		W15		15.9	15.9	0.0	0.0%	11.2	8.0	71%	8.0	71%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R11	W16	LKD	16.1	16.1	0.0	0.0%													
		W17-L		0.9	0.9	0.0	0.0%													
		W17-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing	Proposed	Loss	Loss	Room	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%	Area	m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W18-L		1.7	1.7	0.0	0.0%													
		W18-U																		
		W19-L		10.3	10.3	0.0	0.0%													
		W19-U						42.4	24.1	57%	24.1	57%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R1	W1	LKD	37.7	37.7	0.0	0.0%													
		W2-L		39.2	39.2	0.0	0.0%													
		W2-U																		
		W3-L		39.1	39.1	0.0	0.0%													
		W3-U																		
		W4		32.9	32.0	0.9	2.6%	34.8	33.4	96%	33.4	96%	0.0	0.0%	90	30	90	30	0.0%	0.0%
Twelfth	R2	W5-L	Bedroom	32.1	31.3	0.9	2.7%													
		W5-U						8.3	7.7	93%	7.7	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R3	W6	Bedroom	31.4	30.5	0.9	2.8%	11.8	11.2	95%	11.2	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R4	W7	Bedroom	30.1	29.3	0.8	2.8%	11.2	9.6	86%	9.6	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W8-L	Studio	27.2	26.9	0.3	1.0%													
		W8-U						29.2	25.9	89%	25.9	89%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R6	W9	LKD	23.9	23.9	0.0	0.0%													
		W10-L		16.9	16.9	0.0	0.0%													
		W10-U						34.2	31.3	92%	31.3	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R7	W11	Bedroom	16.5	16.5	0.0	0.0%	11.1	3.7	33%	3.7	33%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R8	W12	Bedroom	16.3	16.3	0.0	0.0%	14.5	4.1	29%	4.1	29%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R9	W13	Bedroom	16.4	16.4	0.0	0.0%	10.1	4.3	43%	4.3	43%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R10	W14	Bedroom	16.5	16.5	0.0	0.0%													
		W15		16.8	16.8	0.0	0.0%	11.2	8.1	73%	8.1	73%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R11	W16	LKD	17.1	17.1	0.0	0.0%													
		W17-L		1.0	1.0	0.0	0.0%													
		W17-U																		
		W18-L		1.8	1.8	0.0	0.0%													
		W18-U																		
		W19-L		10.8	10.8	0.0	0.0%													
		W19-U						42.4	24.5	58%	24.5	58%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
The Gessner																				
First	R1	W1-L	LKD	33.9	33.9	0.0	0.0%													
		W1-U																		
		W2-L		33.8	33.8	0.0	0.0%													
		W2-U																		
		W3-L		10.7	10.2	0.4	4.1%													
		W3-U						37.2	28.7	77%	28.7	77%	0.0	0.0%	59	19	58	18	1.7%	5.3%
First	R2	W4-L	Bedroom	13.7	13.0	0.6	4.6%													
		W4-U						12.2	11.3	93%	11.3	93%	0.0	0.0%	26	13	25	12	3.8%	7.7%
First	R3	W5-L	Bedroom	27.3	26.6	0.7	2.5%													
		W5-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W6-L		28.7	28.1	0.6	2.0%													
		W6-U						12.0	11.8	98%	11.8	98%	0.0	0.0%	60	18	59	17	1.7%	5.6%
First	R4	W7-L	Bedroom	13.4	12.8	0.5	4.1%													
		W7-U						11.9	9.3	78%	9.2	78%	0.1	0.9%	33	18	32	17	3.0%	5.6%
First	R5	W8-L	LKD	9.5	8.7	0.8	8.2%													
		W8-U						31.7	24.5	77%	24.5	77%	0.0	0.2%	17	13	16	12	5.9%	7.7%
First	R6	W9-L	Bedroom	15.9	15.3	0.6	3.6%													
		W9-U																		
		W10-L		16.8	16.8	0.0	0.0%													
		W10-U						14.2	12.2	86%	12.2	86%	0.0	0.0%	47	14	46	13	2.1%	7.1%
First	R7	W11-L	Bedroom	25.0	24.4	0.6	2.6%													
		W11-U						12.0	11.0	91%	11.0	91%	0.0	0.0%	53	18	51	17	3.8%	5.6%
First	R8	W12-L	LKD	10.9	10.2	0.7	6.5%													
		W12-U																		
		W13-L		12.3	11.4	0.9	7.6%													
		W13-U						34.1	25.3	74%	25.2	74%	0.0	0.1%	38	20	36	19	5.3%	5.0%
First	R9	W14-L	Bedroom	24.2	23.3	0.9	3.9%													
		W14-U						15.5	11.2	72%	11.2	72%	0.0	0.0%	50	14	48	13	4.0%	7.1%
First	R10	W15-L	Bedroom	24.7	24.0	0.7	2.7%													
		W15-U						13.4	10.5	78%	10.5	78%	0.0	0.0%	52	15	50	14	3.8%	6.7%
First	R11	W16-L	LKD	12.0	11.4	0.7	5.4%													
		W16-U																		
		W17-L		9.1	8.5	0.7	7.2%													
		W17-U																		
		W18-L		24.1	24.0	0.1	0.3%													
		W18-U						42.0	31.2	74%	30.0	71%	1.2	3.9%	48	16	46	15	4.2%	6.3%
First	R12	W19-L	Bedroom	26.5	26.2	0.3	1.2%													
		W19-U						12.2	10.7	88%	10.7	88%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R13	W20-L	LKD	27.5	27.0	0.5	1.7%													
		W20-U																		
		W21-L		12.7	12.7	0.0	0.0%													
		W21-U																		
		W22-L		11.1	11.1	0.0	0.0%													
		W22-U						42.8	35.7	83%	35.6	83%	0.1	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R14	W23-L	Bedroom	23.9	23.9	0.0	0.0%													
		W23-U						12.5	10.8	87%	10.8	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R15	W24-L	Bedroom	23.7	23.7	0.0	0.0%													
		W24-U						14.6	12.2	84%	12.2	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R16	W25-L	LKD	11.2	11.2	0.0	0.0%													
		W25-U																		
		W26-L		8.7	8.7	0.0	0.0%													
		W26-U						40.3	37.0	92%	37.0	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R17	W27-L	Bedroom	12.2	12.2	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W27-U						14.4	11.6	81%	11.6	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R18	W28-L	Studio	8.7	8.7	0.0	0.0%													
		W28-U						42.7	21.5	50%	21.5	50%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R19	W29-L	Bedroom	14.3	14.3	0.0	0.0%													
		W29-U						13.1	7.8	59%	7.8	59%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R20	W30-L	LKD	19.1	19.1	0.0	0.0%													
		W30-U																		
		W31-L		20.7	20.7	0.0	0.0%													
		W31-U						32.3	26.5	82%	26.5	82%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R21	W32-L	Bedroom	22.1	22.1	0.0	0.0%													
		W32-U						12.7	8.3	65%	8.3	65%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R22	W33-L	Bedroom	24.6	24.6	0.0	0.0%													
		W33-U						13.8	10.7	78%	10.7	78%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R23	W34-L	LKD	5.6	5.5	0.0	0.7%													
		W34-U						33.3	18.4	55%	18.4	55%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R24	W35-L	Studio	28.1	27.8	0.3	0.9%													
		W35-U																		
		W36-L		29.0	28.6	0.4	1.3%													
		W36-U																		
		W37-L		29.5	29.1	0.4	1.3%													
		W37-U						39.0	31.8	81%	31.7	81%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R25	W38-L	Bedroom	29.9	29.5	0.4	1.3%													
		W38-U						14.2	12.8	91%	12.8	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R26	W39-L	LKD	30.6	30.2	0.4	1.2%													
		W39-U																		
		W40-L		10.0	10.0	0.0	0.0%													
		W40-U						35.5	26.2	74%	26.2	74%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R27	W41-L	Bedroom	9.9	9.9	0.0	0.0%													
		W41-U						15.1	11.3	75%	11.3	75%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R28	W42-L	Bedroom	26.1	26.1	0.0	0.0%													
		W42-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	20	0	20	0	0.0%	0.0%
First	R29	W43-L	LKD	30.2	30.2	0.0	0.0%													
		W43-U																		
		W44-L		35.4	35.4	0.0	0.0%													
		W44-U						41.1	26.0	63%	26.0	63%	0.0	0.0%	55	16	55	16	0.0%	0.0%
Second	R1	W1-L	LKD	34.6	34.6	0.0	0.0%													
		W1-U																		
		W2-L		34.5	34.5	0.0	0.0%													
		W2-U																		
		W3-L		11.2	10.7	0.5	4.5%													
		W3-U						37.2	29.0	78%	29.0	78%	0.0	0.0%	61	20	60	19	1.6%	5.0%
Second	R2	W4-L	Bedroom	14.2	13.6	0.7	4.7%													
		W4-U						12.2	11.3	93%	11.3	93%	0.0	0.0%	27	13	26	12	3.7%	7.7%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Second	R3	W5-L	Bedroom	27.9	27.2	0.7	2.6%												
		W5-U																	
		W6-L		29.3	28.7	0.6	2.2%												
		W6-U						12.0	11.8	98%	11.8	98%	0.0	0.0%	60	18	59	17	1.7%	5.6%
Second	R4	W7-L	Bedroom	13.9	13.3	0.7	4.7%												
		W7-U						11.9	9.3	79%	9.3	78%	0.1	0.7%	33	18	32	17	3.0%	5.6%
Second	R5	W8-L	LKD	10.1	9.3	0.9	8.6%												
		W8-U						31.7	24.8	78%	24.8	78%	0.0	0.0%	19	14	18	13	5.3%	7.1%
Second	R6	W9-L	Bedroom	16.5	15.8	0.7	4.1%												
		W9-U																	
		W10-L		17.1	17.1	0.0	0.0%												
		W10-U						14.2	12.5	88%	12.5	88%	0.0	0.0%	48	15	47	14	2.1%	6.7%
Second	R7	W11-L	Bedroom	25.8	25.0	0.8	3.1%												
		W11-U						12.0	11.1	93%	11.1	93%	0.0	0.0%	55	20	53	19	3.6%	5.0%
Second	R8	W12-L	LKD	11.5	10.6	0.9	7.8%												
		W12-U																	
		W13-L		13.0	11.9	1.1	8.4%												
		W13-U						34.1	25.5	75%	25.5	75%	0.0	0.0%	39	21	37	20	5.1%	4.8%
Second	R9	W14-L	Bedroom	25.2	24.0	1.2	4.6%												
		W14-U						15.5	11.5	74%	11.5	74%	0.0	0.0%	53	16	50	14	5.7%	12.5%
Second	R10	W15-L	Bedroom	25.7	24.7	1.0	3.8%												
		W15-U						13.4	10.9	81%	10.9	81%	0.0	0.0%	56	18	53	16	5.4%	11.1%
Second	R11	W16-L	LKD	12.9	11.9	1.0	7.8%												
		W16-U																	
		W17-L		10.9	9.8	1.1	10.4%												
		W17-U																	
		W18-L		29.5	28.8	0.7	2.4%												
		W18-U						41.9	34.1	81%	33.3	79%	0.8	2.3%	57	19	53	16	7.0%	15.8%
Second	R12	W19-L	Bedroom	29.7	29.0	0.7	2.3%												
		W19-U						12.2	11.1	91%	11.1	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R13	W20-L	LKD	30.0	29.2	0.8	2.6%												
		W20-U																	
		W21-L		13.4	13.4	0.0	0.0%												
		W21-U																	
		W22-L		11.6	11.6	0.0	0.0%												
		W22-U						42.8	35.8	84%	35.8	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R14	W23-L	Bedroom	24.5	24.5	0.0	0.0%												
		W23-U						12.5	10.9	87%	10.9	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R15	W24-L	Bedroom	24.2	24.2	0.0	0.0%												
		W24-U						14.6	12.3	84%	12.3	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R16	W25-L	LKD	11.6	11.6	0.0	0.0%												
		W25-U																	
		W26-L		9.1	9.1	0.0	0.0%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W26-U						40.3	37.0	92%	37.0	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R17	W27-L	Bedroom	12.5	12.5	0.0	0.0%													
		W27-U						14.4	11.6	81%	11.6	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R18	W28-L	Studio	9.1	9.1	0.0	0.0%													
		W28-U						42.7	23.1	54%	23.1	54%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R19	W29-L	Bedroom	15.0	15.0	0.0	0.0%													
		W29-U						13.1	7.9	60%	7.9	60%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R20	W30-L	LKD	20.2	20.2	0.0	0.0%													
		W30-U																		
		W31-L		22.0	22.0	0.0	0.0%													
		W31-U						32.3	27.3	85%	27.3	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R21	W32-L	Bedroom	23.5	23.5	0.0	0.0%													
		W32-U						12.7	8.5	67%	8.5	67%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R22	W33-L	Bedroom	26.0	26.0	0.0	0.0%													
		W33-U						13.8	10.8	79%	10.8	79%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R23	W34-L	LKD	6.3	6.3	0.0	0.6%													
		W34-U						33.3	20.5	62%	20.5	62%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R24	W35-L	Studio	29.4	29.1	0.3	1.0%													
		W35-U																		
		W36-L		30.4	29.9	0.4	1.4%													
		W36-U																		
		W37-L		30.8	30.3	0.4	1.4%													
		W37-U						39.0	33.7	86%	33.6	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R25	W38-L	Bedroom	31.2	30.7	0.4	1.4%													
		W38-U						14.2	13.0	92%	13.0	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R26	W39-L	LKD	31.8	31.4	0.4	1.3%													
		W39-U																		
		W40-L		10.5	10.5	0.0	0.0%													
		W40-U						35.5	27.6	78%	27.6	78%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R27	W41-L	Bedroom	10.6	10.6	0.0	0.0%													
		W41-U						15.1	12.6	84%	12.6	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R28	W42-L	Bedroom	26.4	26.4	0.0	0.0%													
		W42-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	21	0	21	0	0.0%	0.0%
Second	R29	W43-L	LKD	30.4	30.4	0.0	0.0%													
		W43-U																		
		W44-L		35.9	35.9	0.0	0.0%													
		W44-U						41.1	27.1	66%	27.1	66%	0.0	0.0%	56	16	56	16	0.0%	0.0%
Third	R1	W1-L	LKD	35.3	35.3	0.0	0.0%													
		W1-U																		
		W2-L		35.3	35.3	0.0	0.0%													
		W2-U																		
		W3-L		11.6	11.1	0.5	4.2%													
		W3-U						37.2	29.4	79%	29.4	79%	0.0	0.0%	61	20	61	20	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Third	R2	W4-L	Bedroom	14.7	14.1	0.6	4.3%													
		W4-U						12.2	11.3	93%	11.3	93%	0.0	0.0%	27	13	27	13	0.0%	0.0%
Third	R3	W5-L	Bedroom	28.4	27.7	0.7	2.4%													
		W5-U																		
		W6-L		29.9	29.2	0.6	2.1%													
		W6-U						12.0	11.8	98%	11.8	98%	0.0	0.0%	61	19	61	19	0.0%	0.0%
Third	R4	W7-L	Bedroom	14.3	13.7	0.6	4.3%													
		W7-U						11.9	9.4	79%	9.3	79%	0.1	0.6%	34	19	34	19	0.0%	0.0%
Third	R5	W8-L	LKD	10.6	9.8	0.8	7.6%													
		W8-U						31.7	25.3	80%	25.2	79%	0.0	0.1%	21	15	20	14	4.8%	6.7%
Third	R6	W9-L	Bedroom	16.9	16.3	0.6	3.6%													
		W9-U																		
		W10-L		17.5	17.5	0.0	0.0%													
		W10-U						14.2	12.8	90%	12.8	90%	0.0	0.0%	50	16	49	15	2.0%	6.3%
Third	R7	W11-L	Bedroom	26.3	25.5	0.8	2.9%													
		W11-U						12.0	11.3	94%	11.3	94%	0.0	0.0%	55	20	53	19	3.6%	5.0%
Third	R8	W12-L	LKD	12.1	11.2	0.9	7.0%													
		W12-U																		
		W13-L		13.7	12.7	1.0	7.3%													
		W13-U						34.1	25.7	75%	25.7	75%	0.0	0.0%	41	22	39	21	4.9%	4.5%
Third	R9	W14-L	Bedroom	25.8	24.7	1.1	4.1%													
		W14-U						15.5	11.8	76%	11.8	76%	0.0	0.0%	54	17	51	15	5.6%	11.8%
Third	R10	W15-L	Bedroom	26.3	25.4	0.9	3.4%													
		W15-U						13.4	11.4	85%	11.4	85%	0.0	0.0%	56	18	53	16	5.4%	11.1%
Third	R11	W16-L	LKD	13.5	12.5	1.0	7.2%													
		W16-U																		
		W17-L		11.8	10.5	1.2	10.4%													
		W17-U																		
		W18-L		32.1	30.5	1.6	4.9%													
		W18-U						41.9	34.8	83%	34.1	81%	0.7	2.0%	58	20	54	17	6.9%	15.0%
Third	R12	W19-L	Bedroom	31.8	30.6	1.2	3.8%													
		W19-U						12.2	11.5	94%	11.5	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R13	W20-L	LKD	31.5	30.6	0.9	2.9%													
		W20-U																		
		W21-L		14.1	14.1	0.0	0.0%													
		W21-U																		
		W22-L		12.4	12.4	0.0	0.0%													
		W22-U						42.8	35.8	84%	35.8	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R14	W23-L	Bedroom	25.0	25.0	0.0	0.0%													
		W23-U						12.5	10.9	87%	10.9	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R15	W24-L	Bedroom	24.8	24.8	0.0	0.0%													
		W24-U						14.6	12.3	84%	12.3	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Third	R16	W25-L	LKD	12.1	12.1	0.0	0.0%													
		W25-U																		
		W26-L		9.4	9.4	0.0	0.0%													
		W26-U						40.3	37.0	92%	37.0	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R17	W27-L	Bedroom	12.7	12.7	0.0	0.0%													
		W27-U						14.4	11.6	81%	11.6	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R18	W28-L	Studio	9.6	9.6	0.0	0.0%													
		W28-U						42.7	26.1	61%	26.1	61%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R19	W29-L	Bedroom	15.9	15.9	0.0	0.0%													
		W29-U						13.1	7.9	61%	7.9	61%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R20	W30-L	LKD	21.5	21.5	0.0	0.0%													
		W30-U																		
		W31-L		23.4	23.4	0.0	0.0%													
		W31-U						32.3	28.2	87%	28.2	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R21	W32-L	Bedroom	24.9	24.9	0.0	0.0%													
		W32-U						12.7	8.9	70%	8.9	70%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R22	W33-L	Bedroom	27.7	27.7	0.0	0.0%													
		W33-U						13.8	11.1	81%	11.1	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R23	W34-L	LKD	7.3	7.2	0.1	0.8%													
		W34-U						33.3	22.0	66%	22.0	66%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R24	W35-L	Studio	30.9	30.6	0.3	1.1%													
		W35-U																		
		W36-L		31.8	31.3	0.4	1.4%													
		W36-U																		
		W37-L		32.1	31.7	0.5	1.5%													
		W37-U						39.0	36.5	94%	36.5	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R25	W38-L	Bedroom	32.4	32.0	0.5	1.4%													
		W38-U						14.2	13.4	95%	13.4	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R26	W39-L	LKD	33.0	32.5	0.4	1.3%													
		W39-U																		
		W40-L		10.7	10.7	0.0	0.0%													
		W40-U						35.5	28.9	82%	28.9	82%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R27	W41-L	Bedroom	11.3	11.3	0.0	0.0%													
		W41-U						15.1	14.4	96%	14.4	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R28	W42-L	Bedroom	26.7	26.7	0.0	0.0%													
		W42-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	22	1	22	1	0.0%	0.0%
Third	R29	W43-L	LKD	30.5	30.5	0.0	0.0%													
		W43-U																		
		W44-L		36.4	36.4	0.0	0.0%													
		W44-U						41.1	28.6	70%	28.6	70%	0.0	0.0%	57	17	57	17	0.0%	0.0%
Fourth	R1	W1-L	LKD	36.0	36.0	0.0	0.0%													
		W1-U																		
		W2-L		36.0	36.0	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W2-U																		
		W3-L		12.0	11.5	0.5	3.8%													
		W3-U						37.2	29.7	80%	29.7	80%	0.0	0.0%	64	21	64	21	0.0%	0.0%
Fourth	R2	W4-L	Bedroom	15.2	14.6	0.6	3.8%													
		W4-U						12.2	11.4	93%	11.4	93%	0.0	0.0%	28	14	28	14	0.0%	0.0%
Fourth	R3	W5-L	Bedroom	28.9	28.3	0.6	2.1%													
		W5-U																		
		W6-L		30.4	29.8	0.6	1.8%													
		W6-U						12.0	11.8	98%	11.8	98%	0.0	0.0%	62	20	62	20	0.0%	0.0%
Fourth	R4	W7-L	Bedroom	14.7	14.2	0.6	3.8%													
		W7-U						11.9	9.5	81%	9.5	80%	0.1	0.6%	34	19	34	19	0.0%	0.0%
Fourth	R5	W8-L	LKD	11.0	10.3	0.7	6.5%													
		W8-U						31.7	25.6	81%	25.6	81%	0.0	0.0%	21	15	21	15	0.0%	0.0%
Fourth	R6	W9-L	Bedroom	17.3	16.8	0.5	3.0%													
		W9-U																		
		W10-L		17.8	17.8	0.0	0.0%													
		W10-U						14.2	13.1	92%	13.1	92%	0.0	0.0%	50	16	49	15	2.0%	6.3%
Fourth	R7	W11-L	Bedroom	26.9	26.3	0.7	2.5%													
		W11-U						12.0	11.6	96%	11.6	96%	0.0	0.0%	56	20	54	19	3.6%	5.0%
Fourth	R8	W12-L	LKD	12.6	11.8	0.8	6.2%													
		W12-U																		
		W13-L		14.3	13.4	0.9	6.2%													
		W13-U						34.1	25.9	76%	25.9	76%	0.0	0.0%	42	22	41	21	2.4%	4.5%
Fourth	R9	W14-L	Bedroom	26.5	25.6	0.9	3.5%													
		W14-U						15.5	12.2	79%	12.2	79%	0.0	0.0%	55	18	52	16	5.5%	11.1%
Fourth	R10	W15-L	Bedroom	27.0	26.2	0.8	3.0%													
		W15-U						13.4	12.0	90%	12.0	90%	0.0	0.0%	57	19	54	17	5.3%	10.5%
Fourth	R11	W16-L	LKD	14.1	13.2	0.9	6.2%													
		W16-U																		
		W17-L		12.4	11.3	1.1	8.6%													
		W17-U																		
		W18-L		33.3	31.9	1.5	4.4%													
		W18-U						41.9	35.1	84%	34.8	83%	0.3	0.9%	62	21	59	19	4.8%	9.5%
Fourth	R12	W19-L	Bedroom	33.1	31.9	1.2	3.5%													
		W19-U						12.2	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R13	W20-L	LKD	32.8	32.0	0.9	2.7%													
		W20-U																		
		W21-L		14.4	14.4	0.0	0.0%													
		W21-U																		
		W22-L		13.0	13.0	0.0	0.0%													
		W22-U						42.8	36.0	84%	36.0	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R14	W23-L	Bedroom	25.8	25.8	0.0	0.0%													
		W23-U						12.5	11.0	88%	11.0	88%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Fourth	R15	W24-L	Bedroom	25.5	25.5	0.0	0.0%													
		W24-U						14.6	12.4	85%	12.4	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R16	W25-L	LKD	12.4	12.4	0.0	0.0%													
		W25-U																		
		W26-L		9.6	9.6	0.0	0.0%													
		W26-U						40.3	37.1	92%	37.1	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R17	W27-L	Bedroom	12.9	12.9	0.0	0.0%													
		W27-U						14.4	11.6	81%	11.6	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R18	W28-L	Studio	10.5	10.5	0.0	0.0%													
		W28-U						42.7	28.1	66%	28.1	66%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R19	W29-L	Bedroom	17.3	17.3	0.0	0.0%													
		W29-U						13.1	8.1	62%	8.1	62%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R20	W30-L	LKD	23.1	23.1	0.0	0.0%													
		W30-U																		
		W31-L		25.2	25.2	0.0	0.0%													
		W31-U						32.3	28.9	90%	28.9	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R21	W32-L	Bedroom	26.8	26.8	0.0	0.0%													
		W32-U						12.7	9.5	75%	9.5	75%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R22	W33-L	Bedroom	29.5	29.5	0.0	0.0%													
		W33-U						13.8	11.5	84%	11.5	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R23	W34-L	LKD	8.0	7.9	0.1	1.0%													
		W34-U						33.3	23.1	69%	23.1	69%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R24	W35-L	Studio	32.5	32.1	0.4	1.2%													
		W35-U																		
		W36-L		33.1	32.7	0.5	1.4%													
		W36-U																		
		W37-L		33.4	32.9	0.5	1.5%													
		W37-U						39.0	38.1	98%	38.1	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R25	W38-L	Bedroom	33.7	33.2	0.5	1.5%													
		W38-U						14.2	13.5	95%	13.5	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R26	W39-L	LKD	34.1	33.6	0.4	1.3%													
		W39-U																		
		W40-L		10.7	10.7	0.0	0.0%													
		W40-U						35.5	29.3	83%	29.3	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R27	W41-L	Bedroom	12.0	12.0	0.0	0.0%													
		W41-U						15.1	14.7	97%	14.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R28	W42-L	Bedroom	27.0	27.0	0.0	0.0%													
		W42-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	22	1	22	1	0.0%	0.0%
Fourth	R29	W43-L	LKD	30.6	30.6	0.0	0.0%													
		W43-U																		
		W44-L		36.9	36.9	0.0	0.0%													
		W44-U						41.1	30.5	74%	30.5	74%	0.0	0.0%	57	17	57	17	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Fifth	R1	W1-L	LKD	36.7	36.7	0.0	0.0%													
		W1-U																		
		W2-L		36.7	36.7	0.0	0.0%													
		W2-U																		
		W3-L		12.3	11.9	0.4	3.2%													
		W3-U						37.2	29.9	80%	29.9	80%	0.0	0.0%	65	22	65	22	0.0%	0.0%
Fifth	R2	W4-L	Bedroom	15.6	15.1	0.5	3.1%													
		W4-U						12.2	11.4	93%	11.4	93%	0.0	0.0%	29	15	29	15	0.0%	0.0%
Fifth	R3	W5-L	Bedroom	29.4	28.8	0.5	1.8%													
		W5-U																		
		W6-L		30.9	30.4	0.5	1.6%													
		W6-U						12.0	11.8	98%	11.8	98%	0.0	0.0%	62	20	62	20	0.0%	0.0%
Fifth	R4	W7-L	Bedroom	15.1	14.6	0.5	3.2%													
		W7-U						11.9	9.8	82%	9.7	82%	0.0	0.5%	35	19	35	19	0.0%	0.0%
Fifth	R5	W8-L	LKD	11.5	10.9	0.6	5.3%													
		W8-U						31.7	25.6	81%	25.6	81%	0.0	0.0%	23	16	23	16	0.0%	0.0%
Fifth	R6	W9-L	Bedroom	17.7	17.3	0.4	2.3%													
		W9-U																		
		W10-L		18.2	18.2	0.0	0.0%													
		W10-U						14.2	13.5	95%	13.5	95%	0.0	0.0%	50	16	49	15	2.0%	6.3%
Fifth	R7	W11-L	Bedroom	28.2	27.6	0.6	2.1%													
		W11-U						12.0	11.7	97%	11.7	97%	0.0	0.0%	56	20	54	19	3.6%	5.0%
Fifth	R8	W12-L	LKD	13.0	12.3	0.7	5.3%													
		W12-U																		
		W13-L		14.7	14.0	0.8	5.2%													
		W13-U						34.1	26.0	76%	26.0	76%	0.0	0.0%	45	23	43	22	4.4%	4.3%
Fifth	R9	W14-L	Bedroom	28.0	27.2	0.8	2.9%													
		W14-U						15.5	12.9	83%	12.9	83%	0.0	0.0%	58	18	55	16	5.2%	11.1%
Fifth	R10	W15-L	Bedroom	28.5	27.8	0.7	2.5%													
		W15-U						13.4	12.3	92%	12.3	92%	0.0	0.0%	62	19	59	17	4.8%	10.5%
Fifth	R11	W16-L	LKD	14.6	13.8	0.8	5.1%													
		W16-U																		
		W17-L		12.8	11.9	0.9	6.9%													
		W17-U																		
		W18-L		34.5	33.1	1.3	3.8%													
		W18-U						41.9	35.3	84%	35.2	84%	0.1	0.3%	67	22	64	20	4.5%	9.1%
Fifth	R12	W19-L	Bedroom	34.3	33.2	1.1	3.2%													
		W19-U						12.2	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R13	W20-L	LKD	34.1	33.2	0.9	2.5%													
		W20-U																		
		W21-L		14.7	14.7	0.0	0.0%													
		W21-U																		
		W22-L		13.7	13.7	0.0	0.0%													
		W22-U						42.8	36.5	85%	36.5	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Fifth	R14	W23-L	Bedroom	27.1	27.1	0.0	0.0%													
		W23-U						12.5	11.1	89%	11.1	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R15	W24-L	Bedroom	26.7	26.7	0.0	0.0%													
		W24-U						14.6	12.5	86%	12.5	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R16	W25-L	LKD	12.6	12.6	0.0	0.0%													
		W25-U																		
		W26-L		9.7	9.7	0.0	0.0%													
		W26-U						40.3	37.2	92%	37.2	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R17	W27-L	Bedroom	13.4	13.4	0.0	0.0%													
		W27-U						14.4	11.7	81%	11.7	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R18	W28-L	Studio	11.9	11.9	0.0	0.0%													
		W28-U						42.7	29.4	69%	29.4	69%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R19	W29-L	Bedroom	19.4	19.4	0.0	0.0%													
		W29-U						13.1	8.3	64%	8.3	64%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R20	W30-L	LKD	25.4	25.4	0.0	0.0%													
		W30-U																		
		W31-L		27.6	27.6	0.0	0.0%													
		W31-U						32.3	29.5	91%	29.5	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R21	W32-L	Bedroom	29.3	29.3	0.0	0.0%													
		W32-U						12.7	10.3	81%	10.3	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R22	W33-L	Bedroom	31.7	31.7	0.0	0.1%													
		W33-U						13.8	12.3	89%	12.3	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R23	W34-L	LKD	8.8	8.7	0.1	1.1%													
		W34-U						33.3	24.5	74%	24.5	74%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R24	W35-L	Studio	34.0	33.6	0.4	1.3%													
		W35-U																		
		W36-L		34.5	34.0	0.5	1.5%													
		W36-U																		
		W37-L		34.7	34.2	0.5	1.5%													
		W37-U						39.0	38.2	98%	38.2	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R25	W38-L	Bedroom	34.8	34.3	0.5	1.4%													
		W38-U						14.2	13.5	95%	13.5	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R26	W39-L	LKD	35.1	34.7	0.4	1.3%													
		W39-U																		
		W40-L		10.9	10.9	0.0	0.0%													
		W40-U						35.5	29.4	83%	29.4	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R27	W41-L	Bedroom	12.6	12.6	0.0	0.0%													
		W41-U						15.1	14.8	98%	14.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R28	W42-L	Bedroom	27.3	27.3	0.0	0.0%													
		W42-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	22	1	22	1	0.0%	0.0%
Fifth	R29	W43-L	LKD	30.6	30.6	0.0	0.0%													
		W43-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W44-L		37.4	37.4	0.0	0.0%													
		W44-U						41.1	33.7	82%	33.7	82%	0.0	0.0%	57	17	57	17	0.0%	0.0%
Sixth	R1	W1-L	LKD	37.3	37.3	0.0	0.0%													
		W1-U																		
		W2-L		37.3	37.3	0.0	0.0%													
		W2-U																		
		W3-L		12.7	12.4	0.4	2.8%													
		W3-U						37.2	30.0	81%	30.0	81%	0.0	0.0%	67	24	67	24	0.0%	0.0%
Sixth	R2	W4-L	Bedroom	16.1	15.7	0.4	2.5%													
		W4-U						12.2	11.4	93%	11.4	93%	0.0	0.0%	31	17	31	17	0.0%	0.0%
Sixth	R3	W5-L	Bedroom	30.0	29.5	0.4	1.5%													
		W5-U																		
		W6-L		31.5	31.1	0.4	1.3%													
		W6-U						12.0	11.8	98%	11.8	98%	0.0	0.0%	63	21	63	21	0.0%	0.0%
Sixth	R4	W7-L	Bedroom	15.6	15.2	0.4	2.8%													
		W7-U						11.9	9.9	84%	9.9	84%	0.0	0.5%	35	19	35	19	0.0%	0.0%
Sixth	R5	W8-L	LKD	11.9	11.4	0.5	4.4%													
		W8-U						31.7	25.8	81%	25.8	81%	0.0	0.0%	24	16	24	16	0.0%	0.0%
Sixth	R6	W9-L	Bedroom	18.1	17.7	0.4	2.2%													
		W9-U																		
		W10-L		18.5	18.5	0.0	0.0%													
		W10-U						14.2	13.7	96%	13.7	96%	0.0	0.0%	51	17	50	16	2.0%	5.9%
Sixth	R7	W11-L	Bedroom	31.2	30.6	0.6	1.9%													
		W11-U						12.0	11.7	97%	11.7	97%	0.0	0.0%	69	20	68	19	1.4%	5.0%
Sixth	R8	W12-L	LKD	31.1	30.4	0.6	2.0%													
		W12-U																		
		W13-L		31.0	30.4	0.6	2.1%													
		W13-U						34.1	27.1	80%	27.1	80%	0.0	0.0%	76	24	75	23	1.3%	4.2%
Sixth	R9	W14-L	Bedroom	31.0	30.3	0.7	2.2%													
		W14-U						15.5	13.5	87%	13.5	87%	0.0	0.0%	76	24	73	22	3.9%	8.3%
Sixth	R10	W15-L	Bedroom	31.0	30.3	0.7	2.3%													
		W15-U						13.4	12.3	92%	12.3	92%	0.0	0.0%	75	24	72	22	4.0%	8.3%
Sixth	R11	W16-L	LKD	31.0	30.3	0.7	2.4%													
		W16-U																		
		W17-L		31.4	30.7	0.8	2.4%													
		W17-U																		
		W18-L		35.5	34.3	1.2	3.4%													
		W18-U						41.9	35.5	85%	35.5	85%	0.0	0.1%	79	25	76	23	3.8%	8.0%
Sixth	R12	W19-L	Bedroom	35.4	34.4	1.0	2.9%													
		W19-U						12.2	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R13	W20-L	LKD	35.2	34.4	0.9	2.4%													
		W20-U																		
		W21-L		31.2	31.2	0.0	0.0%													
		W21-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W22-L		30.0	30.0	0.0	0.0%													
		W22-U						42.8	37.4	87%	37.4	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R14	W23-L	Bedroom	28.5	28.5	0.0	0.0%													
		W23-U						12.5	11.3	91%	11.3	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R15	W24-L	Bedroom	26.8	26.8	0.0	0.0%													
		W24-U						14.6	12.6	87%	12.6	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R16	W25-L	LKD	25.3	25.3	0.0	0.0%													
		W25-U																		
		W26-L		23.4	23.4	0.0	0.0%													
		W26-U						40.3	37.6	93%	37.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R17	W27-L	Bedroom	14.7	14.7	0.0	0.0%													
		W27-U						14.4	12.8	89%	12.8	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R18	W28-L	Studio	14.8	14.8	0.0	0.0%													
		W28-U						42.7	30.6	72%	30.6	72%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R19	W29-L	Bedroom	23.3	23.3	0.0	0.0%													
		W29-U						13.1	9.2	70%	9.2	70%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R20	W30-L	LKD	29.1	29.1	0.0	0.0%													
		W30-U																		
		W31-L		31.1	31.1	0.0	0.0%													
		W31-U						32.3	29.6	92%	29.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R21	W32-L	Bedroom	32.4	32.4	0.0	0.0%													
		W32-U						12.7	12.1	95%	12.1	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R22	W33-L	Bedroom	34.1	34.1	0.1	0.2%													
		W33-U						13.8	12.8	93%	12.8	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R23	W34-L	LKD	9.4	9.3	0.1	1.3%													
		W34-U						33.3	26.4	79%	26.4	79%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R24	W35-L	Studio	35.5	35.0	0.5	1.4%													
		W35-U																		
		W36-L		35.7	35.2	0.5	1.5%													
		W36-U																		
		W37-L		35.9	35.3	0.5	1.5%													
		W37-U						39.0	38.3	98%	38.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R25	W38-L	Bedroom	35.9	35.4	0.5	1.4%													
		W38-U						14.2	13.5	95%	13.5	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R26	W39-L	LKD	36.1	35.6	0.5	1.2%													
		W39-U																		
		W40-L		10.8	10.8	0.0	0.0%													
		W40-U						35.5	29.4	83%	29.4	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R27	W41-L	Bedroom	13.3	13.3	0.0	0.0%													
		W41-U						15.1	15.0	99%	15.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R28	W42-L	Bedroom	27.6	27.6	0.0	0.0%													
		W42-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	23	2	23	2	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Sixth	R29	W43-L	LKD	30.9	30.9	0.0	0.0%													
		W43-U																		
		W44-L		37.9	37.9	0.0	0.0%													
		W44-U						41.1	36.0	88%	36.0	88%	0.0	0.0%	58	18	58	18	0.0%	0.0%
Seventh	R1	W1-L	LKD	38.0	38.0	0.0	0.0%													
		W1-U																		
		W2-L		38.0	38.0	0.0	0.0%													
		W2-U																		
		W3-L		14.6	14.2	0.3	2.3%													
		W3-U						37.2	30.1	81%	30.1	81%	0.0	0.0%	67	24	67	24	0.0%	0.0%
Seventh	R2	W4-L	Bedroom	17.5	17.1	0.4	2.1%													
		W4-U						12.2	11.4	93%	11.4	93%	0.0	0.0%	34	18	34	18	0.0%	0.0%
Seventh	R3	W5-L	Bedroom	30.7	30.4	0.4	1.3%													
		W5-U																		
		W6-L		32.3	31.9	0.4	1.2%													
		W6-U						11.7	11.5	98%	11.5	98%	0.0	0.0%	63	21	63	21	0.0%	0.0%
Seventh	R4	W7-L	Bedroom	17.0	16.6	0.4	2.4%													
		W7-U						13.0	11.4	88%	11.4	87%	0.0	0.3%	39	21	39	21	0.0%	0.0%
Seventh	R5	W8-L	LKD	13.8	13.4	0.5	3.3%													
		W8-U						31.7	25.9	82%	25.9	82%	0.0	0.0%	25	18	25	18	0.0%	0.0%
Seventh	R6	W9-L	Bedroom	19.2	18.7	0.5	2.5%													
		W9-U																		
		W10-L		22.5	22.0	0.5	2.2%													
		W10-U						14.9	14.7	98%	14.6	98%	0.0	0.2%	51	18	50	17	2.0%	5.6%
Seventh	R7	W11-L	LKD	9.1	8.7	0.4	4.6%													
		W11-U																		
		W12-L		9.0	8.6	0.4	3.9%													
		W12-U						27.3	24.8	91%	24.8	91%	0.0	0.0%	16	16	15	15	6.3%	6.3%
Seventh	R8	W13-L	Bedroom	6.1	6.1	0.0	0.0%													
		W13-U						12.0	9.1	76%	9.1	76%	0.0	0.0%	11	11	11	11	0.0%	0.0%
Seventh	R9	W14-L	Bedroom	20.4	19.8	0.6	2.9%													
		W14-U																		
		W15-L		20.5	19.9	0.6	3.0%													
		W15-U						13.3	13.1	99%	13.1	99%	0.0	0.0%	46	26	44	24	4.3%	7.7%
Seventh	R10	W16-L	Bedroom	21.3	20.6	0.6	3.0%													
		W16-U						11.6	9.8	85%	9.8	85%	0.0	0.0%	44	23	41	21	6.8%	8.7%
Seventh	R11	W17-L	LKD	7.3	6.6	0.6	8.7%													
		W17-U																		
		W18-L		11.1	10.4	0.7	6.2%													
		W18-U																		
		W19-L		36.5	35.4	1.1	3.0%													
		W19-U																		
		W20-L		36.5	35.4	1.1	2.9%													
		W20-U						42.6	35.5	83%	35.1	82%	0.4	1.2%	46	16	43	14	6.5%	12.5%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Seventh	R12	W21-L	LKD	36.4	35.5	1.0	2.7%												
		W21-U																	
		W22-L		36.4	35.5	0.9	2.5%												
		W22-U																	
		W23-L		9.6	9.6	0.0	0.0%												
		W23-U						36.0	32.5	90%	32.5	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R13	W24-L	Bedroom	20.9	20.9	0.0	0.0%												
		W24-U																	
		W25-L		20.4	20.4	0.0	0.0%												
		W25-U						16.2	14.4	89%	14.4	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R14	W26-L	Bedroom	19.3	19.3	0.0	0.0%												
		W26-U						15.7	13.7	87%	13.7	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R15	W27-L	LKD	7.7	7.7	0.0	0.0%												
		W27-U																	
		W28-L		8.5	8.5	0.0	0.0%												
		W28-U						31.0	27.9	90%	27.9	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R16	W29-L	Bedroom	17.8	17.8	0.0	0.0%												
		W29-U						14.3	13.4	94%	13.4	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R17	W30-L	Studio	22.5	22.5	0.0	0.0%												
		W30-U						42.7	37.0	87%	37.0	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R18	W31-L	Bedroom	30.8	30.8	0.0	0.0%												
		W31-U						13.1	12.8	97%	12.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R19	W32-L	LKD	34.2	34.2	0.0	0.0%												
		W32-U																	
		W33-L		35.1	35.0	0.1	0.4%												
		W33-U						32.3	29.6	92%	29.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R20	W34-L	Bedroom	35.6	35.3	0.3	0.7%												
		W34-U						12.7	12.1	95%	12.1	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R21	W35-L	Bedroom	36.2	35.8	0.4	1.1%												
		W35-U						13.8	12.9	94%	12.9	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R22	W36-L	LKD	10.4	10.3	0.2	1.5%												
		W36-U						33.3	27.8	83%	27.8	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R23	W37-L	Studio	36.7	36.1	0.6	1.6%												
		W37-U																	
		W38-L		36.8	36.2	0.6	1.5%												
		W38-U																	
		W39-L		36.8	36.3	0.5	1.5%												
		W39-U						39.0	38.3	98%	38.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R24	W40-L	Bedroom	36.9	36.3	0.5	1.5%												
		W40-U						14.2	13.5	95%	13.5	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R25	W41-L	LKD	36.9	36.4	0.5	1.3%												
		W41-U																	
		W42-L		24.4	24.4	0.0	0.0%												
		W42-U						35.5	29.8	84%	29.8	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Seventh	R26	W43-L	Bedroom	28.7	28.7	0.0	0.0%													
		W43-U						15.1	15.0	99%	15.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R27	W44-L	Bedroom	27.9	27.9	0.0	0.0%													
		W44-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	24	3	24	3	0.0%	0.0%
Seventh	R28	W45-L	LKD	32.2	32.2	0.0	0.0%													
		W45-U																		
		W46-L		38.4	38.4	0.0	0.0%													
		W46-U						41.1	36.1	88%	36.1	88%	0.0	0.0%	59	19	59	19	0.0%	0.0%
Eighth	R1	W1-L	LKD	38.6	38.6	0.0	0.0%													
		W1-U																		
		W2-L		38.6	38.6	0.0	0.0%													
		W2-U																		
		W3-L		13.8	13.5	0.3	2.3%													
		W3-U						37.1	30.8	83%	30.8	83%	0.0	0.0%	69	26	69	26	0.0%	0.0%
Eighth	R2	W4-L	Bedroom	17.4	17.1	0.3	1.9%													
		W4-U						12.2	11.4	94%	11.4	94%	0.0	0.0%	35	18	35	18	0.0%	0.0%
Eighth	R3	W5-L	Bedroom	32.4	32.0	0.4	1.1%													
		W5-U																		
		W6-L		33.9	33.5	0.4	1.1%													
		W6-U						12.0	11.9	99%	11.9	99%	0.0	0.0%	76	23	76	23	0.0%	0.0%
Eighth	R4	W7-L	Bedroom	17.0	16.6	0.4	2.2%													
		W7-U						11.8	10.3	87%	10.2	86%	0.0	0.3%	40	20	40	20	0.0%	0.0%
Eighth	R5	W8-L	LKD	13.2	12.8	0.4	3.1%													
		W8-U																		
		W9-L		35.1	34.3	0.8	2.3%													
		W9-U						31.6	28.2	89%	28.1	89%	0.1	0.4%	48	18	48	18	0.0%	0.0%
Eighth	R7	W12-L	Bedroom	35.1	34.8	0.3	0.9%													
		W12-U						16.2	15.4	95%	15.4	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R8	W13-L	LKD	11.8	11.2	0.5	4.5%													
		W13-U						40.8	29.8	73%	29.0	71%	0.8	2.7%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R9	W14-L	Bedroom	37.3	36.7	0.6	1.6%													
		W14-U						13.1	12.6	96%	12.6	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R10	W15-L	Bedroom	37.4	36.8	0.6	1.6%													
		W15-U						14.2	13.7	96%	13.7	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R11	W16-L	Bedroom	37.5	36.9	0.6	1.7%													
		W16-U						12.7	12.1	95%	12.1	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R12	W17-L	Bedroom	37.6	36.9	0.6	1.7%													
		W17-U						12.8	12.3	96%	12.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R13	W18-L	LKD	10.6	10.4	0.2	1.6%													
		W18-U						33.3	27.8	84%	27.8	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R14	W19-L	Studio	37.6	37.0	0.6	1.6%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W19-U																	
		W20-L		37.6	37.1	0.6	1.5%												
		W20-U																	
		W21-L		37.6	37.1	0.6	1.5%												
		W21-U						39.0	38.3	98%	38.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R15	W22-L	Bedroom	37.7	37.1	0.6	1.5%												
		W22-U						12.8	11.9	93%	11.9	93%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R16	W23-L	LKD	37.7	37.2	0.5	1.3%												
		W23-U																	
		W24		39.5	39.5	0.0	0.0%												
		W25-L		39.5	39.5	0.0	0.0%												
		W25-U						35.3	33.3	94%	33.3	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R17	W26	Bedroom	39.5	39.5	0.0	0.0%	11.4	10.5	93%	10.5	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R18	W27-L	LKD	39.5	39.5	0.0	0.0%												
		W27-U																	
		W28-L		38.8	38.8	0.0	0.0%												
		W28-U						32.6	28.8	88%	28.8	88%	0.0	0.0%	61	19	61	19	0.0%	0.0%
Ninth	R1	W1-L	LKD	39.1	39.1	0.0	0.0%												
		W1-U																	
		W2-L		39.1	39.1	0.0	0.0%												
		W2-U																	
		W3-L		35.7	35.4	0.3	0.8%												
		W3-U						37.1	30.0	81%	30.0	81%	0.0	0.0%	94	26	94	26	0.0%	0.0%
Ninth	R2	W4-L	Bedroom	35.6	35.3	0.3	0.9%												
		W4-U						12.2	11.4	94%	11.4	94%	0.0	0.0%	83	26	83	26	0.0%	0.0%
Ninth	R3	W5-L	Bedroom	35.6	35.2	0.3	0.9%												
		W5-U																	
		W6-L		35.6	35.2	0.3	1.0%												
		W6-U						12.0	11.8	98%	11.8	98%	0.0	0.0%	83	26	83	26	0.0%	0.0%
Ninth	R4	W7-L	Bedroom	35.3	34.9	0.4	1.0%												
		W7-U						11.8	10.5	89%	10.5	89%	0.0	0.0%	81	24	81	24	0.0%	0.0%
Ninth	R5	W8-L	LKD	35.2	34.8	0.4	1.1%												
		W8-U																	
		W9-L		37.8	37.0	0.8	2.0%												
		W9-U						31.6	28.2	89%	28.1	89%	0.1	0.4%	84	25	84	25	0.0%	0.0%
Ninth	R6	W10-L	Studio	37.9	37.2	0.7	1.9%												
		W10-U																	
		W11-L		37.9	37.2	0.8	2.0%												
		W11-U																	
		W12-L		38.0	37.3	0.7	1.8%												
		W12-U						31.9	31.4	98%	31.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R7	W13-L	LKD	12.6	11.9	0.6	4.9%												
		W13-U						33.0	24.6	74%	24.3	74%	0.3	1.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R8	W14-L	Bedroom	38.1	37.4	0.7	1.8%												
		W14-U						13.7	13.4	97%	13.4	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Ninth	R9	W15-L	Bedroom	38.1	37.5	0.7	1.7%												
		W15-U						15.2	14.6	96%	14.6	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R10	W16-L	Bedroom	38.2	37.5	0.6	1.7%												
		W16-U						12.7	12.1	95%	12.1	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R11	W17-L	Bedroom	38.2	37.6	0.6	1.6%												
		W17-U						12.8	12.3	96%	12.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R12	W18-L	LKD	11.1	10.9	0.2	1.5%												
		W18-U						33.3	27.8	84%	27.8	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R13	W19-L	Studio	38.2	37.7	0.6	1.5%												
		W19-U																		
		W20-L		38.3	37.7	0.6	1.5%												
		W20-U																		
		W21-L		38.3	37.7	0.6	1.5%												
		W21-U						39.0	38.3	98%	38.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R14	W22-L	Bedroom	38.3	37.7	0.5	1.4%												
		W22-U						12.8	11.9	93%	11.9	93%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R15	W23-L	LKD	38.3	37.8	0.5	1.3%												
		W23-U																		
		W24		39.5	39.5	0.0	0.0%												
		W25-L		39.5	39.5	0.0	0.0%												
		W25-U						35.3	32.8	93%	32.8	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R16	W26	Bedroom	39.5	39.5	0.0	0.0%	11.4	10.5	93%	10.5	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R17	W27-L	LKD	39.6	39.6	0.0	0.0%												
		W27-U																		
		W28-L		39.2	39.2	0.0	0.0%												
		W28-U						32.6	28.8	88%	28.8	88%	0.0	0.0%	61	19	61	19	0.0%	0.0%
Tenth	R1	W1-L	LKD	39.5	39.5	0.0	0.0%												
		W1-U																		
		W2-L		39.5	39.5	0.0	0.0%												
		W2-U																		
		W3-L		36.1	35.8	0.3	0.8%												
		W3-U						37.1	30.0	81%	30.0	81%	0.0	0.0%	95	27	95	27	0.0%	0.0%
Tenth	R2	W4-L	Bedroom	36.0	35.7	0.3	0.8%												
		W4-U						12.2	11.4	94%	11.4	94%	0.0	0.0%	83	26	83	26	0.0%	0.0%
Tenth	R3	W5-L	Bedroom	36.0	35.6	0.3	0.9%												
		W5-U																		
		W6-L		35.9	35.6	0.3	0.9%												
		W6-U						12.0	11.8	98%	11.8	98%	0.0	0.0%	83	26	83	26	0.0%	0.0%
Tenth	R4	W7-L	Bedroom	35.7	35.4	0.3	1.0%												
		W7-U						11.8	10.5	89%	10.5	89%	0.0	0.0%	81	24	81	24	0.0%	0.0%
Tenth	R5	W8-L	LKD	35.6	35.2	0.4	1.0%												
		W8-U																		
		W9-L		38.2	37.5	0.7	1.8%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W9-U						31.6	28.2	89%	28.1	89%	0.1	0.4%	84	25	84	25	0.0%	0.0%
Tenth	R6	W10-L	Studio	38.3	37.7	0.7	1.7%													
		W10-U																		
		W11-L		38.4	37.7	0.7	1.8%													
		W11-U																		
		W12-L		38.4	37.8	0.6	1.7%													
		W12-U						31.9	31.4	98%	31.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W13-L	LKD	12.8	12.2	0.6	4.5%													
		W13-U						33.0	24.6	74%	24.3	74%	0.2	1.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R8	W14-L	Bedroom	38.5	37.9	0.6	1.6%													
		W14-U						13.7	13.4	97%	13.4	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R9	W15-L	Bedroom	38.6	38.0	0.6	1.6%													
		W15-U						15.2	14.6	96%	14.6	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R10	W16-L	Bedroom	38.6	38.0	0.6	1.6%													
		W16-U						12.7	12.1	95%	12.1	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R11	W17-L	Bedroom	38.6	38.1	0.6	1.5%													
		W17-U						12.8	12.3	96%	12.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R12	W18-L	LKD	11.4	11.2	0.2	1.4%													
		W18-U						33.3	27.8	84%	27.8	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R13	W19-L	Bedroom	31.6	31.1	0.5	1.7%													
		W19-U																		
		W20-L		31.6	31.1	0.5	1.7%													
		W20-U						13.1	13.0	99%	13.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R14	W21-L	Bedroom	31.6	31.1	0.5	1.7%													
		W21-U																		
		W22-L		31.6	31.1	0.5	1.6%													
		W22-U						11.9	11.8	100%	11.8	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R15	W23-L	LKD	31.6	31.1	0.5	1.6%													
		W23-U																		
		W24-L		31.6	31.1	0.5	1.5%													
		W24-U																		
		W25-L		5.0	5.0	0.0	0.0%													
		W25-U						33.8	31.5	93%	31.5	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R16	W26-L	Studio	34.2	34.2	0.0	0.0%													
		W26-U																		
		W27-L		31.3	31.3	0.0	0.0%													
		W27-U																		
		W28-L		31.8	31.8	0.0	0.0%													
		W28-U																		
		W29-L		31.7	31.7	0.0	0.0%													
		W29-U																		
		W30-L		34.2	34.2	0.0	0.0%													
		W30-U						38.0	37.4	98%	37.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R17	W31-L	LKD	4.7	4.7	0.0	0.0%													
		W31-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing	Proposed	Loss	Loss	Room	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%	Area	m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W32-L		39.5	39.5	0.0	0.0%													
		W32-U																		
		W33-L		39.5	39.5	0.0	0.0%													
		W33-U																		
		W34-L		39.5	39.5	0.0	0.0%													
		W34-U																		
		W35-L		39.5	39.5	0.0	0.0%													
		W35-U						38.4	37.1	97%	37.1	97%	0.0	0.0%	59	19	59	19	0.0%	0.0%
Eleventh	R1	W1-L	LKD	39.6	39.6	0.0	0.0%													
		W1-U																		
		W2-L		39.6	39.6	0.0	0.0%													
		W2-U																		
		W3-L		36.4	36.2	0.3	0.7%													
		W3-U						37.1	30.0	81%	30.0	81%	0.0	0.0%	96	28	96	28	0.0%	0.0%
Eleventh	R2	W4-L	Bedroom	36.4	36.1	0.3	0.7%													
		W4-U						12.2	11.4	94%	11.4	94%	0.0	0.0%	84	27	84	27	0.0%	0.0%
Eleventh	R3	W5-L	Bedroom	36.3	36.0	0.3	0.8%													
		W5-U																		
		W6-L		36.3	36.0	0.3	0.8%													
		W6-U						12.0	11.8	98%	11.8	98%	0.0	0.0%	85	28	85	28	0.0%	0.0%
Eleventh	R4	W7-L	Bedroom	36.1	35.8	0.3	0.9%													
		W7-U						11.8	10.5	89%	10.5	89%	0.0	0.0%	82	25	82	25	0.0%	0.0%
Eleventh	R5	W8-L	LKD	36.0	35.7	0.3	0.9%													
		W8-U																		
		W9-L		38.5	37.9	0.6	1.7%													
		W9-U						31.6	28.2	89%	28.1	89%	0.1	0.4%	85	26	85	26	0.0%	0.0%
Eleventh	R6	W10-L	Studio	38.6	38.0	0.6	1.6%													
		W10-U																		
		W11-L		38.7	38.0	0.6	1.7%													
		W11-U																		
		W12-L		38.7	38.1	0.6	1.5%													
		W12-U						31.9	31.4	98%	31.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R7	W13-L	LKD	13.1	12.6	0.5	4.0%													
		W13-U						32.7	24.1	74%	23.9	73%	0.2	1.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R8	W14-L	Bedroom	30.7	30.1	0.6	1.9%													
		W14-U																		
		W15-L		31.7	31.2	0.6	1.8%													
		W15-U						13.5	13.4	99%	13.4	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R9	W16-L	Bedroom	30.7	30.2	0.6	1.8%													
		W16-U																		
		W17-L		31.7	31.2	0.5	1.7%													
		W17-U						13.4	13.1	98%	13.1	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R10	W18-L	Bedroom	31.7	31.2	0.5	1.7%													
		W18-U																		
		W19-L		30.8	30.2	0.5	1.7%													
		W19-U						11.8	11.7	99%	11.7	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Eleventh	R11	W20-L	Bedroom	31.7	31.2	0.5	1.6%													
		W20-U																		
		W21-L		31.8	31.2	0.5	1.6%													
		W21-U						12.5	12.4	99%	12.4	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R12	W22-L	LKD	23.9	23.7	0.2	0.6%													
		W22-U						33.0	27.6	84%	27.6	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R13	W23-L	Bedroom	30.5	29.9	0.5	1.7%													
		W23-U																		
		W24-L		30.5	30.0	0.5	1.6%													
		W24-U						13.1	13.1	99%	13.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R14	W25-L	Bedroom	30.4	30.0	0.5	1.6%													
		W25-U																		
		W26-L		30.4	30.0	0.5	1.5%													
		W26-U						11.9	11.8	100%	11.8	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R15	W27-L	LKD	30.5	30.0	0.5	1.5%													
		W27-U																		
		W28-L		30.4	30.0	0.4	1.4%													
		W28-U																		
		W29-L		5.0	5.0	0.0	0.0%													
		W29-U						33.8	31.5	93%	31.5	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R16	W30-L	Studio	32.5	32.5	0.0	0.0%													
		W30-U																		
		W31-L		32.3	32.3	0.0	0.0%													
		W31-U																		
		W32-L		32.9	32.9	0.0	0.0%													
		W32-U																		
		W33-L		32.8	32.8	0.0	0.0%													
		W33-U																		
		W34-L		32.4	32.4	0.0	0.0%													
		W34-U						38.0	37.4	98%	37.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R17	W35-L	LKD	4.7	4.7	0.0	0.0%													
		W35-U																		
		W36-L		39.6	39.6	0.0	0.0%													
		W36-U																		
		W37-L		39.6	39.6	0.0	0.0%													
		W37-U																		
		W38-L		39.6	39.6	0.0	0.0%													
		W38-U																		
		W39-L		39.6	39.6	0.0	0.0%													
		W39-U						38.4	37.1	97%	37.1	97%	0.0	0.0%	59	19	59	19	0.0%	0.0%
Twelfth	R1	W1-L	LKD	8.6	8.6	0.0	0.0%													
		W1-U																		
		W2-L		36.7	36.5	0.2	0.6%													
		W2-U																		
		W3-L		36.7	36.4	0.2	0.7%													
		W3-U																		
		W4-L		36.6	36.4	0.3	0.7%													
		W4-U						30.7	29.3	96%	29.3	96%	0.0	0.0%	93	29	93	29	0.0%	0.0%
Twelfth	R2	W5-L	Bedroom	36.6	36.3	0.3	0.7%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W5-U																		
		W6-L		36.6	36.3	0.3	0.8%													
		W6-U						12.8	12.7	99%	12.7	99%	0.0	0.0%	85	28	85	28	0.0%	0.0%
Twelfth	R3	W7-L	LKD	36.5	36.2	0.3	0.8%													
		W7-U																		
		W8-L		36.4	36.1	0.3	0.8%													
		W8-U																		
		W9-L		6.9	6.9	0.0	0.0%													
		W9-U																		
		W10-L		4.4	4.0	0.3	7.6%													
		W10-U																		
		W11-L		30.5	29.9	0.6	1.8%													
		W11-U																		
		W12-L		31.7	31.2	0.6	1.8%													
		W12-U						33.7	30.7	91%	30.7	91%	0.0	0.0%	85	26	85	26	0.0%	0.0%
Twelfth	R4	W13-L	Bedroom	31.7	31.2	0.5	1.7%													
		W13-U																		
		W14-L		31.7	31.2	0.6	1.8%													
		W14-U						11.9	11.8	99%	11.8	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W15-L	Bedroom	31.7	31.2	0.6	1.8%													
		W15-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R6	W16-L	LKD	24.9	24.4	0.5	2.0%													
		W16-U						32.0	27.6	86%	27.6	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R7	W17-L	Bedroom	29.5	28.9	0.5	1.8%													
		W17-U																		
		W18-L		30.4	29.9	0.5	1.7%													
		W18-U						11.4	11.2	99%	11.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R8	W19-L	Bedroom	29.5	29.0	0.5	1.7%													
		W19-U																		
		W20-L		30.4	29.9	0.5	1.6%													
		W20-U						13.4	13.3	99%	13.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R9	W21-L	Bedroom	30.4	29.9	0.5	1.6%													
		W21-U																		
		W22-L		29.5	29.0	0.5	1.6%													
		W22-U						13.3	13.2	99%	13.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R10	W23-L	LKD	30.4	30.0	0.5	1.6%													
		W23-U																		
		W24-L		30.4	30.0	0.5	1.5%													
		W24-U																		
		W25-L		34.0	34.0	0.0	0.0%													
		W25-U						30.5	28.9	95%	28.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R12	W27-L	LKD	34.1	34.1	0.0	0.0%													
		W27-U																		
		W28-L		9.4	9.4	0.0	0.0%													
		W28-U						28.7	28.6	100%	28.6	100%	0.0	0.0%	20	6	20	6	0.0%	0.0%
Thirteenth	R1	W1-L	LKD	8.7	8.7	0.0	0.0%													
		W1-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W2-L		37.0	36.8	0.2	0.6%													
		W2-U																		
		W3-L		36.9	36.7	0.2	0.6%													
		W3-U																		
		W4-L		36.9	36.7	0.2	0.7%													
		W4-U						30.6	29.3	96%	29.3	96%	0.0	0.0%	94	30	94	30	0.0%	0.0%
Thirteenth	R2	W5-L	Bedroom	36.9	36.6	0.2	0.7%													
		W5-U																		
		W6-L		36.9	36.6	0.3	0.7%													
		W6-U						12.7	12.7	99%	12.7	99%	0.0	0.0%	86	29	86	29	0.0%	0.0%
Thirteenth	R3	W7-L	LKD	36.8	36.5	0.3	0.7%													
		W7-U																		
		W8-L		36.8	36.5	0.3	0.7%													
		W8-U																		
		W9-L		6.9	6.9	0.0	0.0%													
		W9-U																		
		W10-L		4.4	4.1	0.3	6.8%													
		W10-U																		
		W11-L		29.3	28.8	0.5	1.7%													
		W11-U																		
		W12-L		30.4	29.9	0.5	1.7%													
		W12-U						33.7	31.1	92%	31.1	92%	0.0	0.0%	86	27	86	27	0.0%	0.0%
Thirteenth	R4	W13-L	Bedroom	30.4	29.9	0.5	1.7%													
		W13-U																		
		W14-L		30.4	29.9	0.5	1.7%													
		W14-U						11.9	11.8	99%	11.8	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R5	W15-L	Bedroom	30.4	29.9	0.5	1.6%													
		W15-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R7	W17-L	Living Room	35.4	35.4	0.0	0.0%													
		W17-U																		
		W18-L		39.6	39.6	0.0	0.0%													
		W18-U																		
		W19-L		39.6	39.6	0.0	0.0%													
		W19-U																		
		W20-L		39.6	39.6	0.0	0.0%													
		W20-U																		
		W21-L		39.6	39.6	0.0	0.0%													
		W21-U						41.1	41.1	100%	41.1	100%	0.0	0.0%	61	19	61	19	0.0%	0.0%
11 Hale Road																				
Ground	R1	W1	Residential	28.1	6.5	21.6	77.0%													
		W2		20.8	3.3	17.5	84.2%													
		W3		8.1	3.1	5.0	61.7%	13.0	12.3	94%	2.8	21%	9.5	77.6%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W4-L	Bedroom	12.0	1.0	11.0	91.3%													
		W4-U						9.9	7.2	73%	0.6	6%	6.6	92.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	33.9	8.4	25.5	75.1%													
		W1-U																		
		W2-L		17.1	10.7	6.5	37.8%													
		W2-U						11.8	11.3	96%	10.0	85%	1.3	11.3%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
First	R2	W3-L	Bedroom	22.0	5.7	16.2	73.9%												
		W3-U						9.9	8.9	90%	2.0	21%	6.8	77.1%	N/F	N/F	N/F	N/F	N/F	N/F
13 Hale Road																			
Ground	R1	W1-L	Bedroom	12.2	5.7	6.5	53.2%												
		W1-U						9.9	8.0	81%	2.3	24%	5.7	70.7%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Residential	9.8	7.1	2.7	27.5%												
		W3		25.9	6.6	19.3	74.4%												
		W4		19.4	5.7	13.8	70.7%	13.0	12.1	93%	4.8	37%	7.4	60.8%	6	0	2	0	66.7%	0.0%
First	R1	W1-L	Bedroom	22.3	9.6	12.7	56.9%												
		W1-U						9.9	9.2	93%	3.8	39%	5.4	58.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Bedroom	16.2	13.4	2.7	16.9%												
		W2-U																		
		W3-L		33.8	8.8	25.0	74.0%												
		W3-U						11.8	11.3	96%	8.4	71%	2.9	25.6%	16	0	12	0	25.0%	0.0%
15 Hale Road																			
Ground	R1	W1	Residential	29.6	8.7	20.9	70.6%	1.6	1.3	78%	0.6	36%	0.7	54.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Kitchen	27.9	7.3	20.6	73.8%												
		W3		10.2	4.1	6.1	59.6%	10.8	6.1	56%	2.3	21%	3.8	62.7%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W4-L	Bedroom	12.8	2.8	10.0	78.1%												
		W4-U						9.9	7.8	79%	1.7	17%	6.2	78.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	33.3	10.1	23.1	69.6%												
		W1-U																		
		W2-L		23.3	14.2	9.1	38.9%												
		W2-U						11.8	11.3	95%	10.7	90%	0.6	5.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W3-L	Bedroom	24.0	8.2	15.8	65.8%												
		W3-U						9.9	9.4	95%	2.9	29%	6.5	69.5%	N/F	N/F	N/F	N/F	N/F	N/F
17 Hale Road																			
Ground	R1	W1-L	Bedroom	12.4	7.1	5.3	42.4%												
		W1-U						9.9	8.0	81%	2.7	28%	5.2	65.8%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Residential	9.7	7.2	2.5	25.6%												
		W3		29.4	9.2	20.3	68.8%												
		W4		30.8	9.3	21.5	69.8%												
		W5		28.1	8.1	20.0	71.0%	13.0	12.1	93%	5.4	41%	6.8	55.8%	2	0	0	0	100.0%	0.0%
First	R1	W1-L	Bedroom	22.2	11.6	10.5	47.5%												
		W1-U						9.9	9.1	92%	4.2	42%	4.9	54.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Bedroom	14.5	12.0	2.5	17.3%												
		W2-U																		
		W3-L		33.1	10.3	22.8	68.9%												
		W3-U						11.8	11.3	95%	7.1	60%	4.2	37.1%	12	0	10	0	16.7%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
21 Hale Road																				
Ground	R1	W1-L	Bedroom	12.0	6.2	5.7	47.8%													
		W1-U						9.2	6.9	75%	2.5	27%	4.4	63.6%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Kitchen	5.8	3.5	2.4	40.8%	11.4	2.7	24%	1.9	17%	0.8	29.7%	0	0	0	0	0.0%	0.0%
First	R1	W1-L	Bedroom	18.7	9.4	9.3	49.9%													
		W1-U						9.3	7.1	76%	3.1	33%	4.1	57.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W3	Kitchen	32.2	11.6	20.6	64.0%	6.3	6.0	95%	3.1	49%	2.9	48.2%	N/F	N/F	N/F	N/F	N/F	N/F
19 Hale Road																				
Ground	R2	W2	Kitchen	28.9	9.8	19.1	66.0%													
		W3		20.1	5.0	15.1	75.3%													
		W4		10.0	4.3	5.7	57.0%	10.8	6.7	62%	2.3	22%	4.4	65.3%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W5-L	Bedroom	12.5	4.4	8.1	64.9%													
		W5-U						9.9	7.7	78%	1.9	20%	5.8	74.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	32.4	11.3	21.1	65.3%													
		W1-U																		
		W2-L		23.1	13.8	9.3	40.4%													
		W2-U						11.8	11.3	96%	10.6	89%	0.7	6.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W3-L	Bedroom	23.6	9.8	13.8	58.4%													
		W3-U						9.9	9.4	95%	2.7	27%	6.7	71.2%	N/F	N/F	N/F	N/F	N/F	N/F
1 Hale Road																				
Ground	R1	W1	Bedroom	22.0	19.5	2.6	11.6%	9.8	9.1	93%	9.0	92%	0.1	1.1%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Kitchen	31.0	30.9	0.0	0.1%													
		W3-L		19.0	15.0	3.9	20.7%													
		W3-U						10.8	10.7	99%	10.3	96%	0.4	3.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	25.9	20.1	5.9	22.6%													
		W1-U						9.8	9.3	94%	9.1	93%	0.1	1.5%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Residential	29.0	29.0	0.1	0.2%													
		W2-U																		
		W3-L		35.1	19.9	15.2	43.3%													
		W3-U						12.4	12.1	97%	11.8	95%	0.3	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
3 Hale Road																				
Ground	R1	W1	Residential	24.5	12.8	11.8	48.0%													
		W2		27.6	13.8	13.8	50.1%	4.5	4.2	94%	3.4	76%	0.8	18.9%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W3	Kitchen	13.4	6.3	7.0	52.7%													
		W4		8.8	4.3	4.4	50.5%													
		W5-L		6.4	2.8	3.6	56.5%													
		W5-U						11.9	9.6	80%	5.7	48%	3.9	40.2%	11	0	7	0	36.4%	0.0%
Ground	R3	W6	Bedroom	12.3	1.7	10.6	86.4%	9.8	7.9	81%	1.8	18%	6.2	77.7%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
First	R1	W1-L	Residential	35.0	19.0	16.0	45.7%												
		W1-U						11.3	11.0	97%	8.3	73%	2.7	24.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Bedroom	24.2	9.3	14.9	61.6%												
		W2-U						9.8	9.4	95%	4.8	49%	4.5	48.5%	N/F	N/F	N/F	N/F	N/F	N/F
5 Hale Road																			
Ground	R1	W1	Bedroom	13.0	6.1	6.8	52.8%	9.8	7.7	79%	5.8	59%	2.0	25.3%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Kitchen	11.1	10.0	1.1	9.9%	9.5	5.1	54%	5.1	54%	0.0	0.9%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W3-L	Residential	25.9	9.8	16.1	62.2%												
		W3-U																		
		W4		29.4	10.2	19.1	65.1%	3.3	3.0	90%	2.9	87%	0.1	4.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	23.1	11.4	11.7	50.5%												
		W1-U						9.8	9.1	92%	7.2	73%	1.9	20.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Residential	34.7	11.8	22.9	66.1%												
		W2-U						10.9	10.5	96%	2.5	23%	8.0	76.0%	N/F	N/F	N/F	N/F	N/F	N/F
7 Hale Road																			
Ground	R1	W1	Residential	29.6	8.5	21.0	71.2%												
		W2-L		26.4	7.7	18.7	70.9%												
		W2-U						3.3	3.0	90%	2.7	81%	0.3	10.2%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W3	Kitchen	10.8	6.8	4.0	36.8%	9.6	4.9	51%	3.9	40%	1.0	21.1%	3	0	3	0	0.0%	0.0%
Ground	R3	W4	Bedroom	12.1	2.0	10.1	83.2%	9.8	7.9	80%	2.0	21%	5.8	74.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Residential	34.6	10.1	24.5	70.7%												
		W1-U						10.9	10.5	96%	3.4	31%	7.1	67.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Bedroom	24.9	6.9	17.9	72.1%												
		W2-U						9.8	9.3	95%	3.7	38%	5.6	59.9%	N/F	N/F	N/F	N/F	N/F	N/F
9 Hale Road																			
Ground	R1	W1	Bedroom	1.5	0.0	1.5	100.0%	9.8	6.1	62%	0.0	0%	6.1	100.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Kitchen	5.6	1.0	4.6	82.6%	9.9	5.2	52%	4.1	42%	1.0	19.8%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W3-L	Residential	27.6	6.8	20.8	75.2%												
		W3-U						4.5	4.3	95%	2.4	54%	1.8	43.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	24.6	6.7	17.9	72.8%												
		W1-U						9.8	9.3	95%	4.1	41%	5.3	56.5%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Residential	34.2	7.8	26.5	77.3%												
		W2-U						12.4	11.8	95%	2.1	17%	9.7	82.3%	N/F	N/F	N/F	N/F	N/F	N/F
1B Park View Road																			
Ground	R2	W1-L	Living Room	31.4	30.8	0.5	1.7%												
		W1-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W2-L		32.4	31.1	1.3	4.0%													
		W2-U																		
		W3-L		23.9	22.7	1.2	5.1%													
		W3-U						13.5	13.4	100%	13.4	100%	0.0	0.1%	50	11	48	10	4.0%	9.1%
First	R1	W3-L	Study	31.7	30.4	1.3	4.0%													
		W3-U						5.1	5.0	97%	5.0	97%	0.0	0.0%	43	10	40	8	7.0%	20.0%
First	R2	W1-L	Bedroom	31.9	30.7	1.2	3.7%													
		W1-U																		
		W2-L		31.8	30.5	1.3	3.9%													
		W2-U						12.0	11.9	99%	11.9	99%	0.0	0.0%	45	11	43	9	4.4%	18.2%
Second	R1	W1	Bedroom	82.0	81.0	1.0	1.2%													
		W2		82.2	81.2	1.0	1.2%													
		W3		38.9	38.9	0.0	0.0%	18.8	18.7	100%	18.7	100%	0.0	0.0%	91	21	90	20	1.1%	4.8%
1A Park View Road																				
Ground	R1	W2-L	Living Room	29.8	29.1	0.7	2.2%													
		W2-U																		
		W3-L		32.0	30.4	1.5	4.8%													
		W3-U																		
		W4-L		24.7	23.4	1.3	5.3%													
		W4-U						13.5	13.5	100%	13.5	100%	0.0	0.0%	53	10	52	10	1.9%	0.0%
First	R1	W2-L	Bedroom	31.5	30.0	1.4	4.5%													
		W2-U																		
		W3-L		31.4	29.9	1.4	4.6%													
		W3-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	41	8	40	8	2.4%	0.0%
First	R2	W1-L	Study	31.6	30.2	1.4	4.3%													
		W1-U						5.1	4.9	96%	4.9	95%	0.0	0.8%	43	10	41	9	4.7%	10.0%
Second	R1	W1	Bedroom	81.7	80.6	1.1	1.3%													
		W2		81.4	80.2	1.1	1.4%													
		W3		38.7	38.7	0.0	0.0%	18.9	18.9	100%	18.9	100%	0.0	0.0%	87	17	86	17	1.1%	0.0%
1 Park View Road																				
Ground	R2	W2-L	Living Room	30.8	30.5	0.4	1.2%													
		W2-U																		
		W3-L		33.1	32.0	1.1	3.2%													
		W3-U																		
		W4-L		26.7	25.6	1.2	4.3%													
		W4-U						11.2	11.1	100%	11.1	100%	0.0	0.0%	52	11	50	9	3.8%	18.2%
First	R1	W1-L	Bedroom	33.6	32.7	1.0	2.9%													
		W1-U																		
		W2-L		33.6	32.6	1.0	3.1%													
		W2-U						11.9	11.7	98%	11.7	98%	0.0	0.0%	48	12	46	10	4.2%	16.7%
2 Park View Road																				
Ground	R1	W1-L	Living Room	29.7	29.4	0.3	0.9%													
		W1-U																		
		W2-L		33.5	32.6	0.9	2.7%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W2-U																		
		W3-L		26.9	25.9	1.0	3.9%													
		W3-U						20.2	20.1	100%	20.1	100%	0.0	0.0%	52	12	50	10	3.8%	16.7%
First	R1	W1-L	Bedroom	33.7	32.9	0.8	2.5%													
		W1-U																		
		W2-L		33.7	32.8	0.9	2.7%													
		W2-U						12.4	12.2	99%	12.2	99%	0.0	0.0%	47	12	45	10	4.3%	16.7%
The Volunteer																				
First	R2	W2-L	Bedroom	26.4	26.4	0.0	0.1%													
		W2-U						12.3	11.3	92%	11.3	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W3	Kitchen	35.9	35.9	0.0	0.0%													
		W5-L		19.7	19.2	0.5	2.6%													
		W5-U						8.5	8.1	96%	8.1	96%	0.0	0.0%	40	2	40	2	0.0%	0.0%
3 Park View Road																				
Ground	R2	W3-L	Living Room	29.2	29.1	0.1	0.4%													
		W3-U																		
		W4-L		33.1	32.3	0.8	2.5%													
		W4-U																		
		W5-L		22.4	21.5	0.9	3.8%													
		W5-U						12.3	12.3	100%	12.3	100%	0.0	0.0%	50	11	48	9	4.0%	18.2%
First	R1	W1-L	Bedroom	33.8	33.1	0.7	2.2%													
		W1-U																		
		W2-L		33.7	32.9	0.8	2.3%													
		W2-U						12.1	11.9	99%	11.9	99%	0.0	0.0%	47	12	45	10	4.3%	16.7%
5 Park View Road																				
Ground	R1	W1	Kitchen	29.3	28.7	0.6	2.2%													
		W2		27.6	27.0	0.6	2.2%													
		W6-L		12.7	12.7	0.0	0.0%													
		W6-U																		
		W7-L		16.6	16.6	0.0	0.0%													
		W7-U						22.7	18.1	80%	18.1	80%	0.0	0.0%	72	12	70	10	2.8%	16.7%
Ground	R2	W3-L	Living Room	29.3	29.3	0.1	0.2%													
		W3-U																		
		W4-L		33.3	32.6	0.6	1.9%													
		W4-U																		
		W5-L		22.8	22.1	0.7	3.2%													
		W5-U						13.9	13.9	100%	13.9	100%	0.0	0.0%	50	11	48	9	4.0%	18.2%
First	R1	W1-L	Bedroom	34.0	33.4	0.6	1.8%													
		W1-U																		
		W2-L		33.9	33.3	0.6	1.9%													
		W2-U						11.9	11.7	98%	11.7	98%	0.0	0.0%	47	12	45	10	4.3%	16.7%
4 Park View Road																				
Ground	R1	W1-L	Living Room	27.6	27.5	0.1	0.3%													
		W1-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W2-L		33.2	32.4	0.7	2.2%													
		W2-U																		
		W3-L		23.0	22.2	0.8	3.4%													
		W3-U																		
		W8		12.7	12.7	0.0	0.0%													
		W9		15.0	15.0	0.0	0.0%	19.1	18.8	98%	18.6	97%	0.2	0.9%	56	13	55	12	1.8%	7.7%
First	R1	W1-L	Bedroom	33.9	33.2	0.7	1.9%													
		W1-U																		
		W2-L		33.8	33.1	0.7	2.1%													
		W2-U						14.0	13.8	98%	13.8	98%	0.0	0.0%	47	12	46	11	2.1%	8.3%
6 Park View Road																				
Ground	R1	W1-L	Living Room	27.2	27.2	0.0	0.1%													
		W1-U																		
		W2-L		33.4	32.9	0.6	1.7%													
		W2-U																		
		W3-L		23.4	22.8	0.7	2.8%													
		W3-U						11.4	11.3	99%	11.3	99%	0.0	0.1%	51	12	51	12	0.0%	0.0%
First	R1	W1-L	Bedroom	34.1	33.6	0.5	1.5%													
		W1-U																		
		W2-L		34.0	33.5	0.5	1.6%													
		W2-U						11.6	11.4	98%	11.4	98%	0.0	0.0%	45	10	45	10	0.0%	0.0%
Second	R1	W1-L	Bedroom	26.7	26.7	0.0	0.0%													
		W1-U																		
		W2		78.3	77.9	0.5	0.6%	14.6	13.9	95%	13.9	95%	0.0	0.0%	83	17	82	16	1.2%	5.9%
7A Park View Road																				
Ground	R2	W7-L	Living Room	30.8	30.7	0.0	0.1%													
		W7-U																		
		W8-L		33.5	33.0	0.5	1.6%													
		W8-U																		
		W9-L		22.4	21.8	0.6	2.7%													
		W9-U						13.9	13.9	100%	13.9	100%	0.0	0.0%	48	10	48	10	0.0%	0.0%
First	R1	W1-L	Bedroom	34.3	33.8	0.5	1.4%													
		W1-U																		
		W2-L		34.1	33.6	0.5	1.5%													
		W2-U						12.1	11.9	98%	11.9	98%	0.0	0.0%	44	10	44	10	0.0%	0.0%
Rosa Luxemburg Apartments																				
Ground	R9	W40-L	LKD	23.6	14.6	9.0	38.2%													
		W40-U																		
		W41-L		25.6	16.6	9.0	35.2%													
		W41-U						34.3	31.5	92%	25.8	75%	5.6	17.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	19.4	9.7	9.7	50.1%													
		W1-U						15.6	14.0	90%	4.1	26%	9.9	70.7%	40	12	20	0	50.0%	100.0%
First	R2	W2-L	Bedroom	21.2	10.9	10.2	48.4%													
		W2-U						9.9	7.8	79%	3.7	38%	4.1	52.3%	42	12	21	0	50.0%	100.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
First	R3	W3-L	LKD	22.0	11.3	10.7	48.6%												
		W3-U																	
		W4-L		19.0	7.9	11.1	58.3%												
		W4-U																	
		W5-L		11.9	6.6	5.3	44.6%												
		W5-U																	
		W6-L		8.8	4.7	4.2	46.9%												
		W6-U						28.8	28.4	99%	12.3	43%	16.2	56.9%	47	14	29	1	38.3%	92.9%
First	R4	W7-L	Bedroom	7.2	4.0	3.2	45.0%												
		W7-U						13.7	3.7	27%	1.4	10%	2.3	62.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W8-L	LKD	4.9	4.7	0.2	4.1%												
		W8-U																	
		W9-L		24.9	13.1	11.8	47.4%												
		W9-U						34.8	28.6	82%	7.4	21%	21.2	74.1%	53	16	31	1	41.5%	93.8%
First	R6	W10-L	Bedroom	21.5	12.0	9.5	44.3%												
		W10-U						13.1	11.7	89%	3.7	28%	8.0	68.5%	47	16	30	0	36.2%	100.0%
First	R7	W11-L	Bedroom	7.7	0.9	6.8	87.8%												
		W11-U						12.8	10.1	79%	0.5	4%	9.6	94.9%	12	9	3	0	75.0%	100.0%
First	R8	W12-L	Bedroom	10.8	6.9	3.9	36.2%												
		W12-U						17.2	13.7	79%	4.5	26%	9.2	67.4%	24	8	17	1	29.2%	87.5%
First	R9	W13-L	Bedroom	13.0	10.9	2.1	16.2%												
		W13-U						14.5	9.4	65%	8.1	56%	1.3	13.9%	29	7	25	3	13.8%	57.1%
First	R10	W14-L	Bedroom	14.1	11.9	2.2	15.8%												
		W14-U						13.5	5.9	43%	5.9	43%	0.0	0.0%	23	4	18	1	21.7%	75.0%
First	R11	W15-L	LKD	5.7	2.7	3.0	52.4%												
		W15-U						29.0	26.9	93%	25.8	89%	1.1	3.9%	16	10	6	0	62.5%	100.0%
First	R12	W16-L	LKD	19.3	11.1	8.3	42.8%												
		W16-U						27.2	26.8	99%	25.4	93%	1.5	5.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R1	W1-L	LKD	10.7	10.7	0.0	0.0%												
		W1-U																	
		W2-L		11.1	11.0	0.0	0.4%												
		W2-U																	
		W3-L		27.4	11.5	15.9	58.2%												
		W3-U						26.9	26.7	99%	26.0	97%	0.7	2.7%	78	17	39	6	50.0%	64.7%
Second	R2	W4-L	Bedroom	27.5	10.2	17.2	62.7%												
		W4-U						8.4	7.8	93%	2.1	25%	5.7	72.6%	69	16	27	4	60.9%	75.0%
Second	R3	W5-L	Bedroom	27.7	9.5	18.2	65.8%												
		W5-U						12.0	11.0	92%	2.7	23%	8.3	75.1%	71	15	26	3	63.4%	80.0%
Second	R4	W6-L	LKD	27.6	10.0	17.6	63.7%												
		W6-U																	
		W7-L		7.0	0.7	6.3	89.8%												
		W7-U																	
		W8-L		19.1	12.7	6.5	33.9%												
		W8-U						23.3	22.7	97%	17.1	73%	5.7	24.9%	70	15	37	2	47.1%	86.7%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Second	R5	W9-L	Bedroom	16.8	11.1	5.7	34.0%												
		W9-U						12.9	10.6	82%	7.3	56%	3.4	31.7%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W10-L	Bedroom	19.8	11.6	8.3	41.6%												
		W10-U						14.5	13.2	91%	5.7	40%	7.5	56.7%	40	12	23	2	42.5%	83.3%
Second	R7	W11-L	Bedroom	21.7	13.2	8.5	39.1%												
		W11-U						9.1	7.7	85%	5.2	57%	2.6	32.9%	42	12	25	2	40.5%	83.3%
Second	R8	W12-L	LKD	22.9	14.0	8.9	38.8%												
		W12-U																		
		W13-L		6.7	0.4	6.3	94.3%												
		W13-U																		
		W14-L		10.3	6.1	4.2	40.6%												
		W14-U						27.3	26.9	99%	14.4	53%	12.5	46.6%	47	14	32	3	31.9%	78.6%
Second	R9	W15-L	Bedroom	8.0	4.8	3.2	40.4%												
		W15-U						14.0	3.8	27%	1.9	14%	1.9	50.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R10	W16-L	Bedroom	6.0	5.9	0.1	1.5%												
		W16-U						13.0	2.3	18%	2.3	18%	0.0	0.0%	14	2	14	2	0.0%	0.0%
Second	R11	W17-L	LKD	8.3	7.8	0.5	6.0%												
		W17-U																		
		W18-L		11.6	3.8	7.8	67.4%												
		W18-U																		
		W19-L		24.4	15.1	9.2	37.9%												
		W19-U						23.4	23.0	98%	15.1	64%	7.9	34.4%	54	17	38	6	29.6%	64.7%
Second	R12	W20-L	LKD	9.2	3.3	5.9	63.7%												
		W20-U						22.9	22.5	98%	4.9	21%	17.6	78.3%	20	14	11	5	45.0%	64.3%
Second	R13	W21-L	Bedroom	11.6	8.5	3.1	26.6%												
		W21-U						15.3	12.4	81%	6.4	42%	5.9	48.1%	26	9	21	4	19.2%	55.6%
Second	R14	W22-L	Bedroom	13.6	12.1	1.5	11.3%												
		W22-U						14.5	9.8	68%	9.2	64%	0.6	6.3%	30	7	27	4	10.0%	42.9%
Second	R15	W23-L	Bedroom	15.1	13.6	1.5	9.8%												
		W23-U						13.5	6.1	45%	6.1	45%	0.0	0.0%	25	4	24	3	4.0%	25.0%
Second	R16	W24-L	LKD	6.3	3.7	2.6	41.0%												
		W24-U						29.0	27.0	93%	26.4	91%	0.6	2.2%	17	10	7	0	58.8%	100.0%
Second	R17	W25-L	LKD	20.0	11.5	8.5	42.6%												
		W25-U						27.2	26.8	99%	25.4	93%	1.5	5.5%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	LKD	11.7	11.7	0.0	0.1%												
		W1-U																		
		W2-L		12.1	12.1	0.0	0.3%												
		W2-U																		
		W3-L		28.1	13.9	14.2	50.4%												
		W3-U						26.9	26.8	100%	26.1	97%	0.7	2.7%	79	17	47	6	40.5%	64.7%
Third	R2	W4-L	Bedroom	28.2	12.9	15.3	54.3%												
		W4-U						8.4	7.8	93%	2.8	34%	5.0	63.8%	70	16	37	5	47.1%	68.8%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Third	R3	W5-L	Bedroom	28.3	12.1	16.2	57.3%												
		W5-U						12.0	11.0	92%	3.5	29%	7.5	68.1%	71	15	38	3	46.5%	80.0%
Third	R4	W6-L	LKD	28.3	13.0	15.3	54.0%												
		W6-U																	
		W7-L		7.4	2.1	5.2	71.0%												
		W7-U																	
		W8-L		20.4	14.7	5.6	27.7%												
		W8-U						23.3	22.8	98%	20.1	86%	2.6	11.6%	70	15	44	3	37.1%	80.0%
Third	R5	W9-L	Bedroom	17.7	12.7	5.0	28.2%												
		W9-U						12.9	10.8	83%	8.2	64%	2.6	23.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W10-L	Bedroom	20.3	13.8	6.5	32.1%												
		W10-U						14.5	13.3	92%	8.8	61%	4.4	33.4%	40	12	28	4	30.0%	66.7%
Third	R7	W11-L	Bedroom	22.3	15.7	6.6	29.6%												
		W11-U						9.1	8.0	88%	7.5	83%	0.5	6.1%	42	12	29	4	31.0%	66.7%
Third	R8	W12-L	LKD	23.6	16.8	6.9	29.1%												
		W12-U																	
		W13-L		7.2	2.2	5.0	70.0%												
		W13-U																	
		W14-L		11.3	7.4	3.9	34.3%												
		W14-U						27.3	26.9	99%	20.4	75%	6.6	24.4%	46	13	35	5	23.9%	61.5%
Third	R9	W15-L	Bedroom	8.9	5.9	3.1	34.3%												
		W15-U						14.0	3.9	28%	2.2	16%	1.8	44.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R10	W16-L	Bedroom	7.6	7.5	0.1	0.8%												
		W16-U						13.0	2.8	22%	2.8	22%	0.0	0.0%	15	3	15	3	0.0%	0.0%
Third	R11	W17-L	LKD	10.0	9.8	0.3	2.5%												
		W17-U																	
		W18-L		12.1	5.9	6.2	51.3%												
		W18-U																	
		W19-L		25.4	17.9	7.5	29.5%												
		W19-U						23.4	23.0	98%	19.9	85%	3.1	13.6%	57	19	42	10	26.3%	47.4%
Third	R12	W20-L	LKD	9.7	5.5	4.2	43.1%												
		W20-U						22.9	22.5	98%	8.3	36%	14.2	63.3%	22	14	18	10	18.2%	28.6%
Third	R13	W21-L	Bedroom	12.4	10.4	2.0	16.1%												
		W21-U						15.3	12.7	82%	9.5	62%	3.2	25.0%	27	9	24	6	11.1%	33.3%
Third	R14	W22-L	Bedroom	14.4	13.4	1.0	7.0%												
		W22-U						14.5	10.3	71%	10.2	70%	0.1	0.7%	30	7	30	7	0.0%	0.0%
Third	R15	W23-L	Bedroom	16.1	15.1	1.0	6.4%												
		W23-U						13.5	6.6	49%	6.6	49%	0.0	0.0%	26	4	25	3	3.8%	25.0%
Third	R16	W24-L	LKD	7.0	4.9	2.2	30.9%												
		W24-U						29.0	27.2	94%	26.7	92%	0.5	1.9%	18	10	8	0	55.6%	100.0%
Third	R17	W25-L	LKD	20.2	11.9	8.3	41.0%												
		W25-U						27.2	26.8	99%	25.5	94%	1.4	5.1%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fourth	R1	W1-L	LKD	12.3	12.3	0.0	0.0%												
		W1-U																	
		W2-L		14.1	14.1	0.0	0.4%												
		W2-U																	
		W3-L		28.8	17.4	11.4	39.6%												
		W3-U						29.5	28.4	96%	27.2	92%	1.2	4.2%	79	17	58	6	26.6%	64.7%
Fourth	R2	W4-L	Bedroom	28.8	17.2	11.6	40.4%												
		W4-U						12.2	9.0	74%	5.4	44%	3.6	40.3%	71	16	49	5	31.0%	68.8%
Fourth	R3	W5-L	Bedroom	29.0	16.4	12.6	43.4%												
		W5-U						12.6	11.7	93%	4.8	38%	7.0	59.3%	70	15	47	3	32.9%	80.0%
Fourth	R4	W6-L	LKD	29.0	17.7	11.3	38.9%												
		W6-U																	
		W7-L		7.8	4.2	3.6	45.6%												
		W7-U																	
		W8-L		21.8	17.0	4.8	22.0%												
		W8-U						23.3	22.8	98%	21.4	92%	1.3	5.8%	71	15	59	7	16.9%	53.3%
Fourth	R5	W9-L	Bedroom	18.7	14.4	4.3	23.2%												
		W9-U						12.9	11.0	85%	9.1	71%	1.9	16.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W10-L	Bedroom	20.8	15.7	5.1	24.3%												
		W10-U						14.5	13.4	92%	12.9	89%	0.5	3.6%	41	13	32	8	22.0%	38.5%
Fourth	R7	W11-L	Bedroom	23.0	17.9	5.2	22.4%												
		W11-U						9.1	8.3	91%	8.3	91%	0.0	0.0%	43	13	34	8	20.9%	38.5%
Fourth	R8	W12-L	LKD	24.5	19.0	5.5	22.3%												
		W12-U																	
		W13-L		8.5	4.3	4.2	48.9%												
		W13-U																	
		W14-L		12.9	9.4	3.5	27.3%												
		W14-U						27.3	27.0	99%	26.9	98%	0.1	0.3%	48	14	40	9	16.7%	35.7%
Fourth	R9	W15-L	Bedroom	10.3	7.5	2.8	27.6%												
		W15-U						14.0	4.1	29%	2.4	18%	1.7	40.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R10	W16-L	Bedroom	9.9	9.9	0.0	0.5%												
		W16-U						13.0	4.1	32%	4.1	32%	0.0	0.0%	16	3	16	3	0.0%	0.0%
Fourth	R11	W17-L	LKD	12.4	12.2	0.1	1.1%												
		W17-U																	
		W18-L		12.7	7.7	5.0	39.2%												
		W18-U																	
		W19-L		26.6	20.4	6.2	23.2%												
		W19-U						23.4	23.1	98%	22.9	98%	0.1	0.5%	64	20	51	14	20.3%	30.0%
Fourth	R12	W20-L	LKD	10.4	7.4	3.1	29.3%												
		W20-U						22.9	22.5	98%	18.2	79%	4.3	19.2%	24	14	20	11	16.7%	21.4%
Fourth	R13	W21-L	Bedroom	13.8	12.8	1.0	7.1%												
		W21-U						15.3	13.0	85%	12.9	84%	0.1	0.7%	28	9	25	6	10.7%	33.3%
Fourth	R14	W22-L	Bedroom	15.5	15.0	0.5	3.3%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W22-U						14.5	11.0	76%	11.0	76%	0.0	0.1%	34	7	34	7	0.0%	0.0%
Fourth	R15	W23-L	Bedroom	17.4	16.7	0.6	3.7%													
		W23-U						13.5	7.4	55%	7.4	55%	0.0	0.0%	28	4	28	4	0.0%	0.0%
Fourth	R16	W24-L	LKD	8.0	6.7	1.4	16.9%													
		W24-U						29.0	27.7	95%	27.6	95%	0.1	0.5%	21	11	15	5	28.6%	54.5%
Fourth	R17	W25-L	LKD	20.4	14.0	6.4	31.3%													
		W25-U						27.2	26.8	99%	26.1	96%	0.8	2.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R1	W1-L	LKD	13.0	13.0	0.0	0.0%													
		W1-U																		
		W2-L		14.7	14.7	0.0	0.1%													
		W2-U																		
		W3-L		29.4	22.3	7.1	24.1%													
		W3-U						29.5	28.6	97%	27.8	94%	0.9	3.0%	82	18	72	11	12.2%	38.9%
Fifth	R2	W4-L	Bedroom	29.5	22.4	7.0	23.9%													
		W4-U						12.2	9.0	74%	8.3	68%	0.8	8.5%	72	17	61	9	15.3%	47.1%
Fifth	R3	W5-L	Bedroom	29.6	22.1	7.5	25.3%													
		W5-U						12.6	11.8	94%	10.4	83%	1.4	12.3%	72	16	62	8	13.9%	50.0%
Fifth	R4	W6-L	LKD	29.6	22.9	6.7	22.5%													
		W6-U																		
		W7-L		8.2	7.3	1.0	11.5%													
		W7-U																		
		W8-L		23.6	19.6	4.0	16.9%													
		W8-U						23.3	22.8	98%	22.1	95%	0.7	3.1%	73	18	65	14	11.0%	22.2%
Fifth	R5	W9-L	Bedroom	19.9	16.2	3.7	18.5%													
		W9-U						12.9	11.3	87%	9.5	74%	1.8	15.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W10-L	Bedroom	21.3	17.4	3.9	18.4%													
		W10-U						14.5	13.5	93%	13.1	90%	0.4	2.7%	41	13	35	10	14.6%	23.1%
Fifth	R7	W11-L	Bedroom	23.9	19.9	4.0	16.8%													
		W11-U						9.1	8.6	95%	8.6	95%	0.0	0.0%	44	13	37	10	15.9%	23.1%
Fifth	R8	W12-L	LKD	25.7	21.4	4.3	16.7%													
		W12-U																		
		W13-L		9.0	5.7	3.3	36.8%													
		W13-U																		
		W14-L		15.3	12.1	3.2	20.9%													
		W14-U						27.3	27.0	99%	27.0	99%	0.0	0.1%	51	16	45	13	11.8%	18.8%
Fifth	R9	W15-L	Bedroom	12.6	9.9	2.6	20.9%													
		W15-U						14.0	4.6	33%	3.3	24%	1.3	27.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R10	W16-L	Bedroom	13.3	13.2	0.0	0.2%													
		W16-U						13.0	6.4	49%	6.4	49%	0.0	0.0%	23	6	23	6	0.0%	0.0%
Fifth	R11	W17-L	LKD	15.6	15.6	0.1	0.5%													
		W17-U																		
		W18-L		13.3	9.2	4.0	30.5%													
		W18-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W19-L		28.0	22.7	5.3	18.8%												
		W19-U						23.4	23.1	99%	23.1	99%	0.0	0.0%	68	22	58	17	14.7%	22.7%
Fifth	R12	W20-L	LKD	11.7	8.9	2.8	24.3%												
		W20-U						22.9	22.6	99%	22.2	97%	0.4	1.9%	26	15	22	13	15.4%	13.3%
Fifth	R13	W21-L	Bedroom	15.6	15.2	0.4	2.3%												
		W21-U						15.3	13.6	89%	13.4	88%	0.2	1.4%	33	11	32	10	3.0%	9.1%
Fifth	R14	W22-L	Bedroom	17.1	16.9	0.2	1.2%												
		W22-U						14.5	11.9	82%	11.9	82%	0.0	0.0%	43	10	42	9	2.3%	10.0%
Fifth	R15	W23-L	Bedroom	19.4	19.1	0.3	1.3%												
		W23-U						13.5	8.5	63%	8.5	63%	0.0	0.0%	39	5	38	4	2.6%	20.0%
Fifth	R16	W24-L	LKD	9.3	8.8	0.5	5.3%												
		W24-U						29.0	28.5	98%	28.5	98%	0.0	0.0%	23	12	21	10	8.7%	16.7%
Fifth	R17	W25-L	LKD	20.5	16.3	4.2	20.5%												
		W25-U						27.2	26.8	99%	26.2	97%	0.6	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R1	W1-L	LKD	14.9	14.9	0.0	0.0%												
		W1-U																		
		W2-L		16.4	16.4	0.0	0.0%												
		W2-U																		
		W3-L		30.0	27.0	3.0	10.0%												
		W3-U						29.5	28.8	98%	28.8	97%	0.1	0.2%	85	21	79	18	7.1%	14.3%
Sixth	R2	W4-L	Bedroom	30.0	26.8	3.2	10.6%												
		W4-U						12.2	9.1	75%	9.1	75%	0.0	0.1%	75	19	69	16	8.0%	15.8%
Sixth	R3	W5-L	Bedroom	30.1	26.8	3.4	11.2%												
		W5-U						12.6	11.9	95%	11.9	95%	0.0	0.0%	74	18	69	15	6.8%	16.7%
Sixth	R4	W6-L	LKD	30.2	26.9	3.3	10.8%												
		W6-U																		
		W7-L		9.6	9.5	0.2	2.0%												
		W7-U																		
		W8-L		26.0	22.5	3.5	13.4%												
		W8-U						23.3	22.8	98%	22.5	97%	0.2	1.1%	74	18	69	16	6.8%	11.1%
Sixth	R5	W9-L	Bedroom	21.7	18.4	3.3	15.1%												
		W9-U						12.9	11.4	88%	9.7	75%	1.7	14.7%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W10-L	Bedroom	22.1	18.7	3.4	15.4%												
		W10-U						14.5	13.6	94%	13.2	91%	0.3	2.4%	43	13	37	10	14.0%	23.1%
Sixth	R7	W11-L	Bedroom	25.1	21.6	3.5	13.9%												
		W11-U						9.1	8.8	97%	8.8	97%	0.0	0.0%	47	13	41	10	12.8%	23.1%
Sixth	R8	W12-L	LKD	28.0	24.3	3.7	13.4%												
		W12-U																		
		W13-L		26.1	22.2	3.9	15.0%												
		W13-U																		
		W14-L		18.7	15.7	3.0	15.9%												
		W14-U						27.3	27.1	99%	27.1	99%	0.0	0.0%	56	16	51	13	8.9%	18.8%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R9	W15-L	Bedroom	16.6	13.9	2.6	15.8%												
		W15-U						14.0	5.7	41%	4.7	33%	1.0	17.7%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R10	W16-L	Bedroom	17.8	17.8	0.0	0.1%												
		W16-U						13.0	9.6	74%	9.6	74%	0.0	0.0%	26	6	26	6	0.0%	0.0%
Sixth	R11	W17-L	LKD	19.6	19.6	0.0	0.1%												
		W17-U																		
		W18-L		14.9	11.1	3.8	25.4%												
		W18-U																		
		W19-L		29.6	24.7	5.0	16.8%												
		W19-U						23.4	23.1	99%	23.1	99%	0.0	0.0%	72	24	63	20	12.5%	16.7%
Sixth	R12	W20-L	LKD	14.8	10.7	4.1	27.5%												
		W20-U						22.9	22.7	99%	22.4	98%	0.3	1.4%	36	20	29	16	19.4%	20.0%
Sixth	R13	W21-L	Bedroom	17.7	17.1	0.6	3.2%												
		W21-U						15.3	14.0	91%	13.9	90%	0.2	1.2%	36	15	36	15	0.0%	0.0%
Sixth	R14	W22-L	Bedroom	18.7	18.7	0.0	0.2%												
		W22-U						14.5	12.7	88%	12.7	88%	0.0	0.0%	46	13	46	13	0.0%	0.0%
Sixth	R15	W23-L	Bedroom	21.6	21.6	0.0	0.2%												
		W23-U						13.5	9.8	73%	9.8	73%	0.0	0.0%	47	13	47	13	0.0%	0.0%
Sixth	R16	W24-L	LKD	25.9	25.8	0.1	0.3%												
		W24-U						29.0	28.9	100%	28.9	100%	0.0	0.0%	48	14	48	14	0.0%	0.0%
Sixth	R17	W25-L	LKD	38.3	34.7	3.5	9.2%												
		W25-U						27.2	26.9	99%	26.8	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R1	W1-L	LKD	28.3	28.3	0.0	0.0%												
		W1-U																		
		W2-L		33.2	33.2	0.0	0.0%												
		W2-U																		
		W3-L		30.6	28.6	2.0	6.5%												
		W3-U						29.5	29.0	98%	29.0	98%	0.0	0.0%	86	21	82	19	4.7%	9.5%
Seventh	R2	W4-L	Bedroom	30.6	28.4	2.2	7.3%												
		W4-U						12.2	9.2	76%	9.2	76%	0.0	0.0%	76	20	72	18	5.3%	10.0%
Seventh	R3	W5-L	Bedroom	30.8	28.3	2.4	7.9%												
		W5-U						12.6	12.1	96%	12.1	96%	0.0	0.0%	73	18	69	16	5.5%	11.1%
Seventh	R4	W6-L	LKD	30.8	28.1	2.7	8.8%												
		W6-U																		
		W7-L		11.0	11.0	0.0	0.0%												
		W7-U																		
		W8-L		29.5	26.4	3.2	10.8%												
		W8-U						23.3	22.8	98%	22.6	97%	0.2	0.8%	74	19	70	17	5.4%	10.5%
Seventh	R5	W9-L	Bedroom	25.9	22.9	3.0	11.6%												
		W9-U						12.9	11.4	88%	9.8	76%	1.6	14.5%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W10-L	Bedroom	23.5	20.5	3.1	13.0%												
		W10-U						14.0	13.5	96%	13.2	94%	0.3	2.0%	45	13	39	10	13.3%	23.1%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Seventh	R7	W11-L	LKD	27.1	23.9	3.2	11.7%													
		W11-U																		
		W12-L		29.8	26.4	3.4	11.4%													
		W12-U																		
		W13-L		27.5	24.7	2.8	10.3%													
		W13-U						26.6	26.3	99%	26.3	99%	0.0	0.0%	64	19	60	16	6.3%	15.8%
Seventh	R8	W14-L	Bedroom	23.3	23.3	0.0	0.0%													
		W14-U						13.0	11.4	88%	11.4	88%	0.0	0.0%	34	8	34	8	0.0%	0.0%
Seventh	R9	W15-L	LKD	24.6	24.6	0.0	0.0%													
		W15-U																		
		W16-L		26.2	22.7	3.6	13.6%													
		W16-U																		
		W17-L		31.1	26.3	4.8	15.4%													
		W17-U						23.5	23.2	99%	23.2	99%	0.0	0.0%	74	25	66	21	10.8%	16.0%
Seventh	R10	W18-L	LKD	27.9	23.0	4.9	17.6%													
		W18-U						23.1	22.9	99%	22.8	99%	0.1	0.4%	65	22	57	17	12.3%	22.7%
Seventh	R11	W19-L	Bedroom	20.8	19.9	0.9	4.2%													
		W19-U						15.3	14.4	94%	14.3	93%	0.2	1.1%	51	17	51	17	0.0%	0.0%
Seventh	R12	W20-L	Bedroom	23.5	23.5	0.0	0.0%													
		W20-U																		
		W21-L		33.1	26.3	6.8	20.6%													
		W21-U						11.5	11.4	98%	10.9	94%	0.5	4.0%	83	25	71	18	14.5%	28.0%
Seventh	R13	W22-L	Bedroom	27.9	20.8	7.1	25.4%													
		W22-U						12.0	11.5	96%	10.7	89%	0.8	6.9%	67	24	54	17	19.4%	29.2%
Seventh	R14	W23-L	Bedroom	33.8	26.1	7.7	22.9%													
		W23-U						13.5	12.7	94%	10.6	78%	2.1	16.3%	81	24	67	16	17.3%	33.3%
Seventh	R15	W24-L	LKD	34.0	26.0	8.0	23.5%													
		W24-U																		
		W25-L		38.2	35.9	2.3	6.0%													
		W25-U																		
		W26-L		34.8	32.8	2.0	5.7%													
		W26-U						33.5	33.2	99%	33.2	99%	0.0	0.1%	81	23	72	18	11.1%	21.7%
Eighth	R1	W1-L	LKD	34.9	34.9	0.0	0.0%													
		W1-U						21.6	21.3	98%	21.3	98%	0.0	0.0%	54	15	54	15	0.0%	0.0%
Eighth	R2	W2-L	Bedroom	34.8	34.8	0.0	0.0%													
		W2-U																		
		W3-L		25.2	25.2	0.0	0.0%													
		W3-U						13.8	13.8	100%	13.8	100%	0.0	0.0%	68	18	68	18	0.0%	0.0%
Eighth	R3	W4-L	Bedroom	31.8	29.6	2.2	6.9%													
		W4-U						14.2	14.1	99%	14.1	99%	0.0	0.0%	79	22	75	20	5.1%	9.1%
Eighth	R4	W5-L	LKD	31.9	29.2	2.7	8.5%													
		W5-U																		
		W6-L		30.8	27.9	2.9	9.3%													
		W6-U						22.1	22.0	100%	22.0	100%	0.0	0.0%	75	20	69	17	8.0%	15.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Eighth	R5	W7-L	Bedroom	26.5	23.7	2.9	10.8%													
		W7-U						9.3	8.5	91%	8.0	86%	0.5	6.0%	50	13	45	10	10.0%	23.1%
Eighth	R6	W8-L	LKD	30.5	27.4	3.1	10.1%													
		W8-U																		
		W9-L		31.1	28.6	2.6	8.2%													
		W9-U																		
		W10-L		31.2	28.9	2.4	7.7%													
		W10-U						28.6	28.2	99%	28.2	99%	0.0	0.0%	66	17	62	14	6.1%	17.6%
Eighth	R7	W11-L	LKD	17.8	17.8	0.0	0.0%													
		W11-U																		
		W12-L		31.9	31.9	0.0	0.0%													
		W12-U																		
		W13-L		32.2	27.7	4.6	14.2%													
		W13-U						33.8	33.7	100%	33.7	100%	0.0	0.0%	84	25	76	20	9.5%	20.0%
Eighth	R8	W14-L	Bedroom	30.1	25.1	5.0	16.6%													
		W14-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	68	22	60	17	11.8%	22.7%
Eighth	R9	W15-L	Bedroom	21.9	21.1	0.8	3.8%													
		W15-U						14.0	12.4	89%	11.9	85%	0.5	4.2%	51	18	51	18	0.0%	0.0%
Eighth	R10	W16-L	Bedroom	26.2	26.2	0.0	0.0%													
		W16-U																		
		W17-L		34.1	27.6	6.5	19.1%													
		W17-U						13.0	12.9	100%	12.2	94%	0.7	5.7%	89	26	78	19	12.4%	26.9%
Eighth	R11	W18-L	Bedroom	34.3	27.4	6.9	20.0%													
		W18-U						11.4	10.9	95%	10.3	90%	0.6	5.8%	83	26	70	19	15.7%	26.9%
Eighth	R12	W19-L	Bedroom	33.3	26.2	7.1	21.3%													
		W19-U						8.3	7.9	96%	7.4	89%	0.5	6.8%	70	22	57	14	18.6%	36.4%
Eighth	R13	W20-L	LKD	34.5	27.2	7.2	21.0%													
		W20-U																		
		W21-L		38.9	37.0	1.9	5.0%													
		W21-U						28.5	28.2	99%	28.2	99%	0.0	0.0%	80	24	72	19	10.0%	20.8%
Ninth	R2	W2-L	LKD	31.4	31.4	0.0	0.0%													
		W2-U																		
		W3-L		35.0	35.0	0.0	0.0%													
		W3-U						33.0	30.5	92%	30.5	92%	0.0	0.0%	54	14	54	14	0.0%	0.0%
Ninth	R3	W4-L	Bedroom	35.1	35.1	0.0	0.0%													
		W4-U																		
		W5-L		33.5	29.2	4.3	12.9%													
		W5-U						14.6	13.6	93%	13.6	93%	0.0	0.0%	90	24	82	19	8.9%	20.8%
Ninth	R5	W7-L	Bedroom	25.4	24.2	1.3	4.9%													
		W7-U						13.8	8.4	60%	6.3	45%	2.1	25.2%	58	19	57	19	1.7%	0.0%
Ninth	R6	W8-L	Bedroom	30.9	30.9	0.0	0.0%													
		W8-U																		
		W9-L		34.5	28.3	6.2	18.0%													
		W9-U						13.3	12.0	90%	11.5	86%	0.5	4.2%	91	26	81	19	11.0%	26.9%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Ninth	R7	W10-L	Bedroom	34.7	28.2	6.5	18.8%												
		W10-U						11.1	10.8	97%	9.7	87%	1.1	10.2%	83	27	72	20	13.3%	25.9%
Ninth	R8	W11-L	LKD	34.8	28.0	6.9	19.7%												
		W11-U																	
		W12-L		16.6	14.7	1.9	11.2%												
		W12-U																	
		W13-L		15.7	15.5	0.2	1.4%												
		W13-U						31.6	31.5	100%	31.5	100%	0.0	0.0%	81	24	71	18	12.3%	25.0%
West Apartments																			
First	R1	W1-L	LKD	13.4	13.4	0.0	0.0%												
		W1-U																	
		W2-L		4.9	4.9	0.0	0.0%												
		W2-U																	
		W7-L		1.5	0.0	1.5	100.0%												
		W7-U						30.8	20.1	65%	12.6	41%	7.5	37.2%	27	2	27	2	0.0%	0.0%
First	R2	W3-L	LKD	0.0	0.0	0.0	0.0%												
		W3-U																	
		W4-L		17.3	17.3	0.0	0.0%												
		W4-U																	
		W6-L		0.9	0.0	0.9	100.0%												
		W6-U						30.8	17.2	56%	8.1	26%	9.1	52.9%	32	2	32	2	0.0%	0.0%
First	R3	W5-L	Bedroom	31.6	12.9	18.7	59.2%												
		W5-U						12.8	12.6	98%	5.2	41%	7.4	58.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R4	W8-L	Bedroom	17.6	8.6	9.0	51.1%												
		W8-U						12.8	9.3	72%	4.8	37%	4.5	48.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W9-L	Bedroom	6.1	2.0	4.1	67.3%												
		W9-U						12.3	7.9	64%	2.1	17%	5.8	73.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W10-L	Bedroom	15.1	7.7	7.4	49.0%												
		W10-U						13.7	10.0	73%	10.0	73%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W11-L	LKD	13.1	4.7	8.4	64.4%												
		W11-U																	
		W12-L		13.9	5.5	8.4	60.4%												
		W12-U						28.4	24.9	88%	22.5	79%	2.4	9.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W13-L	Bedroom	22.8	14.1	8.7	38.1%												
		W13-U						14.0	12.8	91%	12.7	91%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R9	W14-L	LKD	20.2	10.0	10.2	50.3%												
		W14-U																	
		W15-L		18.5	7.4	11.0	59.8%												
		W15-U						28.4	26.1	92%	22.8	80%	3.3	12.8%	N/F	N/F	N/F	N/F	N/F	N/F
First	R10	W16-L	Bedroom	14.1	5.8	8.3	58.9%												
		W16-U						9.7	9.3	96%	5.7	58%	3.6	39.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R11	W17-L	Bedroom	14.4	6.2	8.2	56.9%												
		W17-U						35.6	33.1	93%	26.4	74%	6.7	20.3%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Second	R1	W1-L	LKD	14.6	14.6	0.0	0.0%												
		W1-U																	
		W2-L		5.1	5.1	0.0	0.0%												
		W2-U																	
		W7-L		1.8	0.0	1.8	100.0%												
		W7-U						30.8	20.1	65%	12.5	40%	7.7	38.1%	28	2	28	2	0.0%	0.0%
Second	R2	W3-L	LKD	0.0	0.0	0.0	0.0%												
		W3-U																	
		W4-L		18.6	18.6	0.0	0.0%												
		W4-U																	
		W6-L		1.2	0.0	1.2	100.0%												
		W6-U						30.8	19.4	63%	8.8	29%	10.6	54.7%	34	2	34	2	0.0%	0.0%
Second	R3	W5-L	Bedroom	32.4	15.4	17.0	52.5%												
		W5-U						12.8	12.6	98%	7.0	54%	5.6	44.8%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R4	W8-L	Bedroom	18.1	10.2	8.0	43.9%												
		W8-U						12.8	9.3	73%	6.1	48%	3.2	34.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W9-L	Bedroom	6.3	2.8	3.5	55.4%												
		W9-U						12.3	7.9	64%	3.2	26%	4.7	59.6%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W10-L	Bedroom	16.3	9.3	7.0	43.2%												
		W10-U						13.7	10.4	76%	10.4	76%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W11-L	LKD	15.0	7.1	7.9	52.6%												
		W11-U																	
		W12-L		15.3	7.4	7.9	51.8%												
		W12-U						28.4	25.3	89%	22.9	81%	2.4	9.4%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R8	W13-L	Bedroom	25.0	16.6	8.3	33.4%												
		W13-U						14.0	13.4	96%	13.4	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R9	W14-L	LKD	22.5	12.7	9.8	43.5%												
		W14-U																	
		W15-L		20.2	9.8	10.4	51.4%												
		W15-U						28.4	26.2	92%	22.8	80%	3.3	12.8%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R10	W16-L	Bedroom	15.0	6.5	8.4	56.4%												
		W16-U						9.7	9.4	96%	5.7	59%	3.7	39.2%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R11	W17-L	Bedroom	15.5	7.2	8.3	53.3%												
		W17-U						35.6	33.2	93%	26.7	75%	6.4	19.4%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	LKD	15.7	15.7	0.0	0.0%												
		W1-U																	
		W2-L		5.2	5.2	0.0	0.0%												
		W2-U																	
		W7-L		2.0	0.0	2.0	100.0%												
		W7-U						30.8	20.2	65%	13.3	43%	6.9	34.0%	30	3	30	3	0.0%	0.0%
Third	R2	W3-L	LKD	0.0	0.0	0.0	0.0%												
		W3-U																	
		W4-L		19.9	19.9	0.0	0.0%												
		W4-U																	
		W6-L		1.4	0.0	1.4	100.0%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W6-U						30.8	21.4	69%	10.6	34%	10.8	50.5%	37	3	37	3	0.0%	0.0%
Third	R3	W5-L	Bedroom	33.1	18.2	14.9	44.9%													
		W5-U						12.8	12.6	98%	9.5	74%	3.1	24.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W8-L	Bedroom	18.7	12.0	6.7	35.9%													
		W8-U						12.8	9.4	73%	8.1	63%	1.3	13.4%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W9-L	Bedroom	6.5	3.7	2.8	43.3%													
		W9-U						12.3	7.9	64%	4.7	38%	3.2	40.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W10-L	Bedroom	18.9	12.4	6.6	34.7%													
		W10-U						13.7	11.9	87%	11.9	87%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W11-L	LKD	18.7	11.5	7.2	38.6%													
		W11-U																		
		W12-L		17.9	10.7	7.2	40.4%													
		W12-U						28.4	25.8	91%	23.5	83%	2.3	9.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R8	W13-L	Bedroom	27.6	19.9	7.8	28.2%													
		W13-U						14.0	13.8	99%	13.8	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R9	W14-L	LKD	25.0	15.9	9.1	36.4%													
		W14-U																		
		W15-L		22.2	12.8	9.5	42.6%													
		W15-U						28.4	26.2	92%	22.9	80%	3.4	12.8%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R10	W16-L	Bedroom	15.9	7.6	8.3	52.1%													
		W16-U						9.7	9.4	96%	6.0	61%	3.4	36.3%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R11	W17-L	Bedroom	16.6	8.4	8.2	49.4%													
		W17-U						35.6	33.2	93%	27.1	76%	6.1	18.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R1	W1-L	LKD	16.8	16.8	0.0	0.0%													
		W1-U																		
		W2-L		5.3	5.3	0.0	0.0%													
		W2-U																		
		W7-L		2.2	0.1	2.0	94.0%													
		W7-U						30.8	20.5	66%	16.5	54%	3.9	19.2%	33	4	33	4	0.0%	0.0%
Fourth	R2	W3-L	LKD	0.0	0.0	0.0	0.0%													
		W3-U																		
		W4-L		21.2	21.2	0.0	0.0%													
		W4-U																		
		W6-L		1.7	0.1	1.6	94.7%													
		W6-U						30.8	21.6	70%	15.1	49%	6.5	30.0%	39	4	39	4	0.0%	0.0%
Fourth	R3	W5-L	Bedroom	33.8	21.4	12.3	36.6%													
		W5-U						12.8	12.6	98%	11.9	93%	0.7	5.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R4	W8-L	Bedroom	19.4	14.0	5.4	27.8%													
		W8-U						12.8	9.5	74%	9.5	74%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W9-L	Bedroom	6.8	4.7	2.1	30.2%													
		W9-U						12.3	8.0	65%	6.7	54%	1.3	15.8%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W10-L	Bedroom	27.3	21.4	6.0	21.8%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W10-U						13.7	13.6	99%	13.6	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W11-L	LKD	25.1	18.7	6.4	25.5%													
		W11-U																		
		W12-L		22.3	15.8	6.5	29.0%													
		W12-U						28.4	26.3	93%	24.1	85%	2.2	8.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R8	W13-L	Bedroom	30.4	23.4	7.0	23.1%													
		W13-U						14.0	13.8	99%	13.8	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R9	W14-L	LKD	27.3	19.2	8.0	29.5%													
		W14-U																		
		W15-L		24.1	15.8	8.3	34.5%													
		W15-U						28.4	26.3	93%	23.1	81%	3.2	12.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R10	W16-L	Bedroom	16.9	9.1	7.8	46.1%													
		W16-U						9.7	9.4	96%	7.1	73%	2.3	24.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R11	W17-L	Bedroom	17.6	9.8	7.8	44.1%													
		W17-U						35.6	33.3	93%	27.6	77%	5.7	17.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R1	W1-L	LKD	12.5	12.5	0.0	0.0%													
		W1-U																		
		W2-L		32.9	28.3	4.6	14.0%													
		W2-U																		
		W3-L		28.3	23.6	4.7	16.5%													
		W3-U																		
		W4-L		24.3	19.3	5.0	20.4%													
		W4-U						35.2	30.1	86%	30.1	86%	0.0	0.0%	32	4	32	4	0.0%	0.0%
Fifth	R3	W6-L	Bedroom	34.0	28.7	5.3	15.5%													
		W6-U						11.5	11.5	99%	11.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R4	W7-L	LKD	28.7	23.1	5.6	19.6%													
		W7-U																		
		W8-L		25.0	19.3	5.7	22.9%													
		W8-U						29.6	27.2	92%	25.4	86%	1.9	7.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W9-L	Bedroom	33.2	27.1	6.1	18.3%													
		W9-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W10-L	LKD	29.2	22.4	6.8	23.2%													
		W10-U																		
		W11-L		25.7	18.7	7.0	27.2%													
		W11-U						29.6	27.2	92%	25.0	84%	2.2	8.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W12-L	LKD	18.8	11.8	7.0	37.0%													
		W12-U						46.5	44.4	96%	41.8	90%	2.6	5.8%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R1	W1-L	LKD	13.1	13.1	0.0	0.0%													
		W1-U																		
		W2-L		34.5	30.1	4.4	12.7%													
		W2-U																		
		W3-L		22.4	19.5	2.9	12.9%													
		W3-U																		
		W4-L		24.4	19.7	4.7	19.1%													
		W4-U						35.2	29.7	85%	29.7	85%	0.0	0.0%	34	6	34	6	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R3	W6-L	Bedroom	35.6	30.9	4.7	13.2%												
		W6-U						11.5	11.5	99%	11.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W7-L	LKD	35.9	30.9	5.0	13.8%												
		W7-U																	
		W8-L		35.7	30.7	5.0	14.0%												
		W8-U						29.6	27.3	92%	25.5	86%	1.8	6.5%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W9-L	Bedroom	35.2	30.0	5.2	14.6%												
		W9-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W10-L	LKD	35.5	30.0	5.6	15.6%												
		W10-U																	
		W11-L		36.1	30.5	5.6	15.4%												
		W11-U						29.6	27.2	92%	25.1	85%	2.0	7.5%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W12-L	LKD	15.8	11.0	4.8	30.4%												
		W12-U						46.5	43.9	95%	41.0	88%	2.9	6.5%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R1	W1	LKD	14.0	14.0	0.0	0.0%												
		W2		34.1	29.9	4.1	12.1%												
		W3-L		23.2	20.4	2.8	12.1%												
		W3-U																	
		W4		24.9	20.5	4.4	17.7%	35.2	30.1	86%	30.1	86%	0.0	0.0%	36	6	36	6	0.0%	0.0%
Seventh	R3	W6	Bedroom	35.9	31.5	4.4	12.2%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R4	W7	Bedroom	35.8	31.3	4.5	12.6%	10.5	10.0	95%	9.8	93%	0.2	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W8	LKD	25.8	21.2	4.7	18.2%												
		W9		26.7	21.8	4.9	18.4%												
		W10		34.8	33.0	1.8	5.3%	44.0	39.3	89%	39.3	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W11	Bedroom	34.2	32.7	1.5	4.5%	13.3	13.1	98%	13.0	98%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W12-L	Bedroom	33.5	32.1	1.4	4.1%												
		W12-U						13.7	13.6	99%	13.5	99%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R1	W1	LKD	14.6	14.6	0.0	0.0%												
		W2		35.3	31.4	3.9	11.0%												
		W3-L		23.3	20.7	2.6	11.1%												
		W3-U																	
		W4		25.2	21.0	4.2	16.6%	35.2	29.7	85%	29.7	85%	0.0	0.0%	38	7	38	7	0.0%	0.0%
Eighth	R3	W6	Bedroom	36.2	32.1	4.1	11.4%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R4	W7	Bedroom	36.1	31.8	4.3	11.9%	10.5	10.0	95%	9.8	93%	0.2	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W8-L	LKD	29.2	24.7	4.5	15.4%												
		W8-U																	
		W9		27.0	22.3	4.7	17.3%												
		W10		35.3	33.9	1.4	4.1%	43.6	39.2	90%	39.2	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R6	W11	Bedroom	34.7	33.4	1.3	3.7%	12.4	12.2	99%	12.2	98%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W12-L	Bedroom	34.0	32.8	1.1	3.3%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W12-U						12.7	12.5	99%	12.5	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R1	W1	LKD	15.5	15.5	0.0	0.0%													
		W2		34.7	31.1	3.7	10.6%													
		W3-L		23.9	21.4	2.5	10.5%													
		W3-U																		
		W4		25.5	21.6	3.9	15.5%	35.2	30.1	86%	30.1	86%	0.0	0.0%	39	8	39	8	0.0%	0.0%
Ninth	R3	W6	Bedroom	36.5	32.6	3.9	10.7%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R4	W7	Bedroom	36.4	32.4	4.0	11.1%	10.5	10.0	95%	9.8	93%	0.2	2.3%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W8-L	LKD	29.5	25.3	4.2	14.4%													
		W8-U																		
		W9		27.2	22.8	4.4	16.2%													
		W10		35.8	34.5	1.4	3.8%	43.6	39.2	90%	39.2	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R6	W11	Bedroom	35.2	34.0	1.2	3.4%	12.4	12.2	99%	12.2	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R7	W12-L	Bedroom	34.5	33.4	1.1	3.1%													
		W12-U						12.7	12.5	99%	12.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R1	W1	LKD	16.1	16.1	0.0	0.0%													
		W2		36.0	32.6	3.4	9.5%													
		W3-L		23.9	21.7	2.3	9.4%													
		W3-U																		
		W4		25.8	22.1	3.7	14.3%	35.2	29.8	85%	29.8	85%	0.0	0.0%	41	8	41	8	0.0%	0.0%
Tenth	R3	W6	Bedroom	36.9	33.2	3.7	9.9%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R4	W7	Bedroom	36.8	33.0	3.8	10.3%	10.5	10.0	95%	9.8	93%	0.2	2.3%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R5	W8-L	LKD	29.8	25.8	4.0	13.4%													
		W8-U																		
		W9		27.5	23.3	4.1	15.1%													
		W10		36.3	35.0	1.3	3.5%	43.6	39.2	90%	39.2	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R6	W11	Bedroom	35.7	34.6	1.1	3.1%	12.4	12.2	99%	12.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W12-L	Bedroom	34.9	34.0	1.0	2.8%													
		W12-U						12.7	12.5	99%	12.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R1	W1	LKD	17.2	17.2	0.0	0.0%													
		W2		35.4	32.2	3.2	9.0%													
		W3-L		24.0	22.0	2.0	8.4%													
		W3-U																		
		W4		26.1	22.7	3.4	13.1%	35.2	30.1	86%	30.1	86%	0.0	0.0%	41	8	41	8	0.0%	0.0%
Eleventh	R3	W6	Bedroom	37.3	33.9	3.4	9.1%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R4	W7	Bedroom	37.1	33.6	3.5	9.5%	10.5	10.0	95%	9.8	93%	0.2	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R5	W8-L	LKD	30.1	26.4	3.7	12.3%													
		W8-U																		
		W9		27.7	23.8	3.9	13.9%													
		W10		36.7	35.5	1.2	3.2%	43.6	39.2	90%	39.2	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Eleventh	R6	W11	Bedroom	36.1	35.1	1.0	2.9%	12.4	12.2	99%	12.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R7	W12-L	Bedroom	35.4	34.5	0.9	2.6%													
		W12-U						12.7	12.5	99%	12.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R1	W1	LKD	18.0	18.0	0.0	0.0%													
		W2		37.0	34.1	2.9	7.8%													
		W3-L		23.4	21.8	1.6	6.7%													
		W3-U																		
		W4		26.4	23.2	3.1	11.8%	35.2	29.8	85%	29.8	85%	0.0	0.0%	43	8	43	8	0.0%	0.0%
Twelfth	R3	W6	Bedroom	37.9	34.7	3.1	8.2%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R4	W7	Bedroom	37.5	34.3	3.2	8.6%	10.5	10.0	95%	9.9	94%	0.2	1.6%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W8-L	LKD	30.6	27.1	3.4	11.2%													
		W8-U																		
		W9		27.9	24.3	3.6	12.8%													
		W10		37.1	36.0	1.1	2.9%	43.6	39.2	90%	39.2	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R6	W11	Bedroom	36.5	35.5	1.0	2.6%	12.4	12.2	99%	12.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R7	W12-L	Bedroom	35.8	35.0	0.8	2.3%													
		W12-U						12.7	12.5	99%	12.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R1	W1	LKD	19.4	19.4	0.0	0.0%													
		W2		38.6	36.0	2.6	6.8%													
		W3-L		31.0	29.7	1.3	4.2%													
		W3-U																		
		W4		38.7	35.9	2.8	7.3%	35.2	30.1	86%	30.1	86%	0.0	0.0%	46	9	46	9	0.0%	0.0%
Thirteenth	R3	W6	Bedroom	38.3	35.5	2.8	7.4%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R4	W7	Bedroom	38.2	35.2	3.0	7.7%	10.5	10.0	95%	10.0	95%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R5	W8-L	LKD	30.8	27.7	3.1	10.2%													
		W8-U																		
		W9		28.1	24.8	3.3	11.6%													
		W10		37.4	36.4	1.0	2.6%	43.6	39.2	90%	39.2	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R6	W11	Bedroom	36.9	36.0	0.9	2.4%	12.4	12.2	99%	12.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R7	W12-L	Bedroom	36.2	35.4	0.8	2.1%													
		W12-U						12.7	12.5	99%	12.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R1	W1	LKD	20.8	20.8	0.0	0.0%													
		W2		38.9	36.6	2.3	6.0%													
		W3		39.0	36.6	2.4	6.2%													
		W4		39.1	36.6	2.5	6.4%	35.2	30.2	86%	30.2	86%	0.0	0.0%	50	10	50	10	0.0%	0.0%
Fourteenth	R3	W6	Bedroom	38.7	36.2	2.6	6.6%	14.3	14.2	100%	14.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R4	W7	Bedroom	38.9	36.3	2.6	6.8%	10.5	10.0	96%	10.0	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R5	W8-L	LKD	39.0	36.2	2.8	7.2%													
		W8-U																		
		W9		39.1	36.2	2.9	7.5%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W10		37.7	36.8	0.9	2.4%	43.6	39.3	90%	39.3	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R6	W11	Bedroom	37.2	36.5	0.8	2.1%	12.4	12.2	99%	12.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R7	W12-L	Bedroom	36.6	36.0	0.7	1.9%													
		W12-U						12.7	12.5	99%	12.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
WalterTull House																				
Second	R1	W1-L	LKD	27.8	27.8	0.0	0.0%													
		W1-U																		
		W2-L		7.6	6.2	1.4	18.6%													
		W2-U																		
		W3-L		25.7	23.4	2.3	9.0%													
		W3-U						34.4	32.2	94%	32.0	93%	0.2	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	LKD	29.3	29.3	0.0	0.0%													
		W1-U																		
		W2-L		7.8	6.4	1.4	17.6%													
		W2-U																		
		W3-L		26.2	24.0	2.2	8.3%													
		W3-U						34.4	32.7	95%	32.7	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R2	W4	LKD	22.0	22.0	0.0	0.0%													
		W5-L		34.6	32.2	2.4	6.9%													
		W5-U																		
		W6-L		34.5	31.8	2.7	7.7%													
		W6-U																		
		W7-L		1.7	1.7	0.0	0.0%													
		W7-U						29.5	26.9	91%	26.3	89%	0.6	2.1%	43	11	37	11	14.0%	0.0%
Third	R3	W8-L	Bedroom	6.2	4.0	2.2	35.2%													
		W8-U						11.9	10.9	92%	10.1	85%	0.8	7.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W9-L	Bedroom	34.3	31.4	2.9	8.5%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W10-L	Bedroom	34.3	31.3	3.0	8.8%													
		W10-U						13.5	13.2	98%	12.7	94%	0.5	3.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W11-L	LKD	7.5	5.2	2.2	30.0%													
		W11-U																		
		W12-L		35.6	35.4	0.2	0.6%													
		W12-U																		
		W13-L		36.5	36.2	0.3	0.7%													
		W13-U						33.6	30.8	91%	30.8	91%	0.0	0.0%	87	28	84	28	3.4%	0.0%
Fourth	R1	W1-L	LKD	31.6	31.6	0.0	0.0%													
		W1-U																		
		W2-L		8.0	6.6	1.4	17.4%													
		W2-U																		
		W3-L		26.5	24.4	2.1	8.0%													
		W3-U						34.4	32.9	96%	32.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R2	W4	LKD	22.1	22.1	0.0	0.0%													
		W5-L		35.0	32.7	2.3	6.5%													
		W5-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W6-L		34.9	32.3	2.6	7.3%													
		W6-U																		
		W7-L		1.8	1.8	0.0	0.0%													
		W7-U						29.5	26.9	91%	26.4	90%	0.4	1.7%	44	11	38	11	13.6%	0.0%
Fourth	R3	W8-L	Bedroom	6.4	4.2	2.2	34.4%													
		W8-U						11.9	10.9	92%	10.3	87%	0.7	6.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R4	W9-L	Bedroom	34.8	31.9	2.8	8.2%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W10-L	Bedroom	34.7	31.8	2.9	8.4%													
		W10-U						13.5	13.2	98%	12.7	95%	0.4	3.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W11-L	LKD	7.7	5.5	2.3	29.5%													
		W11-U																		
		W12-L		36.0	35.8	0.2	0.6%													
		W12-U																		
		W13-L		36.9	36.7	0.2	0.7%													
		W13-U						33.6	30.8	91%	30.8	91%	0.0	0.0%	89	28	86	28	3.4%	0.0%
Fifth	R1	W1-L	LKD	34.9	34.9	0.0	0.0%													
		W1-U																		
		W2-L		8.2	6.8	1.4	17.4%													
		W2-U																		
		W3-L		26.7	24.7	2.0	7.6%													
		W3-U						34.4	32.9	96%	32.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R2	W4	LKD	22.1	22.1	0.0	0.0%													
		W5-L		35.4	33.2	2.2	6.2%													
		W5-U																		
		W6-L		35.3	32.8	2.5	7.0%													
		W6-U																		
		W7-L		1.9	1.9	0.0	0.0%													
		W7-U						29.5	26.9	91%	26.5	90%	0.3	1.2%	44	11	39	11	11.4%	0.0%
Fifth	R3	W8-L	Bedroom	6.6	4.3	2.2	34.0%													
		W8-U						11.9	10.9	92%	10.5	88%	0.4	3.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R4	W9-L	Bedroom	35.2	32.4	2.7	7.8%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W10-L	Bedroom	35.1	32.3	2.8	8.1%													
		W10-U						13.5	13.2	98%	12.8	95%	0.3	2.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W11-L	LKD	8.0	5.6	2.3	29.1%													
		W11-U																		
		W12-L		36.1	35.9	0.2	0.6%													
		W12-U																		
		W13-L		37.1	36.9	0.2	0.6%													
		W13-U						33.6	30.8	91%	30.8	91%	0.0	0.0%	89	28	86	28	3.4%	0.0%
Sixth	R1	W1-L	LKD	38.1	38.1	0.0	0.0%													
		W1-U																		
		W2-L		8.4	6.9	1.5	17.4%													
		W2-U																		
		W3-L		27.0	25.0	2.0	7.3%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W3-U						34.4	32.9	96%	32.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R2	W4	LKD	22.2	22.2	0.0	0.0%													
		W5-L		35.8	33.6	2.2	6.1%													
		W5-U																		
		W6-L		35.7	33.3	2.3	6.6%													
		W6-U																		
		W7-L		2.0	2.0	0.0	0.0%													
		W7-U						29.5	26.8	91%	26.7	91%	0.1	0.3%	45	11	40	11	11.1%	0.0%
Sixth	R3	W8-L	Bedroom	6.7	4.5	2.3	33.5%													
		W8-U						11.9	10.9	92%	10.6	90%	0.3	2.6%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W9-L	Bedroom	35.6	32.9	2.7	7.4%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W10-L	Bedroom	35.5	32.7	2.8	7.8%													
		W10-U						13.5	13.1	97%	12.8	95%	0.4	2.7%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W11-L	LKD	8.2	5.8	2.4	29.0%													
		W11-U																		
		W12-L		36.3	36.1	0.2	0.5%													
		W12-U																		
		W13-L		37.3	37.1	0.2	0.6%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	87	28	3.3%	0.0%
Seventh	R1	W1-L	LKD	38.4	38.4	0.0	0.0%													
		W1-U																		
		W2-L		8.6	7.1	1.5	17.4%													
		W2-U																		
		W3-L		27.2	25.3	1.9	6.9%													
		W3-U						34.4	32.9	96%	32.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R2	W4	LKD	22.2	22.2	0.0	0.0%													
		W5-L		36.2	34.1	2.1	5.8%													
		W5-U																		
		W6-L		36.1	33.8	2.2	6.2%													
		W6-U																		
		W7-L		2.1	2.1	0.0	0.0%													
		W7-U						29.5	27.0	91%	26.8	91%	0.1	0.5%	45	11	40	11	11.1%	0.0%
Seventh	R3	W8-L	Bedroom	6.9	4.7	2.3	32.5%													
		W8-U						11.9	10.9	92%	10.7	90%	0.2	1.8%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R4	W9-L	Bedroom	36.0	33.4	2.6	7.1%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W10-L	Bedroom	35.9	33.2	2.7	7.4%													
		W10-U						13.5	13.1	97%	12.9	96%	0.2	1.2%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W11-L	LKD	8.4	6.0	2.4	28.6%													
		W11-U																		
		W12-L		36.5	36.3	0.2	0.5%													
		W12-U																		
		W13-L		37.5	37.3	0.2	0.6%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	87	28	3.3%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Eighth	R1	W1-L	LKD	38.5	38.5	0.0	0.0%													
		W1-U																		
		W2-L		8.7	7.2	1.5	17.6%													
		W2-U																		
		W3-L		27.5	25.7	1.8	6.6%													
		W3-U						34.4	32.9	96%	32.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R2	W4	LKD	22.3	22.3	0.0	0.0%													
		W5-L		36.5	34.5	2.0	5.5%													
		W5-U																		
		W6-L		36.5	34.3	2.1	5.9%													
		W6-U																		
		W7-L		2.2	2.2	0.0	0.0%													
		W7-U						29.5	27.0	92%	26.9	91%	0.1	0.5%	46	12	43	12	6.5%	0.0%
Eighth	R3	W8-L	Bedroom	7.1	4.9	2.2	30.6%													
		W8-U						11.9	10.9	92%	10.8	91%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R4	W9-L	Bedroom	36.4	33.9	2.4	6.7%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W10-L	Bedroom	36.3	33.7	2.6	7.1%													
		W10-U						13.5	13.1	97%	13.0	96%	0.1	0.9%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R6	W11-L	LKD	8.7	6.2	2.4	28.1%													
		W11-U																		
		W12-L		36.6	36.5	0.2	0.5%													
		W12-U																		
		W13-L		37.7	37.5	0.2	0.5%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	88	28	2.2%	0.0%
Ninth	R1	W1-L	LKD	38.5	38.5	0.0	0.0%													
		W1-U																		
		W2-L		8.9	7.4	1.5	17.1%													
		W2-U																		
		W3-L		27.7	26.0	1.7	6.1%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R2	W4	LKD	22.4	22.4	0.0	0.0%													
		W5-L		36.9	35.0	1.9	5.2%													
		W5-U																		
		W6-L		36.8	34.8	2.0	5.5%													
		W6-U																		
		W7-L		2.3	2.3	0.0	0.0%													
		W7-U						29.5	27.1	92%	27.0	91%	0.1	0.5%	46	12	43	12	6.5%	0.0%
Ninth	R3	W8-L	Bedroom	7.3	5.2	2.1	28.2%													
		W8-U						11.9	10.9	92%	10.9	92%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R4	W9-L	Bedroom	36.7	34.4	2.3	6.3%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W10-L	Bedroom	36.7	34.2	2.4	6.6%													
		W10-U						13.5	13.1	97%	13.0	97%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R6	W11-L	LKD	8.9	6.4	2.4	27.3%													
		W11-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W12-L		36.8	36.6	0.2	0.5%													
		W12-U																		
		W13-L		37.8	37.6	0.2	0.5%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	88	28	2.2%	0.0%
Tenth	R1	W1-L	LKD	38.5	38.5	0.0	0.0%													
		W1-U																		
		W2-L		9.1	7.6	1.5	16.0%													
		W2-U																		
		W3-L		27.9	26.3	1.6	5.8%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R2	W4	LKD	22.4	22.4	0.0	0.0%													
		W5-L		37.2	35.4	1.8	4.9%													
		W5-U																		
		W6-L		37.2	35.2	1.9	5.2%													
		W6-U																		
		W7-L		2.4	2.4	0.0	0.0%													
		W7-U						29.5	27.1	92%	27.0	92%	0.1	0.5%	46	12	44	12	4.3%	0.0%
Tenth	R3	W8-L	Bedroom	7.4	5.5	2.0	26.3%													
		W8-U						11.9	10.9	92%	10.9	92%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R4	W9-L	Bedroom	37.1	34.9	2.2	5.9%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R5	W10-L	Bedroom	37.0	34.7	2.3	6.2%													
		W10-U						13.5	13.1	97%	13.0	97%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R6	W11-L	LKD	9.1	6.8	2.3	25.5%													
		W11-U																		
		W12-L		37.0	36.8	0.2	0.4%													
		W12-U																		
		W13-L		38.0	37.8	0.2	0.4%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	88	28	2.2%	0.0%
Eleventh	R1	W1-L	LKD	38.6	38.6	0.0	0.0%													
		W1-U																		
		W2-L		9.2	7.8	1.4	14.8%													
		W2-U																		
		W3-L		28.1	26.6	1.5	5.4%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R2	W4	LKD	22.5	22.5	0.0	0.0%													
		W5-L		37.6	35.9	1.7	4.5%													
		W5-U																		
		W6-L		37.5	35.7	1.8	4.8%													
		W6-U																		
		W7-L		2.5	2.5	0.0	0.0%													
		W7-U						29.5	27.2	92%	27.0	92%	0.1	0.5%	46	12	44	12	4.3%	0.0%
Eleventh	R3	W8-L	Bedroom	7.6	5.7	1.8	24.1%													
		W8-U						11.9	10.9	92%	10.9	92%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R4	W9-L	Bedroom	37.4	35.4	2.1	5.5%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Eleventh	R5	W10-L	Bedroom	37.4	35.2	2.2	5.8%													
		W10-U						13.5	13.1	97%	13.0	97%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R6	W11-L	LKD	9.2	7.1	2.2	23.6%													
		W11-U																		
		W12-L		37.1	37.0	0.1	0.4%													
		W12-U																		
		W13-L		38.1	38.0	0.2	0.4%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	88	28	2.2%	0.0%
Twelfth	R1	W1-L	LKD	38.6	38.6	0.0	0.0%													
		W1-U																		
		W2-L		9.3	8.1	1.3	13.5%													
		W2-U																		
		W3-L		28.2	26.8	1.4	5.0%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R2	W4	LKD	22.5	22.5	0.0	0.0%													
		W5-L		37.8	36.3	1.6	4.2%													
		W5-U																		
		W6-L		37.8	36.1	1.7	4.4%													
		W6-U																		
		W7-L		2.6	2.6	0.0	0.0%													
		W7-U						29.5	27.2	92%	27.1	92%	0.2	0.6%	46	12	45	12	2.2%	0.0%
Twelfth	R3	W8-L	Bedroom	7.7	6.0	1.7	22.1%													
		W8-U						11.9	10.9	92%	10.9	92%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R4	W9-L	Bedroom	37.7	35.8	1.9	5.0%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W10-L	Bedroom	37.7	35.7	2.0	5.3%													
		W10-U						13.5	13.1	97%	13.1	97%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R6	W11-L	LKD	9.4	7.4	2.0	21.6%													
		W11-U																		
		W12-L		37.3	37.1	0.1	0.4%													
		W12-U																		
		W13-L		38.3	38.1	0.2	0.4%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	88	28	2.2%	0.0%
Thirteenth	R1	W1-L	LKD	38.6	38.6	0.0	0.0%													
		W1-U																		
		W2-L		9.4	8.2	1.2	12.3%													
		W2-U																		
		W3-L		28.3	27.0	1.3	4.6%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R2	W4	LKD	22.7	22.7	0.0	0.0%													
		W5-L		38.1	36.6	1.5	3.8%													
		W5-U																		
		W6-L		38.0	36.5	1.5	4.0%													
		W6-U																		
		W7-L		2.7	2.7	0.0	0.0%													
		W7-U						29.5	27.3	92%	27.1	92%	0.2	0.6%	46	12	45	12	2.2%	0.0%
Thirteenth	R3	W8-L	Bedroom	7.8	6.2	1.6	20.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W8-U						11.9	10.9	92%	10.9	92%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R4	W9-L	Bedroom	37.9	36.2	1.8	4.6%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R5	W10-L	Bedroom	37.9	36.0	1.9	4.9%													
		W10-U						13.5	13.1	97%	13.1	97%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R6	W11-L	LKD	9.5	7.6	1.9	19.6%													
		W11-U																		
		W12-L		37.4	37.3	0.1	0.3%													
		W12-U																		
		W13-L		38.4	38.3	0.1	0.4%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	88	28	2.2%	0.0%
Fourteenth	R1	W1-L	LKD	38.6	38.6	0.0	0.0%													
		W1-U																		
		W2-L		9.5	8.4	1.1	11.2%													
		W2-U																		
		W3-L		28.4	27.2	1.2	4.1%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R2	W4	LKD	23.0	23.0	0.0	0.0%													
		W5-L		38.2	36.9	1.3	3.4%													
		W5-U																		
		W6-L		38.2	36.8	1.4	3.7%													
		W6-U																		
		W7-L		2.8	2.8	0.0	0.0%													
		W7-U						29.5	27.3	92%	27.1	92%	0.2	0.6%	46	12	45	12	2.2%	0.0%
Fourteenth	R3	W8-L	Bedroom	7.8	6.4	1.4	18.0%													
		W8-U						11.9	10.9	92%	10.9	92%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R4	W9-L	Bedroom	38.1	36.5	1.6	4.2%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R5	W10-L	Bedroom	38.1	36.4	1.7	4.4%													
		W10-U						13.5	13.1	97%	13.1	97%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R6	W11-L	LKD	9.5	7.9	1.7	17.6%													
		W11-U																		
		W12-L		37.6	37.5	0.1	0.3%													
		W12-U																		
		W13-L		38.6	38.4	0.1	0.3%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	88	28	2.2%	0.0%
Fifteenth	R1	W1-L	LKD	38.6	38.6	0.0	0.0%													
		W1-U																		
		W2-L		9.5	8.6	0.9	10.0%													
		W2-U																		
		W3-L		28.8	27.8	1.1	3.6%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R2	W4	LKD	24.5	24.5	0.0	0.0%													
		W5-L		38.4	37.2	1.2	3.1%													
		W5-U																		
		W6-L		38.4	37.1	1.3	3.3%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W6-U																		
		W7-L		2.9	2.9	0.0	0.0%													
		W7-U						29.5	27.3	93%	27.1	92%	0.2	0.6%	46	12	46	12	0.0%	0.0%
Fifteenth	R3	W8-L	Bedroom	7.9	6.6	1.3	16.1%													
		W8-U						11.9	10.9	92%	10.9	92%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R4	W9-L	Bedroom	38.3	36.9	1.4	3.7%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R5	W10-L	Bedroom	38.3	36.8	1.5	3.9%													
		W10-U						13.5	13.1	97%	13.1	97%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R6	W11-L	LKD	9.6	8.1	1.5	15.7%													
		W11-U																		
		W12-L		37.7	37.6	0.1	0.3%													
		W12-U																		
		W13-L		38.7	38.6	0.1	0.3%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	88	28	2.2%	0.0%
East Apartments																				
First	R2	W3-L	Bedroom	1.3	0.0	1.3	100.0%													
		W3-U																		
		W4		0.2	0.0	0.2	100.0%	12.2	4.5	37%	0.3	2%	4.2	93.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W5-L	LKD	0.0	0.0	0.0	0.0%													
		W5-U																		
		W6-L		18.8	10.3	8.5	45.4%													
		W6-U																		
		W7-L		21.2	10.9	10.3	48.6%													
		W7-U						32.0	24.3	76%	13.7	43%	10.7	43.8%	12	2	9	2	25.0%	0.0%
First	R4	W8-L	LKD	4.9	0.0	4.9	100.0%													
		W8-U																		
		W9		0.4	0.0	0.4	100.0%													
		W10-L		0.0	0.0	0.0	0.0%													
		W10-U																		
		W11-L		25.4	12.6	12.8	50.4%													
		W11-U						34.0	26.6	78%	8.3	24%	18.3	68.7%	14	1	6	1	57.1%	0.0%
First	R5	W12-L	Bedroom	27.0	13.7	13.3	49.2%													
		W12-U						12.2	11.4	94%	5.0	41%	6.5	56.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W13-L	LKD	28.3	15.1	13.2	46.7%													
		W13-U																		
		W14-L		29.0	16.3	12.7	43.8%													
		W14-U																		
		W15-L		20.3	18.8	1.5	7.5%													
		W15-U																		
		W16-L		19.5	18.3	1.3	6.5%													
		W16-U						44.4	38.3	86%	35.1	79%	3.2	8.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W17-L	Bedroom	24.7	23.6	1.1	4.5%													
		W17-U						9.3	8.4	91%	8.4	90%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W18-L	Bedroom	29.5	28.6	0.9	2.9%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W18-U						9.2	8.7	94%	8.7	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R9	W19-L	Bedroom	30.6	29.9	0.7	2.3%													
		W19-U																		
		W20-L		23.3	23.3	0.0	0.0%													
		W20-U						17.9	17.9	100%	17.9	100%	0.0	0.0%	23	0	23	0	0.0%	0.0%
Second	R1	W1-L	LKD	9.7	9.7	0.0	0.0%													
		W1-U																		
		W2-L		12.2	10.1	2.1	17.5%													
		W2-U																		
		W3-L		14.2	11.1	3.2	22.2%													
		W3-U						38.7	23.9	62%	10.3	27%	13.6	57.0%	22	8	22	8	0.0%	0.0%
Second	R2	W4-L	Bedroom	2.7	0.0	2.7	100.0%													
		W4-U						12.2	7.8	64%	0.1	1%	7.7	98.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W5-L	LKD	0.0	0.0	0.0	0.0%													
		W5-U																		
		W6-L		20.3	12.9	7.4	36.5%													
		W6-U																		
		W7-L		22.5	13.7	8.7	38.8%													
		W7-U						31.9	24.9	78%	12.9	40%	12.0	48.4%	12	2	9	2	25.0%	0.0%
Second	R4	W8-L	LKD	6.0	0.0	6.0	100.0%													
		W8-U																		
		W9-L		0.3	0.1	0.2	66.7%													
		W9-U																		
		W10-L		26.7	15.8	10.8	40.6%													
		W10-U						34.0	29.7	87%	9.6	28%	20.1	67.6%	15	0	6	0	60.0%	0.0%
Second	R5	W11-L	Bedroom	28.4	17.3	11.1	39.1%													
		W11-U						12.2	11.8	97%	6.9	56%	4.9	41.7%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W12-L	LKD	29.5	18.7	10.8	36.6%													
		W12-U																		
		W13-L		30.3	20.1	10.2	33.6%													
		W13-U																		
		W14-L		16.0	15.0	0.9	5.8%													
		W14-U																		
		W15-L		20.7	20.0	0.7	3.5%													
		W15-U						44.5	39.4	89%	35.0	79%	4.4	11.2%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W16-L	Bedroom	29.8	29.2	0.6	2.0%													
		W16-U						9.1	8.6	94%	8.6	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R8	W17-L	Bedroom	32.3	31.8	0.5	1.5%													
		W17-U						9.5	9.3	97%	9.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R9	W18-L	Bedroom	32.9	32.5	0.4	1.2%													
		W18-U																		
		W19-L		24.0	24.0	0.0	0.0%													
		W19-U						18.0	16.7	93%	16.7	93%	0.0	0.0%	26	2	26	2	0.0%	0.0%
Third	R1	W1-L	LKD	10.6	10.6	0.0	0.1%													
		W1-U																		
		W2-L		13.1	11.5	1.6	12.1%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W2-U																		
		W3-L		15.1	12.6	2.5	16.5%													
		W3-U						38.7	20.3	52%	13.8	36%	6.6	32.3%	24	7	24	7	0.0%	0.0%
Third	R2	W4-L	Bedroom	1.1	0.2	0.9	85.8%													
		W4-U						12.2	4.6	38%	1.6	13%	3.0	64.3%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W5-L	LKD	0.0	0.0	0.0	0.0%													
		W5-U																		
		W6-L		21.0	15.3	5.8	27.5%													
		W6-U																		
		W7-L		23.2	16.3	6.9	29.8%													
		W7-U						32.0	24.2	76%	16.2	51%	8.1	33.2%	12	2	9	2	25.0%	0.0%
Third	R4	W8-L	LKD	3.8	0.2	3.6	93.9%													
		W8-U																		
		W9-L		0.0	0.0	0.0	0.0%													
		W9-U																		
		W10-L		27.4	18.6	8.7	31.9%													
		W10-U						34.0	27.0	79%	11.8	35%	15.2	56.3%	16	1	7	1	56.3%	0.0%
Third	R5	W11-L	Bedroom	28.9	19.8	9.1	31.5%													
		W11-U						12.2	11.3	93%	6.4	53%	4.9	43.6%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W12-L	LKD	30.2	21.4	8.8	29.2%													
		W12-U																		
		W13-L		31.0	22.7	8.3	26.8%													
		W13-U																		
		W14-L		20.1	19.6	0.5	2.4%													
		W14-U																		
		W15-L		18.1	17.7	0.4	2.0%													
		W15-U						44.6	39.7	89%	36.4	82%	3.3	8.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W16-L	Bedroom	26.9	26.6	0.3	1.1%													
		W16-U						9.4	8.6	92%	8.6	92%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R8	W17-L	Bedroom	33.0	32.8	0.2	0.7%													
		W17-U						12.1	11.6	96%	11.6	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R9	W18-L	Bedroom	33.6	33.4	0.2	0.6%													
		W18-U																		
		W19-L		25.9	25.9	0.0	0.0%													
		W19-U						14.3	14.3	100%	14.3	100%	0.0	0.0%	29	2	29	2	0.0%	0.0%
Fourth	R1	W1-L	LKD	11.3	11.3	0.0	0.4%													
		W1-U																		
		W2-L		14.8	13.4	1.4	9.5%													
		W2-U																		
		W3-L		17.1	14.7	2.4	14.2%													
		W3-U						38.7	27.1	70%	19.3	50%	7.7	28.5%	26	8	26	8	0.0%	0.0%
Fourth	R2	W4-L	Bedroom	3.9	1.2	2.6	68.3%													
		W4-U						12.2	9.4	77%	6.1	50%	3.3	34.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R3	W5-L	LKD	0.0	0.0	0.0	0.0%													
		W5-U																		
		W6-L		22.7	17.9	4.8	21.3%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W6-U																	
		W7-L		24.6	19.2	5.4	22.0%												
		W7-U						32.0	25.8	81%	24.2	76%	1.6	6.2%	14	2	11	2	21.4%	0.0%
Fourth	R4	W8-L	LKD	6.8	2.2	4.6	68.1%												
		W8-U																	
		W9-L		0.5	0.4	0.1	27.5%												
		W9-U																	
		W10-L		28.6	21.8	6.8	23.6%												
		W10-U						34.0	30.0	88%	21.0	62%	9.0	30.0%	17	1	11	1	35.3%	0.0%
Fourth	R5	W11-L	Bedroom	30.2	23.3	6.9	22.9%												
		W11-U						12.2	11.8	97%	11.6	95%	0.2	1.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W12-L	LKD	31.3	24.7	6.6	21.1%												
		W12-U																	
		W13-L		32.0	26.0	6.0	18.8%												
		W13-U																	
		W14-L		18.6	18.4	0.2	1.1%												
		W14-U																	
		W15-L		23.0	22.9	0.2	0.7%												
		W15-U						44.5	39.6	89%	35.6	80%	4.0	10.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W16-L	Bedroom	32.5	32.4	0.1	0.4%												
		W16-U						9.1	8.6	94%	8.6	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R8	W17-L	Bedroom	33.7	33.6	0.1	0.4%												
		W17-U						9.5	9.3	98%	9.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R9	W18-L	Bedroom	33.3	33.2	0.1	0.3%												
		W18-U																	
		W19-L		26.4	26.4	0.0	0.0%												
		W19-U						18.0	16.7	93%	16.7	93%	0.0	0.0%	30	2	29	2	3.3%	0.0%
Fifth	R1	W1-L	LKD	12.5	12.4	0.0	0.3%												
		W1-U																	
		W2-L		16.0	15.0	1.0	6.3%												
		W2-U																	
		W3-L		18.3	16.2	2.1	11.5%												
		W3-U						38.7	28.7	74%	23.0	59%	5.7	19.9%	27	8	27	8	0.0%	0.0%
Fifth	R2	W4-L	Bedroom	2.8	1.1	1.8	62.3%												
		W4-U						12.2	9.9	81%	9.9	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R3	W5-L	LKD	0.0	0.0	0.0	0.0%												
		W5-U																	
		W6-L		23.9	20.5	3.4	14.4%												
		W6-U																	
		W7-L		25.7	22.0	3.7	14.4%												
		W7-U						32.0	25.2	79%	25.1	79%	0.1	0.5%	18	3	16	3	11.1%	0.0%
Fifth	R4	W8-L	LKD	4.7	2.1	2.6	55.8%												
		W8-U																	
		W9-L		0.0	0.0	0.0	0.0%												
		W9-U																	
		W10-L		29.4	25.0	4.5	15.1%												
		W10-U						34.0	28.8	85%	28.4	83%	0.4	1.5%	19	2	16	2	15.8%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Fifth	R5	W11-L	Bedroom	30.9	26.3	4.6	14.9%													
		W11-U						12.2	11.5	94%	11.5	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W12-L	LKD	32.0	27.6	4.5	13.9%													
		W12-U																		
		W13-L		32.7	28.4	4.3	13.2%													
		W13-U																		
		W14-L		35.8	35.7	0.1	0.3%													
		W14-U																		
		W15-L		35.6	35.5	0.1	0.2%													
		W15-U						44.6	40.8	92%	37.9	85%	3.0	7.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W16-L	Bedroom	35.2	35.1	0.1	0.2%													
		W16-U						9.4	8.6	92%	8.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R8	W17-L	Bedroom	32.8	32.7	0.1	0.2%													
		W17-U						12.1	11.6	96%	11.6	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R9	W18-L	Bedroom	21.3	21.3	0.1	0.3%													
		W18-U																		
		W19-L		28.1	28.1	0.0	0.0%													
		W19-U						14.3	14.3	100%	14.3	100%	0.0	0.0%	38	3	37	3	2.6%	0.0%
Sixth	R1	W1-L	Bedroom	13.4	13.3	0.1	0.7%													
		W1-U																		
		W2-L		18.0	16.9	1.1	6.1%													
		W2-U						11.7	8.9	76%	8.0	69%	0.9	9.7%	30	10	30	10	0.0%	0.0%
Sixth	R2	W3-L	Bedroom	20.7	18.3	2.4	11.4%													
		W3-U						12.1	8.7	71%	8.4	69%	0.3	3.6%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R3	W4-L	Bedroom	5.4	3.1	2.3	42.6%													
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W5-L	LKD	0.0	0.0	0.0	0.0%													
		W5-U																		
		W6-L		25.5	22.8	2.6	10.3%													
		W6-U																		
		W7-L		27.2	24.7	2.5	9.1%													
		W7-U						32.1	28.5	89%	28.5	89%	0.0	0.0%	21	3	19	3	9.5%	0.0%
Sixth	R5	W8-L	LKD	7.6	5.3	2.4	31.0%													
		W8-U																		
		W9-L		0.7	0.7	0.0	4.2%													
		W9-U																		
		W10-L		30.8	28.2	2.6	8.5%													
		W10-U																		
		W11-L		36.6	34.6	2.0	5.5%													
		W11-U						31.3	30.7	98%	30.7	98%	0.0	0.0%	23	1	22	1	4.3%	0.0%
Sixth	R6	W12-L	Bedroom	36.8	35.0	1.9	5.1%													
		W12-U						13.1	12.6	96%	12.6	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W13-L	Bedroom	37.0	35.3	1.7	4.6%													
		W13-U						11.8	11.4	97%	11.4	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R8	W14-L	Bedroom	35.4	35.3	0.0	0.1%													
		W14-U																		
		W15-L		30.4	30.4	0.0	0.1%													
		W15-U						14.9	14.6	98%	14.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R9	W16-L	LKD	25.6	25.6	0.0	0.1%													
		W16-U																		
		W17-L		28.7	28.7	0.0	0.0%													
		W17-U																		
		W18-L		27.2	27.2	0.0	0.0%													
		W18-U						36.0	29.0	80%	29.0	80%	0.0	0.0%	38	3	37	3	2.6%	0.0%
Seventh	R1	W1-L	Bedroom	14.8	14.8	0.1	0.5%													
		W1-U																		
		W2-L		19.0	18.2	0.8	4.1%													
		W2-U						11.7	9.0	77%	8.7	74%	0.3	3.0%	29	9	29	9	0.0%	0.0%
Seventh	R2	W3-L	Bedroom	21.3	19.4	1.9	9.0%													
		W3-U						12.1	6.2	51%	5.2	43%	1.1	17.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R3	W4-L	Bedroom	3.6	1.6	2.0	55.6%													
		W4-U						12.4	10.3	83%	10.3	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R4	W5-L	LKD	0.0	0.0	0.0	0.0%													
		W5-U																		
		W6-L		26.3	24.2	2.1	7.9%													
		W6-U																		
		W7-L		28.0	25.9	2.1	7.3%													
		W7-U						32.1	26.0	81%	26.0	81%	0.1	0.3%	21	3	19	3	9.5%	0.0%
Seventh	R5	W8-L	LKD	5.2	3.3	1.9	35.8%													
		W8-U																		
		W9-L		0.0	0.0	0.0	0.0%													
		W9-U																		
		W10-L		31.3	29.3	2.1	6.5%													
		W10-U																		
		W11-L		37.1	35.4	1.7	4.6%													
		W11-U						31.3	30.7	98%	30.6	98%	0.1	0.2%	27	3	26	3	3.7%	0.0%
Seventh	R6	W12-L	Bedroom	37.4	35.9	1.5	4.1%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W13-L	Bedroom	37.6	36.1	1.4	3.8%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R8	W14-L	Bedroom	37.7	36.3	1.3	3.6%													
		W14-U																		
		W15-L		34.2	34.2	0.0	0.1%													
		W15-U						14.9	14.9	100%	14.8	99%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R9	W16-L	LKD	22.5	22.5	0.0	0.1%													
		W16-U																		
		W17-L		30.6	30.6	0.0	0.0%													
		W17-U																		
		W18-L		29.3	29.3	0.0	0.0%													
		W18-U						36.0	30.2	84%	30.2	84%	0.0	0.0%	43	5	42	5	2.3%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Eighth	R1	W1-L	Bedroom	16.1	16.0	0.1	0.5%												
		W1-U																	
		W2-L		20.7	19.8	0.8	4.1%												
		W2-U						11.7	8.9	76%	8.2	70%	0.7	8.3%	31	10	31	10	0.0%	0.0%
Eighth	R2	W3-L	Bedroom	23.1	21.2	2.0	8.6%												
		W3-U						12.1	9.0	74%	8.7	72%	0.2	2.5%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R3	W4-L	Bedroom	5.6	3.7	1.9	33.8%												
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R4	W5-L	LKD	0.0	0.0	0.0	0.0%												
		W5-U																	
		W6-L		27.6	25.6	2.0	7.3%												
		W6-U																	
		W7-L		29.3	27.3	1.9	6.6%												
		W7-U						32.1	28.8	90%	28.8	90%	0.0	0.0%	23	3	21	3	8.7%	0.0%
Eighth	R5	W8-L	LKD	7.8	6.0	1.8	23.5%												
		W8-U																	
		W9-L		0.9	0.9	0.0	0.0%												
		W9-U																	
		W10-L		32.6	30.7	1.9	5.9%												
		W10-U																	
		W11-L		37.7	36.2	1.6	4.1%												
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	29	3	28	3	3.4%	0.0%
Eighth	R6	W12-L	Bedroom	37.9	36.5	1.5	3.8%												
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W13-L	Bedroom	38.1	36.8	1.3	3.4%												
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R8	W14-L	Bedroom	36.7	36.6	0.0	0.1%												
		W14-U																	
		W15-L		31.7	31.6	0.0	0.1%												
		W15-U						14.9	14.6	98%	14.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R9	W16-L	LKD	26.8	26.8	0.0	0.1%												
		W16-U																	
		W17-L		31.5	31.5	0.0	0.0%												
		W17-U																	
		W18-L		30.2	30.2	0.0	0.0%												
		W18-U						36.0	29.0	81%	29.0	81%	0.0	0.0%	44	4	43	4	2.3%	0.0%
Ninth	R1	W1-L	Bedroom	18.0	17.9	0.1	0.4%												
		W1-U																	
		W2-L		22.1	21.5	0.7	3.1%												
		W2-U						11.7	9.3	80%	9.3	80%	0.0	0.0%	33	9	33	9	0.0%	0.0%
Ninth	R2	W3-L	Bedroom	24.2	22.5	1.7	6.9%												
		W3-U						12.1	7.0	58%	6.3	52%	0.7	10.1%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R3	W4-L	Bedroom	3.7	1.9	1.8	47.4%												
		W4-U						12.4	10.3	83%	10.3	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R4	W5-L	LKD	0.1	0.1	0.0	0.0%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W5-U																	
		W6-L		28.7	26.9	1.8	6.4%												
		W6-U																	
		W7-L		30.3	28.5	1.8	6.0%												
		W7-U						32.1	26.7	83%	26.6	83%	0.1	0.3%	26	3	24	3	7.7%	0.0%
Ninth	R5	W8-L	LKD	5.4	3.8	1.6	30.2%												
		W8-U																	
		W9-L		0.1	0.1	0.0	0.0%												
		W9-U																	
		W10-L		33.3	31.5	1.8	5.4%												
		W10-U																	
		W11-L		38.2	36.6	1.5	4.0%												
		W11-U						31.3	30.7	98%	30.7	98%	0.1	0.2%	30	3	29	3	3.3%	0.0%
Ninth	R6	W12-L	Bedroom	38.4	37.0	1.4	3.6%												
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R7	W13-L	Bedroom	38.5	37.3	1.3	3.3%												
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R8	W14-L	Bedroom	38.6	37.4	1.2	3.1%												
		W14-U																	
		W15-L		35.3	35.3	0.0	0.1%												
		W15-U						14.9	14.9	100%	14.8	99%	0.1	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R9	W16-L	LKD	23.6	23.6	0.0	0.1%												
		W16-U																	
		W17-L		33.6	33.6	0.0	0.0%												
		W17-U																	
		W18-L		32.5	32.5	0.0	0.0%												
		W18-U						36.0	30.2	84%	30.2	84%	0.0	0.0%	49	8	48	8	2.0%	0.0%
Tenth	R1	W1-L	Bedroom	19.7	19.7	0.1	0.3%												
		W1-U																	
		W2-L		24.5	23.8	0.7	3.0%												
		W2-U						11.7	9.0	77%	8.7	74%	0.3	3.3%	36	10	36	10	0.0%	0.0%
Tenth	R2	W3-L	Bedroom	26.6	24.9	1.7	6.4%												
		W3-U						12.1	9.6	79%	9.5	78%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R3	W4-L	Bedroom	5.7	4.1	1.6	28.4%												
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R4	W5-L	LKD	0.9	0.9	0.0	0.0%												
		W5-U																	
		W6-L		30.4	28.7	1.7	5.7%												
		W6-U																	
		W7-L		31.9	30.2	1.7	5.2%												
		W7-U						32.1	29.4	92%	29.4	92%	0.0	0.0%	29	3	27	3	6.9%	0.0%
Tenth	R5	W8-L	LKD	8.2	6.6	1.6	19.4%												
		W8-U																	
		W9-L		1.9	1.9	0.0	0.0%												
		W9-U																	
		W10-L		34.6	32.9	1.7	4.9%												
		W10-U																	

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W11-L		38.6	37.3	1.4	3.5%													
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	33	4	32	4	3.0%	0.0%
Tenth	R6	W12-L	Bedroom	38.8	37.5	1.3	3.3%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W13-L	Bedroom	38.9	37.8	1.2	3.0%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R8	W14-L	Bedroom	37.6	37.6	0.0	0.1%													
		W14-U																		
		W15-L		32.6	32.5	0.0	0.1%													
		W15-U						14.9	14.6	98%	14.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R9	W16-L	LKD	27.7	27.7	0.0	0.1%													
		W16-U																		
		W17-L		34.7	34.7	0.0	0.0%													
		W17-U																		
		W18-L		33.7	33.7	0.0	0.0%													
		W18-U						36.0	29.3	81%	29.3	81%	0.0	0.0%	49	8	49	8	0.0%	0.0%
Eleventh	R1	W1-L	Bedroom	22.2	22.1	0.1	0.3%													
		W1-U																		
		W2-L		27.0	26.4	0.6	2.1%													
		W2-U						11.7	10.3	88%	10.3	88%	0.0	0.0%	39	9	39	9	0.0%	0.0%
Eleventh	R2	W3-L	Bedroom	28.5	27.1	1.4	4.9%													
		W3-U						12.1	9.2	75%	8.9	74%	0.2	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R3	W4-L	Bedroom	4.4	2.9	1.5	34.2%													
		W4-U						12.4	10.8	87%	10.8	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R4	W5-L	LKD	0.5	0.5	0.0	0.0%													
		W5-U																		
		W6-L		32.0	30.4	1.6	4.9%													
		W6-U																		
		W7-L		33.2	31.6	1.6	4.7%													
		W7-U						32.1	27.9	87%	27.9	87%	0.1	0.3%	31	4	29	4	6.5%	0.0%
Eleventh	R5	W8-L	LKD	6.2	4.8	1.4	22.7%													
		W8-U																		
		W9-L		0.8	0.8	0.0	0.0%													
		W9-U																		
		W10-L		35.4	33.8	1.6	4.4%													
		W10-U																		
		W11-L		38.9	37.6	1.3	3.4%													
		W11-U						31.3	30.7	98%	30.7	98%	0.1	0.2%	34	4	33	4	2.9%	0.0%
Eleventh	R6	W12-L	Bedroom	39.1	37.9	1.2	3.0%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R7	W13-L	Bedroom	39.1	38.0	1.1	2.8%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R8	W14-L	Bedroom	39.2	38.2	1.0	2.7%													
		W14-U																		
		W15-L		36.0	36.0	0.0	0.1%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W15-U						14.9	14.9	100%	14.8	99%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R9	W16-L	LKD	24.3	24.3	0.0	0.1%													
		W16-U																		
		W17-L		36.5	36.5	0.0	0.0%													
		W17-U																		
		W18-L		35.9	35.9	0.0	0.0%													
		W18-U						36.0	30.3	84%	30.3	84%	0.0	0.0%	56	14	56	14	0.0%	0.0%
Twelfth	R1	W1-L	Bedroom	24.6	24.6	0.1	0.2%													
		W1-U																		
		W2-L		30.2	29.6	0.6	2.0%													
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	42	10	42	10	0.0%	0.0%
Twelfth	R2	W3-L	Bedroom	31.5	30.1	1.4	4.5%													
		W3-U						12.1	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R3	W4-L	Bedroom	7.1	5.8	1.3	18.9%													
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R4	W5-L	LKD	2.6	2.6	0.0	0.0%													
		W5-U																		
		W6-L		34.0	32.5	1.5	4.3%													
		W6-U																		
		W7-L		34.9	33.5	1.4	4.0%													
		W7-U						32.1	29.8	93%	29.8	93%	0.0	0.0%	33	4	31	4	6.1%	0.0%
Twelfth	R5	W8-L	LKD	9.0	7.7	1.4	15.0%													
		W8-U																		
		W9-L		3.4	3.4	0.0	0.0%													
		W9-U																		
		W10-L		36.6	35.2	1.4	3.9%													
		W10-U																		
		W11-L		39.2	38.0	1.2	3.0%													
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	35	5	34	5	2.9%	0.0%
Twelfth	R6	W12-L	Bedroom	39.2	38.1	1.1	2.8%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R7	W13-L	Bedroom	39.3	38.3	1.0	2.5%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R8	W14-L	Bedroom	38.0	38.0	0.0	0.1%													
		W14-U																		
		W15-L		33.0	32.9	0.0	0.1%													
		W15-U						14.9	14.6	98%	14.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R9	W16-L	LKD	28.1	28.0	0.0	0.1%													
		W16-U																		
		W17-L		37.8	37.8	0.0	0.0%													
		W17-U																		
		W18-L		37.4	37.4	0.0	0.0%													
		W18-U						36.0	30.9	86%	30.9	86%	0.0	0.0%	56	14	56	14	0.0%	0.0%
Thirteenth	R1	W1-L	Bedroom	27.4	27.2	0.1	0.5%													
		W1-U																		
		W2-L		33.5	32.8	0.7	2.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	47	10	47	10	0.0%	0.0%
Thirteenth	R2	W3-L	Bedroom	34.2	33.0	1.2	3.4%													
		W3-U						12.1	11.7	97%	11.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R3	W4-L	Bedroom	7.6	6.4	1.2	15.9%													
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R4	W5-L	LKD	1.1	1.1	0.0	0.0%													
		W5-U																		
		W6-L		35.9	34.6	1.3	3.6%													
		W6-U																		
		W7-L		36.5	35.2	1.3	3.5%													
		W7-U						32.1	30.8	96%	30.8	96%	0.0	0.0%	35	5	33	5	5.7%	0.0%
Thirteenth	R5	W8-L	LKD	7.9	6.7	1.2	14.8%													
		W8-U																		
		W9-L		1.6	1.6	0.0	0.0%													
		W9-U																		
		W10-L		37.5	36.2	1.3	3.5%													
		W10-U																		
		W11-L		39.3	38.2	1.1	2.8%													
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	36	6	35	6	2.8%	0.0%
Thirteenth	R6	W12-L	Bedroom	39.4	38.4	1.0	2.5%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R7	W13-L	Bedroom	39.4	38.5	0.9	2.4%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R8	W14-L	Bedroom	39.5	38.6	0.9	2.2%													
		W14-U																		
		W15-L		36.3	36.3	0.0	0.1%													
		W15-U						14.9	14.9	100%	14.8	99%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R9	W16-L	LKD	24.4	24.4	0.0	0.1%													
		W16-U																		
		W17-L		39.1	39.1	0.0	0.0%													
		W17-U																		
		W18-L		39.0	39.0	0.0	0.0%													
		W18-U						36.0	30.3	84%	30.3	84%	0.0	0.0%	57	15	57	15	0.0%	0.0%
Fourteenth	R1	W1-L	Bedroom	29.9	29.6	0.3	1.0%													
		W1-U																		
		W2-L		36.6	35.6	1.0	2.7%													
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	52	13	51	13	1.9%	0.0%
Fourteenth	R2	W3-L	Bedroom	37.0	35.8	1.1	3.1%													
		W3-U						12.1	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R3	W4-L	Bedroom	9.2	8.1	1.1	11.7%													
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R4	W5-L	LKD	4.4	4.4	0.0	0.0%													
		W5-U																		
		W6-L		37.7	36.6	1.2	3.1%													
		W6-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W7-L		38.0	36.9	1.1	2.9%												
		W7-U						32.1	31.2	97%	31.2	97%	0.0	0.0%	37	7	35	7	5.4%	0.0%
Fourteenth	R5	W8-L	LKD	9.8	8.7	1.1	11.2%												
		W8-U																	
		W9-L		4.9	4.9	0.0	0.0%												
		W9-U																	
		W10-L		38.4	37.3	1.2	3.0%												
		W10-U																	
		W11-L		39.5	38.6	1.0	2.4%												
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	38	8	37	8	2.6%	0.0%
Fourteenth	R6	W12-L	Bedroom	39.5	38.6	0.9	2.3%												
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R7	W13-L	Bedroom	39.6	38.7	0.8	2.1%												
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R8	W14-L	Bedroom	38.2	38.2	0.0	0.1%												
		W14-U																	
		W15-L		33.1	33.1	0.0	0.1%												
		W15-U						14.9	14.6	98%	14.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R9	W16-L	LKD	28.2	28.2	0.0	0.1%												
		W16-U																	
		W17-L		39.4	39.4	0.0	0.0%												
		W17-U																	
		W18-L		39.4	39.4	0.0	0.0%												
		W18-U						36.0	30.9	86%	30.9	86%	0.0	0.0%	57	15	57	15	0.0%	0.0%
Fifteenth	R1	W1-L	Bedroom	31.2	30.9	0.3	0.9%												
		W1-U																	
		W2-L		37.9	37.0	1.0	2.6%												
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	53	13	52	13	1.9%	0.0%
Fifteenth	R2	W3-L	Bedroom	38.1	37.1	1.0	2.6%												
		W3-U						12.1	11.7	97%	11.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R3	W4-L	Bedroom	9.7	8.7	0.9	9.7%												
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R4	W5-L	LKD	1.8	1.8	0.0	0.0%												
		W5-U																	
		W6-L		38.5	37.5	1.0	2.6%												
		W6-U																	
		W7-L		38.6	37.6	1.0	2.6%												
		W7-U						32.1	30.9	96%	30.9	96%	0.0	0.0%	38	8	37	8	2.6%	0.0%
Fifteenth	R5	W8-L	LKD	8.9	8.0	0.9	10.3%												
		W8-U																	
		W9-L		2.2	2.2	0.0	0.0%												
		W9-U																	
		W10-L		38.8	37.8	1.0	2.7%												
		W10-U																	
		W11-L		39.6	38.7	0.9	2.2%												
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	39	9	38	9	2.6%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fifteenth	R6	W12-L	Bedroom	39.6	38.8	0.8	2.0%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R7	W13-L	Bedroom	39.6	38.9	0.7	1.9%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R8	W14-L	Bedroom	39.6	38.9	0.7	1.8%													
		W14-U																		
		W15-L		36.4	36.3	0.0	0.1%													
		W15-U						14.9	14.9	100%	14.9	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R9	W16-L	LKD	24.5	24.5	0.0	0.0%													
		W16-U																		
		W17-L		39.4	39.4	0.0	0.0%													
		W17-U																		
		W18-L		39.4	39.4	0.0	0.0%													
		W18-U						36.0	30.3	84%	30.3	84%	0.0	0.0%	57	15	57	15	0.0%	0.0%
Sixteenth	R1	W1-L	Bedroom	31.8	31.6	0.3	0.8%													
		W1-U																		
		W2-L		38.3	37.4	0.9	2.2%													
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	55	14	54	14	1.8%	0.0%
Sixteenth	R2	W3-L	Bedroom	38.4	37.5	0.8	2.2%													
		W3-U						12.1	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R3	W4-L	Bedroom	9.5	8.7	0.8	8.4%													
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R4	W5-L	LKD	5.0	5.0	0.0	0.0%													
		W5-U																		
		W6-L		38.7	37.8	0.9	2.2%													
		W6-U																		
		W7-L		38.8	37.9	0.9	2.2%													
		W7-U						32.1	31.2	97%	31.2	97%	0.0	0.0%	38	8	37	8	2.6%	0.0%
Sixteenth	R5	W8-L	LKD	9.9	9.1	0.8	8.3%													
		W8-U																		
		W9-L		5.4	5.4	0.0	0.0%													
		W9-U																		
		W10-L		39.0	38.1	0.9	2.3%													
		W10-U																		
		W11-L		39.6	38.9	0.7	1.8%													
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	39	9	39	9	0.0%	0.0%
Sixteenth	R6	W12-L	Bedroom	39.6	38.9	0.7	1.7%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R7	W13-L	Bedroom	39.6	39.0	0.6	1.6%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R8	W14-L	Bedroom	38.4	38.4	0.0	0.1%													
		W14-U																		
		W15-L		33.2	33.2	0.0	0.1%													
		W15-U						14.9	14.6	98%	14.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R9	W16-L	LKD	28.3	28.3	0.0	0.1%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W16-U																	
		W17-L		39.5	39.5	0.0	0.0%												
		W17-U																	
		W18-L		39.5	39.5	0.0	0.0%												
		W18-U						36.0	30.9	86%	30.9	86%	0.0	0.0%	57	15	57	15	0.0%	0.0%
Seventeenth	R1	W1-L	Bedroom	32.3	32.1	0.2	0.7%												
		W1-U																	
		W2-L		38.5	37.8	0.7	1.8%												
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	55	14	54	14	1.8%	0.0%
Seventeenth	R2	W3-L	Bedroom	38.6	37.9	0.7	1.8%												
		W3-U						12.1	11.7	97%	11.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R3	W4-L	Bedroom	9.7	9.0	0.7	6.9%												
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R4	W5-L	LKD	2.3	2.3	0.0	0.0%												
		W5-U																	
		W6-L		38.9	38.1	0.7	1.8%												
		W6-U																	
		W7-L		38.9	38.2	0.7	1.8%												
		W7-U						32.1	31.0	97%	31.0	97%	0.0	0.0%	38	8	37	8	2.6%	0.0%
Seventeenth	R5	W8-L	LKD	8.9	8.3	0.7	7.3%												
		W8-U																	
		W9-L		2.6	2.6	0.0	0.0%												
		W9-U																	
		W10-L		39.1	38.4	0.7	1.8%												
		W10-U																	
		W11-L		39.6	39.0	0.6	1.6%												
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	39	9	39	9	0.0%	0.0%
Seventeenth	R6	W12-L	Bedroom	39.6	39.0	0.6	1.4%												
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R7	W13-L	Bedroom	39.6	39.1	0.5	1.3%												
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R8	W14-L	Bedroom	39.6	39.1	0.5	1.3%												
		W14-U																	
		W15-L		37.2	37.2	0.0	0.0%												
		W15-U						14.9	14.9	100%	14.9	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R9	W16-L	LKD	24.5	24.5	0.0	0.1%												
		W16-U																	
		W17-L		39.5	39.5	0.0	0.0%												
		W17-U																	
		W18-L		39.5	39.5	0.0	0.0%												
		W18-U						36.0	30.3	84%	30.3	84%	0.0	0.0%	57	15	57	15	0.0%	0.0%
Eighteenth	R1	W1-L	Bedroom	33.0	32.9	0.2	0.5%												
		W1-U																	
		W2-L		38.8	38.3	0.6	1.4%												
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	56	15	56	15	0.0%	0.0%
Eighteenth	R2	W3-L	Bedroom	38.9	38.3	0.6	1.4%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W3-U						12.1	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R3	W4-L	Bedroom	13.0	12.4	0.5	4.2%													
		W4-U																		
		W5		2.0	1.6	0.5	23.2%	12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R4	W6-L	LKD	6.4	6.4	0.0	0.0%													
		W6-U																		
		W7-L		39.1	38.5	0.6	1.5%													
		W7-U																		
		W8-L		39.1	38.6	0.5	1.4%													
		W8-U						32.1	31.1	97%	31.1	97%	0.0	0.0%	39	9	39	9	0.0%	0.0%
Eighteenth	R5	W9-L	LKD	13.5	13.0	0.5	4.0%													
		W9-U																		
		W10		2.1	1.6	0.5	22.6%													
		W11-L		6.7	6.7	0.0	0.0%													
		W11-U																		
		W12-L		39.2	38.7	0.6	1.5%													
		W12-U																		
		W13-L		39.6	39.1	0.5	1.2%													
		W13-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	40	10	40	10	0.0%	0.0%
Eighteenth	R6	W14-L	Bedroom	39.6	39.2	0.5	1.1%													
		W14-U						13.1	12.6	96%	12.6	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R7	W15-L	Bedroom	39.6	39.2	0.4	1.0%													
		W15-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R8	W16-L	Bedroom	39.6	39.6	0.0	0.0%													
		W16-U																		
		W17-L		39.6	39.6	0.0	0.0%													
		W17-U						14.9	14.6	98%	14.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R9	W18-L	LKD	39.6	39.6	0.0	0.0%													
		W18-U																		
		W19-L		39.5	39.5	0.0	0.0%													
		W19-U																		
		W20-L		39.5	39.5	0.0	0.0%													
		W20-U						36.0	30.9	86%	30.9	86%	0.0	0.0%	58	15	58	15	0.0%	0.0%
Mezzanine	R1	W1-L	Residential	4.5	4.4	0.1	2.9%													
		W1-U																		
		W2-L		9.3	5.2	4.1	44.5%													
		W2-U						37.9	37.2	98%	35.7	94%	1.5	4.0%	11	4	11	4	0.0%	0.0%
Millstream Tower																				
First	R1	W1-L	LKD	26.3	20.5	5.8	22.0%													
		W1-U																		
		W2-L		8.4	8.4	0.0	0.0%													
		W2-U						33.5	20.6	61%	19.3	57%	1.4	6.6%	7	0	7	0	0.0%	0.0%
First	R2	W3-L	Bedroom	20.9	15.7	5.2	24.9%													
		W3-U						14.8	11.0	74%	10.9	74%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W4-L	LKD	23.5	19.2	4.2	18.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W4-U																	
		W5-L		7.9	7.9	0.0	0.0%												
		W5-U						28.8	14.4	50%	13.1	45%	1.4	9.6%	7	0	7	0	0.0%	0.0%
First	R4	W6-L	Bedroom	18.2	14.5	3.7	20.3%												
		W6-U						14.5	9.7	67%	9.7	67%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W7-L	LKD	21.1	18.1	2.9	13.9%												
		W7-U																	
		W8-L		7.9	7.9	0.0	0.0%												
		W8-U						28.8	13.1	46%	13.1	46%	0.0	0.0%	8	0	8	0	0.0%	0.0%
First	R6	W9-L	Bedroom	16.5	13.9	2.6	15.5%												
		W9-U						14.5	9.3	64%	9.3	64%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W10-L	LKD	19.4	17.2	2.2	11.3%												
		W10-U																	
		W11-L		8.5	8.5	0.0	0.0%												
		W11-U						28.8	13.3	46%	13.3	46%	0.0	0.0%	8	0	8	0	0.0%	0.0%
First	R8	W12-L	Bedroom	14.8	13.2	1.5	10.4%												
		W12-U						14.5	9.0	62%	9.0	62%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R9	W13-L	LKD	17.5	15.8	1.7	9.7%												
		W13-U																	
		W14-L		8.9	8.9	0.0	0.0%												
		W14-U						28.9	14.9	51%	14.9	51%	0.0	0.0%	8	0	8	0	0.0%	0.0%
First	R10	W15-L	Bedroom	13.0	12.0	1.1	8.3%												
		W15-U						14.5	8.2	57%	8.2	57%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R11	W16-L	LKD	16.2	14.9	1.3	8.2%												
		W16-U																	
		W17-L		9.3	9.3	0.0	0.0%												
		W17-U						28.9	18.2	63%	18.2	63%	0.0	0.0%	6	0	6	0	0.0%	0.0%
First	R12	W18-L	Bedroom	15.1	14.4	0.7	4.9%												
		W18-U						14.5	13.1	90%	13.1	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R13	W19-L	Bedroom	18.2	17.0	1.2	6.5%												
		W19-U						12.9	11.4	88%	11.4	88%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R14	W20-L	LKD	19.0	18.0	1.1	5.6%												
		W20-U																	
		W21-L		11.9	11.9	0.0	0.1%												
		W21-U																	
		W22-L		3.2	3.2	0.0	0.0%												
		W22-U																	
		W23-L		1.0	1.0	0.0	0.0%												
		W23-U						40.8	31.6	77%	31.0	76%	0.7	2.1%	19	7	19	7	0.0%	0.0%
Second	R1	W1-L	LKD	28.6	22.8	5.8	20.3%												
		W1-U																	
		W2-L		9.0	9.0	0.0	0.0%												
		W2-U						33.5	24.5	73%	24.5	73%	0.0	0.1%	7	0	7	0	0.0%	0.0%
Second	R2	W3-L	Bedroom	23.1	17.9	5.2	22.6%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W3-U						14.8	13.4	91%	13.4	90%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W4-L	LKD	26.0	21.7	4.3	16.7%													
		W4-U																		
		W5-L		8.4	8.4	0.0	0.0%													
		W5-U						28.8	20.2	70%	20.2	70%	0.0	0.2%	7	0	7	0	0.0%	0.0%
Second	R4	W6-L	Bedroom	20.5	16.7	3.8	18.7%													
		W6-U						14.5	12.3	85%	12.3	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W7-L	LKD	23.5	20.3	3.2	13.4%													
		W7-U																		
		W8-L		8.2	8.2	0.0	0.0%													
		W8-U						28.8	19.5	68%	19.5	68%	0.0	0.0%	8	0	8	0	0.0%	0.0%
Second	R6	W9-L	Bedroom	18.6	15.9	2.8	14.8%													
		W9-U						14.5	11.4	79%	11.4	79%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W10-L	LKD	21.5	19.1	2.4	11.3%													
		W10-U																		
		W11-L		8.8	8.8	0.0	0.0%													
		W11-U						28.8	18.9	66%	18.9	66%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Second	R8	W12-L	Bedroom	16.6	14.9	1.8	10.5%													
		W12-U						14.5	10.6	73%	10.6	73%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R9	W13-L	LKD	19.2	17.2	1.9	10.0%													
		W13-U																		
		W14-L		9.2	9.2	0.0	0.0%													
		W14-U						28.9	19.8	68%	19.8	68%	0.0	0.0%	8	0	8	0	0.0%	0.0%
Second	R10	W15-L	Bedroom	14.4	13.1	1.3	8.7%													
		W15-U						14.5	8.7	60%	8.7	60%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R11	W16-L	LKD	17.4	15.9	1.5	8.7%													
		W16-U																		
		W17-L		9.6	9.6	0.0	0.0%													
		W17-U						28.9	21.5	74%	21.5	74%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Second	R12	W18-L	Bedroom	16.2	15.3	0.9	5.3%													
		W18-U						14.5	13.2	91%	13.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R13	W19-L	Bedroom	19.3	18.0	1.4	7.0%													
		W19-U						12.9	11.6	90%	11.6	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R14	W20-L	LKD	20.0	18.8	1.2	6.1%													
		W20-U																		
		W21-L		12.4	12.4	0.0	0.0%													
		W21-U																		
		W22-L		3.3	3.3	0.0	0.0%													
		W22-U																		
		W23-L		1.0	1.0	0.0	0.0%													
		W23-U						40.8	31.7	78%	31.1	76%	0.7	2.1%	19	7	19	7	0.0%	0.0%
Third	R1	W1-L	LKD	30.5	25.0	5.5	18.1%													
		W1-U																		
		W2-L		9.7	9.7	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W2-U						33.5	31.1	93%	30.9	92%	0.3	0.9%	7	0	7	0	0.0%	0.0%
Third	R2	W3-L	Bedroom	25.0	20.0	5.0	20.1%													
		W3-U						14.8	13.5	91%	13.5	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W4-L	LKD	28.3	24.0	4.3	15.1%													
		W4-U																		
		W5-L		8.9	8.9	0.0	0.1%													
		W5-U						28.8	27.3	95%	27.0	94%	0.3	1.1%	7	0	7	0	0.0%	0.0%
Third	R4	W6-L	Bedroom	22.7	18.8	3.9	17.2%													
		W6-U						14.5	12.4	85%	12.4	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W7-L	LKD	25.8	22.5	3.3	12.8%													
		W7-U																		
		W8-L		8.6	8.6	0.0	0.0%													
		W8-U						28.8	25.0	87%	24.7	86%	0.3	1.2%	8	0	8	0	0.0%	0.0%
Third	R6	W9-L	Bedroom	20.7	17.8	2.9	14.2%													
		W9-U						14.5	11.5	79%	11.5	79%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W10-L	LKD	23.6	21.0	2.7	11.3%													
		W10-U																		
		W11-L		9.1	9.1	0.0	0.0%													
		W11-U						28.8	22.8	79%	22.5	78%	0.3	1.5%	9	0	9	0	0.0%	0.0%
Third	R8	W12-L	Bedroom	18.4	16.5	2.0	10.7%													
		W12-U						14.5	10.6	73%	10.6	73%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R9	W13-L	LKD	20.8	18.7	2.1	10.2%													
		W13-U																		
		W14-L		9.5	9.5	0.0	0.0%													
		W14-U						28.9	22.6	78%	22.5	78%	0.0	0.2%	8	0	8	0	0.0%	0.0%
Third	R10	W15-L	Bedroom	15.7	14.3	1.4	8.9%													
		W15-U						14.5	8.8	61%	8.8	61%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R11	W16-L	LKD	18.7	17.0	1.7	9.1%													
		W16-U																		
		W17-L		10.0	10.0	0.0	0.0%													
		W17-U						28.9	24.2	84%	24.2	84%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Third	R12	W18-L	Bedroom	17.2	16.3	0.9	5.5%													
		W18-U						14.5	13.2	91%	13.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R13	W19-L	Bedroom	20.4	18.9	1.5	7.3%													
		W19-U						12.9	11.6	90%	11.6	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R14	W20-L	LKD	21.1	19.7	1.3	6.3%													
		W20-U																		
		W21-L		12.8	12.8	0.0	0.0%													
		W21-U																		
		W22-L		3.4	3.4	0.0	0.0%													
		W22-U																		
		W23-L		1.1	1.1	0.0	0.0%													
		W23-U						40.8	31.8	78%	31.2	76%	0.7	2.1%	19	7	19	7	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Fourth	R1	W1-L	LKD	31.8	26.4	5.5	17.1%													
		W1-U																		
		W2-L		10.4	10.4	0.0	0.3%													
		W2-U						33.5	31.4	93%	31.4	93%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Fourth	R2	W3-L	Bedroom	26.3	21.3	5.0	19.0%													
		W3-U						14.8	13.6	92%	13.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R3	W4-L	LKD	30.0	25.4	4.5	15.1%													
		W4-U																		
		W5-L		9.5	9.5	0.0	0.3%													
		W5-U						28.8	27.5	95%	27.5	95%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Fourth	R4	W6-L	Bedroom	24.3	20.1	4.2	17.2%													
		W6-U						14.5	12.4	86%	12.4	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W7-L	LKD	27.6	23.9	3.7	13.5%													
		W7-U																		
		W8-L		9.1	9.1	0.0	0.0%													
		W8-U						28.8	25.5	88%	25.4	88%	0.0	0.1%	9	0	9	0	0.0%	0.0%
Fourth	R6	W9-L	Bedroom	22.3	19.0	3.3	14.7%													
		W9-U						14.5	11.6	80%	11.6	80%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W10-L	LKD	25.3	22.2	3.1	12.1%													
		W10-U																		
		W11-L		9.4	9.4	0.0	0.0%													
		W11-U						28.8	23.2	81%	23.2	80%	0.1	0.2%	10	0	10	0	0.0%	0.0%
Fourth	R8	W12-L	Bedroom	19.8	17.5	2.3	11.6%													
		W12-U						14.5	10.6	73%	10.6	73%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R9	W13-L	LKD	22.1	19.7	2.4	10.7%													
		W13-U																		
		W14-L		9.8	9.8	0.0	0.0%													
		W14-U						28.9	23.0	79%	22.9	79%	0.0	0.2%	8	0	8	0	0.0%	0.0%
Fourth	R10	W15-L	Bedroom	16.7	15.2	1.6	9.4%													
		W15-U						14.5	8.8	61%	8.8	61%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R11	W16-L	LKD	19.8	17.9	1.9	9.5%													
		W16-U																		
		W17-L		10.3	10.3	0.0	0.0%													
		W17-U						28.9	25.0	87%	25.0	87%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Fourth	R12	W18-L	Bedroom	18.3	17.2	1.1	5.9%													
		W18-U						14.5	13.2	91%	13.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R13	W19-L	Bedroom	21.4	19.8	1.6	7.4%													
		W19-U						12.9	11.6	90%	11.6	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R14	W20-L	LKD	22.1	20.7	1.4	6.5%													
		W20-U																		
		W21-L		13.3	13.3	0.0	0.0%													
		W21-U																		
		W22-L		3.5	3.5	0.0	0.0%													
		W22-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W23-L		1.1	1.1	0.0	0.0%												
		W23-U						40.8	31.9	78%	31.3	77%	0.6	1.9%	19	7	19	7	0.0%	0.0%
Fifth	R1	W1-L	LKD	32.7	27.5	5.2	15.9%												
		W1-U																	
		W2-L		11.2	11.1	0.0	0.4%												
		W2-U						33.5	31.4	94%	31.4	94%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Fifth	R2	W3-L	Bedroom	27.4	22.6	4.7	17.3%												
		W3-U						14.8	13.8	93%	13.8	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R3	W4-L	LKD	30.9	26.6	4.4	14.1%												
		W4-U																	
		W5-L		10.1	10.1	0.0	0.4%												
		W5-U						28.8	27.6	96%	27.6	96%	0.0	0.0%	8	0	8	0	0.0%	0.0%
Fifth	R4	W6-L	Bedroom	25.4	21.4	4.0	15.7%												
		W6-U						14.5	12.5	86%	12.5	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W7-L	LKD	28.6	25.0	3.6	12.6%												
		W7-U																	
		W8-L		9.5	9.5	0.0	0.0%												
		W8-U						28.8	25.8	90%	25.8	90%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Fifth	R6	W9-L	Bedroom	23.4	20.3	3.2	13.4%												
		W9-U						14.5	11.6	80%	11.6	80%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W10-L	LKD	26.2	23.3	3.0	11.3%												
		W10-U																	
		W11-L		9.8	9.8	0.0	0.0%												
		W11-U						28.8	23.7	82%	23.7	82%	0.0	0.1%	10	0	10	0	0.0%	0.0%
Fifth	R8	W12-L	Bedroom	20.8	18.6	2.2	10.7%												
		W12-U						14.5	10.6	73%	10.6	73%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R9	W13-L	LKD	23.0	20.6	2.4	10.3%												
		W13-U																	
		W14-L		10.2	10.2	0.0	0.0%												
		W14-U						28.9	23.0	80%	23.0	80%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Fifth	R10	W15-L	Bedroom	17.7	16.1	1.6	9.1%												
		W15-U						14.5	8.9	61%	8.9	61%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R11	W16-L	LKD	20.8	18.9	1.9	9.3%												
		W16-U																	
		W17-L		10.6	10.6	0.0	0.0%												
		W17-U						28.9	25.2	87%	25.2	87%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Fifth	R12	W18-L	Bedroom	19.3	18.2	1.1	5.7%												
		W18-U						14.5	13.2	91%	13.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R13	W19-L	Bedroom	22.4	20.8	1.6	7.3%												
		W19-U						12.9	11.7	90%	11.7	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R14	W20-L	LKD	23.1	21.7	1.4	6.2%												
		W20-U																	
		W21-L		13.8	13.8	0.0	0.0%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W21-U																		
		W22-L		3.6	3.6	0.0	0.0%													
		W22-U																		
		W23-L		1.1	1.1	0.0	0.0%													
		W23-U						40.8	32.0	78%	31.4	77%	0.6	1.8%	21	7	21	7	0.0%	0.0%
Sixth	R1	W1-L	LKD	33.4	28.5	4.9	14.6%													
		W1-U																		
		W2-L		12.0	12.0	0.0	0.2%													
		W2-U						33.5	31.5	94%	31.5	94%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Sixth	R2	W3-L	Bedroom	29.9	25.5	4.4	14.8%													
		W3-U						14.8	14.3	96%	14.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R3	W4-L	LKD	31.7	27.7	4.0	12.7%													
		W4-U																		
		W5-L		10.7	10.7	0.0	0.3%													
		W5-U						28.8	27.6	96%	27.6	96%	0.0	0.0%	8	0	8	0	0.0%	0.0%
Sixth	R4	W6-L	Bedroom	28.0	24.3	3.7	13.2%													
		W6-U						14.5	12.9	89%	12.9	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W7-L	LKD	29.4	26.1	3.3	11.3%													
		W7-U																		
		W8-L		10.0	10.0	0.0	0.0%													
		W8-U						28.8	26.1	91%	26.1	91%	0.0	0.0%	10	0	10	0	0.0%	0.0%
Sixth	R6	W9-L	Bedroom	26.0	23.1	2.9	11.1%													
		W9-U						14.5	11.8	82%	11.8	82%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W10-L	LKD	27.1	24.3	2.7	10.1%													
		W10-U																		
		W11-L		10.2	10.2	0.0	0.0%													
		W11-U						28.8	24.4	85%	24.4	85%	0.0	0.0%	11	0	11	0	0.0%	0.0%
Sixth	R8	W12-L	Bedroom	22.7	20.6	2.0	9.0%													
		W12-U						14.5	10.7	74%	10.7	74%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R9	W13-L	LKD	23.8	21.6	2.2	9.3%													
		W13-U																		
		W14-L		10.5	10.5	0.0	0.0%													
		W14-U						28.9	23.0	80%	23.0	80%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Sixth	R10	W15-L	Bedroom	18.5	17.1	1.5	8.0%													
		W15-U						14.5	8.9	62%	8.9	62%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R11	W16-L	LKD	21.8	20.0	1.8	8.2%													
		W16-U																		
		W17-L		10.9	10.9	0.0	0.0%													
		W17-U						28.9	25.2	87%	25.2	87%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Sixth	R12	W18-L	Bedroom	20.2	19.2	1.0	5.1%													
		W18-U						14.5	13.2	91%	13.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R13	W19-L	Bedroom	23.4	21.9	1.5	6.5%													
		W19-U						12.9	11.7	90%	11.7	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R14	W20-L	LKD	24.1	22.7	1.4	5.7%												
		W20-U																	
		W21-L		14.2	14.2	0.0	0.0%												
		W21-U																	
		W22-L		3.7	3.7	0.0	0.0%												
		W22-U																	
		W23-L		1.1	1.1	0.0	0.0%												
		W23-U						40.8	32.1	79%	31.5	77%	0.6	1.8%	21	7	21	7	0.0%	0.0%
Seventh	R1	W1-L	LKD	19.1	16.6	2.5	13.1%												
		W1-U																	
		W2-L		32.9	30.1	2.8	8.5%												
		W2-U																	
		W3-L		28.7	26.2	2.6	8.9%												
		W3-U						24.5	24.5	100%	24.5	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R2	W4-L	Bedroom	25.8	23.5	2.3	8.9%												
		W4-U						14.6	10.8	74%	10.8	74%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R3	W5-L	LKD	24.8	22.7	2.1	8.3%												
		W5-U																	
		W6-L		10.9	10.9	0.0	0.0%												
		W6-U						28.7	22.7	79%	22.7	79%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Seventh	R4	W7-L	Bedroom	19.5	18.1	1.4	7.0%												
		W7-U						14.5	9.0	62%	9.0	62%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W8-L	LKD	22.7	21.1	1.7	7.3%												
		W8-U																	
		W9-L		11.2	11.2	0.0	0.0%												
		W9-U						28.7	25.0	87%	25.0	87%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Seventh	R6	W10-L	Bedroom	21.1	20.2	0.9	4.4%												
		W10-U						14.5	13.2	91%	13.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W11-L	Bedroom	24.3	22.9	1.4	5.8%												
		W11-U						12.9	11.6	90%	11.6	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R8	W12-L	LKD	25.0	23.8	1.3	5.1%												
		W12-U																	
		W13-L		14.6	14.6	0.0	0.0%												
		W13-U																	
		W14-L		4.1	4.1	0.0	0.0%												
		W14-U																	
		W15-L		1.1	1.1	0.0	0.0%												
		W15-U						40.8	32.3	79%	31.8	78%	0.5	1.7%	23	7	23	7	0.0%	0.0%
Eighth	R1	W1-L	LKD	34.2	31.7	2.5	7.2%												
		W1-U																	
		W2-L		22.3	19.8	2.5	11.3%												
		W2-U																	
		W3-L		33.2	30.5	2.6	8.0%												
		W3-U																	
		W4-L		29.7	27.3	2.4	8.0%												
		W4-U						27.6	27.2	99%	27.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R2	W5-L	Bedroom	26.8	24.6	2.2	8.1%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W5-U						14.3	10.6	74%	10.6	74%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R3	W6-L	LKD	25.8	23.9	1.9	7.5%													
		W6-U																		
		W7-L		11.2	11.2	0.0	0.0%													
		W7-U						28.8	22.7	79%	22.7	79%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Eighth	R4	W8-L	Bedroom	20.6	19.3	1.3	6.2%													
		W8-U						14.3	9.1	64%	9.1	64%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W9-L	LKD	23.9	22.3	1.6	6.5%													
		W9-U																		
		W10-L		11.5	11.5	0.0	0.0%													
		W10-U						31.0	26.7	86%	26.7	86%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Eighth	R6	W11-L	Bedroom	22.2	21.3	0.9	3.9%													
		W11-U						12.7	12.2	96%	12.2	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W12-L	Bedroom	25.3	23.9	1.3	5.3%													
		W12-U																		
		W13-L		14.6	14.6	0.0	0.0%													
		W13-U						17.4	16.1	92%	16.1	92%	0.0	0.0%	23	3	23	3	0.0%	0.0%
Ninth	R1	W1-L	LKD	34.9	32.6	2.3	6.6%													
		W1-U																		
		W2-L		22.6	20.2	2.4	10.5%													
		W2-U																		
		W3-L		33.6	31.1	2.5	7.3%													
		W3-U																		
		W4-L		30.8	28.6	2.3	7.3%													
		W4-U						29.2	28.9	99%	28.9	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R2	W5-L	Bedroom	27.9	25.9	2.0	7.2%													
		W5-U						14.8	11.1	75%	11.1	75%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R3	W6-L	LKD	27.1	25.3	1.8	6.7%													
		W6-U																		
		W7-L		11.6	11.6	0.0	0.0%													
		W7-U						28.7	22.7	79%	22.7	79%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Ninth	R4	W8-L	Bedroom	21.9	20.7	1.2	5.5%													
		W8-U						14.5	9.2	64%	9.2	64%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W9-L	LKD	25.2	23.8	1.4	5.7%													
		W9-U																		
		W10-L		11.8	11.8	0.0	0.0%													
		W10-U						32.3	28.2	87%	28.2	87%	0.0	0.2%	6	0	6	0	0.0%	0.0%
Ninth	R6	W11-L	Bedroom	23.5	22.6	0.8	3.5%													
		W11-U						12.1	11.2	92%	11.2	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R7	W12-L	Bedroom	26.5	25.2	1.2	4.7%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	10.6	74%	10.6	74%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Tenth	R1	W1-L	LKD	35.6	33.5	2.1	6.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W1-U																	
		W2-L		22.8	20.6	2.2	9.6%												
		W2-U																	
		W3-L		34.1	31.8	2.3	6.7%												
		W3-U																	
		W4-L		32.1	30.0	2.1	6.5%												
		W4-U						29.2	28.9	99%	28.9	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R2	W5-L	Bedroom	29.3	27.4	1.9	6.4%												
		W5-U						14.8	11.4	76%	11.4	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R3	W6-L	LKD	28.6	26.9	1.7	5.8%												
		W6-U																	
		W7-L		12.0	12.0	0.0	0.0%												
		W7-U						28.7	22.7	79%	22.7	79%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Tenth	R4	W8-L	Bedroom	23.4	22.3	1.1	4.8%												
		W8-U						14.5	9.5	65%	9.5	65%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R5	W9-L	LKD	26.8	25.4	1.3	5.0%												
		W9-U																	
		W10-L		12.1	12.1	0.0	0.0%												
		W10-U						32.3	28.2	87%	28.2	87%	0.0	0.1%	6	0	6	0	0.0%	0.0%
Tenth	R6	W11-L	Bedroom	24.9	24.1	0.8	3.0%												
		W11-U						12.1	11.2	92%	11.2	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W12-L	Bedroom	27.8	26.7	1.2	4.2%												
		W12-U																	
		W13-L		0.0	0.0	0.0	0.0%												
		W13-U						14.2	10.6	75%	10.6	75%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Eleventh	R1	W1-L	LKD	36.4	34.4	2.0	5.4%												
		W1-U																	
		W2-L		23.0	21.0	2.0	8.8%												
		W2-U																	
		W3-L		34.5	32.4	2.1	6.1%												
		W3-U																	
		W4-L		33.4	31.5	1.9	5.8%												
		W4-U						29.2	29.1	100%	29.1	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R2	W5-L	Bedroom	30.8	29.0	1.7	5.6%												
		W5-U						14.8	11.9	80%	11.9	80%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R3	W6-L	LKD	30.3	28.7	1.5	5.1%												
		W6-U																	
		W7-L		12.5	12.5	0.0	0.0%												
		W7-U						28.7	22.8	79%	22.8	79%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Eleventh	R4	W8-L	Bedroom	25.1	24.0	1.0	4.1%												
		W8-U						14.5	10.0	69%	10.0	69%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R5	W9-L	LKD	28.6	27.4	1.2	4.3%												
		W9-U																	
		W10-L		12.4	12.4	0.0	0.0%												
		W10-U						32.3	28.2	87%	28.2	87%	0.0	0.1%	7	0	7	0	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Eleventh	R6	W11-L	Bedroom	26.5	25.8	0.7	2.6%													
		W11-U						12.1	11.4	94%	11.4	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R7	W12-L	Bedroom	29.4	28.3	1.1	3.6%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	10.9	77%	10.9	77%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Twelfth	R1	W1-L	LKD	37.2	35.4	1.8	4.8%													
		W1-U																		
		W2-L		23.2	21.4	1.9	8.0%													
		W2-U																		
		W3-L		35.0	33.0	1.9	5.5%													
		W3-U																		
		W4-L		34.7	33.0	1.8	5.0%													
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R2	W5-L	Bedroom	32.3	30.7	1.6	4.9%													
		W5-U						14.8	13.2	89%	13.2	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R3	W6-L	LKD	32.2	30.8	1.4	4.4%													
		W6-U																		
		W7-L		12.9	12.9	0.0	0.0%													
		W7-U						28.7	22.8	79%	22.8	79%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Twelfth	R4	W8-L	Bedroom	27.0	26.0	0.9	3.5%													
		W8-U						14.5	11.9	82%	11.9	82%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W9-L	LKD	30.6	29.5	1.1	3.7%													
		W9-U																		
		W10-L		12.6	12.6	0.0	0.0%													
		W10-U						32.3	28.2	87%	28.2	87%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Twelfth	R6	W11-L	Bedroom	28.2	27.6	0.6	2.3%													
		W11-U						12.1	11.7	97%	11.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R7	W12-L	Bedroom	31.0	30.1	1.0	3.1%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	11.8	83%	11.8	83%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Thirteenth	R1	W1-L	LKD	38.0	36.4	1.6	4.3%													
		W1-U																		
		W2-L		23.4	21.7	1.7	7.2%													
		W2-U																		
		W3-L		35.4	33.7	1.8	4.9%													
		W3-U																		
		W4-L		35.9	34.3	1.6	4.4%													
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R2	W5-L	Bedroom	33.7	32.3	1.4	4.2%													
		W5-U						14.8	14.3	96%	14.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R3	W6-L	LKD	34.1	32.8	1.3	3.7%													
		W6-U																		
		W7-L		13.3	13.3	0.0	0.0%													
		W7-U						28.7	23.8	83%	23.8	83%	0.0	0.0%	9	0	9	0	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Thirteenth	R4	W8-L	Bedroom	28.9	28.1	0.8	2.9%													
		W8-U						14.5	14.0	96%	14.0	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R5	W9-L	LKD	32.8	31.8	1.0	3.1%													
		W9-U																		
		W10-L		12.9	12.9	0.0	0.0%													
		W10-U						32.3	29.0	90%	29.0	90%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Thirteenth	R6	W11-L	Bedroom	30.0	29.5	0.6	1.9%													
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R7	W12-L	Bedroom	32.7	31.9	0.9	2.7%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	12.8	90%	12.8	90%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Fourteenth	R1	W1-L	LKD	38.7	37.3	1.5	3.7%													
		W1-U																		
		W2-L		23.5	22.0	1.5	6.4%													
		W2-U																		
		W3-L		35.8	34.3	1.6	4.4%													
		W3-U																		
		W4-L		36.9	35.5	1.4	3.8%													
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R2	W5-L	Bedroom	35.0	33.7	1.3	3.6%													
		W5-U						14.8	14.3	96%	14.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R3	W6-L	LKD	35.8	34.7	1.1	3.2%													
		W6-U																		
		W7-L		13.7	13.7	0.0	0.0%													
		W7-U						28.7	28.4	99%	28.4	99%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Fourteenth	R4	W8-L	Bedroom	30.7	29.9	0.8	2.4%													
		W8-U						14.5	14.0	96%	14.0	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R5	W9-L	LKD	34.9	34.0	0.9	2.6%													
		W9-U																		
		W10-L		13.1	13.1	0.0	0.0%													
		W10-U						32.3	31.9	99%	31.8	99%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Fourteenth	R6	W11-L	Bedroom	31.8	31.3	0.5	1.6%													
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R7	W12-L	Bedroom	34.4	33.6	0.8	2.3%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	12.8	90%	12.8	90%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Fifteenth	R1	W1-L	LKD	39.3	38.1	1.3	3.2%													
		W1-U																		
		W2-L		23.6	22.3	1.3	5.6%													
		W2-U																		
		W3-L		36.2	34.8	1.4	3.8%													
		W3-U																		
		W4-L		37.8	36.6	1.2	3.3%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R2	W5-L	Bedroom	36.1	35.0	1.1	3.1%													
		W5-U						14.8	14.3	96%	14.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R3	W6-L	LKD	37.3	36.3	1.0	2.7%													
		W6-U																		
		W7-L		14.0	14.0	0.0	0.0%													
		W7-U						28.7	28.4	99%	28.4	99%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Fifteenth	R4	W8-L	Bedroom	32.3	31.6	0.7	2.0%													
		W8-U						14.5	14.0	96%	14.0	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R5	W9-L	LKD	36.9	36.1	0.8	2.2%													
		W9-U																		
		W10-L		13.3	13.3	0.0	0.0%													
		W10-U						32.3	31.9	99%	31.9	99%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Fifteenth	R6	W11-L	Bedroom	33.4	32.9	0.5	1.3%													
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R7	W12-L	Bedroom	35.9	35.2	0.7	1.9%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	12.8	91%	12.8	91%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Sixteenth	R1	W1-L	LKD	39.6	38.5	1.1	2.8%													
		W1-U																		
		W2-L		23.6	22.5	1.1	4.8%													
		W2-U																		
		W3-L		36.4	35.2	1.2	3.2%													
		W3-U																		
		W4-L		38.2	37.2	1.1	2.8%													
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R2	W5-L	Bedroom	36.5	35.5	1.0	2.6%													
		W5-U						14.8	14.3	96%	14.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R3	W6-L	LKD	37.9	37.1	0.9	2.3%													
		W6-U																		
		W7-L		14.2	14.2	0.0	0.0%													
		W7-U						28.7	28.4	99%	28.4	99%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Sixteenth	R4	W8-L	Bedroom	32.9	32.3	0.6	1.7%													
		W8-U						14.5	14.0	96%	14.0	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R5	W9-L	LKD	37.6	36.9	0.7	1.8%													
		W9-U																		
		W10-L		13.4	13.4	0.0	0.0%													
		W10-U						32.3	31.9	99%	31.9	99%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Sixteenth	R6	W11-L	Bedroom	34.0	33.6	0.4	1.1%													
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R7	W12-L	Bedroom	36.4	35.8	0.6	1.6%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W13-U						14.2	12.8	91%	12.8	91%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Seventeenth	R1	W1-L	LKD	39.6	38.7	0.9	2.3%													
		W1-U																		
		W2-L		23.7	22.7	1.0	4.1%													
		W2-U																		
		W3-L		36.4	35.4	1.0	2.7%													
		W3-U																		
		W4-L		38.5	37.6	0.9	2.3%													
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R2	W5-L	Bedroom	36.8	36.0	0.8	2.2%													
		W5-U						14.8	14.3	96%	14.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R3	W6-L	LKD	38.2	37.5	0.7	1.9%													
		W6-U																		
		W7-L		14.6	14.6	0.0	0.0%													
		W7-U						28.7	28.4	99%	28.4	99%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Seventeenth	R4	W8-L	Bedroom	33.2	32.7	0.5	1.4%													
		W8-U						14.5	14.0	96%	14.0	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R5	W9-L	LKD	37.9	37.3	0.6	1.5%													
		W9-U																		
		W10-L		13.6	13.6	0.0	0.0%													
		W10-U						32.3	31.9	99%	31.9	99%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Seventeenth	R6	W11-L	Bedroom	34.3	34.0	0.3	1.0%													
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R7	W12-L	Bedroom	36.8	36.3	0.5	1.3%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	12.8	91%	12.8	91%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Eighteenth	R1	W1-L	LKD	39.6	38.9	0.8	1.9%													
		W1-U																		
		W2-L		23.7	22.9	0.8	3.3%													
		W2-U																		
		W3-L		36.5	35.7	0.8	2.2%													
		W3-U																		
		W4-L		38.7	38.0	0.7	1.9%													
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R2	W5-L	Bedroom	37.1	36.5	0.7	1.8%													
		W5-U						14.8	14.3	96%	14.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R3	W6-L	LKD	38.5	37.9	0.6	1.5%													
		W6-U																		
		W7-L		14.9	14.9	0.0	0.0%													
		W7-U						28.7	28.4	99%	28.4	99%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Eighteenth	R4	W8-L	Bedroom	33.7	33.3	0.4	1.2%													
		W8-U						14.5	14.0	96%	14.0	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R5	W9-L	LKD	38.1	37.7	0.5	1.2%													
		W9-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-L		13.8	13.8	0.0	0.0%													
		W10-U						32.3	31.9	99%	31.9	99%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Eighteenth	R6	W11-L	Bedroom	34.7	34.4	0.3	0.8%													
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R7	W12-L	Bedroom	37.2	36.7	0.4	1.1%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	12.8	91%	12.8	91%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Nineteenth	R1	W1-L	LKD	39.6	39.0	0.6	1.5%													
		W1-U																		
		W2-L		23.7	23.1	0.6	2.6%													
		W2-U																		
		W3-L		37.5	36.8	0.6	1.7%													
		W3-U																		
		W4-L		38.9	38.4	0.6	1.5%													
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R2	W5-L	Bedroom	38.0	37.5	0.5	1.4%													
		W5-U						14.8	14.5	98%	14.5	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R3	W6-L	LKD	38.8	38.3	0.5	1.2%													
		W6-U																		
		W7-L		15.2	15.2	0.0	0.0%													
		W7-U						28.7	28.4	99%	28.4	99%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Nineteenth	R4	W8-L	Bedroom	35.5	35.2	0.3	0.9%													
		W8-U						14.5	14.2	98%	14.2	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R5	W9-L	LKD	38.4	38.1	0.4	1.0%													
		W9-U																		
		W10-L		14.0	14.0	0.0	0.0%													
		W10-U						32.3	31.9	99%	31.9	99%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Nineteenth	R6	W11-L	Bedroom	35.9	35.7	0.2	0.6%													
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R7	W12-L	Bedroom	37.7	37.4	0.3	0.8%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	12.8	91%	12.8	91%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Twentieth	R1	W1-L	LKD	20.2	19.9	0.3	1.3%													
		W1-U																		
		W2-L		9.7	9.7	0.0	0.0%													
		W2-U																		
		W3-L		39.6	39.2	0.5	1.2%													
		W3-U																		
		W4-L		39.1	38.7	0.4	1.1%													
		W4-U						34.9	34.9	100%	34.9	100%	0.0	0.0%	45	9	45	9	0.0%	0.0%
Twentieth	R2	W5-L	Bedroom	39.0	38.6	0.4	1.0%													
		W5-U						12.9	12.6	98%	12.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R3	W6-L	Bedroom	38.9	38.5	0.3	0.9%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W6-U						12.9	12.7	99%	12.7	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R4	W7-L	Bedroom	38.8	38.5	0.3	0.8%													
		W7-U						14.6	13.7	94%	13.7	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R5	W8-L	Bedroom	38.6	38.3	0.3	0.7%													
		W8-U						13.5	12.9	96%	12.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R6	W9-L	Bedroom	38.5	38.2	0.3	0.7%													
		W9-U						12.0	11.7	98%	11.7	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R7	W10-L	LKD	38.1	37.9	0.2	0.6%													
		W10-U																		
		W11-L		5.9	5.9	0.0	0.0%													
		W11-U						27.4	25.1	92%	25.1	92%	0.0	0.0%	10	4	10	4	0.0%	0.0%
Twenty-First	R1	W1-L	LKD	20.2	20.0	0.2	0.9%													
		W1-U																		
		W2-L		9.7	9.7	0.0	0.0%													
		W2-U																		
		W3-L		39.6	39.3	0.3	0.8%													
		W3-U																		
		W4-L		39.1	38.8	0.3	0.7%													
		W4-U						34.9	34.9	100%	34.9	100%	0.0	0.0%	45	9	45	9	0.0%	0.0%
Twenty-First	R2	W5-L	Bedroom	39.0	38.7	0.3	0.7%													
		W5-U						12.9	12.6	98%	12.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R3	W6-L	Bedroom	38.9	38.7	0.2	0.6%													
		W6-U						12.9	12.7	99%	12.7	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R4	W7-L	Bedroom	38.8	38.6	0.2	0.5%													
		W7-U						14.6	13.7	94%	13.7	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R5	W8-L	Bedroom	38.6	38.4	0.2	0.5%													
		W8-U						13.5	12.9	96%	12.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R6	W9-L	Bedroom	38.5	38.3	0.2	0.5%													
		W9-U						12.0	11.7	98%	11.7	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R7	W10-L	LKD	38.2	38.0	0.1	0.4%													
		W10-U																		
		W11-L		6.1	6.1	0.0	0.0%													
		W11-U						27.4	25.1	92%	25.1	92%	0.0	0.0%	10	4	10	4	0.0%	0.0%
Sessile Apartments																				
Ground	R15	W28-L	Bedroom	13.7	12.2	1.5	10.7%													
		W28-U						9.8	5.2	53%	4.8	49%	0.4	7.7%	31	6	27	2	12.9%	66.7%
Ground	R16	W29-L	LKD	12.3	8.7	3.6	29.0%													
		W29-U																		
		W30-L		36.9	35.9	1.0	2.7%													
		W30-U						41.4	32.9	80%	31.3	76%	1.6	5.0%	43	9	37	4	14.0%	55.6%
First	R1	W1-L	Bedroom	35.7	35.7	0.0	0.0%													
		W1-U						11.3	10.4	92%	10.4	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
First	R2	W2-L	LKD	35.4	35.4	0.0	0.0%													
		W2-U																		
		W3-L		15.5	15.5	0.0	0.0%													
		W3-U																		
		W4		26.8	26.8	0.0	0.0%	27.5	27.5	100%	27.5	100%	0.0	0.0%	45	9	45	9	0.0%	0.0%
First	R3	W5-L	Bedroom	32.5	32.5	0.0	0.0%													
		W5-U						12.0	11.8	98%	11.8	98%	0.0	0.0%	43	8	43	8	0.0%	0.0%
First	R4	W6-L	Bedroom	32.1	32.1	0.0	0.0%													
		W6-U						13.1	12.7	97%	12.7	97%	0.0	0.0%	40	6	40	6	0.0%	0.0%
First	R5	W7-L	Bedroom	27.8	27.8	0.0	0.0%													
		W7-U						11.3	10.5	94%	10.5	94%	0.0	0.0%	28	2	28	2	0.0%	0.0%
First	R6	W8-L	LKD	16.0	16.0	0.0	0.0%													
		W8-U						31.4	24.7	79%	24.7	79%	0.0	0.0%	28	8	28	8	0.0%	0.0%
First	R7	W9-L	Bedroom	29.7	29.7	0.0	0.0%													
		W9-U						16.9	15.9	94%	15.9	94%	0.0	0.0%	40	5	40	5	0.0%	0.0%
First	R8	W10-L	LKD	15.2	15.2	0.0	0.0%													
		W10-U						23.1	20.3	88%	20.3	88%	0.0	0.0%	23	6	23	6	0.0%	0.0%
First	R9	W11-L	Bedroom	27.9	27.9	0.0	0.0%													
		W11-U						12.7	9.8	77%	9.8	77%	0.0	0.0%	40	6	40	6	0.0%	0.0%
First	R10	W12-L	Bedroom	24.3	24.3	0.0	0.0%													
		W12-U						7.8	6.2	80%	6.2	80%	0.0	0.0%	20	1	20	1	0.0%	0.0%
First	R11	W13-L	LKD	12.3	12.3	0.0	0.0%													
		W13-U																		
		W14-L		7.0	7.0	0.0	0.0%													
		W14-U																		
		W15-L		5.4	5.4	0.0	0.0%													
		W15-U																		
		W16-L		4.1	4.1	0.0	0.0%													
		W16-U						36.2	27.4	76%	27.4	76%	0.0	0.0%	36	7	36	7	0.0%	0.0%
First	R13	W23-L	Bedroom	1.8	1.8	0.0	0.0%													
		W23-U						19.1	4.1	22%	4.1	22%	0.0	0.0%	5	1	5	1	0.0%	0.0%
First	R14	W24-L	Bedroom	13.5	13.5	0.0	0.2%													
		W24-U						14.6	3.9	27%	3.5	24%	0.4	11.0%	28	2	28	2	0.0%	0.0%
First	R15	W25-L	LKD	13.8	13.7	0.1	0.7%													
		W25-U																		
		W26-L		3.0	2.9	0.1	2.7%													
		W26-U																		
		W27-L		5.0	5.0	0.0	0.4%													
		W27-U						48.9	34.0	70%	31.9	65%	2.1	6.3%	41	6	41	6	0.0%	0.0%
First	R16	W28-L	LKD	8.8	8.8	0.0	0.0%													
		W28-U																		
		W29-L		3.3	3.3	0.0	0.0%													
		W29-U						35.0	20.7	59%	20.7	59%	0.0	0.0%	30	3	30	3	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
First	R17	W30-L W30-U	Bedroom	9.5	9.5	0.0	0.0%	11.2	3.5	31%	3.5	31%	0.0	0.0%	23	2	23	2	0.0%	0.0%
First	R18	W31-L W31-U	LKD	2.9	2.9	0.0	0.0%	34.5	3.9	11%	3.9	11%	0.0	0.0%	11	1	11	1	0.0%	0.0%
First	R19	W32-L W32-U	Bedroom	10.0	9.9	0.1	1.1%	12.1	4.7	38%	4.6	38%	0.0	1.0%	25	2	25	2	0.0%	0.0%
First	R20	W33-L W33-U	LKD	4.5	4.1	0.4	9.1%	33.0	6.1	19%	5.9	18%	0.3	4.3%	18	3	17	2	5.6%	33.3%
First	R21	W34-L W34-U	Bedroom	15.4	14.3	1.2	7.7%	11.5	7.5	65%	7.1	62%	0.3	4.5%	36	7	33	4	8.3%	42.9%
First	R22	W35-L W35-U W36-L W36-U	LKD	19.1 38.1	15.8 37.3	3.3 0.9	17.3% 2.3%	36.4	28.2	78%	27.1	74%	1.1	3.9%	53	10	48	5	9.4%	50.0%
First	R23	W37-L W37-U	Bedroom	7.5	7.5	0.0	0.0%	73.9	14.0	19%	14.0	19%	0.0	0.0%	1	0	1	0	0.0%	0.0%
First	R24	W38-L W38-U	Bedroom	1.0	1.0	0.0	0.0%	17.0	11.7	69%	11.7	69%	0.0	0.0%	5	0	5	0	0.0%	0.0%
First	R25	W39-L W39-U	Bedroom	11.6	11.6	0.0	0.0%	12.9	12.6	97%	12.6	97%	0.0	0.0%	6	0	6	0	0.0%	0.0%
First	R26	W40-L W40-U	Bedroom	10.6	10.6	0.0	0.0%	12.0	6.6	55%	6.6	55%	0.0	0.0%	8	0	8	0	0.0%	0.0%
First	R27	W41-L W41-U	LKD	0.5	0.5	0.0	0.0%	27.9	7.4	26%	7.4	26%	0.0	0.0%	0	0	0	0	0.0%	0.0%
First	R28	W42-L W42-U	LKD	0.3	0.3	0.0	0.0%	27.9	5.8	21%	5.8	21%	0.0	0.0%	1	0	1	0	0.0%	0.0%
First	R29	W43-L W43-U	Bedroom	10.0	10.0	0.0	0.0%	11.9	5.3	45%	5.3	45%	0.0	0.0%	11	0	11	0	0.0%	0.0%
First	R30	W44-L W44-U	Bedroom	10.7	10.7	0.0	0.0%	12.9	6.7	52%	6.7	52%	0.0	0.0%	15	0	15	0	0.0%	0.0%
First	R31	W45-L W45-U	Bedroom	0.2	0.2	0.0	0.0%	17.0	1.7	10%	1.7	10%	0.0	0.0%	0	0	0	0	0.0%	0.0%
First	R32	W46-L W46-U	Residential	6.5	6.5	0.0	0.0%	76.4	4.4	6%	4.4	6%	0.0	0.0%	13	0	13	0	0.0%	0.0%
Second	R1	W1-L W1-U	Bedroom	31.3	31.3	0.0	0.0%	11.4	10.6	92%	10.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R2	W2-L W2-U W3-L	LKD	19.8 31.9	19.8 31.9	0.0 0.0	0.0% 0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W3-U																		
		W4		32.6	32.6	0.0	0.0%	34.2	30.4	89%	30.4	89%	0.0	0.0%	50	12	50	12	0.0%	0.0%
Second	R3	W5-L	Bedroom	33.5	33.5	0.0	0.0%													
		W5-U						12.0	11.7	98%	11.7	98%	0.0	0.0%	46	11	46	11	0.0%	0.0%
Second	R4	W6-L	Bedroom	32.9	32.9	0.0	0.0%													
		W6-U						13.1	12.7	97%	12.7	97%	0.0	0.0%	43	9	43	9	0.0%	0.0%
Second	R5	W7-L	Bedroom	28.6	28.6	0.0	0.0%													
		W7-U						11.3	10.6	94%	10.6	94%	0.0	0.0%	31	6	31	6	0.0%	0.0%
Second	R6	W8-L	LKD	16.5	16.5	0.0	0.0%													
		W8-U						31.4	24.7	79%	24.7	79%	0.0	0.0%	30	11	30	11	0.0%	0.0%
Second	R7	W9-L	Bedroom	30.5	30.5	0.0	0.0%													
		W9-U						16.9	16.1	95%	16.1	95%	0.0	0.0%	42	7	42	7	0.0%	0.0%
Second	R8	W10-L	LKD	15.8	15.8	0.0	0.0%													
		W10-U						25.0	20.8	83%	20.8	83%	0.0	0.0%	24	8	24	8	0.0%	0.0%
Second	R9	W11-L	Bedroom	28.7	28.7	0.0	0.0%													
		W11-U						12.7	10.2	80%	10.2	80%	0.0	0.0%	42	8	42	8	0.0%	0.0%
Second	R10	W12-L	Bedroom	25.1	25.1	0.0	0.0%													
		W12-U						7.8	6.5	83%	6.5	83%	0.0	0.0%	24	4	24	4	0.0%	0.0%
Second	R11	W13-L	LKD	13.0	13.0	0.0	0.0%													
		W13-U																		
		W14-L		6.1	6.1	0.0	0.0%													
		W14-U																		
		W15-L		4.6	4.6	0.0	0.0%													
		W15-U						36.4	27.1	74%	27.1	74%	0.0	0.0%	33	5	33	5	0.0%	0.0%
Second	R12	W16	LKD	8.8	8.8	0.0	0.0%													
		W17-L		10.9	10.9	0.0	0.0%													
		W17-U						43.0	34.9	81%	34.9	81%	0.0	0.0%	17	4	17	4	0.0%	0.0%
Second	R13	W18-L	Bedroom	24.8	24.8	0.0	0.0%													
		W18-U						12.1	9.2	76%	9.2	76%	0.0	0.0%	29	3	29	3	0.0%	0.0%
Second	R14	W19-L	LKD	11.8	11.8	0.0	0.0%													
		W19-U						28.4	18.9	67%	18.9	67%	0.0	0.0%	22	8	22	8	0.0%	0.0%
Second	R15	W20-L	Bedroom	26.1	26.1	0.0	0.0%													
		W20-U						13.1	10.9	83%	10.9	83%	0.0	0.0%	38	10	38	10	0.0%	0.0%
Second	R16	W21-L	LKD	25.4	25.4	0.0	0.0%													
		W21-U																		
		W22-L		4.3	4.3	0.0	0.0%													
		W22-U						43.2	30.4	70%	30.4	70%	0.0	0.0%	51	12	51	12	0.0%	0.0%
Second	R17	W23-L	Bedroom	18.3	18.3	0.0	0.0%													
		W23-U						13.6	3.3	24%	3.3	24%	0.0	0.0%	52	7	52	7	0.0%	0.0%
Second	R18	W24-L	Bedroom	18.0	18.0	0.0	0.0%													
		W24-U						11.8	4.1	35%	4.1	34%	0.0	0.8%	48	7	48	7	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Second	R19	W25-L	Bedroom	17.5	17.5	0.0	0.0%													
		W25-U						7.7	2.4	32%	2.4	31%	0.0	1.5%	46	7	46	7	0.0%	0.0%
Second	R20	W26-L	LKD	2.0	1.9	0.0	1.5%													
		W26-U						30.6	6.7	22%	6.7	22%	0.0	0.0%	7	2	7	2	0.0%	0.0%
Second	R21	W27-L	Bedroom	15.6	15.5	0.1	0.5%													
		W27-U						8.0	3.4	43%	3.0	38%	0.4	11.7%	35	3	35	3	0.0%	0.0%
Second	R22	W28-L	Bedroom	15.9	15.8	0.1	0.6%													
		W28-U						11.7	5.5	47%	5.5	47%	0.0	0.4%	38	4	38	4	0.0%	0.0%
Second	R23	W29-L	LKD	3.3	3.3	0.0	0.3%													
		W29-U																		
		W30-L		6.0	6.0	0.0	0.2%													
		W30-U						39.0	24.6	63%	24.3	62%	0.3	1.2%	24	7	24	7	0.0%	0.0%
Second	R24	W31-L	LKD	10.0	10.0	0.0	0.0%													
		W31-U																		
		W32-L		3.7	3.7	0.0	0.0%													
		W32-U						35.2	21.3	61%	21.3	61%	0.0	0.0%	31	3	31	3	0.0%	0.0%
Second	R25	W33-L	Bedroom	11.1	11.1	0.0	0.0%													
		W33-U						11.2	4.2	37%	4.2	37%	0.0	0.0%	25	2	25	2	0.0%	0.0%
Second	R26	W34-L	LKD	3.3	3.3	0.0	0.0%													
		W34-U						34.5	4.7	14%	4.7	14%	0.0	0.0%	12	1	12	1	0.0%	0.0%
Second	R27	W35-L	Bedroom	11.7	11.6	0.1	0.7%													
		W35-U						12.1	5.3	44%	5.3	44%	0.0	0.3%	31	3	31	3	0.0%	0.0%
Second	R28	W36-L	LKD	4.8	4.5	0.3	6.6%													
		W36-U						33.1	6.6	20%	6.6	20%	0.1	1.2%	19	3	18	2	5.3%	33.3%
Second	R29	W37-L	Bedroom	16.3	15.3	1.0	6.0%													
		W37-U						11.5	7.7	66%	7.4	64%	0.2	3.1%	34	7	32	5	5.9%	28.6%
Second	R30	W38-L	LKD	8.4	5.4	3.0	35.3%													
		W38-U																		
		W39-L		38.5	37.7	0.8	2.1%													
		W39-U						37.4	29.2	78%	28.1	75%	1.1	3.8%	41	11	37	7	9.8%	36.4%
Second	R31	W40-L	Bedroom	8.5	8.5	0.0	0.0%													
		W40-U						14.8	8.4	57%	8.4	57%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Second	R32	W41-L	LKD	1.4	1.4	0.0	0.0%													
		W41-U						26.1	18.0	69%	18.0	69%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Second	R33	W42-L	Bedroom	13.3	13.3	0.0	0.0%													
		W42-U						12.5	11.8	95%	11.8	95%	0.0	0.0%	10	0	10	0	0.0%	0.0%
Second	R34	W43-L	Bedroom	12.1	12.1	0.0	0.0%													
		W43-U						11.1	7.6	68%	7.6	68%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Second	R35	W44-L	LKD	0.7	0.7	0.0	0.0%													
		W44-U						34.5	8.8	25%	8.8	25%	0.0	0.0%	1	0	1	0	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Second	R36	W45-L W45-U	LKD	0.5	0.5	0.0	0.0%	34.4	6.4	19%	6.4	19%	0.0	0.0%	1	0	1	0	0.0%	0.0%
Second	R37	W46-L W46-U	Bedroom	11.3	11.3	0.0	0.0%	11.1	7.7	69%	7.7	69%	0.0	0.0%	13	0	13	0	0.0%	0.0%
Second	R38	W47-L W47-U	Bedroom	12.3	12.3	0.0	0.0%	12.5	8.0	64%	8.0	64%	0.0	0.0%	18	0	18	0	0.0%	0.0%
Second	R39	W48-L W48-U	LKD	0.5	0.5	0.0	0.0%	26.1	2.9	11%	2.9	11%	0.0	0.0%	2	2	2	2	0.0%	0.0%
Second	R40	W49-L W49-U	Bedroom	7.3	7.3	0.0	0.0%	14.8	5.8	39%	5.8	39%	0.0	0.0%	13	0	13	0	0.0%	0.0%
Third	R1	W1-L W1-U	Bedroom	36.4	36.4	0.0	0.0%	11.4	10.6	93%	10.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R2	W2-L W2-U W3-L W3-U W4	LKD	36.1 16.7 28.2	36.1 16.7 28.2	0.0 0.0 0.0	0.0% 0.0% 0.0%	34.2	30.5	89%	30.5	89%	0.0	0.0%	50	12	50	12	0.0%	0.0%
Third	R3	W5-L W5-U	Bedroom	34.0	34.0	0.0	0.0%	12.0	11.7	98%	11.7	98%	0.0	0.0%	46	11	46	11	0.0%	0.0%
Third	R4	W6-L W6-U	Bedroom	33.6	33.6	0.0	0.0%	13.1	12.7	97%	12.7	97%	0.0	0.0%	44	10	44	10	0.0%	0.0%
Third	R5	W7-L W7-U	Bedroom	29.3	29.3	0.0	0.0%	11.3	10.6	94%	10.6	94%	0.0	0.0%	32	7	32	7	0.0%	0.0%
Third	R6	W8-L W8-U	LKD	17.1	17.1	0.0	0.0%	31.4	24.7	79%	24.7	79%	0.0	0.0%	30	11	30	11	0.0%	0.0%
Third	R7	W9-L W9-U	Bedroom	31.3	31.3	0.0	0.0%	16.9	16.2	96%	16.2	96%	0.0	0.0%	43	8	43	8	0.0%	0.0%
Third	R8	W10-L W10-U	LKD	16.4	16.4	0.0	0.0%	25.0	21.2	85%	21.2	85%	0.0	0.0%	25	9	25	9	0.0%	0.0%
Third	R9	W11-L W11-U	Bedroom	29.5	29.5	0.0	0.0%	12.7	10.6	83%	10.6	83%	0.0	0.0%	43	9	43	9	0.0%	0.0%
Third	R10	W12-L W12-U	Bedroom	25.9	25.9	0.0	0.0%	7.8	6.9	88%	6.9	88%	0.0	0.0%	25	4	25	4	0.0%	0.0%
Third	R11	W13-L W13-U W14-L W14-U W15-L W15-U	LKD	13.7 7.0 5.4	13.7 7.0 5.4	0.0 0.0 0.0	0.0% 0.0% 0.0%	36.4	27.2	75%	27.2	75%	0.0	0.0%	36	8	36	8	0.0%	0.0%
Third	R12	W16	LKD	9.5	9.5	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W17-L		12.3	12.3	0.0	0.0%													
		W17-U						43.0	35.2	82%	35.2	82%	0.0	0.0%	21	7	21	7	0.0%	0.0%
Third	R13	W18-L	Bedroom	26.6	26.6	0.0	0.0%													
		W18-U						12.1	9.9	82%	9.9	82%	0.0	0.0%	33	4	33	4	0.0%	0.0%
Third	R14	W19-L	LKD	13.6	13.6	0.0	0.0%													
		W19-U						28.4	19.8	70%	19.8	70%	0.0	0.0%	25	10	25	10	0.0%	0.0%
Third	R15	W20-L	Bedroom	28.1	28.1	0.0	0.0%													
		W20-U						13.1	11.3	86%	11.3	86%	0.0	0.0%	42	10	42	10	0.0%	0.0%
Third	R16	W21-L	LKD	11.0	11.0	0.0	0.0%													
		W21-U																		
		W22-L		19.2	19.2	0.0	0.0%													
		W22-U						43.2	30.4	70%	30.4	70%	0.0	0.0%	68	12	68	12	0.0%	0.0%
Third	R17	W23-L	Bedroom	20.3	20.3	0.0	0.0%													
		W23-U						13.6	4.2	31%	4.2	31%	0.1	1.4%	49	7	49	7	0.0%	0.0%
Third	R18	W24-L	Bedroom	20.1	20.1	0.0	0.2%													
		W24-U						11.8	4.5	38%	4.4	38%	0.1	1.5%	51	7	51	7	0.0%	0.0%
Third	R19	W25-L	Bedroom	19.7	19.6	0.1	0.4%													
		W25-U						7.7	2.9	37%	2.7	36%	0.1	4.3%	55	7	55	7	0.0%	0.0%
Third	R20	W26-L	LKD	2.4	2.2	0.2	7.8%													
		W26-U						30.6	7.3	24%	7.3	24%	0.0	0.6%	8	2	8	2	0.0%	0.0%
Third	R21	W27-L	Bedroom	18.0	17.8	0.2	1.0%													
		W27-U						8.0	4.4	55%	3.9	49%	0.5	11.4%	41	4	41	4	0.0%	0.0%
Third	R22	W28-L	Bedroom	18.2	18.1	0.1	0.7%													
		W28-U						11.7	6.1	52%	6.1	52%	0.0	0.1%	45	6	45	6	0.0%	0.0%
Third	R23	W29-L	LKD	3.9	3.9	0.0	0.0%													
		W29-U																		
		W30-L		7.4	7.4	0.0	0.1%													
		W30-U						39.0	25.6	66%	25.6	65%	0.0	0.1%	27	7	27	7	0.0%	0.0%
Third	R24	W31-L	LKD	11.5	11.5	0.0	0.0%													
		W31-U																		
		W32-L		4.2	4.2	0.0	0.0%													
		W32-U						35.2	22.0	63%	22.0	63%	0.0	0.0%	34	5	34	5	0.0%	0.0%
Third	R25	W33-L	Bedroom	13.0	13.0	0.0	0.0%													
		W33-U						11.2	5.1	46%	5.1	46%	0.0	0.0%	30	2	30	2	0.0%	0.0%
Third	R26	W34-L	LKD	3.8	3.8	0.0	0.0%													
		W34-U						34.5	5.4	16%	5.4	16%	0.0	0.0%	14	3	14	3	0.0%	0.0%
Third	R27	W35-L	Bedroom	13.7	13.6	0.1	0.5%													
		W35-U						12.1	6.1	50%	6.1	50%	0.0	0.1%	34	3	34	3	0.0%	0.0%
Third	R28	W36-L	LKD	5.3	5.0	0.3	4.9%													
		W36-U						33.1	7.5	23%	7.4	22%	0.0	0.7%	20	4	19	3	5.0%	25.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Third	R29	W37-L	Bedroom	18.3	17.5	0.8	4.3%												
		W37-U						11.5	7.9	69%	7.7	67%	0.2	2.9%	42	8	40	6	4.8%	25.0%
Third	R30	W38-L	LKD	21.8	19.0	2.8	12.8%												
		W38-U																	
		W39-L		38.7	38.0	0.7	1.8%												
		W39-U						37.4	29.2	78%	28.4	76%	0.8	2.8%	57	11	53	7	7.0%	36.4%
Third	R31	W40-L	Bedroom	9.5	9.5	0.0	0.0%												
		W40-U						14.8	9.5	64%	9.5	64%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Third	R32	W41-L	LKD	1.9	1.9	0.0	0.0%												
		W41-U						26.1	18.3	70%	18.3	70%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Third	R33	W42-L	Bedroom	15.2	15.2	0.0	0.0%												
		W42-U						12.5	12.1	97%	12.1	97%	0.0	0.0%	16	0	16	0	0.0%	0.0%
Third	R34	W43-L	Bedroom	13.6	13.6	0.0	0.0%												
		W43-U						11.1	8.3	75%	8.3	75%	0.0	0.0%	15	0	15	0	0.0%	0.0%
Third	R35	W44-L	LKD	1.1	1.1	0.0	0.0%												
		W44-U						34.5	10.1	29%	10.1	29%	0.0	0.0%	1	0	1	0	0.0%	0.0%
Third	R36	W45-L	LKD	0.9	0.9	0.0	0.0%												
		W45-U						34.4	7.9	23%	7.9	23%	0.0	0.0%	2	0	2	0	0.0%	0.0%
Third	R37	W46-L	Bedroom	12.8	12.8	0.0	0.0%												
		W46-U						11.1	9.1	82%	9.1	82%	0.0	0.0%	17	0	17	0	0.0%	0.0%
Third	R38	W47-L	Bedroom	14.2	14.2	0.0	0.0%												
		W47-U						12.5	8.9	72%	8.9	72%	0.0	0.0%	22	2	22	2	0.0%	0.0%
Third	R39	W48-L	LKD	1.0	1.0	0.0	0.0%												
		W48-U						26.1	4.2	16%	4.2	16%	0.0	0.0%	3	3	3	3	0.0%	0.0%
Third	R40	W49-L	Bedroom	8.1	8.1	0.0	0.0%												
		W49-U						14.8	6.9	47%	6.9	47%	0.0	0.0%	15	1	15	1	0.0%	0.0%
Fourth	R1	W1-L	Bedroom	31.7	31.7	0.0	0.0%												
		W1-U						11.4	10.6	92%	10.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R2	W2-L	LKD	20.4	20.4	0.0	0.0%												
		W2-U																	
		W3-L		33.3	33.3	0.0	0.0%												
		W3-U																	
		W4		33.9	33.9	0.0	0.0%	34.2	30.5	89%	30.5	89%	0.0	0.0%	52	13	52	13	0.0%	0.0%
Fourth	R3	W5-L	Bedroom	34.8	34.8	0.0	0.0%												
		W5-U						12.0	11.7	98%	11.7	98%	0.0	0.0%	47	12	47	12	0.0%	0.0%
Fourth	R4	W6-L	Bedroom	34.3	34.3	0.0	0.0%												
		W6-U						13.1	12.7	97%	12.7	97%	0.0	0.0%	44	10	44	10	0.0%	0.0%
Fourth	R5	W7-L	Bedroom	29.9	29.9	0.0	0.0%												
		W7-U						11.3	10.6	94%	10.6	94%	0.0	0.0%	32	7	32	7	0.0%	0.0%
Fourth	R6	W8-L	LKD	17.8	17.8	0.0	0.0%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W8-U						31.4	24.7	79%	24.7	79%	0.0	0.0%	30	11	30	11	0.0%	0.0%
Fourth	R7	W9-L	Bedroom	32.0	32.0	0.0	0.0%													
		W9-U						16.9	16.3	97%	16.3	97%	0.0	0.0%	43	8	43	8	0.0%	0.0%
Fourth	R8	W10-L	LKD	17.2	17.2	0.0	0.0%													
		W10-U						25.0	21.5	86%	21.5	86%	0.0	0.0%	25	9	25	9	0.0%	0.0%
Fourth	R9	W11-L	Bedroom	30.3	30.3	0.0	0.0%													
		W11-U						12.7	11.0	87%	11.0	87%	0.0	0.0%	43	9	43	9	0.0%	0.0%
Fourth	R10	W12-L	Bedroom	26.7	26.7	0.0	0.0%													
		W12-U						7.8	7.4	94%	7.4	94%	0.0	0.0%	26	5	26	5	0.0%	0.0%
Fourth	R11	W13-L	LKD	14.6	14.6	0.0	0.0%													
		W13-U																		
		W14-L		8.2	8.2	0.0	0.0%													
		W14-U																		
		W15-L		6.6	6.6	0.0	0.0%													
		W15-U						36.4	27.5	76%	27.5	76%	0.0	0.0%	39	9	39	9	0.0%	0.0%
Fourth	R12	W16	LKD	10.6	10.6	0.0	0.0%													
		W17-L		13.8	13.8	0.0	0.0%													
		W17-U						43.0	35.8	83%	35.8	83%	0.0	0.0%	22	8	22	8	0.0%	0.0%
Fourth	R13	W18-L	Bedroom	28.3	28.3	0.0	0.0%													
		W18-U						12.1	10.5	87%	10.5	87%	0.0	0.0%	36	6	36	6	0.0%	0.0%
Fourth	R14	W19-L	LKD	15.4	15.4	0.0	0.0%													
		W19-U						28.4	20.9	74%	20.9	74%	0.0	0.0%	27	11	27	11	0.0%	0.0%
Fourth	R15	W20-L	Bedroom	29.7	29.7	0.0	0.0%													
		W20-U						13.1	11.8	90%	11.8	90%	0.0	0.0%	46	13	46	13	0.0%	0.0%
Fourth	R16	W21-L	LKD	28.7	28.7	0.0	0.0%													
		W21-U																		
		W22-L		5.6	5.6	0.0	0.0%													
		W22-U						43.2	30.5	71%	30.5	71%	0.0	0.0%	58	14	58	14	0.0%	0.0%
Fourth	R17	W23-L	Bedroom	22.8	22.8	0.0	0.2%													
		W23-U						13.6	5.7	42%	5.4	40%	0.3	5.9%	62	9	62	9	0.0%	0.0%
Fourth	R18	W24-L	Bedroom	22.7	22.6	0.1	0.4%													
		W24-U						11.8	5.2	44%	5.1	43%	0.1	2.4%	59	8	58	8	1.7%	0.0%
Fourth	R19	W25-L	Bedroom	22.2	22.0	0.2	0.9%													
		W25-U						7.7	3.4	44%	3.3	42%	0.1	4.0%	56	7	55	7	1.8%	0.0%
Fourth	R20	W26-L	LKD	3.7	3.3	0.4	11.5%													
		W26-U						30.6	9.8	32%	8.1	26%	1.7	17.1%	12	5	11	4	8.3%	20.0%
Fourth	R21	W27-L	Bedroom	20.8	20.4	0.3	1.7%													
		W27-U						8.0	5.7	72%	5.5	69%	0.2	3.0%	44	5	44	5	0.0%	0.0%
Fourth	R22	W28-L	Bedroom	20.9	20.7	0.3	1.2%													
		W28-U						11.7	7.1	61%	7.1	61%	0.0	0.0%	47	7	47	7	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fourth	R23	W29-L W29-U W30-L W30-U	LKD	4.8 9.3	4.8 9.3	0.0 0.0	0.6% 0.2%	39.0	26.3	67%	26.3	67%	0.0	0.0%	29	7	29	7	0.0%	0.0%
Fourth	R24	W31-L W31-U W32-L W32-U	LKD	13.4 5.3	13.4 5.3	0.0 0.0	0.0% 0.0%	35.2	23.1	66%	23.1	66%	0.0	0.0%	38	8	38	8	0.0%	0.0%
Fourth	R25	W33-L W33-U	Bedroom	15.4	15.4	0.0	0.0%	11.2	6.6	59%	6.6	59%	0.0	0.0%	37	4	37	4	0.0%	0.0%
Fourth	R26	W34-L W34-U	LKD	4.6	4.6	0.0	0.0%	34.5	6.6	19%	6.6	19%	0.0	0.0%	17	6	17	6	0.0%	0.0%
Fourth	R27	W35-L W35-U	Bedroom	16.0	16.0	0.1	0.3%	12.1	7.1	59%	7.1	59%	0.0	0.0%	41	6	41	6	0.0%	0.0%
Fourth	R28	W36-L W36-U	LKD	6.0	5.9	0.2	2.8%	33.1	8.8	27%	8.8	27%	0.0	0.2%	21	6	20	5	4.8%	16.7%
Fourth	R29	W37-L W37-U	Bedroom	19.6	18.9	0.7	3.7%	11.5	8.4	73%	8.0	70%	0.4	4.4%	40	9	38	7	5.0%	22.2%
Fourth	R30	W38-L W38-U W39-L W39-U	LKD	9.2 38.8	6.5 38.2	2.7 0.6	29.1% 1.6%	37.4	29.2	78%	28.5	76%	0.7	2.4%	42	12	39	9	7.1%	25.0%
Fourth	R31	W40-L W40-U	Bedroom	10.9	10.9	0.0	0.0%	14.8	10.7	73%	10.7	73%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Fourth	R32	W41-L W41-U	LKD	2.8	2.8	0.0	0.0%	26.1	18.8	72%	18.8	72%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Fourth	R33	W42-L W42-U	Bedroom	17.3	17.3	0.0	0.0%	12.5	12.3	99%	12.3	99%	0.0	0.0%	20	0	20	0	0.0%	0.0%
Fourth	R34	W43-L W43-U	Bedroom	15.1	15.1	0.0	0.0%	11.1	9.1	82%	9.1	82%	0.0	0.0%	16	0	16	0	0.0%	0.0%
Fourth	R35	W44-L W44-U	LKD	2.0	2.0	0.0	0.0%	34.5	12.2	35%	12.2	35%	0.0	0.0%	4	2	4	2	0.0%	0.0%
Fourth	R36	W45-L W45-U	LKD	1.5	1.5	0.0	0.0%	34.4	10.1	29%	10.1	29%	0.0	0.0%	2	0	2	0	0.0%	0.0%
Fourth	R37	W46-L W46-U	Bedroom	14.3	14.3	0.0	0.0%	11.1	9.8	88%	9.8	88%	0.0	0.0%	18	1	18	1	0.0%	0.0%
Fourth	R38	W47-L W47-U	Bedroom	16.3	16.3	0.0	0.0%	12.5	10.0	80%	10.0	80%	0.0	0.0%	31	5	31	5	0.0%	0.0%
Fourth	R39	W48-L W48-U	LKD	2.2	2.2	0.0	0.0%	26.1	6.2	24%	6.2	24%	0.0	0.0%	7	4	7	4	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fourth	R40	W49-L	Bedroom	9.2	9.2	0.0	0.0%												
		W49-U						14.8	8.1	55%	8.1	55%	0.0	0.0%	18	2	18	2	0.0%	0.0%
Fifth	R1	W1-L	Bedroom	36.7	36.7	0.0	0.0%												
		W1-U						11.4	10.6	93%	10.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R2	W2-L	LKD	36.3	36.3	0.0	0.0%												
		W2-U																	
		W3-L		17.9	17.9	0.0	0.0%												
		W3-U																	
		W4		29.4	29.4	0.0	0.0%	34.2	30.5	89%	30.5	89%	0.0	0.0%	55	15	55	15	0.0%	0.0%
Fifth	R3	W5-L	Bedroom	35.3	35.3	0.0	0.0%												
		W5-U						12.0	11.7	98%	11.7	98%	0.0	0.0%	50	13	50	13	0.0%	0.0%
Fifth	R4	W6-L	Bedroom	34.9	34.9	0.0	0.0%												
		W6-U						13.1	12.7	97%	12.7	97%	0.0	0.0%	45	11	45	11	0.0%	0.0%
Fifth	R5	W7-L	Bedroom	30.5	30.5	0.0	0.0%												
		W7-U						11.3	10.6	94%	10.6	94%	0.0	0.0%	32	7	32	7	0.0%	0.0%
Fifth	R6	W8-L	LKD	18.6	18.6	0.0	0.0%												
		W8-U						31.4	24.7	79%	24.7	79%	0.0	0.0%	32	13	32	13	0.0%	0.0%
Fifth	R7	W9-L	Bedroom	32.6	32.6	0.0	0.0%												
		W9-U						16.9	16.4	97%	16.4	97%	0.0	0.0%	45	10	45	10	0.0%	0.0%
Fifth	R8	W10-L	LKD	18.0	18.0	0.0	0.0%												
		W10-U						25.0	21.7	87%	21.7	87%	0.0	0.0%	27	11	27	11	0.0%	0.0%
Fifth	R9	W11-L	Bedroom	31.2	31.2	0.0	0.0%												
		W11-U						12.7	11.5	91%	11.5	91%	0.0	0.0%	47	10	47	10	0.0%	0.0%
Fifth	R10	W12-L	Bedroom	27.5	27.5	0.0	0.0%												
		W12-U						7.8	7.5	96%	7.5	96%	0.0	0.0%	27	6	27	6	0.0%	0.0%
Fifth	R11	W13-L	LKD	15.4	15.4	0.0	0.0%												
		W13-U																	
		W14-L		10.3	10.3	0.0	0.0%												
		W14-U																	
		W15-L		8.6	8.6	0.0	0.0%												
		W15-U						36.4	27.9	77%	27.9	77%	0.0	0.0%	41	10	41	10	0.0%	0.0%
Fifth	R12	W16	LKD	12.3	12.3	0.0	0.0%												
		W17-L		14.7	14.7	0.0	0.0%												
		W17-U						43.0	36.1	84%	36.1	84%	0.0	0.0%	23	8	23	8	0.0%	0.0%
Fifth	R13	W18-L	Bedroom	29.6	29.6	0.0	0.0%												
		W18-U						12.1	11.2	92%	11.2	92%	0.0	0.0%	36	6	36	6	0.0%	0.0%
Fifth	R14	W19-L	LKD	16.4	16.4	0.0	0.0%												
		W19-U						28.4	22.1	78%	22.1	78%	0.0	0.0%	27	11	27	11	0.0%	0.0%
Fifth	R15	W20-L	Bedroom	30.9	30.9	0.0	0.0%												
		W20-U						13.1	12.3	93%	12.3	93%	0.0	0.0%	50	12	50	12	0.0%	0.0%
Fifth	R16	W21-L	LKD	13.6	13.6	0.0	0.0%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W21-U																		
		W22-L		23.6	23.6	0.1	0.3%													
		W22-U						43.2	30.5	71%	30.5	71%	0.0	0.0%	79	16	79	16	0.0%	0.0%
Fifth	R17	W23-L	Bedroom	25.4	25.2	0.2	0.7%													
		W23-U						13.6	7.4	54%	6.8	50%	0.5	7.4%	60	12	60	12	0.0%	0.0%
Fifth	R18	W24-L	Bedroom	25.4	25.1	0.3	1.1%													
		W24-U						11.8	6.1	52%	6.0	51%	0.0	0.5%	62	12	62	12	0.0%	0.0%
Fifth	R19	W25-L	Bedroom	25.1	24.7	0.4	1.7%													
		W25-U						7.7	4.1	54%	4.1	53%	0.0	1.1%	65	11	64	10	1.5%	9.1%
Fifth	R20	W26-L	LKD	6.8	6.1	0.8	11.0%													
		W26-U						30.6	13.8	45%	10.2	33%	3.6	26.3%	18	10	15	7	16.7%	30.0%
Fifth	R21	W27-L	Bedroom	24.1	23.5	0.6	2.6%													
		W27-U						8.0	6.5	81%	6.3	79%	0.2	2.7%	48	8	48	8	0.0%	0.0%
Fifth	R22	W28-L	Bedroom	24.1	23.6	0.5	2.1%													
		W28-U						11.7	8.2	70%	8.2	70%	0.0	0.0%	52	10	52	10	0.0%	0.0%
Fifth	R23	W29-L	LKD	7.5	7.3	0.2	2.9%													
		W29-U																		
		W30-L		12.1	12.1	0.1	0.7%													
		W30-U						39.0	26.9	69%	26.9	69%	0.0	0.0%	35	10	35	10	0.0%	0.0%
Fifth	R24	W31-L	LKD	16.1	16.1	0.0	0.0%													
		W31-U																		
		W32-L		7.5	7.5	0.0	0.0%													
		W32-U						35.2	24.2	69%	24.2	69%	0.0	0.0%	44	10	44	10	0.0%	0.0%
Fifth	R25	W33-L	Bedroom	18.5	18.5	0.0	0.0%													
		W33-U						11.2	8.3	74%	8.3	74%	0.0	0.0%	42	8	42	8	0.0%	0.0%
Fifth	R26	W34-L	LKD	6.3	6.3	0.0	0.0%													
		W34-U						34.5	8.4	24%	8.4	24%	0.0	0.0%	21	9	21	9	0.0%	0.0%
Fifth	R27	W35-L	Bedroom	19.0	19.0	0.0	0.1%													
		W35-U						12.1	8.6	71%	8.6	71%	0.0	0.0%	47	8	47	8	0.0%	0.0%
Fifth	R28	W36-L	LKD	7.5	7.3	0.1	1.6%													
		W36-U						33.1	11.0	33%	11.0	33%	0.0	0.0%	25	8	25	8	0.0%	0.0%
Fifth	R29	W37-L	Bedroom	22.2	21.5	0.7	3.3%													
		W37-U						11.5	9.0	78%	8.3	72%	0.6	7.1%	50	10	48	8	4.0%	20.0%
Fifth	R30	W38-L	LKD	25.7	23.1	2.6	10.1%													
		W38-U																		
		W39-L		38.9	38.4	0.5	1.4%													
		W39-U						37.4	29.2	78%	28.6	76%	0.7	2.3%	67	15	63	11	6.0%	26.7%
Fifth	R31	W40-L	Bedroom	12.6	12.6	0.0	0.0%													
		W40-U						14.8	12.0	81%	12.0	81%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Fifth	R32	W41-L	LKD	4.2	4.2	0.0	0.0%													
		W41-U						26.1	19.6	75%	19.6	75%	0.0	0.0%	7	0	7	0	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Fifth	R33	W42-L W42-U	Bedroom	19.9	19.9	0.0	0.0%	12.5	12.4	99%	12.4	99%	0.0	0.0%	22	0	22	0	0.0%	0.0%
Fifth	R34	W43-L W43-U	Bedroom	16.9	16.9	0.0	0.0%	11.1	9.8	89%	9.8	89%	0.0	0.0%	20	0	20	0	0.0%	0.0%
Fifth	R35	W44-L W44-U	LKD	3.9	3.9	0.0	0.0%	34.5	14.9	43%	14.9	43%	0.0	0.0%	11	3	11	3	0.0%	0.0%
Fifth	R36	W45-L W45-U	LKD	2.9	2.9	0.0	0.0%	34.4	12.6	36%	12.6	36%	0.0	0.0%	6	1	6	1	0.0%	0.0%
Fifth	R37	W46-L W46-U	Bedroom	16.1	16.1	0.0	0.0%	11.1	10.3	93%	10.3	93%	0.0	0.0%	21	1	21	1	0.0%	0.0%
Fifth	R38	W47-L W47-U	Bedroom	18.7	18.7	0.0	0.0%	12.5	10.7	86%	10.7	86%	0.0	0.0%	37	6	37	6	0.0%	0.0%
Fifth	R39	W48-L W48-U	LKD	3.6	3.6	0.0	0.0%	26.1	8.7	33%	8.7	33%	0.0	0.0%	11	5	11	5	0.0%	0.0%
Fifth	R40	W49-L W49-U	Bedroom	10.4	10.4	0.0	0.0%	14.8	9.1	62%	9.1	62%	0.0	0.0%	20	2	20	2	0.0%	0.0%
Sixth	R1	W1-L W1-U	Bedroom	32.4	32.4	0.0	0.0%	11.4	10.6	92%	10.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R2	W2-L W2-U	LKD	20.7	20.7	0.0	0.0%													
		W3-L W3-U		34.6	34.6	0.0	0.0%													
		W4		35.2	35.2	0.0	0.0%	34.2	30.5	89%	30.5	89%	0.0	0.0%	58	18	58	18	0.0%	0.0%
Sixth	R3	W5-L W5-U	Bedroom	36.1	36.1	0.0	0.0%	12.0	11.7	98%	11.7	98%	0.0	0.0%	54	14	54	14	0.0%	0.0%
Sixth	R4	W6-L W6-U	Bedroom	35.6	35.6	0.0	0.0%	13.1	12.7	97%	12.7	97%	0.0	0.0%	49	13	49	13	0.0%	0.0%
Sixth	R5	W7-L W7-U	Bedroom	31.2	31.2	0.0	0.0%	11.3	10.6	94%	10.6	94%	0.0	0.0%	34	9	34	9	0.0%	0.0%
Sixth	R6	W8-L W8-U	LKD	19.5	19.5	0.0	0.0%	31.4	24.7	79%	24.7	79%	0.0	0.0%	35	14	35	14	0.0%	0.0%
Sixth	R7	W9-L W9-U	Bedroom	33.5	33.5	0.0	0.0%	16.9	16.5	97%	16.5	97%	0.0	0.0%	46	11	46	11	0.0%	0.0%
Sixth	R8	W10-L W10-U	LKD	19.0	19.0	0.0	0.0%	25.0	22.0	88%	22.0	88%	0.0	0.0%	31	14	31	14	0.0%	0.0%
Sixth	R9	W11-L W11-U	Bedroom	32.5	32.5	0.0	0.0%	12.7	12.1	95%	12.1	95%	0.0	0.0%	53	13	53	13	0.0%	0.0%
Sixth	R10	W12-L W12-U	Bedroom	29.1	29.1	0.0	0.0%	7.8	7.5	96%	7.5	96%	0.0	0.0%	28	7	28	7	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R11	W13-L	LKD	16.5	16.5	0.0	0.0%												
		W13-U																	
		W14-L		13.5	13.5	0.0	0.0%												
		W14-U																	
		W15-L		11.9	11.9	0.0	0.0%												
		W15-U						36.4	27.9	77%	27.9	77%	0.0	0.0%	59	14	59	14	0.0%	0.0%
Sixth	R12	W16	LKD	15.3	15.3	0.0	0.0%												
		W17-L		15.7	15.7	0.0	0.0%												
		W17-U						43.0	36.4	85%	36.4	85%	0.0	0.0%	25	9	25	9	0.0%	0.0%
Sixth	R13	W18-L	Bedroom	31.8	31.8	0.0	0.0%												
		W18-U						12.1	11.5	94%	11.5	94%	0.0	0.0%	41	6	41	6	0.0%	0.0%
Sixth	R14	W19-L	LKD	17.5	17.5	0.0	0.0%												
		W19-U						28.4	22.7	80%	22.7	80%	0.0	0.0%	29	11	29	11	0.0%	0.0%
Sixth	R15	W20-L	Bedroom	32.5	32.5	0.0	0.0%												
		W20-U						13.1	12.5	95%	12.5	95%	0.0	0.0%	52	14	52	14	0.0%	0.0%
Sixth	R16	W21-L	LKD	33.7	33.7	0.0	0.0%												
		W21-U																	
		W22-L		10.2	9.8	0.4	3.4%												
		W22-U						43.2	30.8	71%	30.8	71%	0.0	0.0%	66	18	65	17	1.5%	5.6%
Sixth	R17	W23-L	Bedroom	28.1	27.6	0.5	1.6%												
		W23-U						13.6	9.9	72%	9.2	67%	0.7	6.7%	72	16	71	15	1.4%	6.3%
Sixth	R18	W24-L	Bedroom	28.3	27.7	0.6	2.0%												
		W24-U						11.8	8.1	69%	8.1	69%	0.0	0.1%	71	16	70	15	1.4%	6.3%
Sixth	R19	W25-L	Bedroom	28.1	27.4	0.7	2.6%												
		W25-U						7.7	5.7	74%	5.7	74%	0.0	0.0%	70	15	69	14	1.4%	6.7%
Sixth	R20	W26-L	LKD	9.4	8.4	1.0	11.0%												
		W26-U						30.6	16.5	54%	14.8	48%	1.7	10.3%	24	13	21	10	12.5%	23.1%
Sixth	R21	W27-L	Bedroom	27.9	27.0	0.9	3.2%												
		W27-U						8.0	7.3	92%	7.2	90%	0.1	2.0%	60	14	59	13	1.7%	7.1%
Sixth	R22	W28-L	Bedroom	27.9	27.1	0.8	2.8%												
		W28-U						11.7	9.4	80%	9.4	80%	0.0	0.0%	61	14	60	13	1.6%	7.1%
Sixth	R23	W29-L	LKD	10.2	9.6	0.5	5.2%												
		W29-U																	
		W30-L		16.0	15.8	0.2	1.4%												
		W30-U						39.0	27.9	71%	27.9	71%	0.0	0.0%	40	13	39	12	2.5%	7.7%
Sixth	R24	W31-L	LKD	19.7	19.7	0.0	0.0%												
		W31-U																	
		W32-L		10.4	10.4	0.0	0.0%												
		W32-U						35.2	24.6	70%	24.6	70%	0.0	0.0%	55	16	55	16	0.0%	0.0%
Sixth	R25	W33-L	Bedroom	23.1	23.1	0.0	0.0%												
		W33-U						11.2	9.5	85%	9.5	85%	0.0	0.1%	52	12	52	12	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Sixth	R26	W34-L	LKD	8.6	8.6	0.0	0.0%													
		W34-U						34.5	12.5	36%	12.5	36%	0.0	0.0%	31	12	31	12	0.0%	0.0%
Sixth	R27	W35-L	Bedroom	23.3	23.3	0.0	0.2%													
		W35-U						12.1	9.8	81%	9.7	80%	0.1	0.8%	57	11	57	11	0.0%	0.0%
Sixth	R28	W36-L	LKD	9.4	9.3	0.1	1.2%													
		W36-U						33.1	13.6	41%	13.6	41%	0.0	0.0%	33	12	33	12	0.0%	0.0%
Sixth	R29	W37-L	Bedroom	24.3	23.4	0.9	3.7%													
		W37-U						11.5	9.7	84%	9.1	79%	0.5	5.5%	47	12	46	11	2.1%	8.3%
Sixth	R30	W38-L	LKD	12.3	9.7	2.6	21.0%													
		W38-U																		
		W39-L		39.0	38.6	0.5	1.2%													
		W39-U						37.4	29.2	78%	28.6	76%	0.6	2.2%	50	18	47	15	6.0%	16.7%
Sixth	R31	W40-L	Bedroom	14.5	14.5	0.0	0.0%													
		W40-U						14.8	13.2	89%	13.2	89%	0.0	0.0%	10	0	10	0	0.0%	0.0%
Sixth	R32	W41-L	LKD	6.2	6.2	0.0	0.0%													
		W41-U						26.1	21.1	81%	21.1	81%	0.0	0.0%	10	0	10	0	0.0%	0.0%
Sixth	R33	W42-L	Bedroom	22.7	22.7	0.0	0.0%													
		W42-U						12.5	12.4	99%	12.4	99%	0.0	0.0%	23	0	23	0	0.0%	0.0%
Sixth	R34	W43-L	Bedroom	19.7	19.7	0.0	0.0%													
		W43-U						11.1	10.5	95%	10.5	95%	0.0	0.0%	22	1	22	1	0.0%	0.0%
Sixth	R35	W44-L	LKD	6.2	6.2	0.0	0.0%													
		W44-U						34.5	20.0	58%	20.0	58%	0.0	0.0%	13	4	13	4	0.0%	0.0%
Sixth	R36	W45-L	LKD	5.3	5.3	0.0	0.0%													
		W45-U						34.4	17.9	52%	17.9	52%	0.0	0.0%	9	3	9	3	0.0%	0.0%
Sixth	R37	W46-L	Bedroom	19.2	19.2	0.0	0.0%													
		W46-U						11.1	10.7	96%	10.7	96%	0.0	0.0%	30	2	30	2	0.0%	0.0%
Sixth	R38	W47-L	Bedroom	21.4	21.4	0.0	0.0%													
		W47-U						12.5	11.7	94%	11.7	94%	0.0	0.0%	41	8	41	8	0.0%	0.0%
Sixth	R39	W48-L	LKD	5.3	5.3	0.0	0.0%													
		W48-U						26.1	10.9	42%	10.9	42%	0.0	0.0%	15	7	15	7	0.0%	0.0%
Sixth	R40	W49-L	Bedroom	12.1	12.1	0.0	0.0%													
		W49-U						14.8	10.5	71%	10.5	71%	0.0	0.0%	23	4	23	4	0.0%	0.0%
Seventh	R1	W1-L	Bedroom	39.0	39.0	0.0	0.0%													
		W1-U						11.4	10.6	93%	10.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R2	W2-L	LKD	39.5	39.5	0.0	0.0%													
		W2-U																		
		W3-L		22.3	22.3	0.0	0.0%													
		W3-U																		
		W4		31.2	31.2	0.0	0.0%	34.3	31.0	90%	31.0	90%	0.0	0.0%	59	18	59	18	0.0%	0.0%
Seventh	R3	W5-L	Bedroom	36.7	36.7	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W5-U						12.0	11.7	98%	11.7	98%	0.0	0.0%	56	16	56	16	0.0%	0.0%
Seventh	R4	W6-L	Bedroom	36.6	36.6	0.0	0.0%													
		W6-U						13.1	12.7	97%	12.7	97%	0.0	0.0%	53	13	53	13	0.0%	0.0%
Seventh	R5	W7-L	Bedroom	32.8	32.8	0.0	0.0%													
		W7-U						11.3	10.6	94%	10.6	94%	0.0	0.0%	34	11	34	11	0.0%	0.0%
Seventh	R6	W8-L	LKD	23.2	23.2	0.0	0.0%													
		W8-U						31.4	24.8	79%	24.8	79%	0.0	0.0%	43	16	43	16	0.0%	0.0%
Seventh	R7	W9-L	Bedroom	34.9	34.9	0.0	0.0%													
		W9-U						16.9	16.5	97%	16.5	97%	0.0	0.0%	53	13	53	13	0.0%	0.0%
Seventh	R8	W10-L	LKD	22.7	22.7	0.0	0.0%													
		W10-U						25.0	22.8	92%	22.8	92%	0.0	0.0%	38	15	38	15	0.0%	0.0%
Seventh	R9	W11-L	Bedroom	34.3	34.3	0.0	0.0%													
		W11-U						12.7	12.3	97%	12.3	97%	0.0	0.0%	55	15	55	15	0.0%	0.0%
Seventh	R10	W12-L	Bedroom	36.0	36.0	0.0	0.0%													
		W12-U						7.8	7.5	96%	7.5	96%	0.0	0.0%	55	15	55	15	0.0%	0.0%
Seventh	R11	W13-L	LKD	36.0	36.0	0.0	0.0%													
		W13-U																		
		W14-L		18.3	18.3	0.0	0.0%													
		W14-U																		
		W15-L		16.9	16.9	0.0	0.0%													
		W15-U						36.4	28.0	77%	28.0	77%	0.0	0.0%	74	16	74	16	0.0%	0.0%
Seventh	R12	W16	LKD	20.8	20.8	0.0	0.0%													
		W17-L		35.4	35.4	0.0	0.0%													
		W17-U						43.0	36.8	86%	36.8	86%	0.0	0.0%	56	14	56	14	0.0%	0.0%
Seventh	R13	W18-L	Bedroom	35.1	35.1	0.0	0.0%													
		W18-U						12.1	11.5	95%	11.5	95%	0.0	0.0%	52	12	52	12	0.0%	0.0%
Seventh	R14	W19-L	LKD	34.3	34.3	0.0	0.0%													
		W19-U						28.4	24.0	85%	24.0	85%	0.0	0.0%	45	11	45	11	0.0%	0.0%
Seventh	R15	W20-L	Bedroom	34.8	34.8	0.0	0.0%													
		W20-U						13.1	12.5	95%	12.5	95%	0.0	0.0%	53	14	53	14	0.0%	0.0%
Seventh	R16	W21-L	LKD	34.6	34.6	0.0	0.0%													
		W21-U																		
		W22-L		31.5	30.8	0.7	2.2%													
		W22-U						43.2	31.6	73%	31.6	73%	0.0	0.0%	88	22	88	22	0.0%	0.0%
Seventh	R17	W23-L	Bedroom	30.9	30.1	0.8	2.6%													
		W23-U						13.6	11.1	81%	10.2	75%	0.9	7.8%	75	18	73	16	2.7%	11.1%
Seventh	R18	W24-L	Bedroom	30.8	29.9	0.9	3.0%													
		W24-U						11.8	10.8	91%	10.8	91%	0.0	0.0%	75	18	73	16	2.7%	11.1%
Seventh	R19	W25-L	Bedroom	30.8	29.8	1.1	3.4%													
		W25-U						7.7	7.1	92%	7.1	92%	0.0	0.0%	76	19	73	16	3.9%	15.8%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Seventh	R20	W26-L	LKD	27.6	26.3	1.3	4.7%													
		W26-U						30.6	21.3	70%	21.3	70%	0.0	0.0%	58	16	55	13	5.2%	18.8%
Seventh	R21	W27-L	Bedroom	31.5	30.4	1.2	3.7%													
		W27-U						8.0	7.7	97%	7.6	95%	0.1	1.6%	77	21	74	18	3.9%	14.3%
Seventh	R22	W28-L	Bedroom	31.6	30.6	1.0	3.3%													
		W28-U						11.7	11.0	94%	11.0	94%	0.0	0.0%	76	20	73	17	3.9%	15.0%
Seventh	R23	W29-L	LKD	31.4	30.6	0.8	2.7%													
		W29-U																		
		W30-L		21.4	21.0	0.4	1.9%													
		W30-U						39.2	29.0	74%	29.0	74%	0.0	0.0%	73	18	71	16	2.7%	11.1%
Seventh	R24	W31-L	LKD	23.4	23.4	0.0	0.0%													
		W31-U																		
		W32-L		29.7	29.3	0.4	1.4%													
		W32-U						35.2	24.9	71%	24.9	71%	0.0	0.0%	78	21	78	21	0.0%	0.0%
Seventh	R25	W33-L	Bedroom	29.1	28.7	0.4	1.3%													
		W33-U						11.2	10.5	94%	10.5	94%	0.1	0.5%	75	18	75	18	0.0%	0.0%
Seventh	R26	W34-L	LKD	28.8	28.4	0.4	1.4%													
		W34-U						34.5	19.1	55%	19.1	55%	0.0	0.0%	75	18	74	17	1.3%	5.6%
Seventh	R27	W35-L	Bedroom	28.9	28.4	0.5	1.7%													
		W35-U						12.1	11.3	93%	11.1	92%	0.2	1.5%	74	17	73	16	1.4%	5.9%
Seventh	R28	W36-L	LKD	29.4	28.9	0.6	2.0%													
		W36-U						33.0	17.6	53%	17.2	52%	0.4	2.4%	76	19	75	18	1.3%	5.3%
Seventh	R29	W37-L	Bedroom	27.9	26.6	1.3	4.7%													
		W37-U						11.5	11.0	95%	10.9	95%	0.1	0.7%	57	15	55	13	3.5%	13.3%
Seventh	R30	W38-L	LKD	32.8	30.2	2.6	8.0%													
		W38-U																		
		W39-L		39.1	38.7	0.4	1.0%													
		W39-U						37.5	29.6	79%	28.7	77%	0.9	3.0%	78	20	76	18	2.6%	10.0%
Seventh	R31	W40-L	Bedroom	16.5	16.5	0.0	0.0%													
		W40-U						14.8	13.6	92%	13.6	92%	0.0	0.0%	14	0	14	0	0.0%	0.0%
Seventh	R32	W41-L	LKD	11.5	11.5	0.0	0.0%													
		W41-U						26.1	23.8	91%	23.8	91%	0.0	0.0%	16	1	16	1	0.0%	0.0%
Seventh	R33	W42-L	Bedroom	25.5	25.5	0.0	0.0%													
		W42-U						12.5	12.4	100%	12.4	100%	0.0	0.0%	28	3	28	3	0.0%	0.0%
Seventh	R34	W43-L	Bedroom	23.8	23.8	0.0	0.0%													
		W43-U						11.1	10.7	96%	10.7	96%	0.0	0.0%	25	3	25	3	0.0%	0.0%
Seventh	R35	W44-L	LKD	27.5	27.5	0.0	0.0%													
		W44-U						34.6	23.1	67%	23.1	67%	0.0	0.0%	37	6	37	6	0.0%	0.0%
Seventh	R36	W45-L	LKD	27.2	27.2	0.0	0.0%													
		W45-U						34.5	24.4	71%	24.4	71%	0.0	0.0%	41	9	41	9	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Seventh	R37	W46-L W46-U	Bedroom	23.7	23.7	0.0	0.0%	11.1	10.7	96%	10.7	96%	0.0	0.0%	42	10	42	10	0.0%	0.0%
Seventh	R38	W47-L W47-U	Bedroom	24.2	24.2	0.0	0.0%	12.5	12.4	100%	12.4	100%	0.0	0.0%	46	13	46	13	0.0%	0.0%
Seventh	R39	W48-L W48-U	LKD	9.9	9.9	0.0	0.0%	26.1	17.2	66%	17.2	66%	0.0	0.0%	28	14	28	14	0.0%	0.0%
Seventh	R40	W49-L W49-U	Bedroom	14.6	14.6	0.0	0.0%	14.8	11.8	80%	11.8	80%	0.0	0.0%	25	6	25	6	0.0%	0.0%
Eighth	R1	W1-L W1-U	Bedroom	39.6	39.6	0.0	0.0%	11.4	10.6	93%	10.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R2	W2-L W2-U	LKD	39.6	39.6	0.0	0.0%													
		W3-L W3-U		37.9	37.9	0.0	0.0%													
		W4		37.9	37.9	0.0	0.0%	34.1	30.4	89%	30.4	89%	0.0	0.0%	60	18	60	18	0.0%	0.0%
Eighth	R3	W5-L W5-U	Bedroom	37.7	37.7	0.0	0.0%	12.0	11.7	98%	11.7	98%	0.0	0.0%	57	17	57	17	0.0%	0.0%
Eighth	R4	W6-L W6-U	Bedroom	37.6	37.6	0.0	0.0%	13.1	12.7	97%	12.7	97%	0.0	0.0%	57	17	57	17	0.0%	0.0%
Eighth	R5	W7-L W7-U	Bedroom	37.6	37.6	0.0	0.0%	11.3	10.6	94%	10.6	94%	0.0	0.0%	57	17	57	17	0.0%	0.0%
Eighth	R6	W8-L W8-U	LKD	37.4	37.4	0.0	0.0%	31.4	24.9	79%	24.9	79%	0.0	0.0%	57	17	57	17	0.0%	0.0%
Eighth	R7	W9-L W9-U	Bedroom	37.3	37.3	0.0	0.0%	16.9	16.5	97%	16.5	97%	0.0	0.0%	56	16	56	16	0.0%	0.0%
Eighth	R8	W10-L W10-U	LKD	36.0	36.0	0.0	0.0%	25.0	23.4	94%	23.4	94%	0.0	0.0%	56	16	56	16	0.0%	0.0%
Eighth	R9	W11-L W11-U	Bedroom	36.9	36.9	0.0	0.0%	14.5	13.3	92%	13.3	92%	0.0	0.0%	56	16	56	16	0.0%	0.0%
Eighth	R10	W12-L W12-U	Bedroom	34.3	34.3	0.0	0.0%													
		W13-L W13-U		27.9	27.9	0.0	0.0%	13.7	12.0	88%	12.0	88%	0.0	0.0%	82	15	82	15	0.0%	0.0%
Eighth	R11	W14-L W14-U	LKD	29.1	29.1	0.0	0.0%													
		W15-L W15-U		31.0	31.0	0.0	0.0%													
		W16-L W16-U		36.2	36.2	0.0	0.0%	33.3	29.1	87%	29.1	87%	0.0	0.0%	58	16	58	16	0.0%	0.0%
Eighth	R12	W17-L W17-U	Bedroom	36.0	36.0	0.0	0.0%	11.4	10.7	94%	10.7	94%	0.0	0.0%	56	16	56	16	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Eighth	R13	W18-L	Bedroom	35.9	35.9	0.0	0.0%													
		W18-U						13.1	12.6	97%	12.6	97%	0.0	0.0%	56	16	56	16	0.0%	0.0%
Eighth	R14	W19-L	Bedroom	35.8	35.8	0.0	0.0%													
		W19-U						15.7	14.9	95%	14.9	95%	0.0	0.0%	54	14	54	14	0.0%	0.0%
Eighth	R15	W20-L	LKD	35.7	35.7	0.0	0.0%													
		W20-U																		
		W21-L		33.8	32.7	1.1	3.2%													
		W21-U																		
		W22-L		33.6	32.5	1.1	3.4%													
		W22-U						34.1	31.5	92%	31.5	92%	0.0	0.0%	93	25	92	24	1.1%	4.0%
Eighth	R16	W23-L	Bedroom	33.8	32.4	1.3	4.0%													
		W23-U																		
		W24-L		33.8	32.4	1.4	4.2%													
		W24-U						15.8	15.2	96%	15.2	96%	0.0	0.0%	81	24	79	22	2.5%	8.3%
Eighth	R17	W25-L	Bedroom	33.9	32.5	1.4	4.2%													
		W25-U						11.4	11.1	97%	11.1	97%	0.0	0.0%	81	24	79	22	2.5%	8.3%
Eighth	R18	W26-L	Bedroom	33.8	32.5	1.3	3.9%													
		W26-U						8.5	8.3	98%	8.3	98%	0.0	0.0%	81	24	79	22	2.5%	8.3%
Eighth	R19	W27-L	LKD	33.7	32.5	1.2	3.5%													
		W27-U																		
		W28-L		29.6	29.0	0.6	2.0%													
		W28-U						39.1	30.9	79%	30.7	79%	0.2	0.7%	79	22	77	20	2.5%	9.1%
Eighth	R20	W29-L	LKD	28.3	28.3	0.0	0.0%													
		W29-U																		
		W30-L		29.1	29.1	0.0	0.0%													
		W30-U																		
		W31-L		32.5	31.4	1.1	3.3%													
		W31-U																		
		W32-L		32.5	31.4	1.1	3.4%													
		W32-U						42.1	34.8	83%	34.8	83%	0.0	0.0%	86	25	85	24	1.2%	4.0%
Eighth	R21	W33-L	Bedroom	32.6	31.4	1.2	3.6%													
		W33-U						9.7	8.7	90%	8.6	89%	0.1	0.8%	79	22	78	21	1.3%	4.5%
Eighth	R22	W34-L	Bedroom	32.7	31.5	1.2	3.8%													
		W34-U						10.7	10.3	96%	10.3	96%	0.0	0.0%	76	22	74	20	2.6%	9.1%
Eighth	R23	W35-L	Bedroom	32.2	30.9	1.3	4.1%													
		W35-U						15.2	14.8	97%	14.8	97%	0.0	0.0%	75	24	72	21	4.0%	12.5%
Eighth	R24	W36-L	Bedroom	33.7	31.9	1.8	5.4%													
		W36-U						11.7	11.4	98%	11.3	97%	0.1	0.9%	83	26	80	23	3.6%	11.5%
Eighth	R25	W37-L	LKD	34.7	32.1	2.6	7.6%													
		W37-U																		
		W38-L		39.3	38.9	0.4	1.0%													
		W38-U						43.6	33.4	77%	32.7	75%	0.7	2.1%	85	26	84	25	1.2%	3.8%
Eighth	R26	W39-L	Bedroom	19.3	19.3	0.0	0.0%													
		W39-U						14.8	14.0	95%	14.0	95%	0.0	0.0%	17	1	17	1	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Eighth	R27	W40-L W40-U	LKD	14.0	14.0	0.0	0.0%	26.1	24.5	94%	24.5	94%	0.0	0.0%	19	2	19	2	0.0%	0.0%
Eighth	R28	W41-L W41-U	Bedroom	29.3	29.3	0.0	0.0%	12.8	12.4	97%	12.4	97%	0.0	0.0%	37	4	37	4	0.0%	0.0%
Eighth	R29	W42-L W42-U	Bedroom	19.8	19.8	0.0	0.0%	6.7	6.4	96%	6.4	96%	0.0	0.0%	16	2	16	2	0.0%	0.0%
Eighth	R30	W43-L W43-U	LKD	29.0	29.0	0.0	0.0%	28.9	21.6	75%	21.6	75%	0.0	0.0%	39	8	39	8	0.0%	0.0%
Eighth	R31	W44-L W44-U	LKD	28.7	28.7	0.0	0.0%	29.1	22.4	77%	22.4	77%	0.0	0.0%	47	11	47	11	0.0%	0.0%
Eighth	R32	W45-L W45-U	Bedroom	20.4	20.4	0.0	0.0%	6.7	6.4	96%	6.4	96%	0.0	0.0%	47	12	47	12	0.0%	0.0%
Eighth	R33	W46-L W46-U	Bedroom	27.6	27.6	0.0	0.0%	12.8	12.5	97%	12.5	97%	0.0	0.0%	51	16	51	16	0.0%	0.0%
Eighth	R34	W47-L W47-U	LKD	12.4	12.4	0.0	0.0%	26.3	23.7	90%	23.7	90%	0.0	0.0%	31	15	31	15	0.0%	0.0%
Eighth	R35	W48-L W48-U	Bedroom	18.2	18.2	0.0	0.0%	14.8	13.8	94%	13.8	94%	0.0	0.0%	36	8	36	8	0.0%	0.0%
Ninth	R1	W1-L W1-U	LKD	34.2	34.2	0.0	0.0%													
		W2-L W2-U		38.8	38.8	0.0	0.0%													
		W3-L W3-U		39.1	39.1	0.0	0.0%													
		W4-L W4-U		38.1	38.1	0.0	0.0%	37.0	36.9	100%	36.9	100%	0.0	0.0%	58	17	58	17	0.0%	0.0%
Ninth	R2	W5-L W5-U	Bedroom	38.0	38.0	0.0	0.0%	10.4	10.2	98%	10.2	98%	0.0	0.0%	57	17	57	17	0.0%	0.0%
Ninth	R3	W6-L W6-U	Bedroom	37.9	37.9	0.0	0.0%	12.9	12.9	99%	12.9	99%	0.0	0.0%	57	17	57	17	0.0%	0.0%
Ninth	R4	W7-L W7-U	Bedroom	37.8	37.8	0.0	0.0%	11.1	11.0	99%	11.0	99%	0.0	0.0%	57	17	57	17	0.0%	0.0%
Ninth	R5	W8-L W8-U	LKD	37.7	37.7	0.0	0.0%													
		W9-L W9-U		37.6	37.6	0.0	0.0%	32.8	29.5	90%	29.5	90%	0.0	0.0%	57	17	57	17	0.0%	0.0%
Ninth	R6	W10-L W10-U	LKD	18.3	18.3	0.0	0.0%													
		W11-L W11-U		18.1	18.1	0.0	0.0%	38.2	27.8	73%	27.8	73%	0.0	0.0%	30	7	30	7	0.0%	0.0%
Ninth	R7	W12-L	Bedroom	36.4	36.4	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W12-U																		
		W13-L		32.6	32.6	0.0	0.0%													
		W13-U						10.9	10.9	100%	10.9	100%	0.0	0.0%	92	24	92	24	0.0%	0.0%
Ninth	R8	W14-L	LKD	33.2	33.2	0.0	0.0%													
		W14-U																		
		W15-L		8.6	8.6	0.0	0.0%													
		W15-U						31.3	28.7	92%	28.7	92%	0.0	0.0%	17	3	17	3	0.0%	0.0%
Ninth	R9	W16-L	Bedroom	6.8	6.8	0.0	0.0%													
		W16-U																		
		W17-L		36.8	36.8	0.0	0.0%													
		W17-U						14.2	12.6	89%	12.6	89%	0.0	0.0%	56	16	56	16	0.0%	0.0%
Ninth	R10	W18-L	Bedroom	36.7	36.7	0.0	0.0%													
		W18-U						13.0	12.1	94%	12.1	94%	0.0	0.0%	56	16	56	16	0.0%	0.0%
Ninth	R11	W19-L	LKD	36.6	36.6	0.0	0.0%													
		W19-U																		
		W20-L		8.1	8.0	0.1	1.4%													
		W20-U																		
		W21-L		0.0	0.0	0.0	0.0%													
		W21-U						31.0	22.3	72%	22.3	72%	0.0	0.0%	63	23	63	23	0.0%	0.0%
Ninth	R12	W22-L	Bedroom	35.4	33.9	1.4	4.0%													
		W22-U						7.9	7.6	95%	7.6	95%	0.0	0.0%	83	26	81	24	2.4%	7.7%
Ninth	R14	W24-L	Bedroom	35.2	33.8	1.5	4.2%													
		W24-U						11.8	11.0	93%	11.0	93%	0.0	0.0%	83	26	80	23	3.6%	11.5%
Ninth	R15	W25-L	Bedroom	35.2	33.7	1.5	4.3%													
		W25-U						10.8	10.6	98%	10.6	98%	0.0	0.0%	83	26	80	23	3.6%	11.5%
Ninth	R16	W26-L	Bedroom	35.1	33.5	1.5	4.4%													
		W26-U																		
		W27-L		7.5	6.7	0.8	10.9%													
		W27-U						7.9	7.8	98%	7.8	98%	0.0	0.0%	82	25	80	23	2.4%	8.0%
Ninth	R17	W28-L	LKD	10.9	9.4	1.4	13.1%													
		W28-U																		
		W29-L		32.7	32.0	0.7	2.2%													
		W29-U																		
		W30-L		32.0	31.3	0.7	2.2%													
		W30-U						32.4	26.7	82%	26.7	82%	0.0	0.0%	42	17	39	14	7.1%	17.6%
Ninth	R18	W31-L	LKD	33.8	33.8	0.0	0.0%													
		W31-U																		
		W32-L		34.0	34.0	0.0	0.0%													
		W32-U																		
		W33-L		10.3	8.9	1.4	14.0%													
		W33-U																		
		W34-L		6.7	6.7	0.0	0.0%													
		W34-U																		
		W35-L		34.6	33.0	1.5	4.4%													
		W35-U						31.9	30.5	96%	30.5	96%	0.0	0.0%	93	26	92	25	1.1%	3.8%
Ninth	R19	W36-L	Bedroom	34.7	33.1	1.6	4.6%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W36-U						11.7	11.5	99%	11.5	99%	0.0	0.0%	84	27	82	25	2.4%	7.4%
Ninth	R20	W37-L	Bedroom	34.8	33.1	1.7	4.9%													
		W37-U						7.3	7.1	97%	7.1	97%	0.0	0.0%	85	28	83	26	2.4%	7.1%
Ninth	R21	W38-L	Bedroom	35.1	33.2	1.9	5.3%													
		W38-U						11.9	11.5	97%	11.5	97%	0.0	0.0%	85	28	83	26	2.4%	7.1%
Ninth	R22	W39-L	LKD	27.6	25.5	2.1	7.5%													
		W39-U																		
		W40-L		35.6	33.3	2.3	6.4%													
		W40-U																		
		W41-L		39.0	38.6	0.4	0.9%													
		W41-U						40.3	38.1	95%	38.0	95%	0.0	0.0%	83	26	82	25	1.2%	3.8%
Ninth	R23	W42-L	Bedroom	24.1	24.1	0.0	0.0%													
		W42-U						14.3	14.0	97%	14.0	97%	0.0	0.0%	19	1	19	1	0.0%	0.0%
Ninth	R24	W43-L	Bedroom	30.1	30.1	0.0	0.0%													
		W43-U						12.1	12.1	100%	12.1	100%	0.0	0.0%	36	2	36	2	0.0%	0.0%
Ninth	R25	W44-L	LKD	33.6	33.6	0.0	0.0%													
		W44-U						42.2	28.0	66%	28.0	66%	0.0	0.0%	50	11	50	11	0.0%	0.0%
Ninth	R26	W45-L	LKD	32.2	32.2	0.0	0.0%													
		W45-U						42.1	27.7	66%	27.7	66%	0.0	0.0%	55	17	55	17	0.0%	0.0%
Ninth	R27	W46-L	Bedroom	28.9	28.9	0.0	0.0%													
		W46-U						11.8	11.8	100%	11.8	100%	0.0	0.0%	53	17	53	17	0.0%	0.0%
Ninth	R28	W47-L	Bedroom	23.6	23.6	0.0	0.0%													
		W47-U						14.3	14.0	98%	14.0	98%	0.0	0.0%	52	17	52	17	0.0%	0.0%
Tenth	R1	W1-L	Studio	39.6	39.6	0.0	0.0%													
		W1-U																		
		W2-L		39.6	39.6	0.0	0.0%													
		W2-U																		
		W3-L		39.6	39.6	0.0	0.0%													
		W3-U																		
		W4-L		39.6	39.6	0.0	0.0%													
		W4-U																		
		W5-L		38.6	38.6	0.0	0.0%													
		W5-U																		
		W6-L		38.6	38.6	0.0	0.0%													
		W6-U																		
		W7-L		38.5	38.5	0.0	0.0%													
		W7-U																		
		W8-L		38.4	38.4	0.0	0.0%													
		W8-U						94.4	94.2	100%	94.2	100%	0.0	0.0%	60	18	60	18	0.0%	0.0%
Tenth	R2	W9-L	Studio	38.4	38.4	0.0	0.0%													
		W9-U																		
		W10-L		38.3	38.3	0.0	0.0%													
		W10-U																		
		W11-L		38.3	38.3	0.0	0.0%													
		W11-U						39.0	36.3	93%	36.3	93%	0.0	0.0%	57	17	57	17	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Tenth	R3	W12-L	Studio	38.2	38.2	0.0	0.0%												
		W12-U																	
		W13-L		38.1	38.1	0.0	0.0%												
		W13-U																	
		W14-L		36.1	35.4	0.7	1.9%												
		W14-U						39.7	38.2	96%	38.2	96%	0.0	0.0%	96	28	94	26	2.1%	7.1%
Tenth	R5	W16-L	LKD	36.9	36.9	0.0	0.0%												
		W16-U																	
		W17-L		36.1	34.2	1.9	5.1%												
		W17-U																	
		W18-L		36.3	34.3	2.0	5.5%												
		W18-U						40.4	38.2	94%	38.2	94%	0.0	0.0%	96	29	94	27	2.1%	6.9%
Tenth	R6	W19-L	Bedroom	36.4	34.3	2.1	5.8%												
		W19-U																	
		W20-L		36.5	34.3	2.2	6.0%												
		W20-U						11.6	11.5	99%	11.5	99%	0.0	0.0%	85	28	83	26	2.4%	7.1%
Tenth	R7	W21-L	LKD	36.5	34.3	2.2	6.1%												
		W21-U																	
		W22-L		36.6	34.3	2.3	6.2%												
		W22-U																	
		W23-L		8.4	8.0	0.4	4.9%												
		W23-U																	
		W24-L		9.3	7.2	2.1	23.0%												
		W24-U						40.6	38.9	96%	38.9	96%	0.0	0.0%	87	28	86	27	1.1%	3.6%
Tenth	R8	W25-L	Bedroom	29.7	29.7	0.0	0.0%												
		W25-U						10.7	10.4	97%	10.4	97%	0.0	0.0%	34	2	34	2	0.0%	0.0%
Tenth	R9	W26-L	Bedroom	34.5	34.5	0.0	0.0%												
		W26-U						7.7	7.4	96%	7.4	96%	0.0	0.0%	50	11	50	11	0.0%	0.0%
Tenth	R10	W27-L	LKD	32.0	32.0	0.0	0.0%												
		W27-U																	
		W28-L		36.0	36.0	0.0	0.0%												
		W28-U						30.8	26.7	87%	26.7	87%	0.0	0.0%	36	6	36	6	0.0%	0.0%
Tenth	R11	W29-L	LKD	35.4	34.9	0.5	1.4%												
		W29-U																	
		W30-L		31.0	31.0	0.0	0.0%												
		W30-U						30.5	26.2	86%	26.2	86%	0.0	0.0%	96	29	95	28	1.0%	3.4%
Tenth	R12	W31-L	Bedroom	33.5	33.5	0.0	0.0%												
		W31-U						7.7	7.4	96%	7.4	96%	0.0	0.0%	58	19	58	19	0.0%	0.0%
Tenth	R13	W32-L	Bedroom	29.0	29.0	0.0	0.0%												
		W32-U						10.7	10.4	97%	10.4	97%	0.0	0.0%	54	19	54	19	0.0%	0.0%
165-195 High cross road																			
Ground	R1	W1-L	Residential	31.9	27.8	4.1	12.8%												
		W1-U																	
		W2-L		2.1	2.1	0.0	0.0%												
		W2-U																	
		W3-L		1.6	1.6	0.0	0.0%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W3-U						14.2	14.1	99%	14.1	99%	0.0	0.0%	27	2	27	2	0.0%	0.0%
Ground	R2	W4-L	Residential	8.2	4.7	3.5	42.6%													
		W4-U																		
		W5-L		7.4	4.9	2.5	33.6%													
		W5-U																		
		W6-L		7.8	5.3	2.5	31.9%													
		W6-U						16.2	15.5	96%	15.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W7-L	Residential	6.0	3.5	2.5	41.3%													
		W7-U																		
		W8-L		7.8	5.3	2.5	31.5%													
		W8-U																		
		W9-L		10.6	7.2	3.4	32.4%													
		W9-U						16.2	15.3	95%	15.3	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R4	W10-L	Residential	4.5	4.5	0.0	0.0%													
		W10-U																		
		W11-L		2.4	2.4	0.0	0.0%													
		W11-U																		
		W12-L		31.5	27.6	3.9	12.5%													
		W12-U						14.1	14.1	100%	14.1	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R5	W13-L	Residential	31.2	27.4	3.9	12.3%													
		W13-U																		
		W14-L		1.7	1.7	0.0	0.0%													
		W14-U																		
		W15-L		0.9	0.9	0.0	0.0%													
		W15-U						14.1	14.1	100%	14.1	100%	0.0	0.0%	24	3	24	3	0.0%	0.0%
Ground	R6	W16-L	Residential	7.4	4.5	3.0	39.9%													
		W16-U																		
		W17-L		6.7	4.5	2.3	33.9%													
		W17-U																		
		W18-L		7.5	5.3	2.3	30.3%													
		W18-U						16.2	15.2	94%	15.2	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R7	W19-L	Residential	5.4	3.2	2.2	41.1%													
		W19-U																		
		W20-L		7.1	5.0	2.2	30.5%													
		W20-U																		
		W21-L		10.4	7.4	3.1	29.5%													
		W21-U						16.2	15.2	94%	15.2	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R8	W22-L	Residential	5.3	5.1	0.2	4.3%													
		W22-U																		
		W23-L		5.2	5.2	0.0	0.0%													
		W23-U																		
		W24-L		30.4	26.9	3.5	11.6%													
		W24-U																		
		W25-L		31.4	31.4	0.0	0.0%													
		W25-U						14.1	14.1	100%	14.1	100%	0.0	0.0%	66	22	66	22	0.0%	0.0%
First	R1	W1-L	Residential	32.2	28.2	4.0	12.4%													
		W1-U																		
		W2-L		4.9	4.9	0.0	0.0%													
		W2-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W3-L		3.7	3.7	0.0	0.0%													
		W3-U						14.2	14.1	99%	14.1	99%	0.0	0.0%	27	2	27	2	0.0%	0.0%
First	R2	W4-L	Residential	9.9	6.0	3.9	39.4%													
		W4-U																		
		W5-L		9.5	6.3	3.2	33.2%													
		W5-U																		
		W6-L		10.6	7.5	3.1	29.6%													
		W6-U						15.9	15.3	96%	15.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W7-L	Residential	9.7	6.5	3.1	32.3%													
		W7-U																		
		W8-L		10.7	7.6	3.1	29.0%													
		W8-U																		
		W9-L		13.2	9.4	3.8	29.0%													
		W9-U						15.9	15.2	96%	15.2	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R4	W10-L	Residential	7.9	7.9	0.0	0.0%													
		W10-U																		
		W11-L		7.3	7.3	0.0	0.0%													
		W11-U																		
		W12-L		31.9	28.1	3.9	12.1%													
		W12-U						14.1	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W13-L	Residential	31.6	27.9	3.8	11.9%													
		W13-U																		
		W14-L		5.2	5.2	0.0	0.0%													
		W14-U																		
		W15-L		3.6	3.6	0.0	0.0%													
		W15-U						14.1	14.0	100%	14.0	100%	0.0	0.0%	25	3	25	3	0.0%	0.0%
First	R6	W16-L	Residential	9.3	6.2	3.1	33.5%													
		W16-U																		
		W17-L		8.8	6.0	2.9	32.7%													
		W17-U																		
		W18-L		10.0	7.1	2.9	28.8%													
		W18-U						15.9	15.0	94%	15.0	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W19-L	Residential	9.0	6.1	2.8	31.5%													
		W19-U																		
		W20-L		10.0	7.2	2.8	27.6%													
		W20-U																		
		W21-L		12.8	9.4	3.4	26.6%													
		W21-U						15.9	14.9	94%	14.9	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W22-L	Residential	7.9	7.7	0.2	2.3%													
		W22-U																		
		W23-L		7.5	7.5	0.0	0.0%													
		W23-U																		
		W24-L		30.8	27.4	3.4	11.2%													
		W24-U																		
		W25-L		32.4	32.4	0.0	0.0%													
		W25-U						14.1	14.1	100%	14.1	100%	0.0	0.0%	69	24	69	24	0.0%	0.0%
Second	R1	W1-L	Residential	32.7	28.8	3.9	12.0%													
		W1-U																		
		W2-L		2.6	2.6	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W2-U																		
		W3-L		2.0	2.0	0.0	0.0%													
		W3-U						14.2	14.1	99%	14.1	99%	0.0	0.0%	30	3	30	3	0.0%	0.0%
Second	R2	W4-L	Residential	7.6	4.3	3.3	43.5%													
		W4-U																		
		W5-L		6.5	4.2	2.3	34.9%													
		W5-U																		
		W6-L		7.4	5.1	2.3	30.7%													
		W6-U						15.9	15.2	95%	15.2	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W7-L	Residential	6.7	4.4	2.2	33.7%													
		W7-U																		
		W8-L		7.4	5.2	2.2	29.9%													
		W8-U																		
		W9-L		10.4	7.1	3.3	31.4%													
		W9-U						15.9	15.0	94%	15.0	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R4	W10-L	Residential	5.8	5.8	0.0	0.0%													
		W10-U																		
		W11-L		4.9	4.9	0.0	0.0%													
		W11-U																		
		W12-L		32.3	28.6	3.8	11.7%													
		W12-U						14.1	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W13-L	Residential	32.1	28.4	3.7	11.5%													
		W13-U																		
		W14-L		2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		1.9	1.9	0.0	0.0%													
		W15-U						14.1	14.0	100%	14.0	100%	0.0	0.0%	27	4	27	4	0.0%	0.0%
Second	R6	W16-L	Residential	7.2	4.6	2.6	36.6%													
		W16-U																		
		W17-L		6.0	4.0	2.1	34.0%													
		W17-U																		
		W18-L		6.9	4.8	2.1	29.8%													
		W18-U						15.9	14.9	94%	14.9	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W19-L	Residential	6.1	4.1	2.0	32.7%													
		W19-U																		
		W20-L		6.9	4.9	2.0	28.5%													
		W20-U																		
		W21-L		9.9	7.1	2.9	29.1%													
		W21-U						15.9	14.9	94%	14.9	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R8	W22-L	Residential	5.8	5.6	0.2	3.1%													
		W22-U																		
		W23-L		5.0	5.0	0.0	0.0%													
		W23-U																		
		W24-L		31.3	28.0	3.4	10.7%													
		W24-U																		
		W25-L		33.4	33.4	0.0	0.0%													
		W25-U						14.1	14.1	100%	14.1	100%	0.0	0.0%	71	25	71	25	0.0%	0.0%
Third	R1	W1-L	Residential	32.9	29.0	3.8	11.7%													
		W1-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W2-L		2.6	2.6	0.0	0.0%													
		W2-U																		
		W3-L		1.6	1.6	0.0	0.0%													
		W3-U						14.2	14.1	99%	14.1	99%	0.0	0.0%	30	4	30	4	0.0%	0.0%
Third	R2	W4-L	Residential	7.5	4.3	3.2	42.8%													
		W4-U																		
		W5-L		5.7	3.7	1.9	34.2%													
		W5-U																		
		W6-L		6.3	4.4	1.9	30.7%													
		W6-U						15.9	15.2	95%	15.2	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W7-L	Residential	4.9	3.0	1.9	38.8%													
		W7-U																		
		W8-L		6.1	4.2	1.9	30.9%													
		W8-U																		
		W9-L		9.9	6.8	3.1	31.7%													
		W9-U						15.9	14.9	94%	14.9	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W10-L	Residential	5.3	5.3	0.0	0.0%													
		W10-U																		
		W11-L		4.2	4.2	0.0	0.0%													
		W11-U																		
		W12-L		32.4	28.7	3.7	11.4%													
		W12-U						14.1	14.1	100%	14.1	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W13-L	Residential	32.2	28.6	3.6	11.1%													
		W13-U																		
		W14-L		2.9	2.9	0.0	0.0%													
		W14-U																		
		W15-L		1.4	1.4	0.0	0.0%													
		W15-U						14.1	14.1	100%	14.1	100%	0.0	0.0%	28	5	28	5	0.0%	0.0%
Third	R6	W16-L	Residential	7.0	4.4	2.6	37.4%													
		W16-U																		
		W17-L		5.2	3.5	1.8	33.5%													
		W17-U																		
		W18-L		5.9	4.2	1.7	29.5%													
		W18-U						15.9	14.9	94%	14.9	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W19-L	Residential	4.5	2.8	1.7	37.6%													
		W19-U																		
		W20-L		5.6	4.0	1.7	29.4%													
		W20-U																		
		W21-L		9.5	6.7	2.8	29.4%													
		W21-U						15.9	14.9	94%	14.9	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R8	W22-L	Residential	5.2	5.2	0.0	0.0%													
		W22-U																		
		W23-L		4.3	4.3	0.0	0.0%													
		W23-U																		
		W24-L		31.5	28.2	3.3	10.3%													
		W24-U																		
		W25-L		34.0	34.0	0.0	0.0%													
		W25-U						14.1	14.1	100%	14.1	100%	0.0	0.0%	71	25	71	25	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
First	R1	W1-L	LKD	30.4	30.4	0.0	0.0%												
		W1-U																	
		W2-L		30.5	30.5	0.0	0.0%												
		W2-U																	
		W3-L		16.8	13.9	2.9	17.1%												
		W3-U						38.0	26.7	70%	26.7	70%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
First	R2	W4-L	Bedroom	30.4	26.6	3.8	12.4%												
		W4-U						12.1	10.8	89%	10.8	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W5-L	Bedroom	31.0	27.2	3.9	12.4%												
		W5-U						12.5	11.6	93%	11.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R4	W6-L	Bedroom	30.5	26.5	4.0	13.2%												
		W6-U						13.0	12.4	96%	12.1	93%	0.3	2.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W7-L	LKD	29.7	25.6	4.1	13.9%												
		W7-U																	
		W8-L		8.9	6.2	2.8	30.8%												
		W8-U						39.5	28.9	73%	26.3	67%	2.6	8.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W9-L	Bedroom	14.6	10.9	3.7	25.2%												
		W9-U						13.6	12.6	93%	10.7	78%	1.9	15.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W10-L	Studio	12.4	9.1	3.3	26.3%												
		W10-U						37.2	16.5	44%	12.5	33%	4.0	24.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R1	W1-L	LKD	32.8	32.8	0.0	0.0%												
		W1-U																	
		W2-L		32.9	32.9	0.0	0.0%												
		W2-U																	
		W3-L		18.0	14.9	3.0	16.9%												
		W3-U						38.0	27.9	73%	27.9	73%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Second	R2	W4-L	Bedroom	31.7	27.9	3.8	12.1%												
		W4-U						12.1	10.9	90%	10.9	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W5-L	Bedroom	32.4	28.4	4.0	12.2%												
		W5-U						12.5	11.7	93%	11.7	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R4	W6-L	Bedroom	31.9	27.8	4.1	13.0%												
		W6-U						13.0	12.4	96%	12.1	93%	0.3	2.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W7-L	LKD	31.1	26.8	4.3	13.7%												
		W7-U																	
		W8-L		9.6	6.7	3.0	30.6%												
		W8-U						39.5	29.5	75%	26.8	68%	2.7	9.2%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W9-L	Bedroom	15.6	11.9	3.8	24.2%												
		W9-U						13.6	12.8	94%	11.9	87%	0.9	7.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W10-L	Studio	13.3	9.9	3.4	25.6%												
		W10-U						37.2	17.7	48%	13.6	37%	4.1	23.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	LKD	34.7	34.7	0.0	0.0%												
		W1-U																	

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W2-L		34.8	34.8	0.0	0.0%												
		W2-U																	
		W3-L		19.0	15.8	3.2	16.7%												
		W3-U						38.0	30.4	80%	30.4	80%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Third	R2	W4-L	Bedroom	32.7	28.9	3.9	11.9%												
		W4-U						12.1	10.9	90%	10.9	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W5-L	Bedroom	33.4	29.4	4.0	11.9%												
		W5-U						12.5	11.7	94%	11.7	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W6-L	Bedroom	33.0	28.8	4.2	12.7%												
		W6-U						13.0	12.4	96%	12.1	93%	0.3	2.5%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W7-L	LKD	32.2	27.9	4.3	13.5%												
		W7-U																	
		W8-L		10.3	7.2	3.1	30.3%												
		W8-U						39.5	30.1	76%	27.4	69%	2.7	9.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W9-L	Bedroom	16.8	12.9	3.9	23.1%												
		W9-U						13.6	12.9	95%	12.1	89%	0.8	6.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W10-L	Studio	15.4	11.9	3.5	22.7%												
		W10-U						37.2	18.6	50%	15.4	41%	3.2	17.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R1	W1-L	LKD	36.4	36.4	0.0	0.0%												
		W1-U																	
		W2-L		36.4	36.4	0.0	0.0%												
		W2-U																	
		W3-L		20.0	16.7	3.3	16.4%												
		W3-U						38.0	32.7	86%	32.7	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Fourth	R2	W4-L	Bedroom	33.7	29.9	3.9	11.5%												
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R3	W5-L	Bedroom	34.5	30.4	4.0	11.7%												
		W5-U						12.5	11.8	95%	11.8	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R4	W6-L	Bedroom	34.1	29.9	4.2	12.4%												
		W6-U						13.0	12.4	96%	12.1	93%	0.3	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W7-L	LKD	33.4	29.0	4.4	13.2%												
		W7-U																	
		W8-L		11.0	7.7	3.3	30.0%												
		W8-U						39.5	31.0	78%	28.2	71%	2.8	9.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W9-L	Bedroom	18.1	14.2	3.9	21.6%												
		W9-U						13.6	12.9	95%	12.1	89%	0.8	6.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W10-L	Studio	17.2	13.6	3.6	21.0%												
		W10-U						37.2	19.4	52%	17.3	46%	2.1	11.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R1	W1-L	LKD	37.9	37.9	0.0	0.0%												
		W1-U																	
		W2-L		37.9	37.9	0.0	0.0%												
		W2-U																	
		W3-L		20.8	17.4	3.4	16.1%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Fifth	R2	W4-L	Bedroom	34.5	30.7	3.8	11.0%													
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R3	W5-L	Bedroom	35.3	31.3	4.0	11.2%													
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R4	W6-L	Bedroom	35.0	30.8	4.2	11.9%													
		W6-U						13.0	12.4	96%	12.1	94%	0.3	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W7-L	LKD	34.3	30.0	4.3	12.6%													
		W7-U																		
		W8-L		11.5	8.1	3.4	29.2%													
		W8-U						39.5	31.8	81%	30.9	78%	0.9	2.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W9-L	Bedroom	19.4	15.6	3.8	19.6%													
		W9-U						13.6	12.9	95%	12.1	89%	0.8	6.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W10-L	Studio	18.6	15.0	3.6	19.3%													
		W10-U						37.2	20.0	54%	18.8	50%	1.2	6.1%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R1	W1-L	LKD	38.2	38.2	0.0	0.0%													
		W1-U																		
		W2-L		38.2	38.2	0.0	0.0%													
		W2-U																		
		W3-L		21.2	17.8	3.3	15.7%													
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Sixth	R2	W4-L	Bedroom	34.8	31.1	3.7	10.5%													
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R3	W5-L	Bedroom	35.6	31.8	3.8	10.7%													
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W6-L	Bedroom	35.4	31.4	4.0	11.3%													
		W6-U						13.0	12.4	96%	12.1	94%	0.3	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W7-L	LKD	34.8	30.7	4.1	11.8%													
		W7-U																		
		W8-L		11.9	8.6	3.3	27.6%													
		W8-U						39.5	32.5	82%	32.4	82%	0.2	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W9-L	Bedroom	20.7	17.1	3.6	17.5%													
		W9-U						13.6	12.9	95%	12.1	89%	0.8	6.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W10-L	Studio	20.1	16.7	3.4	17.1%													
		W10-U						37.2	20.5	55%	19.5	52%	1.0	5.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R1	W1-L	LKD	38.9	38.9	0.0	0.0%													
		W1-U																		
		W2-L		38.9	38.9	0.0	0.0%													
		W2-U																		
		W3-L		21.6	18.3	3.3	15.2%													
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Seventh	R2	W4-L	Bedroom	35.5	31.9	3.5	9.9%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R3	W5-L	Bedroom	36.3	32.7	3.6	10.0%													
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R4	W6-L	Bedroom	36.3	32.5	3.8	10.6%													
		W6-U						13.0	12.5	96%	12.2	94%	0.3	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W7-L	LKD	35.8	31.8	3.9	11.0%													
		W7-U																		
		W8-L		12.7	9.5	3.2	25.2%													
		W8-U						39.5	32.9	83%	32.9	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W9-L	Bedroom	22.4	19.0	3.4	15.4%													
		W9-U						13.6	13.0	96%	12.3	90%	0.8	5.8%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W10-L	Studio	22.0	18.7	3.3	14.9%													
		W10-U						37.2	21.5	58%	20.5	55%	1.0	4.6%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R1	W1-L	LKD	39.0	39.0	0.0	0.0%													
		W1-U																		
		W2-L		39.0	39.0	0.0	0.0%													
		W2-U																		
		W3-L		21.9	18.7	3.2	14.6%													
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Eighth	R2	W4-L	Bedroom	35.8	32.4	3.4	9.4%													
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R3	W5-L	Bedroom	36.7	33.2	3.5	9.5%													
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R4	W6-L	Bedroom	36.8	33.1	3.7	10.0%													
		W6-U						13.0	12.5	96%	12.2	94%	0.3	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W7-L	LKD	36.5	32.7	3.8	10.3%													
		W7-U																		
		W8-L		14.2	11.0	3.2	22.5%													
		W8-U						39.5	33.1	84%	33.1	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R6	W9-L	Bedroom	24.1	20.8	3.3	13.6%													
		W9-U						13.6	13.1	96%	12.3	91%	0.7	5.7%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W10-L	Studio	24.1	20.9	3.1	13.0%													
		W10-U						37.2	23.2	62%	22.2	60%	1.0	4.2%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R1	W1-L	LKD	39.1	39.1	0.0	0.0%													
		W1-U																		
		W2-L		39.1	39.1	0.0	0.0%													
		W2-U																		
		W3-L		22.2	19.2	3.1	13.7%													
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Ninth	R2	W4-L	Bedroom	36.1	32.9	3.2	8.9%													
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R3	W5-L	Bedroom	37.1	33.8	3.3	8.9%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R4	W6-L	Bedroom	37.2	33.7	3.5	9.4%													
		W6-U						13.0	12.5	96%	12.2	94%	0.3	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W7-L	LKD	36.9	33.4	3.6	9.7%													
		W7-U																		
		W8-L		15.5	12.3	3.1	20.3%													
		W8-U						39.5	33.4	85%	33.4	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R6	W9-L	Bedroom	25.8	22.7	3.1	12.1%													
		W9-U						13.6	13.1	96%	12.3	91%	0.7	5.7%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R7	W10-L	LKD	7.4	5.5	1.9	26.0%													
		W10-U						30.3	23.0	76%	21.2	70%	1.8	7.7%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R1	W1-L	LKD	39.1	39.1	0.0	0.0%													
		W1-U																		
		W2-L		39.1	39.1	0.0	0.0%													
		W2-U																		
		W3-L		22.5	19.6	2.9	12.9%													
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Tenth	R2	W4-L	Bedroom	36.4	33.4	3.0	8.4%													
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R3	W5-L	Bedroom	37.4	34.2	3.1	8.4%													
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R4	W6-L	Bedroom	37.6	34.3	3.3	8.8%													
		W6-U						13.0	12.5	96%	12.2	94%	0.3	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R5	W7-L	LKD	37.3	34.0	3.4	9.1%													
		W7-U																		
		W8-L		16.5	13.5	3.0	18.4%													
		W8-U						39.5	35.8	91%	35.8	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R6	W9-L	Bedroom	27.4	24.4	3.0	10.9%													
		W9-U						13.6	13.1	96%	12.4	91%	0.7	5.5%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W10-L	LKD	9.1	7.2	1.9	21.0%													
		W10-U						30.3	24.4	80%	22.6	74%	1.8	7.3%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R1	W1-L	LKD	39.1	39.1	0.0	0.0%													
		W1-U																		
		W2-L		39.1	39.1	0.0	0.0%													
		W2-U																		
		W3-L		22.8	20.0	2.8	12.1%													
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Eleventh	R2	W4-L	Bedroom	36.6	33.7	2.9	7.9%													
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R3	W5-L	Bedroom	37.6	34.6	3.0	7.9%													
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R4	W6-L	Bedroom	37.8	34.7	3.1	8.2%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W6-U						13.0	12.5	96%	12.2	94%	0.3	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R5	W7-L	LKD	37.6	34.4	3.2	8.6%													
		W7-U																		
		W8-L		17.1	14.2	2.9	16.9%													
		W8-U						39.5	35.9	91%	35.9	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R6	W9-L	Bedroom	28.0	25.2	2.8	10.0%													
		W9-U						13.6	13.1	96%	12.4	91%	0.7	5.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R7	W10-L	LKD	9.6	7.8	1.8	19.0%													
		W10-U						30.3	24.5	81%	22.7	75%	1.8	7.2%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R1	W1-L	LKD	38.7	38.7	0.0	0.0%													
		W1-U																		
		W2-L		38.7	38.7	0.0	0.0%													
		W2-U																		
		W3-L		22.9	20.3	2.6	11.3%													
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Twelfth	R2	W4-L	Bedroom	36.6	33.9	2.7	7.4%													
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R3	W5-L	Bedroom	37.5	34.7	2.8	7.4%													
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R4	W6-L	Bedroom	37.7	34.8	2.9	7.8%													
		W6-U						13.0	12.5	96%	12.2	94%	0.3	2.1%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W7-L	LKD	37.5	34.5	3.0	8.0%													
		W7-U																		
		W8-L		17.4	14.7	2.7	15.6%													
		W8-U						39.5	35.9	91%	35.9	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R6	W9-L	Bedroom	28.3	25.7	2.6	9.3%													
		W9-U						13.6	13.1	96%	12.4	91%	0.7	5.3%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R7	W10-L	LKD	9.5	7.7	1.7	18.2%													
		W10-U						30.3	24.5	81%	22.7	75%	1.8	7.2%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R1	W1-L	LKD	39.3	39.3	0.0	0.0%													
		W1-U																		
		W2-L		39.3	39.3	0.0	0.0%													
		W2-U																		
		W3-L		23.2	20.8	2.4	10.5%													
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Thirteenth	R2	W4-L	Bedroom	37.1	34.6	2.5	6.8%													
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R3	W5-L	Bedroom	38.1	35.5	2.6	6.9%													
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R4	W6-L	Bedroom	38.3	35.6	2.7	7.2%													
		W6-U						13.0	12.5	96%	12.2	94%	0.2	1.9%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R5	W7-L	LKD	38.0	35.2	2.8	7.4%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W7-U																	
		W8-L		17.9	15.3	2.5	14.2%												
		W8-U						39.5	35.9	91%	35.9	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R6	W9-L	Bedroom	29.2	26.8	2.5	8.4%												
		W9-U						13.6	13.1	96%	12.5	92%	0.6	4.6%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R7	W10-L	LKD	10.3	8.7	1.6	15.5%												
		W10-U						30.3	24.6	81%	22.8	75%	1.7	7.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R1	W1-L	LKD	39.3	39.3	0.0	0.0%												
		W1-U																	
		W2-L		39.3	39.3	0.0	0.0%												
		W2-U																	
		W3-L		23.4	21.1	2.3	9.7%												
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Fourteenth	R2	W4-L	Bedroom	37.3	35.0	2.4	6.3%												
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R3	W5-L	Bedroom	38.3	35.9	2.4	6.3%												
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R4	W6-L	Bedroom	38.5	36.0	2.5	6.6%												
		W6-U						13.0	12.5	96%	12.3	94%	0.2	1.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R5	W7-L	LKD	38.3	35.6	2.6	6.8%												
		W7-U																	
		W8-L		18.2	15.8	2.4	12.9%												
		W8-U						39.5	35.9	91%	35.9	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R6	W9-L	Bedroom	29.8	27.5	2.3	7.7%												
		W9-U						13.6	13.1	96%	12.5	92%	0.5	4.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R7	W10-L	LKD	10.6	9.1	1.5	14.1%												
		W10-U						30.3	24.6	81%	22.9	76%	1.7	6.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R1	W1-L	LKD	39.3	39.3	0.0	0.0%												
		W1-U																	
		W2-L		39.3	39.3	0.0	0.0%												
		W2-U																	
		W3-L		23.5	21.4	2.1	8.9%												
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Fifteenth	R2	W4-L	Bedroom	37.6	35.5	2.2	5.7%												
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R3	W5-L	Bedroom	38.6	36.4	2.2	5.8%												
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R4	W6-L	Bedroom	38.7	36.4	2.3	6.0%												
		W6-U						13.0	12.5	96%	12.3	95%	0.1	0.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R5	W7-L	LKD	38.5	36.1	2.4	6.2%												
		W7-U																	
		W8-L		18.5	16.3	2.2	11.7%												
		W8-U						39.5	35.9	91%	35.9	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Fifteenth	R6	W9-L	Bedroom	30.4	28.3	2.1	6.9%													
		W9-U						13.6	13.1	96%	12.7	93%	0.4	2.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R7	W10-L	LKD	10.8	9.5	1.4	12.6%													
		W10-U						30.3	24.7	81%	23.0	76%	1.7	6.8%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R1	W1-L	LKD	39.4	39.4	0.0	0.0%													
		W1-U																		
		W2-L		39.4	39.4	0.0	0.0%													
		W2-U																		
		W3-L		23.6	21.7	1.9	8.1%													
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Sixteenth	R2	W4-L	Bedroom	38.3	36.3	2.0	5.1%													
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R3	W5-L	Bedroom	38.8	36.8	2.0	5.2%													
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R4	W6-L	Bedroom	38.9	36.8	2.1	5.5%													
		W6-U						13.0	12.5	96%	12.4	95%	0.1	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R5	W7-L	LKD	38.7	36.5	2.2	5.7%													
		W7-U																		
		W8-L		18.8	16.8	2.0	10.5%													
		W8-U						39.5	36.0	91%	36.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R6	W9-L	Bedroom	31.8	29.9	1.9	6.0%													
		W9-U						13.6	13.1	96%	12.9	95%	0.2	1.6%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R7	W10-L	LKD	11.0	9.8	1.2	11.2%													
		W10-U						30.3	24.7	81%	23.1	76%	1.6	6.4%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R1	W1-L	LKD	39.3	39.3	0.0	0.0%													
		W1-U																		
		W2-L		39.3	39.3	0.0	0.0%													
		W2-U																		
		W3-L		39.1	37.4	1.7	4.4%													
		W3-U						38.0	32.8	86%	32.8	86%	0.0	0.0%	N/R	N/R	N/R	N/R	N/A	N/A
Seventeenth	R2	W4-L	Bedroom	39.0	37.3	1.8	4.6%													
		W4-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R3	W5-L	Bedroom	39.0	37.2	1.8	4.7%													
		W5-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R4	W6-L	Bedroom	39.0	37.1	1.9	4.9%													
		W6-U						13.0	12.5	96%	12.4	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R5	W7-L	LKD	39.0	37.0	2.0	5.1%													
		W7-U																		
		W8-L		34.9	33.1	1.8	5.1%													
		W8-U						39.5	36.0	91%	36.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R6	W9-L	Bedroom	34.2	32.5	1.7	5.0%													
		W9-U						13.6	13.1	96%	13.0	96%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Seventeenth	R7	W10-L W10-U	LKD	11.2	10.1	1.1	10.0%	30.3	24.7	81%	23.3	77%	1.4	5.7%	N/F	N/F	N/F	N/F	N/F	N/F

Appendix: Daylight, Sunlight, Overshadowing and Solar Glare

Annex 1: Drawings of Existing, Proposed and Surrounding Buildings
Annex 2: Results of the Daylight and Sunlight Assessments with Neighbouring Properties
Annex 3: Results of the Cumulative Daylight and Sunlight Assessments
Annex 4: Results of the Future Baseline Daylight and Sunlight Assessments
Annex 5: Results of the Consented Baseline Daylight and Sunlight Assessments
Annex 6: Results of the Mirrored Assessment for Rosa Luxemburg Apartments
Annex 7: Results of the Sunlight Amenity Assessments
Annex 8: Transient Shadow Images
Annex 9: Solar Glare Images
Annex 10: Policy and Legislation Review
Annex 11: Hale Road Properties

Annex 3

Results of the cumulative daylight and sunlight assessments

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Ferry Island Building 1																			
First	R1	W1-L	LKD	11.6	11.4	0.2	1.5%												
		W1-U						34.9	18.9	54%	18.9	54%	0.0	0.0%	21	10	21	10	0.0%	0.0%
First	R2	W2	Bedroom	12.1	11.7	0.4	3.0%	13.5	6.6	49%	6.6	49%	0.0	0.0%	19	7	19	7	0.0%	0.0%
First	R3	W3	Residential	12.9	12.3	0.6	4.5%	19.7	11.7	60%	11.7	59%	0.0	0.3%	22	9	22	9	0.0%	0.0%
First	R4	W4	Residential	16.9	15.6	1.2	7.2%													
		W5		18.5	17.6	0.9	5.0%	18.4	13.1	71%	12.9	70%	0.2	1.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W6	Residential	18.5	17.6	0.9	4.9%													
		W7		20.3	18.4	1.9	9.4%	14.1	13.6	96%	13.2	93%	0.4	2.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W8	Residential	20.0	18.1	1.9	9.4%	17.0	13.4	79%	11.7	69%	1.6	12.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W9	Bedroom	19.7	17.9	1.8	9.3%	15.1	12.3	81%	10.7	71%	1.6	12.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W10	LKD	19.0	17.6	1.4	7.4%													
		W11		31.0	30.5	0.5	1.6%	24.2	22.4	93%	21.9	90%	0.6	2.6%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R1	W1-L	LKD	12.2	12.0	0.2	1.5%													
		W1-U						34.9	18.9	54%	18.9	54%	0.0	0.0%	22	10	22	10	0.0%	0.0%
Second	R2	W2	Bedroom	12.8	12.4	0.4	3.0%	13.5	6.8	51%	6.8	51%	0.0	0.0%	21	7	21	7	0.0%	0.0%
Second	R3	W3	Bedroom	13.6	13.0	0.6	4.4%	14.9	10.4	69%	10.4	69%	0.0	0.2%	23	9	23	9	0.0%	0.0%
Second	R4	W4	Bedroom	17.7	16.4	1.3	7.2%	10.9	4.7	43%	4.7	43%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W5	LKD	19.3	18.3	1.0	5.1%													
		W6		19.3	18.4	1.0	5.0%													
		W7		21.5	19.4	2.1	9.8%	41.8	37.4	90%	35.7	85%	1.8	4.8%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W8	Bedroom	21.3	19.2	2.1	10.0%	13.6	11.9	88%	11.3	83%	0.7	5.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W9	Bedroom	21.1	19.0	2.1	10.0%	15.1	12.7	84%	11.3	75%	1.4	10.8%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R8	W10	LKD	20.4	18.8	1.7	8.3%													
		W11		31.8	31.2	0.7	2.1%	24.2	23.3	96%	22.2	92%	1.1	4.6%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	LKD	12.9	12.7	0.2	1.5%													
		W1-U						34.9	18.8	54%	18.8	54%	0.0	0.0%	22	10	22	10	0.0%	0.0%
Third	R2	W2	Bedroom	13.5	13.2	0.4	2.8%	13.5	7.1	53%	7.1	53%	0.0	0.0%	21	7	21	7	0.0%	0.0%
Third	R3	W3	Bedroom	14.4	13.8	0.6	4.2%	14.9	10.7	72%	10.7	72%	0.0	0.1%	24	9	24	9	0.0%	0.0%
Third	R4	W4	Bedroom	18.5	17.2	1.3	6.9%	10.9	5.0	46%	5.0	46%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W5	LKD	20.1	19.1	1.0	4.9%													
		W6		20.2	19.3	1.0	4.8%													
		W7		22.7	20.5	2.2	9.7%	41.8	37.8	90%	36.2	87%	1.6	4.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W8	Bedroom	22.5	20.3	2.3	10.0%	13.6	12.0	88%	11.5	84%	0.5	4.5%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Third	R7	W9	Bedroom	22.4	20.1	2.4	10.5%	15.1	12.8	84%	11.6	76%	1.2	9.5%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R8	W10	LKD	21.9	20.0	2.0	9.0%													
		W11		32.7	31.9	0.9	2.6%	24.2	23.6	97%	22.3	92%	1.3	5.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R1	W1-L	LKD	13.7	13.4	0.2	1.7%													
		W1-U						34.9	18.8	54%	18.8	54%	0.0	0.0%	23	10	23	10	0.0%	0.0%
Fourth	R2	W2	Bedroom	14.4	14.0	0.4	2.7%	13.5	7.6	56%	7.6	56%	0.0	0.1%	21	7	21	7	0.0%	0.0%
Fourth	R3	W3	Bedroom	15.3	14.7	0.6	3.8%	14.9	11.1	74%	11.1	74%	0.0	0.1%	25	9	25	9	0.0%	0.0%
Fourth	R4	W4	Bedroom	19.4	18.1	1.2	6.3%	10.9	5.5	50%	5.5	50%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W5	LKD	20.9	19.9	0.9	4.5%													
		W6		21.1	20.2	0.9	4.5%													
		W7		23.7	21.5	2.2	9.3%	41.8	38.0	91%	36.5	87%	1.4	3.8%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W8	Bedroom	23.7	21.3	2.3	9.8%	13.6	12.1	89%	11.7	86%	0.4	3.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W9	Bedroom	23.7	21.2	2.5	10.4%	15.1	12.9	85%	11.7	77%	1.2	9.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R8	W10	LKD	23.4	21.2	2.2	9.4%													
		W11		33.6	32.6	1.0	3.1%	24.2	23.8	98%	22.5	93%	1.3	5.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R1	W1-L	LKD	14.6	14.4	0.3	1.8%													
		W1-U						34.9	18.7	54%	18.7	54%	0.0	0.0%	23	10	23	10	0.0%	0.0%
Fifth	R2	W2	Bedroom	15.4	15.0	0.4	2.9%	13.5	7.9	59%	7.9	59%	0.0	0.2%	22	7	22	7	0.0%	0.0%
Fifth	R3	W3	Bedroom	16.4	15.8	0.5	3.3%	14.9	11.4	76%	11.4	76%	0.0	0.0%	27	9	27	9	0.0%	0.0%
Fifth	R4	W4	Bedroom	20.3	19.1	1.1	5.6%	10.9	5.9	54%	5.9	54%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W5	LKD	21.7	20.8	0.9	4.1%													
		W6		22.0	21.1	0.9	4.2%													
		W7		24.9	22.7	2.2	8.9%	41.8	38.1	91%	36.9	88%	1.2	3.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W8	Bedroom	24.8	22.5	2.3	9.4%	13.6	12.2	90%	12.0	88%	0.3	2.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W9	Bedroom	24.8	22.3	2.5	10.0%	15.1	13.0	86%	11.8	78%	1.2	8.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R8	W10	LKD	24.7	22.4	2.3	9.1%													
		W11		34.3	33.2	1.1	3.2%	24.2	23.8	99%	22.7	94%	1.1	4.7%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R1	W1-L	LKD	15.6	15.3	0.3	1.9%													
		W1-U						34.9	18.7	54%	18.7	54%	0.0	0.0%	24	10	24	10	0.0%	0.0%
Sixth	R2	W2	Bedroom	16.3	15.9	0.5	2.9%	13.5	8.2	60%	8.1	60%	0.0	0.2%	22	7	22	7	0.0%	0.0%
Sixth	R3	W3	Bedroom	17.2	16.7	0.5	3.0%	14.9	11.6	77%	11.6	77%	0.0	0.0%	28	9	28	9	0.0%	0.0%
Sixth	R4	W4	Bedroom	20.8	19.8	1.0	4.9%	10.9	6.3	58%	6.3	58%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W5	LKD	22.3	21.5	0.8	3.5%													
		W6		22.6	21.7	0.9	3.8%													
		W7		25.7	23.5	2.2	8.4%	41.8	38.3	92%	37.2	89%	1.1	3.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Sixth	R6	W8	Bedroom	25.7	23.4	2.3	9.0%	13.6	12.4	91%	12.2	90%	0.2	1.7%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W9	Bedroom	25.7	23.2	2.5	9.6%	15.1	13.1	87%	12.0	79%	1.1	8.5%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R8	W10	LKD	25.6	23.3	2.3	9.0%													
		W11		34.6	33.4	1.2	3.4%	24.2	23.8	98%	22.9	95%	0.9	3.6%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W1-L	LKD	9.3	9.3	0.0	0.0%													
		W1-U						36.5	18.2	50%	18.2	50%	0.0	0.0%	8	0	8	0	0.0%	0.0%
Seventh	R8	W2-L	Bedroom	10.7	10.7	0.0	0.0%													
		W2-U						11.7	6.6	57%	6.6	57%	0.0	0.0%	11	0	11	0	0.0%	0.0%
Seventh	R9	W3-L	Bedroom	10.6	9.6	1.0	9.0%													
		W3-U						15.1	4.8	32%	4.8	32%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R10	W4-L	LKD	12.1	11.4	0.7	5.7%													
		W4-U																		
		W5-L		14.0	13.3	0.7	4.9%													
		W5-U																		
		W6-L		15.1	14.5	0.5	3.6%													
		W6-U						35.8	31.2	87%	29.3	82%	1.9	5.9%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R11	W7-L	Bedroom	14.8	14.8	0.0	0.0%													
		W7-U						10.3	7.5	73%	7.5	73%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R12	W8-L	Bedroom	14.2	14.2	0.0	0.0%													
		W8-U						10.9	9.7	89%	9.7	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W1-L	LKD	3.4	3.4	0.0	0.0%													
		W1-U						36.5	16.6	45%	16.6	45%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Eighth	R8	W2-L	Bedroom	4.4	4.4	0.0	0.0%													
		W2-U						11.7	5.8	50%	5.8	50%	0.0	0.1%	4	0	4	0	0.0%	0.0%
Eighth	R9	W3-L	Bedroom	5.0	4.1	0.9	17.3%													
		W3-U						15.1	4.3	29%	4.3	29%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R10	W4-L	LKD	6.3	5.7	0.6	9.6%													
		W4-U																		
		W5-L		6.8	6.2	0.6	8.6%													
		W5-U																		
		W6-L		6.7	6.2	0.5	7.5%													
		W6-U						35.8	30.3	85%	27.7	77%	2.7	8.7%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R11	W7-L	Bedroom	6.9	6.9	0.0	0.0%													
		W7-U						10.3	6.8	65%	6.8	65%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R12	W8-L	Bedroom	6.2	6.2	0.0	0.0%													
		W8-U						10.9	8.9	81%	8.8	81%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R1	W1-L	LKD	22.2	22.0	0.3	1.1%													
		W1-U						38.5	22.6	59%	22.6	59%	0.0	0.0%	37	10	37	10	0.0%	0.0%
Ninth	R2	W2-L	Bedroom	22.5	22.1	0.4	1.8%													
		W2-U						11.4	9.9	87%	9.9	87%	0.0	0.0%	38	9	38	9	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Ninth	R3	W3-L	LKD	22.8	22.4	0.4	1.8%												
		W3-U																	
		W4-L		24.4	23.5	0.9	3.9%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	42	12	42	12	0.0%	0.0%
Ninth	R4	W5-L	Bedroom	25.7	24.9	0.8	3.0%												
		W5-U						11.6	8.9	76%	8.9	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W6-L	LKD	26.6	25.8	0.7	2.7%												
		W6-U																	
		W7-L		4.6	2.6	2.0	44.3%												
		W7-U																	
		W8-L		4.6	4.5	0.1	1.3%												
		W8-U						28.7	28.0	98%	27.9	97%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R6	W9-L	Bedroom	3.5	3.3	0.2	4.9%												
		W9-U																	
		W10-L		30.3	28.2	2.2	7.1%												
		W10-U						15.1	13.9	92%	13.9	92%	0.0	0.3%	4	0	3	0	25.0%	0.0%
Ninth	R7	W11-L	LKD	30.4	28.0	2.4	7.9%												
		W11-U																	
		W12-L		30.4	28.0	2.4	7.8%												
		W12-U																	
		W13-L		11.5	11.5	0.0	0.0%												
		W13-U						39.2	38.1	97%	37.9	97%	0.2	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%												
		W14-U																	
		W15-L		37.6	36.4	1.2	3.2%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R1	W1-L	LKD	25.3	25.1	0.2	0.9%												
		W1-U						38.5	27.0	70%	27.0	70%	0.0	0.0%	43	12	43	12	0.0%	0.0%
Tenth	R2	W2-L	Bedroom	25.1	24.7	0.4	1.4%												
		W2-U						11.4	10.4	91%	10.4	91%	0.0	0.0%	39	9	39	9	0.0%	0.0%
Tenth	R3	W3-L	LKD	25.0	24.7	0.4	1.5%												
		W3-U																	
		W4-L		25.6	24.7	0.9	3.6%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	44	14	44	14	0.0%	0.0%
Tenth	R4	W5-L	Bedroom	26.9	26.1	0.8	2.9%												
		W5-U						11.6	8.9	76%	8.9	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R5	W6-L	LKD	27.8	27.1	0.7	2.6%												
		W6-U																	
		W7-L		5.1	3.1	2.1	40.3%												
		W7-U																	
		W8-L		5.4	5.3	0.1	2.0%												
		W8-U						28.7	28.0	98%	27.9	97%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R6	W9-L	Bedroom	3.8	3.6	0.2	5.1%												
		W9-U																	
		W10-L		31.8	29.6	2.1	6.7%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-U						15.1	13.9	92%	13.9	92%	0.0	0.2%	4	0	3	0	25.0%	0.0%
Tenth	R7	W11-L	LKD	31.9	29.5	2.4	7.4%													
		W11-U																		
		W12-L		31.9	29.5	2.4	7.4%													
		W12-U																		
		W13-L		11.7	11.7	0.0	0.0%													
		W13-U						39.2	38.4	98%	38.2	98%	0.2	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%													
		W14-U																		
		W15-L		38.1	36.8	1.3	3.4%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R1	W1-L	LKD	28.3	28.1	0.2	0.8%													
		W1-U						38.5	31.0	81%	31.0	81%	0.0	0.0%	48	15	48	15	0.0%	0.0%
Eleventh	R2	W2-L	Bedroom	27.7	27.4	0.3	1.2%													
		W2-U						11.4	10.4	91%	10.4	91%	0.0	0.0%	45	14	45	14	0.0%	0.0%
Eleventh	R3	W3-L	LKD	27.3	26.9	0.4	1.3%													
		W3-U																		
		W4-L		26.9	26.0	0.9	3.3%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	45	15	45	15	0.0%	0.0%
Eleventh	R4	W5-L	Bedroom	28.1	27.3	0.8	2.8%													
		W5-U						11.6	8.9	76%	8.9	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R5	W6-L	LKD	29.1	28.3	0.8	2.7%													
		W6-U																		
		W7-L		5.6	3.6	2.0	36.0%													
		W7-U																		
		W8-L		6.2	6.0	0.2	3.9%													
		W8-U						28.7	28.0	98%	27.9	97%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R6	W9-L	Bedroom	4.0	3.8	0.3	6.2%													
		W9-U																		
		W10-L		33.2	31.0	2.2	6.6%													
		W10-U						15.1	14.0	93%	14.0	92%	0.0	0.1%	4	0	3	0	25.0%	0.0%
Eleventh	R7	W11-L	LKD	33.3	30.8	2.5	7.4%													
		W11-U																		
		W12-L		33.3	30.8	2.5	7.4%													
		W12-U																		
		W13-L		11.8	11.8	0.0	0.0%													
		W13-U						39.2	38.4	98%	38.3	98%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%													
		W14-U																		
		W15-L		38.5	37.1	1.3	3.5%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R1	W1-L	LKD	31.0	30.8	0.2	0.7%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	49	17	49	17	0.0%	0.0%
Twelfth	R2	W2-L	Bedroom	30.0	29.7	0.3	1.0%													
		W2-U						11.4	10.4	92%	10.4	92%	0.0	0.0%	47	17	47	17	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Twelfth	R3	W3-L	LKD	29.2	28.8	0.3	1.1%													
		W3-U																		
		W4-L		27.9	27.0	0.8	3.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	46	17	46	17	0.0%	0.0%
Twelfth	R4	W5-L	Bedroom	29.1	28.3	0.8	2.7%													
		W5-U						11.6	8.9	76%	8.9	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W6-L	LKD	30.2	29.3	0.9	2.9%													
		W6-U																		
		W7-L		5.6	3.6	2.0	35.3%													
		W7-U																		
		W8-L		6.5	6.1	0.4	6.0%													
		W8-U						28.7	28.0	98%	27.9	97%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R6	W9-L	Bedroom	4.0	3.7	0.3	8.1%													
		W9-U																		
		W10-L		34.3	32.0	2.3	6.8%													
		W10-U						15.1	14.1	93%	14.1	93%	0.0	0.1%	4	0	3	0	25.0%	0.0%
Twelfth	R7	W11-L	LKD	34.4	31.8	2.6	7.5%													
		W11-U																		
		W12-L		34.4	31.8	2.6	7.6%													
		W12-U																		
		W13-L		11.2	11.2	0.0	0.0%													
		W13-U						39.2	38.4	98%	38.3	98%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R8	W14-L	Bedroom	2.5	2.5	0.0	0.0%													
		W14-U																		
		W15-L		38.5	37.2	1.4	3.6%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R1	W1-L	LKD	33.2	33.0	0.2	0.6%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	52	18	52	18	0.0%	0.0%
Thirteenth	R2	W2-L	Bedroom	32.0	31.8	0.3	0.9%													
		W2-U						11.4	10.7	94%	10.7	94%	0.0	0.0%	50	18	50	18	0.0%	0.0%
Thirteenth	R3	W3-L	LKD	31.0	30.7	0.3	1.0%													
		W3-U																		
		W4-L		29.6	28.7	0.8	2.8%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	50	19	50	19	0.0%	0.0%
Thirteenth	R4	W5-L	Bedroom	30.8	30.0	0.8	2.6%													
		W5-U						11.6	8.9	77%	8.9	77%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R5	W6-L	LKD	32.0	31.0	1.0	3.0%													
		W6-U																		
		W7-L		6.5	4.6	1.9	28.9%													
		W7-U																		
		W8-L		7.9	7.3	0.5	6.9%													
		W8-U						28.7	28.0	98%	27.9	97%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R6	W9-L	Bedroom	4.5	4.2	0.4	8.6%													
		W9-U																		
		W10-L		35.9	33.5	2.4	6.7%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-U						15.1	14.2	94%	14.2	94%	0.0	0.0%	4	0	3	0	25.0%	0.0%
Thirteenth	R7	W11-L	LKD	36.0	33.4	2.6	7.3%													
		W11-U																		
		W12-L		36.0	33.3	2.6	7.3%													
		W12-U																		
		W13-L		12.0	12.0	0.0	0.0%													
		W13-U						39.2	38.4	98%	38.3	98%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%													
		W14-U																		
		W15-L		39.1	37.8	1.4	3.5%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R1	W1-L	LKD	34.0	33.9	0.2	0.5%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	53	19	53	19	0.0%	0.0%
Fourteenth	R2	W2-L	Bedroom	32.9	32.6	0.3	0.8%													
		W2-U						11.4	10.9	96%	10.9	96%	0.0	0.0%	51	19	51	19	0.0%	0.0%
Fourteenth	R3	W3-L	LKD	31.8	31.5	0.3	0.8%													
		W3-U																		
		W4-L		30.7	29.9	0.8	2.5%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	49	19	49	19	0.0%	0.0%
Fourteenth	R4	W5-L	Bedroom	31.9	31.2	0.8	2.4%													
		W5-U						11.6	9.0	77%	9.0	77%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R5	W6-L	LKD	33.1	32.1	1.0	2.9%													
		W6-U																		
		W7-L		6.8	5.1	1.8	26.2%													
		W7-U																		
		W8-L		8.4	7.8	0.6	7.2%													
		W8-U						28.7	28.0	98%	27.9	97%	0.1	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R6	W9-L	Bedroom	4.7	4.3	0.4	8.7%													
		W9-U																		
		W10-L		36.8	34.5	2.4	6.5%													
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	4	0	3	0	25.0%	0.0%
Fourteenth	R7	W11-L	LKD	36.9	34.3	2.6	7.0%													
		W11-U																		
		W12-L		36.9	34.3	2.6	7.0%													
		W12-U																		
		W13-L		12.0	12.0	0.0	0.0%													
		W13-U						39.2	38.4	98%	38.3	98%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%													
		W14-U																		
		W15-L		39.2	37.9	1.3	3.3%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R1	W1-L	LKD	34.8	34.6	0.1	0.4%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	53	18	53	18	0.0%	0.0%
Fifteenth	R2	W2-L	Bedroom	33.7	33.5	0.2	0.7%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	50	19	50	19	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fifteenth	R3	W3-L	LKD	32.7	32.4	0.2	0.7%												
		W3-U																	
		W4-L		31.7	31.0	0.7	2.1%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	48	18	48	18	0.0%	0.0%
Fifteenth	R4	W5-L	Bedroom	32.8	32.2	0.7	2.1%												
		W5-U						11.6	9.1	78%	9.1	78%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R5	W6-L	LKD	33.9	33.1	0.8	2.5%												
		W6-U																	
		W7-L		7.2	5.5	1.7	24.1%												
		W7-U																	
		W8-L		8.5	8.0	0.5	6.0%												
		W8-U						28.7	28.0	98%	27.9	97%	0.1	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R6	W9-L	Bedroom	4.7	4.3	0.4	7.5%												
		W9-U																	
		W10-L		37.4	35.2	2.2	5.8%												
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Fifteenth	R7	W11-L	LKD	37.4	35.1	2.4	6.3%												
		W11-U																	
		W12-L		37.4	35.1	2.4	6.3%												
		W12-U																	
		W13-L		12.1	12.1	0.0	0.0%												
		W13-U						39.2	38.4	98%	38.3	98%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%												
		W14-U																	
		W15-L		39.2	38.0	1.2	3.1%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R1	W1-L	LKD	35.6	35.5	0.1	0.3%												
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	54	20	54	20	0.0%	0.0%
Sixteenth	R2	W2-L	Bedroom	34.7	34.5	0.2	0.5%												
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	50	19	50	19	0.0%	0.0%
Sixteenth	R3	W3-L	LKD	33.7	33.5	0.2	0.6%												
		W3-U																	
		W4-L		32.9	32.3	0.6	1.8%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	48	18	48	18	0.0%	0.0%
Sixteenth	R4	W5-L	Bedroom	33.9	33.3	0.6	1.7%												
		W5-U						11.6	9.4	81%	9.4	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R5	W6-L	LKD	34.9	34.1	0.7	2.1%												
		W6-U																	
		W7-L		7.5	5.9	1.7	22.0%												
		W7-U																	
		W8-L		8.7	8.2	0.4	5.1%												
		W8-U						28.7	28.0	98%	27.9	97%	0.1	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R6	W9-L	Bedroom	4.7	4.4	0.3	6.4%												
		W9-U																	
		W10-L		37.9	35.9	2.0	5.3%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Sixteenth	R7	W11-L	LKD	38.0	35.8	2.1	5.6%													
		W11-U																		
		W12-L		38.0	35.8	2.2	5.7%													
		W12-U																		
		W13-L		12.1	12.1	0.0	0.0%													
		W13-U						39.2	38.5	98%	38.4	98%	0.2	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.3	38.1	1.1	2.9%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R1	W1-L	LKD	36.4	36.3	0.1	0.3%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	52	18	52	18	0.0%	0.0%
Seventeenth	R2	W2-L	Bedroom	35.7	35.5	0.1	0.4%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	52	18	52	18	0.0%	0.0%
Seventeenth	R3	W3-L	LKD	34.9	34.8	0.2	0.5%													
		W3-U																		
		W4-L		34.2	33.8	0.5	1.4%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	47	17	47	17	0.0%	0.0%
Seventeenth	R4	W5-L	Bedroom	35.1	34.6	0.5	1.4%													
		W5-U						11.6	10.0	86%	10.0	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R5	W6-L	LKD	35.9	35.3	0.6	1.8%													
		W6-U																		
		W7-L		7.8	6.2	1.6	20.2%													
		W7-U																		
		W8-L		8.8	8.5	0.4	4.0%													
		W8-U						28.7	28.0	98%	28.0	98%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R6	W9-L	Bedroom	4.7	4.5	0.2	5.1%													
		W9-U																		
		W10-L		38.4	36.6	1.8	4.7%													
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	10	0	10	0	0.0%	0.0%
Seventeenth	R7	W11-L	LKD	38.4	36.5	1.9	5.0%													
		W11-U																		
		W12-L		38.5	36.6	1.9	5.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.4	98%	0.2	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.3	38.2	1.1	2.7%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R1	W1-L	LKD	37.0	37.0	0.1	0.2%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	51	17	51	17	0.0%	0.0%
Eighteenth	R2	W2-L	Bedroom	36.5	36.4	0.1	0.3%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	50	17	50	17	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Eighteenth	R3	W3-L	LKD	36.0	35.9	0.1	0.3%													
		W3-U																		
		W4-L		35.5	35.1	0.4	1.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	48	17	48	17	0.0%	0.0%
Eighteenth	R4	W5-L	Bedroom	36.1	35.7	0.4	1.1%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R5	W6-L	LKD	36.7	36.2	0.5	1.4%													
		W6-U																		
		W7-L		7.5	6.0	1.5	19.9%													
		W7-U																		
		W8-L		8.4	8.1	0.3	3.3%													
		W8-U						28.7	28.1	98%	28.0	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R6	W9-L	Bedroom	4.4	4.2	0.2	4.3%													
		W9-U																		
		W10-L		38.5	37.0	1.6	4.1%													
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Eighteenth	R7	W11-L	LKD	38.6	36.9	1.7	4.4%													
		W11-U																		
		W12-L		38.7	37.0	1.7	4.4%													
		W12-U																		
		W13-L		11.5	11.5	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.5	98%	0.1	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R8	W14-L	Bedroom	2.5	2.5	0.0	0.0%													
		W14-U																		
		W15-L		39.0	38.1	1.0	2.5%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R1	W1-L	LKD	38.4	38.3	0.1	0.2%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Nineteenth	R2	W2-L	Bedroom	38.1	38.0	0.1	0.2%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	56	20	56	20	0.0%	0.0%
Nineteenth	R3	W3-L	LKD	37.8	37.7	0.1	0.2%													
		W3-U																		
		W4-L		37.5	37.2	0.3	0.8%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	56	20	56	20	0.0%	0.0%
Nineteenth	R4	W5-L	Bedroom	37.9	37.6	0.3	0.8%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R5	W6-L	LKD	38.2	37.8	0.4	1.1%													
		W6-U																		
		W7-L		8.2	6.8	1.4	16.9%													
		W7-U																		
		W8-L		9.0	8.8	0.2	2.2%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R6	W9-L	Bedroom	4.7	4.6	0.1	2.8%													
		W9-U																		
		W10-L		39.3	37.9	1.4	3.6%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Nineteenth	R7	W11-L	LKD	39.3	37.8	1.5	3.8%													
		W11-U																		
		W12-L		39.4	37.9	1.5	3.8%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.5	98%	0.1	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.5	38.6	0.9	2.2%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R1	W1-L	LKD	39.2	39.0	0.1	0.4%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Twentieth	R2	W2-L	Bedroom	39.1	39.0	0.1	0.4%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Twentieth	R3	W3-L	LKD	39.0	38.9	0.1	0.3%													
		W3-U																		
		W4-L		39.0	38.7	0.3	0.8%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	56	20	56	20	0.0%	0.0%
Twentieth	R4	W5-L	Bedroom	39.1	38.8	0.3	0.8%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R5	W6-L	LKD	39.2	38.8	0.4	1.0%													
		W6-U																		
		W7-L		8.2	7.0	1.3	15.3%													
		W7-U																		
		W8-L		9.0	8.8	0.1	1.4%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R6	W9-L	Bedroom	4.7	4.6	0.1	1.9%													
		W9-U																		
		W10-L		39.4	38.2	1.2	3.1%													
		W10-U						15.1	14.3	95%	14.3	94%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Twentieth	R7	W11-L	LKD	39.4	38.1	1.3	3.3%													
		W11-U																		
		W12-L		39.4	38.1	1.3	3.3%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.5	98%	0.1	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.5	38.6	0.8	2.1%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R1	W1-L	LKD	39.4	39.3	0.2	0.4%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Twenty-First	R2	W2-L	Bedroom	39.5	39.3	0.2	0.5%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	56	20	56	20	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Twenty-First	R3	W3-L	LKD	39.4	39.3	0.2	0.5%													
		W3-U																		
		W4-L		39.5	39.2	0.3	0.8%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	55	19	55	19	0.0%	0.0%
Twenty-First	R4	W5-L	Bedroom	39.5	39.2	0.3	0.7%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R5	W6-L	LKD	39.5	39.2	0.3	0.8%													
		W6-U																		
		W7-L		8.2	7.1	1.1	13.8%													
		W7-U																		
		W8-L		9.0	8.9	0.1	0.6%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R6	W9-L	Bedroom	4.7	4.7	0.0	0.9%													
		W9-U																		
		W10-L		39.5	38.4	1.0	2.6%													
		W10-U						15.1	14.3	95%	14.3	94%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Twenty-First	R7	W11-L	LKD	39.5	38.4	1.1	2.8%													
		W11-U																		
		W12-L		39.5	38.4	1.1	2.8%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.5	98%	0.1	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.4	38.7	0.7	1.9%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Secc	R1	W1-L	LKD	39.4	39.4	0.0	0.1%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	56	20	56	20	0.0%	0.0%
Twenty-Secc	R2	W2-L	Bedroom	39.4	39.4	0.1	0.1%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	55	19	55	19	0.0%	0.0%
Twenty-Secc	R3	W3-L	LKD	39.4	39.4	0.0	0.1%													
		W3-U																		
		W4-L		39.5	39.3	0.1	0.3%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	54	18	54	18	0.0%	0.0%
Twenty-Secc	R4	W5-L	Bedroom	39.5	39.3	0.1	0.3%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Secc	R5	W6-L	LKD	39.5	39.3	0.1	0.3%													
		W6-U																		
		W7-L		8.2	7.2	1.0	12.2%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Secc	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.4	38.6	0.8	2.1%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W10-U						15.1	14.3	95%	14.3	94%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Twenty-Secc	R7	W11-L	LKD	39.4	38.5	0.9	2.3%												
		W11-U																	
		W12-L		39.4	38.5	0.9	2.3%												
		W12-U																	
		W13-L		12.2	12.2	0.0	0.0%												
		W13-U						39.2	38.6	99%	38.6	98%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Secc	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%												
		W14-U																	
		W15-L		39.4	38.8	0.6	1.6%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Thir	R1	W1-L	LKD	39.4	39.4	0.0	0.0%												
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	54	18	54	18	0.0%	0.0%
Twenty-Thir	R2	W2-L	Bedroom	39.4	39.4	0.0	0.0%												
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	54	18	54	18	0.0%	0.0%
Twenty-Thir	R3	W3-L	LKD	39.4	39.4	0.0	0.0%												
		W3-U																	
		W4-L		39.4	39.4	0.0	0.1%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	53	17	53	17	0.0%	0.0%
Twenty-Thir	R4	W5-L	Bedroom	39.4	39.4	0.0	0.1%												
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Thir	R5	W6-L	LKD	39.4	39.4	0.1	0.2%												
		W6-U																	
		W7-L		8.2	7.3	0.9	10.7%												
		W7-U																	
		W8-L		9.0	9.0	0.0	0.0%												
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Thir	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%												
		W9-U																	
		W10-L		39.4	38.7	0.7	1.8%												
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Twenty-Thir	R7	W11-L	LKD	39.4	38.6	0.8	1.9%												
		W11-U																	
		W12-L		39.4	38.6	0.8	2.0%												
		W12-U																	
		W13-L		12.2	12.2	0.0	0.0%												
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Thir	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%												
		W14-U																	
		W15-L		39.4	38.8	0.6	1.4%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Four	R1	W1-L	LKD	39.0	39.0	0.0	0.0%												
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	52	17	52	17	0.0%	0.0%
Twenty-Four	R2	W2-L	Bedroom	39.1	39.1	0.0	0.0%												
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	52	17	52	17	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Twenty-Four	R3	W3-L	LKD	39.1	39.1	0.0	0.0%												
		W3-U																	
		W4-L		39.1	39.1	0.0	0.1%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	52	17	52	17	0.0%	0.0%
Twenty-Four	R4	W5-L	Bedroom	39.1	39.0	0.0	0.1%												
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Four	R5	W6-L	LKD	39.1	39.0	0.0	0.1%												
		W6-U																	
		W7-L		7.6	6.9	0.8	9.9%												
		W7-U																	
		W8-L		8.4	8.4	0.0	0.0%												
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Four	R6	W9-L	Bedroom	4.4	4.4	0.0	0.0%												
		W9-U																	
		W10-L		39.1	38.5	0.6	1.5%												
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	10	0	10	0	0.0%	0.0%
Twenty-Four	R7	W11-L	LKD	39.0	38.4	0.6	1.7%												
		W11-U																	
		W12-L		39.1	38.4	0.7	1.7%												
		W12-U																	
		W13-L		11.5	11.5	0.0	0.0%												
		W13-U						39.2	38.6	99%	38.6	98%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Four	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%												
		W14-U																	
		W15-L		39.0	38.5	0.5	1.3%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Fifth	R1	W1-L	LKD	39.5	39.5	0.0	0.0%												
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Twenty-Fifth	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%												
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Twenty-Fifth	R3	W3-L	LKD	39.5	39.5	0.0	0.0%												
		W3-U																	
		W4-L		39.5	39.5	0.0	0.1%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Twenty-Fifth	R4	W5-L	Bedroom	39.5	39.5	0.0	0.1%												
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Fifth	R5	W6-L	LKD	39.5	39.5	0.0	0.1%												
		W6-U																	
		W7-L		8.2	7.6	0.7	7.9%												
		W7-U																	
		W8-L		9.0	9.0	0.0	0.0%												
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Fifth	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%												
		W9-U																	
		W10-L		39.5	39.0	0.5	1.3%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Twenty-Fifth	R7	W11-L	LKD	39.5	38.9	0.5	1.4%												
		W11-U																	
		W12-L		39.5	38.9	0.6	1.4%												
		W12-U																	
		W13-L		12.2	12.2	0.0	0.0%												
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Fifth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%												
		W14-U																	
		W15-L		39.5	39.0	0.4	1.1%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Sixth	R1	W1-L	LKD	39.5	39.5	0.0	0.0%												
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Twenty-Sixth	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%												
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Twenty-Sixth	R3	W3-L	LKD	39.5	39.5	0.0	0.0%												
		W3-U																	
		W4-L		39.5	39.5	0.0	0.1%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	56	20	56	20	0.0%	0.0%
Twenty-Sixth	R4	W5-L	Bedroom	39.5	39.5	0.0	0.1%												
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Sixth	R5	W6-L	LKD	39.5	39.5	0.0	0.1%												
		W6-U																	
		W7-L		8.2	7.7	0.6	6.7%												
		W7-U																	
		W8-L		9.0	9.0	0.0	0.0%												
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Sixth	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%												
		W9-U																	
		W10-L		39.5	39.0	0.4	1.1%												
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Twenty-Sixth	R7	W11-L	LKD	39.5	39.0	0.5	1.2%												
		W11-U																	
		W12-L		39.5	39.0	0.5	1.2%												
		W12-U																	
		W13-L		12.2	12.2	0.0	0.0%												
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Sixth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%												
		W14-U																	
		W15-L		39.5	39.1	0.4	0.9%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Seve	R1	W1-L	LKD	39.4	39.4	0.0	0.0%												
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Twenty-Seve	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%												
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	56	20	56	20	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Twenty-Seve	R3	W3-L	LKD	39.4	39.4	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.1%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	55	19	55	19	0.0%	0.0%
Twenty-Seve	R4	W5-L	Bedroom	39.5	39.5	0.0	0.1%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Seve	R5	W6-L	LKD	39.5	39.4	0.0	0.1%													
		W6-U																		
		W7-L		8.2	7.8	0.5	5.5%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Seve	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.5	39.1	0.4	0.9%													
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Twenty-Seve	R7	W11-L	LKD	39.5	39.1	0.4	1.0%													
		W11-U																		
		W12-L		39.5	39.1	0.4	1.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Seve	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.4	39.1	0.3	0.7%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Eigh	R1	W1-L	LKD	39.4	39.4	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	56	20	56	20	0.0%	0.0%
Twenty-Eigh	R2	W2-L	Bedroom	39.4	39.4	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	55	19	55	19	0.0%	0.0%
Twenty-Eigh	R3	W3-L	LKD	39.4	39.4	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.4	0.0	0.1%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	54	18	54	18	0.0%	0.0%
Twenty-Eigh	R4	W5-L	Bedroom	39.5	39.4	0.0	0.1%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Eigh	R5	W6-L	LKD	39.5	39.4	0.0	0.1%													
		W6-U																		
		W7-L		8.2	7.9	0.4	4.3%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-Eigh	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.4	39.2	0.3	0.7%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	12	0	12	0	0.0%	0.0%
	Twenty-Eigh R7	W11-L	LKD	39.4	39.1	0.3	0.8%												
		W11-U																	
		W12-L		39.4	39.1	0.3	0.8%												
		W12-U																	
		W13-L		12.2	12.2	0.0	0.0%												
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
	Twenty-Eigh R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%												
		W14-U																	
		W15-L		39.4	39.2	0.2	0.6%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
	Twenty-Nint R1	W1-L	LKD	39.4	39.4	0.0	0.0%												
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	54	18	54	18	0.0%	0.0%
	Twenty-Nint R2	W2-L	Bedroom	39.4	39.4	0.0	0.0%												
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	54	18	54	18	0.0%	0.0%
	Twenty-Nint R3	W3-L	LKD	39.4	39.4	0.0	0.0%												
		W3-U																	
		W4-L		39.4	39.4	0.0	0.0%												
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	53	17	53	17	0.0%	0.0%
	Twenty-Nint R4	W5-L	Bedroom	39.4	39.4	0.0	0.0%												
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
	Twenty-Nint R5	W6-L	LKD	39.4	39.4	0.0	0.1%												
		W6-U																	
		W7-L		8.2	8.0	0.3	3.2%												
		W7-U																	
		W8-L		9.0	9.0	0.0	0.0%												
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
	Twenty-Nint R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%												
		W9-U																	
		W10-L		39.4	39.2	0.2	0.5%												
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	12	0	12	0	0.0%	0.0%
	Twenty-Nint R7	W11-L	LKD	39.4	39.1	0.2	0.6%												
		W11-U																	
		W12-L		39.4	39.2	0.2	0.6%												
		W12-U																	
		W13-L		12.2	12.2	0.0	0.0%												
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
	Twenty-Nint R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%												
		W14-U																	
		W15-L		39.4	39.2	0.2	0.4%												
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
	Thirtieth R1	W1-L	LKD	39.0	39.0	0.0	0.0%												
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	52	17	52	17	0.0%	0.0%
	Thirtieth R2	W2-L	Bedroom	39.1	39.1	0.0	0.0%												
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	52	17	52	17	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Thirtieth	R3	W3-L	LKD	39.1	39.1	0.0	0.0%													
		W3-U																		
		W4-L		39.1	39.1	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	52	17	52	17	0.0%	0.0%
Thirtieth	R4	W5-L	Bedroom	39.1	39.0	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirtieth	R5	W6-L	LKD	39.1	39.1	0.0	0.0%													
		W6-U																		
		W7-L		7.6	7.5	0.2	2.4%													
		W7-U																		
		W8-L		8.4	8.4	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirtieth	R6	W9-L	Bedroom	4.4	4.4	0.0	0.0%													
		W9-U																		
		W10-L		39.1	38.9	0.1	0.4%													
		W10-U						15.1	14.3	94%	14.3	94%	0.0	0.0%	10	0	10	0	0.0%	0.0%
Thirtieth	R7	W11-L	LKD	39.0	38.9	0.1	0.4%													
		W11-U																		
		W12-L		39.1	38.9	0.2	0.4%													
		W12-U																		
		W13-L		11.5	11.5	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirtieth	R8	W14-L	Bedroom	2.6	2.6	0.0	0.0%													
		W14-U																		
		W15-L		39.0	38.9	0.1	0.3%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-First	R1	W1-L	LKD	39.5	39.5	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Thirty-First	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Thirty-First	R3	W3-L	LKD	39.5	39.5	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Thirty-First	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-First	R5	W6-L	LKD	39.5	39.5	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.1	0.1	1.2%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-First	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.5	39.4	0.1	0.2%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Thirty-First	R7	W11-L	LKD	39.5	39.4	0.1	0.2%													
		W11-U																		
		W12-L		39.5	39.4	0.1	0.2%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-First	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.5	39.4	0.1	0.2%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Secon	R1	W1-L	LKD	39.5	39.5	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Thirty-Secon	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Thirty-Secon	R3	W3-L	LKD	39.5	39.5	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Thirty-Secon	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Secon	R5	W6-L	LKD	39.5	39.5	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.4%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Secon	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.5	39.5	0.0	0.1%													
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Thirty-Secon	R7	W11-L	LKD	39.5	39.5	0.0	0.1%													
		W11-U																		
		W12-L		39.5	39.5	0.0	0.1%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Secon	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.5	39.4	0.0	0.1%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Third	R1	W1-L	LKD	39.5	39.5	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Thirty-Third	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	57	20	57	20	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Thirty-Third	R3	W3-L	LKD	39.5	39.5	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	56	20	56	20	0.0%	0.0%
Thirty-Third	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Third	R5	W6-L	LKD	39.5	39.5	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Third	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.5	39.5	0.0	0.0%													
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Thirty-Third	R7	W11-L	LKD	39.5	39.5	0.0	0.0%													
		W11-U																		
		W12-L		39.5	39.5	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Third	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.5	39.5	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fourth	R1	W1-L	LKD	39.5	39.5	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	57	20	57	20	0.0%	0.0%
Thirty-Fourth	R2	W2-L	Bedroom	39.5	39.5	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	56	20	56	20	0.0%	0.0%
Thirty-Fourth	R3	W3-L	LKD	39.5	39.5	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	55	19	55	19	0.0%	0.0%
Thirty-Fourth	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fourth	R5	W6-L	LKD	39.5	39.5	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fourth	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.5	39.5	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Thirty-Fourth	R7	W11-L	LKD	39.5	39.5	0.0	0.0%													
		W11-U																		
		W12-L		39.5	39.5	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fourth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.4	39.4	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fifth	R1	W1-L	LKD	39.4	39.4	0.0	0.0%													
		W1-U						38.5	31.3	81%	31.3	81%	0.0	0.0%	56	20	56	20	0.0%	0.0%
Thirty-Fifth	R2	W2-L	Bedroom	39.4	39.4	0.0	0.0%													
		W2-U						11.4	11.0	97%	11.0	97%	0.0	0.0%	55	19	55	19	0.0%	0.0%
Thirty-Fifth	R3	W3-L	LKD	39.4	39.4	0.0	0.0%													
		W3-U																		
		W4-L		39.5	39.5	0.0	0.0%													
		W4-U						29.1	29.0	100%	29.0	100%	0.0	0.0%	54	18	54	18	0.0%	0.0%
Thirty-Fifth	R4	W5-L	Bedroom	39.5	39.5	0.0	0.0%													
		W5-U						11.6	11.0	95%	11.0	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fifth	R5	W6-L	LKD	39.5	39.5	0.0	0.0%													
		W6-U																		
		W7-L		8.2	8.2	0.0	0.0%													
		W7-U																		
		W8-L		9.0	9.0	0.0	0.0%													
		W8-U						28.7	28.3	99%	28.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fifth	R6	W9-L	Bedroom	4.7	4.7	0.0	0.0%													
		W9-U																		
		W10-L		39.4	39.4	0.0	0.0%													
		W10-U						15.1	14.3	95%	14.3	95%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Thirty-Fifth	R7	W11-L	LKD	39.4	39.4	0.0	0.0%													
		W11-U																		
		W12-L		39.4	39.4	0.0	0.0%													
		W12-U																		
		W13-L		12.2	12.2	0.0	0.0%													
		W13-U						39.2	38.6	99%	38.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Fifth	R8	W14-L	Bedroom	2.7	2.7	0.0	0.0%													
		W14-U																		
		W15-L		39.4	39.4	0.0	0.0%													
		W15-U						12.4	12.3	100%	12.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Sixth	R1	W1-L	Bedroom	19.3	19.3	0.0	0.0%													
		W1-U																		
		W2-L		39.4	39.4	0.0	0.0%													
		W2-U						18.4	18.4	100%	18.4	100%	0.0	0.0%	69	20	69	20	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Thirty-Sixth	R2	W3-L	Bedroom	39.4	39.4	0.0	0.0%													
		W3-U																		
		W4-L		16.8	16.8	0.0	0.0%													
		W4-U						15.3	15.3	100%	15.3	100%	0.0	0.0%	54	18	54	18	0.0%	0.0%
Thirty-Sixth	R3	W5-L	LKD	18.5	18.5	0.0	0.0%													
		W5-U																		
		W6-L		23.0	23.0	0.0	0.0%													
		W6-U						35.4	33.0	93%	33.0	93%	0.0	0.0%	33	7	33	7	0.0%	0.0%
Thirty-Sixth	R4	W7-L	LKD	39.4	39.4	0.0	0.0%													
		W7-U																		
		W8-L		39.4	39.4	0.0	0.0%													
		W8-U																		
		W9-L		22.0	22.0	0.0	0.0%													
		W9-U																		
		W10-L		15.6	15.6	0.0	0.0%													
		W10-U						40.4	40.2	100%	40.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Sixth	R5	W11-L	Bedroom	10.8	10.8	0.0	0.0%													
		W11-U																		
		W12-L		39.4	39.4	0.0	0.0%													
		W12-U						14.8	14.6	99%	14.6	99%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Thirty-Sixth	R6	W13-L	Bedroom	39.4	39.4	0.0	0.0%													
		W13-U																		
		W14-L		19.0	19.0	0.0	0.0%													
		W14-U						15.9	15.8	100%	15.8	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirty-Sixth	R7	W15-L	LKD	17.1	17.1	0.0	0.0%													
		W15-U																		
		W16-L		39.4	39.4	0.0	0.0%													
		W16-U						20.9	20.5	98%	20.5	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Mezzanine	R1	W1-L	Residential	10.9	10.7	0.2	1.5%													
		W1-U																		
		W2-L		11.1	10.8	0.3	2.7%													
		W2-U						56.8	48.3	85%	48.2	85%	0.0	0.0%	23	10	23	10	0.0%	0.0%
Mezzanine	R2	W3-L	Residential	11.9	11.3	0.5	4.5%													
		W3-U																		
		W4-L		14.9	13.7	1.2	8.0%													
		W4-U																		
		W5-L		17.0	16.2	0.9	5.2%													
		W5-U																		
		W6-L		17.3	16.5	0.9	5.0%													
		W6-U																		
		W7-L		18.6	17.0	1.6	8.4%													
		W7-U																		
		W8-L		18.1	16.5	1.6	8.7%													
		W8-U																		
		W9-L		17.8	16.3	1.5	8.2%													
		W9-U																		
		W10-L		20.5	20.1	0.3	1.7%													
		W10-U																		
		W11-L		20.6	20.4	0.2	1.2%													
		W11-U						152.1	151.9	100%	151.9	100%	0.0	0.0%	52	15	51	15	1.9%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Ferry Island Building 2																			
First	R1	W1-L	LKD	13.2	13.2	0.0	0.0%												
		W1-U																	
		W2-L		16.7	16.7	0.0	0.0%												
		W2-U																	
		W3		23.3	22.9	0.3	1.5%	33.5	23.6	70%	23.6	70%	0.0	0.0%	40	18	40	18	0.0%	0.0%
First	R2	W4	Bedroom	22.0	21.7	0.4	1.7%	12.4	9.5	77%	9.3	75%	0.2	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W5-L	LKD	8.2	8.0	0.2	2.0%												
		W5-U						32.4	20.6	64%	20.6	63%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R4	W6	Bedroom	16.8	16.1	0.7	4.0%	12.4	6.2	50%	5.5	45%	0.6	10.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W7	LKD	16.4	15.6	0.8	4.8%												
		W8-L		7.3	7.0	0.3	4.0%												
		W8-U						35.2	14.1	40%	13.1	37%	1.0	7.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W9	Bedroom	11.4	10.5	0.9	7.7%	12.2	4.7	38%	3.9	32%	0.8	17.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W10	Bedroom	13.3	12.4	0.9	6.6%	11.5	6.0	52%	5.1	45%	0.9	14.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W11-L	Studio	3.3	3.2	0.1	2.7%												
		W11-U						29.1	5.5	19%	5.5	19%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R9	W12	LKD	9.0	8.3	0.7	7.4%												
		W13-L		1.3	1.1	0.2	11.7%												
		W13-U						35.1	6.8	19%	5.5	16%	1.3	18.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R10	W14	Bedroom	5.4	4.8	0.6	11.4%	11.3	2.1	18%	1.6	15%	0.4	20.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R11	W15	Bedroom	6.4	5.8	0.6	9.6%	14.5	1.9	13%	1.7	12%	0.2	11.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R12	W16	Bedroom	6.6	6.0	0.7	10.4%	10.0	1.1	11%	1.0	10%	0.2	15.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R13	W17	Bedroom	7.0	6.3	0.7	9.6%												
		W18		7.8	7.2	0.7	8.6%	11.3	4.3	38%	3.8	34%	0.5	10.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R14	W19	LKD	8.7	8.0	0.7	7.7%												
		W20-L		0.1	0.1	0.0	14.3%												
		W20-U																	
		W21-L		0.9	0.9	0.0	1.1%												
		W21-U																	
		W22-L		5.1	4.8	0.2	4.7%												
		W22-U						43.1	14.4	33%	12.9	30%	1.5	10.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R1	W1-L	LKD	13.7	13.7	0.0	0.0%												
		W1-U																	
		W2-L		17.3	17.3	0.0	0.0%												
		W2-U																	
		W3		24.5	23.9	0.6	2.3%	33.5	23.6	70%	23.6	70%	0.0	0.1%	40	18	40	18	0.0%	0.0%
Second	R2	W4	Bedroom	23.3	22.6	0.6	2.8%	12.4	9.9	80%	9.4	76%	0.5	4.9%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W5-L	LKD	9.2	8.7	0.4	4.7%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W5-U						32.4	21.6	67%	21.3	66%	0.3	1.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R4	W6	Bedroom	18.2	17.3	0.9	5.1%	12.4	7.2	58%	6.1	49%	1.1	15.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W7	LKD	17.8	16.8	1.0	5.7%													
		W8-L		8.3	7.7	0.6	7.5%													
		W8-U						35.2	16.1	46%	14.7	42%	1.4	8.9%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W9	Bedroom	12.9	11.8	1.2	9.0%	12.2	5.3	44%	4.2	34%	1.2	21.9%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W10	Bedroom	14.9	13.6	1.3	8.5%	11.5	7.3	64%	6.0	52%	1.3	18.2%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R8	W11-L	Studio	4.0	3.4	0.5	13.7%													
		W11-U						29.1	6.0	21%	5.7	19%	0.3	5.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R9	W12	LKD	10.3	9.1	1.1	11.0%													
		W13-L		1.7	1.4	0.3	18.5%													
		W13-U						35.1	8.3	24%	6.1	17%	2.2	26.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R10	W14	Bedroom	6.2	5.5	0.8	12.4%	11.3	2.5	22%	2.0	17%	0.6	22.7%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R11	W15	Bedroom	7.2	6.4	0.8	10.7%	14.5	2.1	15%	1.9	13%	0.2	9.4%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R12	W16	Bedroom	7.4	6.6	0.8	10.7%	10.0	1.3	13%	1.1	11%	0.2	13.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R13	W17	Bedroom	7.7	6.9	0.8	9.8%													
		W18		8.5	7.8	0.7	8.4%	11.3	4.6	40%	4.0	36%	0.5	11.1%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R14	W19	LKD	9.3	8.6	0.7	7.6%													
		W20-L		0.1	0.1	0.0	12.5%													
		W20-U																		
		W21-L		0.9	0.9	0.0	1.1%													
		W21-U																		
		W22-L		5.4	5.2	0.3	4.6%													
		W22-U						43.1	15.1	35%	13.3	31%	1.8	11.8%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	LKD	13.8	13.8	0.0	0.0%													
		W1-U																		
		W2-L		17.4	17.4	0.0	0.0%													
		W2-U																		
		W3		25.6	24.7	0.8	3.3%	33.5	23.6	70%	23.6	70%	0.0	0.2%	40	18	40	18	0.0%	0.0%
Third	R2	W4	Bedroom	24.4	23.4	1.0	4.0%	12.4	10.0	81%	9.5	77%	0.6	5.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W5-L	LKD	9.9	9.1	0.9	8.8%													
		W5-U						32.4	22.7	70%	21.6	67%	1.1	4.9%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W6	Bedroom	19.6	18.2	1.4	7.2%	12.4	8.5	69%	6.6	53%	1.9	22.3%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W7	LKD	19.2	17.6	1.5	8.0%													
		W8-L		9.3	8.2	1.2	12.3%													
		W8-U						35.2	18.2	52%	15.8	45%	2.4	13.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W9	Bedroom	14.5	12.9	1.7	11.5%	12.2	6.5	53%	4.5	37%	2.0	30.4%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W10	Bedroom	16.5	14.8	1.7	10.6%	11.5	8.0	69%	6.9	60%	1.1	13.5%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Third	R8	W11-L	Studio	5.0	3.9	1.1	22.8%													
		W11-U						29.1	8.3	28%	7.0	24%	1.2	15.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R9	W12	LKD	11.6	10.0	1.7	14.4%													
		W13-L		2.5	1.8	0.7	28.3%													
		W13-U						35.1	11.2	32%	7.3	21%	3.9	34.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R10	W14	Bedroom	7.0	6.2	0.8	11.9%	11.3	3.1	27%	2.4	21%	0.7	21.6%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R11	W15	Bedroom	8.1	7.2	0.9	11.6%	14.5	2.5	17%	2.4	16%	0.1	5.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R12	W16	Bedroom	8.2	7.3	0.9	10.8%	10.0	1.6	16%	1.4	14%	0.1	9.5%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R13	W17	Bedroom	8.5	7.7	0.8	9.6%													
		W18		9.2	8.5	0.8	8.1%	11.3	4.9	43%	4.4	39%	0.5	10.5%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R14	W19	LKD	10.0	9.3	0.7	7.3%													
		W20-L		0.1	0.1	0.0	0.0%													
		W20-U																		
		W21-L		1.0	0.9	0.0	1.1%													
		W21-U																		
		W22-L		5.8	5.6	0.3	4.3%													
		W22-U						43.1	15.6	36%	13.6	32%	2.0	12.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R1	W1-L	LKD	13.7	13.7	0.0	0.0%													
		W1-U																		
		W2-L		17.3	17.3	0.0	0.0%													
		W2-U																		
		W3		26.7	25.6	1.1	4.2%	33.5	23.6	70%	23.6	70%	0.1	0.2%	39	18	39	18	0.0%	0.0%
Fourth	R2	W4	Bedroom	25.7	24.4	1.3	5.1%	12.4	10.1	81%	9.5	77%	0.5	5.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R3	W5-L	LKD	10.7	9.4	1.4	12.6%													
		W5-U						32.4	24.0	74%	22.2	68%	1.9	7.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R4	W6	Bedroom	21.2	19.3	1.9	9.0%	12.4	8.8	71%	7.2	58%	1.6	18.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W7	LKD	20.7	18.6	2.1	10.3%													
		W8-L		10.5	8.6	1.9	18.2%													
		W8-U						35.2	22.6	64%	17.9	51%	4.7	20.8%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W9	Bedroom	16.3	13.8	2.5	15.0%	12.2	7.4	61%	4.7	38%	2.7	36.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W10	Bedroom	18.3	15.7	2.6	14.1%	11.5	8.0	70%	7.0	61%	1.0	12.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R8	W11-L	Studio	6.9	4.7	2.2	31.7%													
		W11-U						29.1	15.6	54%	11.8	41%	3.7	24.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R9	W12	LKD	13.1	10.8	2.3	17.7%													
		W13-L		4.3	2.8	1.5	34.9%													
		W13-U						35.1	16.4	47%	9.9	28%	6.5	39.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R10	W14	Bedroom	7.7	6.7	1.0	13.4%	11.3	3.5	31%	2.9	25%	0.6	17.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R11	W15	Bedroom	9.1	7.9	1.1	12.5%	14.5	3.1	22%	3.0	21%	0.1	3.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R12	W16	Bedroom	9.2	8.2	1.0	10.7%	10.0	2.1	21%	2.0	20%	0.1	6.5%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fourth	R13	W17	Bedroom	9.4	8.5	0.9	9.4%													
		W18		10.1	9.3	0.8	7.8%	11.3	5.2	47%	4.8	43%	0.5	8.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R14	W19	LKD	10.8	10.0	0.7	6.9%													
		W20-L		0.1	0.1	0.0	0.0%													
		W20-U																		
		W21-L		1.0	1.0	0.0	1.0%													
		W21-U																		
		W22-L		6.3	6.0	0.2	3.8%													
		W22-U						43.1	16.5	38%	14.1	33%	2.4	14.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R1	W1-L	LKD	13.7	13.7	0.0	0.0%													
		W1-U																		
		W2-L		17.3	17.3	0.0	0.0%													
		W2-U																		
		W3		27.9	26.5	1.4	5.0%	33.5	23.6	70%	23.6	70%	0.0	0.1%	39	18	39	18	0.0%	0.0%
Fifth	R2	W4	Bedroom	27.0	25.4	1.6	6.0%	12.4	10.1	82%	9.6	77%	0.5	5.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R3	W5-L	LKD	11.4	9.6	1.8	15.8%													
		W5-U						32.4	24.8	76%	22.7	70%	2.1	8.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R4	W6	Bedroom	23.3	20.9	2.4	10.3%	12.4	8.8	71%	7.3	59%	1.6	17.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W7	LKD	22.4	19.7	2.7	12.2%													
		W8-L		11.7	9.0	2.7	22.9%													
		W8-U						35.2	29.2	83%	22.2	63%	7.0	23.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W9	Bedroom	18.2	15.0	3.2	17.8%	12.2	7.5	62%	4.8	40%	2.7	35.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W10	Bedroom	20.2	16.7	3.4	17.0%	11.5	8.1	70%	7.1	62%	1.0	11.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R8	W11-L	Studio	7.5	4.7	2.8	37.3%													
		W11-U						29.1	22.0	76%	15.9	55%	6.2	27.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R9	W12	LKD	14.5	11.6	3.0	20.3%													
		W13-L		4.7	2.7	2.0	41.8%													
		W13-U						35.1	26.7	76%	14.1	40%	12.6	47.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R10	W14	Bedroom	8.5	7.2	1.2	14.4%	11.3	3.7	33%	3.2	28%	0.5	14.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R11	W15	Bedroom	10.0	8.7	1.3	13.0%	14.5	3.8	26%	3.7	26%	0.1	1.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R12	W16	Bedroom	10.2	9.1	1.1	10.8%	10.0	3.0	30%	2.9	29%	0.1	4.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R13	W17	Bedroom	10.4	9.4	1.0	9.3%													
		W18		10.9	10.1	0.8	7.6%	11.3	5.7	50%	5.3	47%	0.4	7.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R14	W19	LKD	11.5	10.7	0.8	6.6%													
		W20-L		0.2	0.2	0.0	0.0%													
		W20-U																		
		W21-L		1.0	1.0	0.0	1.0%													
		W21-U																		
		W22-L		6.8	6.5	0.2	3.5%													
		W22-U						43.1	17.8	41%	15.2	35%	2.6	14.4%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R1	W1-L	LKD	13.7	13.7	0.0	0.0%													
		W1-U																		
		W2-L		17.3	17.3	0.0	0.0%													
		W2-U																		
		W3		29.1	27.4	1.7	5.7%	33.5	23.6	70%	23.6	70%	0.0	0.1%	39	18	39	18	0.0%	0.0%
Sixth	R2	W4	Bedroom	28.3	26.3	1.9	6.8%	12.4	10.1	82%	9.6	78%	0.5	5.1%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R3	W5-L	LKD	26.7	24.3	2.4	8.9%													
		W5-U						32.4	25.0	77%	23.0	71%	2.0	8.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W6	Bedroom	25.6	22.7	2.9	11.2%	12.4	8.9	72%	7.4	59%	1.5	17.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W7	LKD	24.0	20.8	3.3	13.7%													
		W8-L		14.0	10.4	3.5	25.3%													
		W8-U						35.2	30.5	87%	24.5	70%	5.9	19.5%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W9	Bedroom	20.0	16.1	3.9	19.7%	12.2	7.6	63%	5.0	41%	2.7	34.8%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W10	Bedroom	22.0	17.8	4.1	18.8%	11.5	8.3	72%	7.4	64%	0.9	10.8%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R8	W11-L	Studio	9.7	6.1	3.6	36.9%													
		W11-U						29.1	23.9	82%	16.0	55%	7.9	32.9%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R9	W12	LKD	15.8	12.5	3.4	21.3%													
		W13-L		6.3	3.8	2.6	40.4%													
		W13-U						35.1	29.8	85%	16.8	48%	13.0	43.6%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R10	W14	Bedroom	8.9	7.5	1.4	16.0%	11.3	3.7	33%	3.3	29%	0.4	12.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R11	W15	Bedroom	11.0	9.6	1.5	13.3%	14.5	3.9	27%	3.9	27%	0.0	1.2%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R12	W16	Bedroom	11.2	10.0	1.2	10.7%	10.0	3.5	35%	3.4	34%	0.1	2.7%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R13	W17	Bedroom	11.4	10.3	1.0	9.1%													
		W18		11.8	10.9	0.9	7.3%	11.3	6.1	54%	5.7	51%	0.4	6.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R14	W19	LKD	12.1	11.4	0.8	6.4%													
		W20-L		0.4	0.4	0.0	0.0%													
		W20-U																		
		W21-L		1.1	1.1	0.0	0.9%													
		W21-U																		
		W22-L		7.4	7.1	0.2	3.3%													
		W22-U						43.1	19.6	46%	17.0	39%	2.7	13.6%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R1	W1-L	LKD	36.1	36.1	0.0	0.0%													
		W1-U																		
		W2-L		33.2	33.2	0.0	0.0%													
		W2-U																		
		W3		25.4	21.9	3.5	13.9%													
		W4-L		14.0	10.1	3.9	27.6%													
		W4-U						39.4	39.4	100%	38.8	98%	0.6	1.6%	72	26	72	26	0.0%	0.0%
Seventh	R2	W5	Bedroom	21.5	17.2	4.2	19.8%	12.3	7.8	64%	5.2	42%	2.6	33.5%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R3	W6	Bedroom	23.4	19.0	4.4	18.9%	11.2	8.3	74%	7.6	68%	0.8	9.1%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Seventh	R4	W7-L	Studio	9.6	5.8	3.8	39.6%												
		W7-U						29.2	23.7	81%	15.8	54%	7.9	33.3%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W8	LKD	17.0	13.5	3.5	20.5%												
		W9-L		6.3	3.6	2.7	42.3%												
		W9-U						34.2	29.9	87%	16.9	49%	13.0	43.6%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W10	Bedroom	9.6	8.2	1.4	14.8%	11.1	3.6	33%	3.3	29%	0.4	9.9%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W11	Bedroom	12.0	10.5	1.5	12.7%	14.5	4.0	28%	4.0	28%	0.0	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R8	W12	Bedroom	12.3	11.1	1.2	10.0%	10.1	3.7	36%	3.6	36%	0.1	1.5%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R9	W13	Bedroom	12.4	11.3	1.1	8.6%												
		W14		12.7	11.8	0.9	7.0%	11.2	6.5	58%	6.1	54%	0.4	6.6%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R10	W15	LKD	12.9	12.1	0.8	6.1%												
		W16-L		0.6	0.6	0.0	0.0%												
		W16-U																	
		W17-L		1.2	1.2	0.0	0.8%												
		W17-U																	
		W18-L		8.1	7.8	0.3	3.1%												
		W18-U						42.4	21.1	50%	18.8	44%	2.4	11.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R1	W1	LKD	37.0	37.0	0.0	0.0%												
		W2-L		38.7	38.7	0.0	0.0%												
		W2-U																	
		W3-L		38.5	38.5	0.0	0.0%												
		W3-U																	
		W4		26.4	22.9	3.5	13.2%	34.8	33.4	96%	31.7	91%	1.7	5.2%	87	30	87	30	0.0%	0.0%
Eighth	R2	W5-L	Bedroom	14.7	10.9	3.8	25.8%												
		W5-U						8.3	7.0	85%	5.8	70%	1.3	18.1%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R3	W6	Bedroom	22.6	18.4	4.2	18.4%	11.8	7.7	65%	5.9	50%	1.9	24.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R4	W7	Bedroom	24.5	20.2	4.3	17.5%	11.2	8.7	78%	8.2	73%	0.5	6.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W8-L	Studio	10.3	6.6	3.7	36.2%												
		W8-U						29.2	23.8	81%	15.9	55%	7.8	32.9%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R6	W9	LKD	17.9	14.5	3.4	19.0%												
		W10-L		6.8	4.1	2.7	39.3%												
		W10-U						34.2	30.2	88%	17.4	51%	12.8	42.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W11	Bedroom	10.1	8.7	1.4	13.9%	11.1	3.6	33%	3.3	30%	0.3	7.9%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R8	W12	Bedroom	12.8	11.3	1.5	11.6%	14.5	4.0	28%	4.0	28%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R9	W13	Bedroom	13.1	11.9	1.2	9.2%	10.1	3.8	38%	3.8	37%	0.0	0.9%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R10	W14	Bedroom	13.2	12.2	1.1	7.9%												
		W15		13.4	12.5	0.9	6.6%	11.2	6.9	62%	6.6	59%	0.4	5.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R11	W16	LKD	13.6	12.8	0.8	5.8%												
		W17-L		0.7	0.7	0.0	0.0%												
		W17-U																	

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing	Proposed	Loss	Loss	Room	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%	Area	m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W18-L		1.3	1.3	0.0	0.8%													
		W18-U																		
		W19-L		8.8	8.5	0.3	2.8%													
		W19-U						42.4	21.6	51%	19.1	45%	2.5	11.4%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R1	W1	LKD	37.2	37.2	0.0	0.0%													
		W2-L		38.8	38.8	0.0	0.0%													
		W2-U																		
		W3-L		38.7	38.7	0.0	0.0%													
		W3-U																		
		W4		27.7	24.2	3.5	12.5%	34.8	33.4	96%	31.7	91%	1.7	5.1%	89	30	89	30	0.0%	0.0%
Ninth	R2	W5-L	Bedroom	15.8	12.0	3.8	23.8%													
		W5-U						8.3	7.2	88%	6.1	74%	1.1	15.6%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R3	W6	Bedroom	23.9	19.9	4.0	16.9%	11.8	8.4	71%	6.8	57%	1.7	19.8%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R4	W7	Bedroom	25.9	21.8	4.2	16.0%	11.2	9.3	83%	9.1	82%	0.1	1.1%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W8-L	Studio	11.3	7.6	3.7	32.3%													
		W8-U						29.2	23.8	81%	16.2	55%	7.6	31.9%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R6	W9	LKD	19.1	15.8	3.3	17.2%													
		W10-L		7.3	4.6	2.7	36.4%													
		W10-U						34.2	30.6	89%	18.5	54%	12.1	39.5%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R7	W11	Bedroom	10.7	9.2	1.4	13.3%	11.1	3.6	33%	3.4	31%	0.2	5.7%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R8	W12	Bedroom	13.6	12.2	1.5	10.7%	14.5	4.1	28%	4.1	28%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R9	W13	Bedroom	13.9	12.7	1.2	8.6%	10.1	4.0	39%	4.0	39%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R10	W14	Bedroom	13.9	12.9	1.0	7.5%													
		W15		14.2	13.3	0.9	6.2%	11.2	7.5	67%	7.2	64%	0.3	4.1%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R11	W16	LKD	14.4	13.6	0.8	5.6%													
		W17-L		0.8	0.8	0.0	0.0%													
		W17-U																		
		W18-L		1.4	1.4	0.0	1.4%													
		W18-U																		
		W19-L		9.4	9.1	0.3	2.8%													
		W19-U						42.4	22.1	52%	19.7	46%	2.4	11.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R1	W1	LKD	37.4	37.4	0.0	0.0%													
		W2-L		39.0	38.9	0.0	0.1%													
		W2-U																		
		W3-L		38.8	38.8	0.0	0.1%													
		W3-U																		
		W4		29.9	26.4	3.5	11.6%	34.8	33.4	96%	31.8	91%	1.7	5.0%	90	30	90	30	0.0%	0.0%
Tenth	R2	W5-L	Bedroom	16.8	13.1	3.7	22.1%													
		W5-U						8.3	7.6	92%	6.7	81%	0.9	11.7%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R3	W6	Bedroom	26.4	22.4	4.0	15.0%	11.8	9.7	82%	8.3	70%	1.4	14.5%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R4	W7	Bedroom	27.5	23.5	4.0	14.6%	11.2	9.6	86%	9.5	85%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Tenth	R5	W8-L	Studio	12.2	8.7	3.6	29.1%													
		W8-U						29.2	24.2	83%	17.1	59%	7.1	29.3%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R6	W9	LKD	20.9	17.7	3.2	15.3%													
		W10-L		7.7	5.1	2.6	33.9%													
		W10-U						34.2	30.9	90%	20.2	59%	10.6	34.4%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W11	Bedroom	12.3	10.9	1.5	11.8%	11.1	3.6	33%	3.5	32%	0.1	3.7%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R8	W12	Bedroom	14.6	13.2	1.4	9.8%	14.5	4.1	28%	4.1	28%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R9	W13	Bedroom	14.7	13.5	1.2	7.9%	10.1	4.1	41%	4.1	41%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R10	W14	Bedroom	14.7	13.7	1.0	6.9%													
		W15		15.0	14.1	0.9	5.9%	11.2	7.8	70%	7.5	68%	0.2	2.7%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R11	W16	LKD	15.2	14.4	0.8	5.3%													
		W17-L		0.9	0.9	0.0	0.0%													
		W17-U																		
		W18-L		1.6	1.5	0.0	1.3%													
		W18-U																		
		W19-L		9.8	9.5	0.3	2.7%													
		W19-U						42.4	22.9	54%	20.4	48%	2.5	10.8%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R1	W1	LKD	37.6	37.6	0.0	0.0%													
		W2-L		39.1	39.1	0.0	0.1%													
		W2-U																		
		W3-L		39.0	38.9	0.0	0.1%													
		W3-U																		
		W4		31.5	28.1	3.5	11.1%	34.8	33.4	96%	31.8	91%	1.6	4.9%	90	30	90	30	0.0%	0.0%
Eleventh	R2	W5-L	Bedroom	30.9	27.2	3.7	11.9%													
		W5-U						8.3	7.6	93%	7.2	87%	0.4	5.7%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R3	W6	Bedroom	30.2	26.3	3.8	12.7%	11.8	11.2	95%	10.4	88%	0.8	7.1%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R4	W7	Bedroom	29.0	25.0	3.9	13.6%	11.2	9.6	86%	9.6	86%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R5	W8-L	Studio	26.0	22.6	3.5	13.3%													
		W8-U						29.2	25.5	87%	20.7	71%	4.8	18.8%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R6	W9	LKD	22.8	19.6	3.2	13.8%													
		W10-L		16.0	13.4	2.5	15.9%													
		W10-U						34.2	31.2	91%	22.0	64%	9.2	29.5%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R7	W11	Bedroom	15.5	13.7	1.8	11.9%	11.1	3.7	33%	3.6	32%	0.1	2.3%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R8	W12	Bedroom	15.4	14.0	1.4	9.1%	14.5	4.1	28%	4.1	28%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R9	W13	Bedroom	15.5	14.3	1.1	7.4%	10.1	4.3	42%	4.3	42%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R10	W14	Bedroom	15.6	14.6	1.0	6.5%													
		W15		15.9	15.0	0.9	5.6%	11.2	8.0	71%	7.9	71%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R11	W16	LKD	16.1	15.3	0.8	5.0%													
		W17-L		0.9	0.9	0.0	0.0%													
		W17-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W18-L		1.7	1.7	0.0	1.8%													
		W18-U																		
		W19-L		10.3	10.0	0.3	2.4%													
		W19-U						42.4	24.1	57%	21.8	51%	2.3	9.4%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R1	W1	LKD	37.7	37.7	0.0	0.0%													
		W2-L		39.2	39.1	0.0	0.1%													
		W2-U																		
		W3-L		39.1	39.1	0.0	0.1%													
		W3-U																		
		W4		32.9	29.4	3.4	10.5%	34.8	33.4	96%	31.8	91%	1.6	4.9%	90	30	90	30	0.0%	0.0%
Twelfth	R2	W5-L	Bedroom	32.1	28.6	3.6	11.1%													
		W5-U						8.3	7.7	93%	7.4	89%	0.3	4.1%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R3	W6	Bedroom	31.4	27.7	3.7	11.9%	11.8	11.2	95%	10.7	90%	0.5	4.8%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R4	W7	Bedroom	30.1	26.4	3.8	12.5%	11.2	9.6	86%	9.6	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W8-L	Studio	27.2	23.9	3.3	12.2%													
		W8-U						29.2	25.9	89%	22.7	77%	3.3	12.6%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R6	W9	LKD	23.9	20.9	3.0	12.6%													
		W10-L		16.9	14.5	2.4	14.4%													
		W10-U						34.2	31.3	92%	22.7	67%	8.6	27.5%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R7	W11	Bedroom	16.5	14.7	1.8	10.8%	11.1	3.7	33%	3.7	33%	0.1	1.3%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R8	W12	Bedroom	16.3	14.9	1.4	8.3%	14.5	4.1	29%	4.1	28%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R9	W13	Bedroom	16.4	15.3	1.1	6.8%	10.1	4.3	43%	4.3	43%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R10	W14	Bedroom	16.5	15.5	1.0	6.0%													
		W15		16.8	16.0	0.9	5.2%	11.2	8.1	73%	8.1	72%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R11	W16	LKD	17.1	16.3	0.8	4.7%													
		W17-L		1.0	1.0	0.0	0.0%													
		W17-U																		
		W18-L		1.8	1.8	0.0	1.7%													
		W18-U																		
		W19-L		10.8	10.6	0.3	2.3%													
		W19-U						42.4	24.5	58%	22.4	53%	2.2	8.8%	N/F	N/F	N/F	N/F	N/F	N/F
The Gessner																				
First	R1	W1-L	LKD	33.9	33.8	0.0	0.1%													
		W1-U																		
		W2-L		33.8	33.8	0.0	0.1%													
		W2-U																		
		W3-L		10.7	7.8	2.9	27.0%													
		W3-U						37.2	28.7	77%	27.4	74%	1.4	4.7%	59	19	55	16	6.8%	15.8%
First	R2	W4-L	Bedroom	13.7	6.2	7.5	54.5%													
		W4-U						12.2	11.3	93%	7.2	59%	4.1	36.3%	26	13	9	8	65.4%	38.5%
First	R3	W5-L	Bedroom	27.3	12.6	14.6	53.7%													
		W5-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W6-L		28.7	13.5	15.2	53.0%												
		W6-U						12.0	11.8	98%	11.1	92%	0.7	6.1%	60	18	29	12	51.7%	33.3%
First	R4	W7-L	Bedroom	13.4	8.2	5.1	38.3%												
		W7-U						11.9	9.3	78%	3.0	26%	6.2	67.2%	33	18	26	12	21.2%	33.3%
First	R5	W8-L	LKD	9.5	3.2	6.4	66.8%												
		W8-U						31.7	24.5	77%	13.8	43%	10.8	43.9%	17	13	6	5	64.7%	61.5%
First	R6	W9-L	Bedroom	15.9	0.5	15.4	96.6%												
		W9-U																		
		W10-L		16.8	4.7	12.0	71.8%												
		W10-U						14.2	12.2	86%	0.6	4%	11.6	95.2%	47	14	9	4	80.9%	71.4%
First	R7	W11-L	Bedroom	25.0	6.7	18.4	73.4%												
		W11-U						12.0	11.0	91%	3.1	26%	7.9	71.7%	53	18	20	7	62.3%	61.1%
First	R8	W12-L	LKD	10.9	3.5	7.3	67.5%												
		W12-U																		
		W13-L		12.3	3.3	9.0	72.9%												
		W13-U						34.1	25.3	74%	11.2	33%	14.0	55.6%	38	20	19	7	50.0%	65.0%
First	R9	W14-L	Bedroom	24.2	4.7	19.6	80.7%												
		W14-U						15.5	11.2	72%	2.9	19%	8.3	74.1%	50	14	12	2	76.0%	85.7%
First	R10	W15-L	Bedroom	24.7	6.2	18.5	74.8%												
		W15-U						13.4	10.5	78%	3.6	27%	6.9	66.0%	52	15	18	4	65.4%	73.3%
First	R11	W16-L	LKD	12.0	3.6	8.4	69.7%												
		W16-U																		
		W17-L		9.1	2.1	7.0	76.9%												
		W17-U																		
		W18-L		24.1	17.5	6.6	27.2%												
		W18-U						42.0	31.2	74%	10.8	26%	20.4	65.5%	48	16	30	5	37.5%	68.8%
First	R12	W19-L	Bedroom	26.5	18.0	8.5	32.2%												
		W19-U						12.2	10.7	88%	4.3	36%	6.4	59.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R13	W20-L	LKD	27.5	18.6	8.8	32.1%												
		W20-U																		
		W21-L		12.7	12.2	0.5	3.9%												
		W21-U																		
		W22-L		11.1	11.1	0.0	0.1%												
		W22-U						42.8	35.7	83%	35.6	83%	0.1	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R14	W23-L	Bedroom	23.9	23.9	0.0	0.0%												
		W23-U						12.5	10.8	87%	10.8	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R15	W24-L	Bedroom	23.7	23.6	0.0	0.2%												
		W24-U						14.6	12.2	84%	12.2	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R16	W25-L	LKD	11.2	11.1	0.0	0.3%												
		W25-U																		
		W26-L		8.7	8.7	0.0	0.1%												
		W26-U						40.3	37.0	92%	37.0	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R17	W27-L	Bedroom	12.2	12.2	0.0	0.0%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W27-U						14.4	11.6	81%	11.6	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R18	W28-L	Studio	8.7	8.7	0.0	0.0%													
		W28-U						42.7	21.5	50%	21.5	50%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R19	W29-L	Bedroom	14.3	14.2	0.0	0.3%													
		W29-U						13.1	7.8	59%	6.3	48%	1.4	18.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R20	W30-L	LKD	19.1	18.5	0.5	2.8%													
		W30-U																		
		W31-L		20.7	20.0	0.7	3.3%													
		W31-U						32.3	26.5	82%	17.6	54%	8.9	33.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R21	W32-L	Bedroom	22.1	21.3	0.8	3.6%													
		W32-U						12.7	8.3	65%	7.5	59%	0.9	10.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R22	W33-L	Bedroom	24.6	23.8	0.8	3.3%													
		W33-U						13.8	10.7	78%	10.7	78%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R23	W34-L	LKD	5.6	5.0	0.6	10.2%													
		W34-U						33.3	18.4	55%	12.4	37%	6.0	32.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R24	W35-L	Studio	28.1	27.0	1.0	3.6%													
		W35-U																		
		W36-L		29.0	28.0	1.1	3.7%													
		W36-U																		
		W37-L		29.5	28.4	1.1	3.6%													
		W37-U						39.0	31.8	81%	30.6	78%	1.2	3.8%	N/F	N/F	N/F	N/F	N/F	N/F
First	R25	W38-L	Bedroom	29.9	28.8	1.1	3.5%													
		W38-U						14.2	12.8	91%	12.7	90%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R26	W39-L	LKD	30.6	29.5	1.1	3.4%													
		W39-U																		
		W40-L		10.0	10.0	0.0	0.0%													
		W40-U						35.5	26.2	74%	25.9	73%	0.4	1.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R27	W41-L	Bedroom	9.9	9.8	0.0	0.5%													
		W41-U						15.1	11.3	75%	11.3	75%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R28	W42-L	Bedroom	26.1	26.1	0.0	0.0%													
		W42-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	20	0	20	0	0.0%	0.0%
First	R29	W43-L	LKD	30.2	30.2	0.0	0.0%													
		W43-U																		
		W44-L		35.4	35.4	0.0	0.0%													
		W44-U						41.1	26.0	63%	26.0	63%	0.0	0.0%	55	16	55	16	0.0%	0.0%
Second	R1	W1-L	LKD	34.6	34.5	0.0	0.1%													
		W1-U																		
		W2-L		34.5	34.5	0.0	0.1%													
		W2-U																		
		W3-L		11.2	8.2	3.0	26.4%													
		W3-U						37.2	29.0	78%	28.0	75%	1.0	3.5%	61	20	58	18	4.9%	10.0%
Second	R2	W4-L	Bedroom	14.2	6.6	7.6	53.5%													
		W4-U						12.2	11.3	93%	7.7	63%	3.6	31.9%	27	13	11	9	59.3%	30.8%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Second	R3	W5-L	Bedroom	27.9	13.0	14.9	53.4%												
		W5-U																	
		W6-L		29.3	13.9	15.5	52.7%												
		W6-U						12.0	11.8	98%	11.1	93%	0.7	5.8%	60	18	30	13	50.0%	27.8%
Second	R4	W7-L	Bedroom	13.9	8.5	5.4	38.8%												
		W7-U						11.9	9.3	79%	3.1	26%	6.3	67.2%	33	18	26	12	21.2%	33.3%
Second	R5	W8-L	LKD	10.1	3.5	6.7	65.8%												
		W8-U						31.7	24.8	78%	13.9	44%	11.0	44.1%	19	14	7	5	63.2%	64.3%
Second	R6	W9-L	Bedroom	16.5	0.6	15.9	96.5%												
		W9-U																	
		W10-L		17.1	4.9	12.3	71.6%												
		W10-U						14.2	12.5	88%	0.6	4%	11.9	95.1%	48	15	9	4	81.3%	73.3%
Second	R7	W11-L	Bedroom	25.8	6.8	19.0	73.8%												
		W11-U						12.0	11.1	93%	3.1	26%	8.0	72.1%	55	20	20	7	63.6%	65.0%
Second	R8	W12-L	LKD	11.5	3.7	7.9	68.2%												
		W12-U																	
		W13-L		13.0	3.7	9.3	71.5%												
		W13-U						34.1	25.5	75%	12.3	36%	13.2	51.7%	39	21	19	7	51.3%	66.7%
Second	R9	W14-L	Bedroom	25.2	5.2	20.0	79.5%												
		W14-U						15.5	11.5	74%	3.0	19%	8.5	74.0%	53	16	12	2	77.4%	87.5%
Second	R10	W15-L	Bedroom	25.7	6.5	19.2	74.6%												
		W15-U						13.4	10.9	81%	3.6	27%	7.3	67.2%	56	18	19	5	66.1%	72.2%
Second	R11	W16-L	LKD	12.9	4.0	8.9	68.7%												
		W16-U																	
		W17-L		10.9	3.4	7.6	69.2%												
		W17-U																	
		W18-L		29.5	21.8	7.8	26.3%												
		W18-U						41.9	34.1	81%	14.6	35%	19.5	57.3%	57	19	36	7	36.8%	63.2%
Second	R12	W19-L	Bedroom	29.7	22.1	7.6	25.6%												
		W19-U						12.2	11.1	91%	6.6	54%	4.6	40.9%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R13	W20-L	LKD	30.0	22.6	7.4	24.6%												
		W20-U																	
		W21-L		13.4	13.2	0.2	1.8%												
		W21-U																	
		W22-L		11.6	11.6	0.0	0.1%												
		W22-U						42.8	35.8	84%	35.6	83%	0.2	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R14	W23-L	Bedroom	24.5	24.5	0.0	0.0%												
		W23-U						12.5	10.9	87%	10.9	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R15	W24-L	Bedroom	24.2	24.2	0.0	0.0%												
		W24-U						14.6	12.3	84%	12.3	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R16	W25-L	LKD	11.6	11.6	0.0	0.1%												
		W25-U																	
		W26-L		9.1	9.1	0.0	0.1%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W26-U						40.3	37.0	92%	37.0	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R17	W27-L	Bedroom	12.5	12.5	0.0	0.0%													
		W27-U						14.4	11.6	81%	11.6	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R18	W28-L	Studio	9.1	9.1	0.0	0.0%													
		W28-U						42.7	23.1	54%	23.1	54%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R19	W29-L	Bedroom	15.0	15.0	0.0	0.2%													
		W29-U						13.1	7.9	60%	7.8	60%	0.1	0.9%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R20	W30-L	LKD	20.2	19.7	0.5	2.3%													
		W30-U																		
		W31-L		22.0	21.4	0.6	2.6%													
		W31-U						32.3	27.3	85%	21.9	68%	5.5	20.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R21	W32-L	Bedroom	23.5	22.8	0.6	2.8%													
		W32-U						12.7	8.5	67%	8.5	67%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R22	W33-L	Bedroom	26.0	25.4	0.6	2.5%													
		W33-U						13.8	10.8	79%	10.8	79%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R23	W34-L	LKD	6.3	6.0	0.3	5.4%													
		W34-U						33.3	20.5	62%	17.7	53%	2.8	13.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R24	W35-L	Studio	29.4	28.6	0.9	3.0%													
		W35-U																		
		W36-L		30.4	29.4	1.0	3.3%													
		W36-U																		
		W37-L		30.8	29.8	1.0	3.3%													
		W37-U						39.0	33.7	86%	33.4	86%	0.2	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R25	W38-L	Bedroom	31.2	30.1	1.0	3.3%													
		W38-U						14.2	13.0	92%	13.0	92%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R26	W39-L	LKD	31.8	30.8	1.0	3.2%													
		W39-U																		
		W40-L		10.5	10.5	0.0	0.0%													
		W40-U						35.5	27.6	78%	27.6	78%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R27	W41-L	Bedroom	10.6	10.6	0.0	0.1%													
		W41-U						15.1	12.6	84%	12.6	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R28	W42-L	Bedroom	26.4	26.4	0.0	0.0%													
		W42-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	21	0	21	0	0.0%	0.0%
Second	R29	W43-L	LKD	30.4	30.4	0.0	0.0%													
		W43-U																		
		W44-L		35.9	35.9	0.0	0.0%													
		W44-U						41.1	27.1	66%	27.1	66%	0.0	0.0%	56	16	56	16	0.0%	0.0%
Third	R1	W1-L	LKD	35.3	35.3	0.0	0.1%													
		W1-U																		
		W2-L		35.3	35.2	0.0	0.1%													
		W2-U																		
		W3-L		11.6	8.6	3.0	25.5%													
		W3-U						37.2	29.4	79%	29.0	78%	0.4	1.3%	61	20	58	18	4.9%	10.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Third	R2	W4-L	Bedroom	14.7	7.0	7.8	52.7%												
		W4-U						12.2	11.3	93%	7.8	64%	3.5	31.0%	27	13	11	9	59.3%	30.8%
Third	R3	W5-L	Bedroom	28.4	13.3	15.1	53.1%												
		W5-U																	
		W6-L		29.9	14.1	15.7	52.7%												
		W6-U						12.0	11.8	98%	11.4	95%	0.4	3.5%	61	19	30	13	50.8%	31.6%
Third	R4	W7-L	Bedroom	14.3	8.7	5.6	39.4%												
		W7-U						11.9	9.4	79%	3.2	27%	6.2	66.2%	34	19	26	12	23.5%	36.8%
Third	R5	W8-L	LKD	10.6	3.7	6.9	65.2%												
		W8-U						31.7	25.3	80%	13.9	44%	11.3	44.9%	21	15	8	5	61.9%	66.7%
Third	R6	W9-L	Bedroom	16.9	0.6	16.3	96.4%												
		W9-U																	
		W10-L		17.5	5.0	12.5	71.6%												
		W10-U						14.2	12.8	90%	0.6	4%	12.2	95.1%	50	16	9	4	82.0%	75.0%
Third	R7	W11-L	Bedroom	26.3	6.8	19.5	74.0%												
		W11-U						12.0	11.3	94%	3.1	26%	8.2	72.5%	55	20	20	7	63.6%	65.0%
Third	R8	W12-L	LKD	12.1	3.9	8.2	67.5%												
		W12-U																	
		W13-L		13.7	4.2	9.5	69.5%												
		W13-U						34.1	25.7	75%	12.6	37%	13.1	50.9%	41	22	22	9	46.3%	59.1%
Third	R9	W14-L	Bedroom	25.8	5.6	20.2	78.4%												
		W14-U						15.5	11.8	76%	3.0	19%	8.8	74.6%	54	17	14	3	74.1%	82.4%
Third	R10	W15-L	Bedroom	26.3	6.9	19.4	73.9%												
		W15-U						13.4	11.4	85%	3.6	27%	7.8	68.7%	56	18	19	5	66.1%	72.2%
Third	R11	W16-L	LKD	13.5	4.5	9.0	66.5%												
		W16-U																	
		W17-L		11.8	4.4	7.4	62.8%												
		W17-U																	
		W18-L		32.1	26.5	5.6	17.4%												
		W18-U						41.9	34.8	83%	22.0	53%	12.8	36.7%	58	20	39	8	32.8%	60.0%
Third	R12	W19-L	Bedroom	31.8	26.7	5.1	16.0%												
		W19-U						12.2	11.5	94%	10.5	86%	1.0	8.8%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R13	W20-L	LKD	31.5	26.9	4.7	14.8%												
		W20-U																	
		W21-L		14.1	14.0	0.1	0.4%												
		W21-U																	
		W22-L		12.4	12.3	0.0	0.2%												
		W22-U						42.8	35.8	84%	35.8	84%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R14	W23-L	Bedroom	25.0	25.0	0.0	0.0%												
		W23-U						12.5	10.9	87%	10.9	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R15	W24-L	Bedroom	24.8	24.8	0.0	0.0%												
		W24-U						14.6	12.3	84%	12.3	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Third	R16	W25-L	LKD	12.1	12.1	0.0	0.0%													
		W25-U																		
		W26-L		9.4	9.4	0.0	0.1%													
		W26-U						40.3	37.0	92%	37.0	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R17	W27-L	Bedroom	12.7	12.7	0.0	0.0%													
		W27-U						14.4	11.6	81%	11.6	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R18	W28-L	Studio	9.6	9.6	0.0	0.0%													
		W28-U						42.7	26.1	61%	26.1	61%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R19	W29-L	Bedroom	15.9	15.8	0.0	0.3%													
		W29-U						13.1	7.9	61%	7.9	60%	0.1	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R20	W30-L	LKD	21.5	21.1	0.4	1.9%													
		W30-U																		
		W31-L		23.4	22.9	0.5	2.1%													
		W31-U						32.3	28.2	87%	27.0	84%	1.2	4.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R21	W32-L	Bedroom	24.9	24.4	0.5	2.1%													
		W32-U						12.7	8.9	70%	8.9	70%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R22	W33-L	Bedroom	27.7	27.1	0.6	2.0%													
		W33-U						13.8	11.1	81%	11.1	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R23	W34-L	LKD	7.3	7.1	0.2	2.3%													
		W34-U						33.3	22.0	66%	22.0	66%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R24	W35-L	Studio	30.9	30.1	0.9	2.8%													
		W35-U																		
		W36-L		31.8	30.8	1.0	3.1%													
		W36-U																		
		W37-L		32.1	31.1	1.0	3.2%													
		W37-U						39.0	36.5	94%	36.5	93%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R25	W38-L	Bedroom	32.4	31.4	1.0	3.1%													
		W38-U						14.2	13.4	95%	13.3	94%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R26	W39-L	LKD	33.0	31.9	1.0	3.2%													
		W39-U																		
		W40-L		10.7	10.7	0.0	0.0%													
		W40-U						35.5	28.9	82%	28.9	82%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R27	W41-L	Bedroom	11.3	11.3	0.0	0.0%													
		W41-U						15.1	14.4	96%	14.4	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R28	W42-L	Bedroom	26.7	26.7	0.0	0.0%													
		W42-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	22	1	22	1	0.0%	0.0%
Third	R29	W43-L	LKD	30.5	30.5	0.0	0.0%													
		W43-U																		
		W44-L		36.4	36.4	0.0	0.0%													
		W44-U						41.1	28.6	70%	28.6	70%	0.0	0.0%	57	17	57	17	0.0%	0.0%
Fourth	R1	W1-L	LKD	36.0	36.0	0.0	0.0%													
		W1-U																		
		W2-L		36.0	36.0	0.0	0.1%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W2-U																	
		W3-L		12.0	9.0	3.0	24.7%												
		W3-U						37.2	29.7	80%	29.5	79%	0.2	0.8%	64	21	60	18	6.3%	14.3%
Fourth	R2	W4-L	Bedroom	15.2	7.3	7.9	51.9%												
		W4-U						12.2	11.4	93%	7.9	65%	3.5	30.4%	28	14	11	9	60.7%	35.7%
Fourth	R3	W5-L	Bedroom	28.9	13.6	15.3	52.9%												
		W5-U																	
		W6-L		30.4	14.4	16.0	52.6%												
		W6-U						12.0	11.8	98%	11.4	95%	0.3	2.9%	62	20	30	13	51.6%	35.0%
Fourth	R4	W7-L	Bedroom	14.7	8.9	5.9	39.8%												
		W7-U						11.9	9.5	81%	3.2	27%	6.3	66.3%	34	19	26	12	23.5%	36.8%
Fourth	R5	W8-L	LKD	11.0	3.9	7.1	64.9%												
		W8-U						31.7	25.6	81%	14.0	44%	11.6	45.3%	21	15	8	5	61.9%	66.7%
Fourth	R6	W9-L	Bedroom	17.3	0.7	16.7	96.1%												
		W9-U																	
		W10-L		17.8	5.1	12.7	71.4%												
		W10-U						14.2	13.1	92%	0.6	5%	12.5	95.1%	50	16	9	4	82.0%	75.0%
Fourth	R7	W11-L	Bedroom	26.9	7.0	19.9	73.9%												
		W11-U						12.0	11.6	96%	3.1	26%	8.5	73.2%	56	20	20	7	64.3%	65.0%
Fourth	R8	W12-L	LKD	12.6	4.2	8.5	67.1%												
		W12-U																	
		W13-L		14.3	4.6	9.7	67.7%												
		W13-U						34.1	25.9	76%	12.7	37%	13.1	50.7%	42	22	24	9	42.9%	59.1%
Fourth	R9	W14-L	Bedroom	26.5	6.1	20.4	77.0%												
		W14-U						15.5	12.2	79%	3.0	19%	9.2	75.4%	55	18	14	3	74.5%	83.3%
Fourth	R10	W15-L	Bedroom	27.0	7.4	19.7	72.7%												
		W15-U						13.4	12.0	90%	3.6	27%	8.4	70.2%	57	19	19	5	66.7%	73.7%
Fourth	R11	W16-L	LKD	14.1	5.1	9.0	63.9%												
		W16-U																	
		W17-L		12.4	5.2	7.1	57.8%												
		W17-U																	
		W18-L		33.3	30.3	3.0	9.1%												
		W18-U						41.9	35.1	84%	27.6	66%	7.5	21.4%	62	21	43	8	30.6%	61.9%
Fourth	R12	W19-L	Bedroom	33.1	30.3	2.7	8.3%												
		W19-U						12.2	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R13	W20-L	LKD	32.8	30.4	2.4	7.4%												
		W20-U																	
		W21-L		14.4	14.4	0.0	0.1%												
		W21-U																	
		W22-L		13.0	13.0	0.0	0.1%												
		W22-U						42.8	36.0	84%	36.0	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R14	W23-L	Bedroom	25.8	25.8	0.0	0.0%												
		W23-U						12.5	11.0	88%	11.0	88%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Fourth	R15	W24-L	Bedroom	25.5	25.5	0.0	0.0%													
		W24-U						14.6	12.4	85%	12.4	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R16	W25-L	LKD	12.4	12.4	0.0	0.0%													
		W25-U																		
		W26-L		9.6	9.6	0.0	0.0%													
		W26-U						40.3	37.1	92%	37.1	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R17	W27-L	Bedroom	12.9	12.9	0.0	0.0%													
		W27-U						14.4	11.6	81%	11.6	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R18	W28-L	Studio	10.5	10.5	0.0	0.0%													
		W28-U						42.7	28.1	66%	28.1	66%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R19	W29-L	Bedroom	17.3	17.2	0.0	0.2%													
		W29-U						13.1	8.1	62%	8.1	62%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R20	W30-L	LKD	23.1	22.7	0.4	1.6%													
		W30-U																		
		W31-L		25.2	24.6	0.5	2.1%													
		W31-U						32.3	28.9	90%	28.9	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R21	W32-L	Bedroom	26.8	26.2	0.6	2.2%													
		W32-U						12.7	9.5	75%	9.5	74%	0.0	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R22	W33-L	Bedroom	29.5	28.9	0.6	2.2%													
		W33-U						13.8	11.5	84%	11.5	84%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R23	W34-L	LKD	8.0	7.9	0.1	1.6%													
		W34-U						33.3	23.1	69%	23.1	69%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R24	W35-L	Studio	32.5	31.4	1.0	3.2%													
		W35-U																		
		W36-L		33.1	32.0	1.1	3.4%													
		W36-U																		
		W37-L		33.4	32.3	1.1	3.4%													
		W37-U						39.0	38.1	98%	38.0	97%	0.1	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R25	W38-L	Bedroom	33.7	32.6	1.1	3.3%													
		W38-U						14.2	13.5	95%	13.4	94%	0.1	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R26	W39-L	LKD	34.1	33.0	1.1	3.3%													
		W39-U																		
		W40-L		10.7	10.7	0.0	0.0%													
		W40-U						35.5	29.3	83%	29.3	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R27	W41-L	Bedroom	12.0	12.0	0.0	0.0%													
		W41-U						15.1	14.7	97%	14.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R28	W42-L	Bedroom	27.0	27.0	0.0	0.0%													
		W42-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	22	1	22	1	0.0%	0.0%
Fourth	R29	W43-L	LKD	30.6	30.6	0.0	0.0%													
		W43-U																		
		W44-L		36.9	36.9	0.0	0.0%													
		W44-U						41.1	30.5	74%	30.5	74%	0.0	0.0%	57	17	57	17	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fifth	R1	W1-L	LKD	36.7	36.7	0.0	0.0%												
		W1-U																	
		W2-L		36.7	36.6	0.0	0.0%												
		W2-U																	
		W3-L		12.3	9.4	3.0	24.0%												
		W3-U						37.2	29.9	80%	29.8	80%	0.1	0.4%	65	22	61	19	6.2%	13.6%
Fifth	R2	W4-L	Bedroom	15.6	7.6	8.0	51.3%												
		W4-U						12.2	11.4	93%	7.9	65%	3.4	30.0%	29	15	12	10	58.6%	33.3%
Fifth	R3	W5-L	Bedroom	29.4	13.9	15.4	52.6%												
		W5-U																	
		W6-L		30.9	14.7	16.2	52.4%												
		W6-U						12.0	11.8	98%	11.4	95%	0.3	2.9%	62	20	30	13	51.6%	35.0%
Fifth	R4	W7-L	Bedroom	15.1	9.0	6.1	40.3%												
		W7-U						11.9	9.8	82%	3.3	27%	6.5	66.7%	35	19	27	12	22.9%	36.8%
Fifth	R5	W8-L	LKD	11.5	4.1	7.4	64.5%												
		W8-U						31.7	25.6	81%	14.0	44%	11.6	45.3%	23	16	10	6	56.5%	62.5%
Fifth	R6	W9-L	Bedroom	17.7	0.8	16.9	95.5%												
		W9-U																	
		W10-L		18.2	5.3	12.9	71.1%												
		W10-U						14.2	13.5	95%	0.7	5%	12.9	95.1%	50	16	9	4	82.0%	75.0%
Fifth	R7	W11-L	Bedroom	28.2	7.6	20.6	73.0%												
		W11-U						12.0	11.7	97%	3.1	26%	8.6	73.2%	56	20	20	7	64.3%	65.0%
Fifth	R8	W12-L	LKD	13.0	4.3	8.7	66.8%												
		W12-U																	
		W13-L		14.7	4.9	9.8	66.7%												
		W13-U						34.1	26.0	76%	12.8	37%	13.2	50.8%	45	23	25	9	44.4%	60.9%
Fifth	R9	W14-L	Bedroom	28.0	7.2	20.8	74.3%												
		W14-U						15.5	12.9	83%	3.0	20%	9.8	76.4%	58	18	17	3	70.7%	83.3%
Fifth	R10	W15-L	Bedroom	28.5	8.6	19.9	70.0%												
		W15-U						13.4	12.3	92%	3.6	27%	8.7	70.6%	62	19	24	5	61.3%	73.7%
Fifth	R11	W16-L	LKD	14.6	5.5	9.0	62.0%												
		W16-U																	
		W17-L		12.8	5.8	7.1	55.0%												
		W17-U																	
		W18-L		34.5	32.5	1.9	5.5%												
		W18-U						41.9	35.3	84%	28.7	69%	6.5	18.5%	67	22	50	10	25.4%	54.5%
Fifth	R12	W19-L	Bedroom	34.3	32.6	1.7	4.8%												
		W19-U						12.2	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R13	W20-L	LKD	34.1	32.6	1.4	4.2%												
		W20-U																	
		W21-L		14.7	14.7	0.0	0.1%												
		W21-U																	
		W22-L		13.7	13.7	0.0	0.0%												
		W22-U						42.8	36.5	85%	36.5	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fifth	R14	W23-L	Bedroom	27.1	27.1	0.0	0.0%												
		W23-U						12.5	11.1	89%	11.1	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R15	W24-L	Bedroom	26.7	26.7	0.0	0.0%												
		W24-U						14.6	12.5	86%	12.5	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R16	W25-L	LKD	12.6	12.6	0.0	0.1%												
		W25-U																	
		W26-L		9.7	9.7	0.0	0.0%												
		W26-U						40.3	37.2	92%	37.2	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R17	W27-L	Bedroom	13.4	13.4	0.0	0.0%												
		W27-U						14.4	11.7	81%	11.7	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R18	W28-L	Studio	11.9	11.9	0.0	0.0%												
		W28-U						42.7	29.4	69%	29.4	69%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R19	W29-L	Bedroom	19.4	19.3	0.1	0.5%												
		W29-U						13.1	8.3	64%	8.3	64%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R20	W30-L	LKD	25.4	24.9	0.6	2.2%												
		W30-U																	
		W31-L		27.6	26.9	0.7	2.6%												
		W31-U						32.3	29.5	91%	29.5	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R21	W32-L	Bedroom	29.3	28.5	0.8	2.8%												
		W32-U						12.7	10.3	81%	10.2	80%	0.1	1.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R22	W33-L	Bedroom	31.7	30.9	0.9	2.7%												
		W33-U						13.8	12.3	89%	12.1	88%	0.2	1.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R23	W34-L	LKD	8.8	8.7	0.1	1.3%												
		W34-U						33.3	24.5	74%	24.5	74%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R24	W35-L	Studio	34.0	32.8	1.3	3.7%												
		W35-U																	
		W36-L		34.5	33.2	1.3	3.7%												
		W36-U																	
		W37-L		34.7	33.5	1.2	3.5%												
		W37-U						39.0	38.2	98%	38.1	98%	0.2	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R25	W38-L	Bedroom	34.8	33.7	1.2	3.4%												
		W38-U						14.2	13.5	95%	13.4	95%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R26	W39-L	LKD	35.1	34.0	1.1	3.2%												
		W39-U																	
		W40-L		10.9	10.9	0.0	0.0%												
		W40-U						35.5	29.4	83%	29.4	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R27	W41-L	Bedroom	12.6	12.6	0.0	0.0%												
		W41-U						15.1	14.8	98%	14.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R28	W42-L	Bedroom	27.3	27.3	0.0	0.0%												
		W42-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	22	1	22	1	0.0%	0.0%
Fifth	R29	W43-L	LKD	30.6	30.6	0.0	0.0%												
		W43-U																	

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W44-L		37.4	37.4	0.0	0.0%												
		W44-U						41.1	33.7	82%	33.7	82%	0.0	0.0%	57	17	57	17	0.0%	0.0%
Sixth	R1	W1-L	LKD	37.3	37.3	0.0	0.0%												
		W1-U																	
		W2-L		37.3	37.3	0.0	0.0%												
		W2-U																	
		W3-L		12.7	9.7	3.0	23.6%												
		W3-U						37.2	30.0	81%	29.9	80%	0.1	0.3%	67	24	62	20	7.5%	16.7%
Sixth	R2	W4-L	Bedroom	16.1	8.0	8.1	50.5%												
		W4-U						12.2	11.4	93%	7.9	65%	3.4	30.2%	31	17	13	11	58.1%	35.3%
Sixth	R3	W5-L	Bedroom	30.0	14.3	15.6	52.2%												
		W5-U																	
		W6-L		31.5	15.1	16.4	52.1%												
		W6-U						12.0	11.8	98%	11.5	96%	0.3	2.7%	63	21	30	13	52.4%	38.1%
Sixth	R4	W7-L	Bedroom	15.6	9.2	6.4	40.8%												
		W7-U						11.9	9.9	84%	3.3	28%	6.6	66.8%	35	19	27	12	22.9%	36.8%
Sixth	R5	W8-L	LKD	11.9	4.2	7.7	64.5%												
		W8-U						31.7	25.8	81%	14.1	44%	11.7	45.4%	24	16	11	6	54.2%	62.5%
Sixth	R6	W9-L	Bedroom	18.1	0.9	17.2	95.1%												
		W9-U																	
		W10-L		18.5	5.5	13.1	70.5%												
		W10-U						14.2	13.7	96%	0.7	5%	13.0	95.1%	51	17	9	4	82.4%	76.5%
Sixth	R7	W11-L	Bedroom	31.2	9.0	22.3	71.3%												
		W11-U						12.0	11.7	97%	3.1	26%	8.5	73.1%	69	20	29	7	58.0%	65.0%
Sixth	R8	W12-L	LKD	31.1	8.7	22.4	72.0%												
		W12-U																	
		W13-L		31.0	9.0	22.0	70.8%												
		W13-U						34.1	27.1	80%	13.1	38%	14.0	51.8%	76	24	35	9	53.9%	62.5%
Sixth	R9	W14-L	Bedroom	31.0	9.5	21.5	69.3%												
		W14-U						15.5	13.5	87%	3.1	20%	10.5	77.3%	76	24	31	6	59.2%	75.0%
Sixth	R10	W15-L	Bedroom	31.0	10.8	20.2	65.2%												
		W15-U						13.4	12.3	92%	3.6	27%	8.7	70.4%	75	24	34	7	54.7%	70.8%
Sixth	R11	W16-L	LKD	31.0	12.4	18.6	60.1%												
		W16-U																	
		W17-L		31.4	14.6	16.8	53.6%												
		W17-U																	
		W18-L		35.5	33.9	1.7	4.6%												
		W18-U						41.9	35.5	85%	29.2	70%	6.3	17.8%	79	25	49	11	38.0%	56.0%
Sixth	R12	W19-L	Bedroom	35.4	33.9	1.5	4.1%												
		W19-U						12.2	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R13	W20-L	LKD	35.2	34.0	1.3	3.6%												
		W20-U																	
		W21-L		31.2	31.2	0.0	0.0%												
		W21-U																	

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W22-L		30.0	30.0	0.0	0.0%												
		W22-U						42.8	37.4	87%	37.4	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R14	W23-L	Bedroom	28.5	28.5	0.0	0.0%												
		W23-U						12.5	11.3	91%	11.3	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R15	W24-L	Bedroom	26.8	26.8	0.0	0.0%												
		W24-U						14.6	12.6	87%	12.6	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R16	W25-L	LKD	25.3	25.3	0.0	0.0%												
		W25-U																	
		W26-L		23.4	23.4	0.0	0.0%												
		W26-U						40.3	37.6	93%	37.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R17	W27-L	Bedroom	14.7	14.7	0.0	0.0%												
		W27-U						14.4	12.8	89%	12.8	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R18	W28-L	Studio	14.8	14.8	0.0	0.0%												
		W28-U						42.7	30.6	72%	30.6	72%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R19	W29-L	Bedroom	23.3	22.8	0.5	2.1%												
		W29-U						13.1	9.2	70%	9.1	70%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R20	W30-L	LKD	29.1	28.0	1.1	3.8%												
		W30-U																	
		W31-L		31.1	29.9	1.2	3.9%												
		W31-U						32.3	29.6	92%	29.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R21	W32-L	Bedroom	32.4	31.2	1.2	3.8%												
		W32-U						12.7	12.1	95%	11.8	93%	0.3	2.7%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R22	W33-L	Bedroom	34.1	32.9	1.2	3.5%												
		W33-U						13.8	12.8	93%	12.4	91%	0.4	3.1%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R23	W34-L	LKD	9.4	9.3	0.1	1.3%												
		W34-U						33.3	26.4	79%	26.4	79%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R24	W35-L	Studio	35.5	34.1	1.4	4.0%												
		W35-U																	
		W36-L		35.7	34.4	1.4	3.9%												
		W36-U																	
		W37-L		35.9	34.5	1.3	3.7%												
		W37-U						39.0	38.3	98%	38.1	98%	0.2	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R25	W38-L	Bedroom	35.9	34.6	1.3	3.6%												
		W38-U						14.2	13.5	95%	13.4	95%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R26	W39-L	LKD	36.1	34.9	1.2	3.3%												
		W39-U																	
		W40-L		10.8	10.8	0.0	0.0%												
		W40-U						35.5	29.4	83%	29.4	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R27	W41-L	Bedroom	13.3	13.3	0.0	0.0%												
		W41-U						15.1	15.0	99%	15.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R28	W42-L	Bedroom	27.6	27.6	0.0	0.0%												
		W42-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	23	2	23	2	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R29	W43-L	LKD	30.9	30.9	0.0	0.0%												
		W43-U																	
		W44-L		37.9	37.9	0.0	0.0%												
		W44-U						41.1	36.0	88%	36.0	88%	0.0	0.0%	58	18	58	18	0.0%	0.0%
Seventh	R1	W1-L	LKD	38.0	38.0	0.0	0.0%												
		W1-U																	
		W2-L		38.0	38.0	0.0	0.0%												
		W2-U																	
		W3-L		14.6	10.9	3.7	25.5%												
		W3-U						37.2	30.1	81%	30.0	81%	0.1	0.2%	67	24	62	20	7.5%	16.7%
Seventh	R2	W4-L	Bedroom	17.5	8.7	8.7	50.0%												
		W4-U						12.2	11.4	93%	8.1	66%	3.3	28.9%	34	18	15	12	55.9%	33.3%
Seventh	R3	W5-L	Bedroom	30.7	14.9	15.9	51.6%												
		W5-U																	
		W6-L		32.3	15.7	16.6	51.5%												
		W6-U						11.7	11.5	98%	11.1	95%	0.3	2.7%	63	21	30	13	52.4%	38.1%
Seventh	R4	W7-L	Bedroom	17.0	9.8	7.2	42.5%												
		W7-U						13.0	11.4	88%	4.5	34%	6.9	60.8%	39	21	30	13	23.1%	38.1%
Seventh	R5	W8-L	LKD	13.8	4.8	9.0	65.0%												
		W8-U						31.7	25.9	82%	14.1	44%	11.8	45.6%	25	18	11	7	56.0%	61.1%
Seventh	R6	W9-L	Bedroom	19.2	1.7	17.5	91.0%												
		W9-U																	
		W10-L		22.5	6.1	16.4	72.8%												
		W10-U						14.9	14.7	98%	1.4	9%	13.2	90.4%	51	18	9	4	82.4%	77.8%
Seventh	R7	W11-L	LKD	9.1	2.2	6.9	76.2%												
		W11-U																	
		W12-L		9.0	2.0	7.0	77.4%												
		W12-U						27.3	24.8	91%	13.1	48%	11.7	47.0%	16	16	4	4	75.0%	75.0%
Seventh	R8	W13-L	Bedroom	6.1	1.3	4.8	78.7%												
		W13-U						12.0	9.1	76%	2.0	16%	7.1	78.3%	11	11	2	2	81.8%	81.8%
Seventh	R9	W14-L	Bedroom	20.4	4.8	15.6	76.3%												
		W14-U																	
		W15-L		20.5	5.0	15.5	75.5%												
		W15-U						13.3	13.1	99%	6.1	46%	7.0	53.5%	46	26	13	5	71.7%	80.8%
Seventh	R10	W16-L	Bedroom	21.3	6.0	15.3	71.7%												
		W16-U						11.6	9.8	85%	1.8	16%	8.0	81.3%	44	23	14	6	68.2%	73.9%
Seventh	R11	W17-L	LKD	7.3	2.5	4.7	65.1%												
		W17-U																	
		W18-L		11.1	5.1	5.9	53.6%												
		W18-U																	
		W19-L		36.5	34.9	1.6	4.3%												
		W19-U																	
		W20-L		36.5	35.0	1.5	4.1%												
		W20-U						42.6	35.5	83%	31.7	74%	3.9	10.9%	46	16	34	6	26.1%	62.5%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Seventh	R12	W21-L	LKD	36.4	35.1	1.4	3.8%												
		W21-U																	
		W22-L		36.4	35.1	1.3	3.6%												
		W22-U																	
		W23-L		9.6	9.6	0.0	0.0%												
		W23-U						36.0	32.5	90%	32.5	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R13	W24-L	Bedroom	20.9	20.9	0.0	0.0%												
		W24-U																	
		W25-L		20.4	20.4	0.0	0.0%												
		W25-U						16.2	14.4	89%	14.4	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R14	W26-L	Bedroom	19.3	19.3	0.0	0.0%												
		W26-U						15.7	13.7	87%	13.7	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R15	W27-L	LKD	7.7	7.7	0.0	0.0%												
		W27-U																	
		W28-L		8.5	8.5	0.0	0.0%												
		W28-U						31.0	27.9	90%	27.9	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R16	W29-L	Bedroom	17.8	17.8	0.0	0.0%												
		W29-U						14.3	13.4	94%	13.4	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R17	W30-L	Studio	22.5	22.4	0.1	0.4%												
		W30-U						42.7	37.0	87%	36.9	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R18	W31-L	Bedroom	30.8	29.1	1.7	5.5%												
		W31-U						13.1	12.8	97%	12.5	96%	0.2	1.8%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R19	W32-L	LKD	34.2	32.5	1.8	5.2%												
		W32-U																	
		W33-L		35.1	33.3	1.8	5.1%												
		W33-U						32.3	29.6	92%	29.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R20	W34-L	Bedroom	35.6	33.8	1.8	5.1%												
		W34-U						12.7	12.1	95%	11.8	93%	0.3	2.7%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R21	W35-L	Bedroom	36.2	34.5	1.7	4.8%												
		W35-U						13.8	12.9	94%	12.5	91%	0.4	3.2%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R22	W36-L	LKD	10.4	10.3	0.2	1.5%												
		W36-U						33.3	27.8	83%	27.8	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R23	W37-L	Studio	36.7	35.1	1.6	4.4%												
		W37-U																	
		W38-L		36.8	35.3	1.5	4.1%												
		W38-U																	
		W39-L		36.8	35.4	1.5	3.9%												
		W39-U						39.0	38.3	98%	38.1	98%	0.2	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R24	W40-L	Bedroom	36.9	35.5	1.4	3.8%												
		W40-U						14.2	13.5	95%	13.4	95%	0.1	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R25	W41-L	LKD	36.9	35.7	1.2	3.3%												
		W41-U																	
		W42-L		24.4	24.4	0.0	0.0%												
		W42-U						35.5	29.8	84%	29.8	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Seventh	R26	W43-L	Bedroom	28.7	28.7	0.0	0.0%													
		W43-U						15.1	15.0	99%	15.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R27	W44-L	Bedroom	27.9	27.9	0.0	0.0%													
		W44-U						11.9	11.6	98%	11.6	98%	0.0	0.0%	24	3	24	3	0.0%	0.0%
Seventh	R28	W45-L	LKD	32.2	32.2	0.0	0.0%													
		W45-U																		
		W46-L		38.4	38.4	0.0	0.0%													
		W46-U						41.1	36.1	88%	36.1	88%	0.0	0.0%	59	19	59	19	0.0%	0.0%
Eighth	R1	W1-L	LKD	38.6	38.6	0.0	0.0%													
		W1-U																		
		W2-L		38.6	38.6	0.0	0.0%													
		W2-U																		
		W3-L		13.8	10.3	3.5	25.3%													
		W3-U						37.1	30.8	83%	30.8	83%	0.0	0.0%	69	26	62	20	10.1%	23.1%
Eighth	R2	W4-L	Bedroom	17.4	8.7	8.7	50.1%													
		W4-U						12.2	11.4	94%	8.1	67%	3.3	28.8%	35	18	16	11	54.3%	38.9%
Eighth	R3	W5-L	Bedroom	32.4	16.2	16.2	49.9%													
		W5-U																		
		W6-L		33.9	16.7	17.1	50.6%													
		W6-U						12.0	11.9	99%	11.6	97%	0.3	2.2%	76	23	42	14	44.7%	39.1%
Eighth	R4	W7-L	Bedroom	17.0	9.8	7.1	42.1%													
		W7-U						11.8	10.3	87%	3.3	28%	7.0	68.3%	40	20	31	12	22.5%	40.0%
Eighth	R5	W8-L	LKD	13.2	4.7	8.5	64.4%													
		W8-U																		
		W9-L		35.1	27.1	8.0	22.9%													
		W9-U						31.6	28.2	89%	22.8	72%	5.4	19.1%	48	18	19	7	60.4%	61.1%
Eighth	R7	W12-L	Bedroom	35.1	31.9	3.2	9.2%													
		W12-U						16.2	15.4	95%	15.4	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R8	W13-L	LKD	11.8	11.2	0.5	4.5%													
		W13-U						40.8	29.8	73%	29.0	71%	0.8	2.8%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R9	W14-L	Bedroom	37.3	34.0	3.3	8.8%													
		W14-U						13.1	12.6	96%	12.2	93%	0.4	3.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R10	W15-L	Bedroom	37.4	34.6	2.8	7.5%													
		W15-U						14.2	13.7	96%	13.4	94%	0.3	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R11	W16-L	Bedroom	37.5	35.0	2.5	6.5%													
		W16-U						12.7	12.1	95%	11.8	93%	0.3	2.6%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R12	W17-L	Bedroom	37.6	35.4	2.1	5.7%													
		W17-U						12.8	12.3	96%	12.1	95%	0.2	1.7%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R13	W18-L	LKD	10.6	10.4	0.2	1.6%													
		W18-U						33.3	27.8	84%	27.8	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R14	W19-L	Studio	37.6	35.9	1.7	4.6%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W19-U																	
		W20-L		37.6	36.0	1.6	4.3%												
		W20-U																	
		W21-L		37.6	36.1	1.5	4.0%												
		W21-U						39.0	38.3	98%	38.1	98%	0.2	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R15	W22-L	Bedroom	37.7	36.2	1.5	3.9%												
		W22-U						12.8	11.9	93%	11.8	92%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R16	W23-L	LKD	37.7	36.4	1.3	3.3%												
		W23-U																	
		W24		39.5	39.5	0.0	0.0%												
		W25-L		39.5	39.5	0.0	0.0%												
		W25-U						35.3	33.3	94%	33.2	94%	0.1	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R17	W26	Bedroom	39.5	39.5	0.0	0.0%	11.4	10.5	93%	10.5	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R18	W27-L	LKD	39.5	39.5	0.0	0.0%												
		W27-U																	
		W28-L		38.8	38.8	0.0	0.0%												
		W28-U						32.6	28.8	88%	28.8	88%	0.0	0.0%	61	19	61	19	0.0%	0.0%
Ninth	R1	W1-L	LKD	39.1	39.1	0.0	0.0%												
		W1-U																	
		W2-L		39.1	39.1	0.0	0.0%												
		W2-U																	
		W3-L		35.7	23.0	12.7	35.7%												
		W3-U						37.1	30.0	81%	30.0	81%	0.0	0.0%	94	26	67	20	28.7%	23.1%
Ninth	R2	W4-L	Bedroom	35.6	20.6	15.0	42.1%												
		W4-U						12.2	11.4	94%	8.3	68%	3.1	27.4%	83	26	53	18	36.1%	30.8%
Ninth	R3	W5-L	Bedroom	35.6	19.2	16.4	46.1%												
		W5-U																	
		W6-L		35.6	18.0	17.5	49.3%												
		W6-U						12.0	11.8	98%	11.5	96%	0.3	2.6%	83	26	48	16	42.2%	38.5%
Ninth	R4	W7-L	Bedroom	35.3	15.4	19.9	56.3%												
		W7-U						11.8	10.5	89%	3.3	28%	7.2	68.4%	81	24	44	14	45.7%	41.7%
Ninth	R5	W8-L	LKD	35.2	13.7	21.5	61.2%												
		W8-U																	
		W9-L		37.8	29.7	8.1	21.4%												
		W9-U						31.6	28.2	89%	23.0	73%	5.2	18.5%	84	25	45	11	46.4%	56.0%
Ninth	R6	W10-L	Studio	37.9	32.1	5.8	15.2%												
		W10-U																	
		W11-L		37.9	32.7	5.3	13.9%												
		W11-U																	
		W12-L		38.0	33.6	4.3	11.4%												
		W12-U						31.9	31.4	98%	31.1	97%	0.3	0.9%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R7	W13-L	LKD	12.6	11.9	0.6	4.9%												
		W13-U						33.0	24.6	74%	24.3	74%	0.3	1.1%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R8	W14-L	Bedroom	38.1	34.7	3.4	9.0%												
		W14-U						13.7	13.4	97%	13.1	95%	0.3	2.1%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Ninth	R9	W15-L	Bedroom	38.1	35.3	2.9	7.5%												
		W15-U						15.2	14.6	96%	14.2	94%	0.4	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R10	W16-L	Bedroom	38.2	35.7	2.5	6.6%												
		W16-U						12.7	12.1	95%	11.8	93%	0.3	2.6%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R11	W17-L	Bedroom	38.2	36.1	2.1	5.6%												
		W17-U						12.8	12.3	96%	12.1	95%	0.2	1.7%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R12	W18-L	LKD	11.1	10.9	0.2	1.5%												
		W18-U						33.3	27.8	84%	27.8	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R13	W19-L	Studio	38.2	36.5	1.7	4.5%												
		W19-U																		
		W20-L		38.3	36.7	1.6	4.1%												
		W20-U																		
		W21-L		38.3	36.8	1.5	3.9%												
		W21-U						39.0	38.3	98%	38.1	98%	0.2	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R14	W22-L	Bedroom	38.3	36.8	1.4	3.7%												
		W22-U						12.8	11.9	93%	11.8	92%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R15	W23-L	LKD	38.3	37.0	1.2	3.2%												
		W23-U																		
		W24		39.5	39.5	0.0	0.0%												
		W25-L		39.5	39.5	0.0	0.0%												
		W25-U						35.3	32.8	93%	32.7	92%	0.1	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R16	W26	Bedroom	39.5	39.5	0.0	0.0%	11.4	10.5	93%	10.5	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R17	W27-L	LKD	39.6	39.6	0.0	0.0%												
		W27-U																		
		W28-L		39.2	39.2	0.0	0.0%												
		W28-U						32.6	28.8	88%	28.8	88%	0.0	0.0%	61	19	61	19	0.0%	0.0%
Tenth	R1	W1-L	LKD	39.5	39.5	0.0	0.0%												
		W1-U																		
		W2-L		39.5	39.5	0.0	0.0%												
		W2-U																		
		W3-L		36.1	23.2	12.9	35.8%												
		W3-U						37.1	30.0	81%	30.0	81%	0.0	0.0%	95	27	67	20	29.5%	25.9%
Tenth	R2	W4-L	Bedroom	36.0	20.8	15.2	42.2%												
		W4-U						12.2	11.4	94%	8.3	68%	3.1	27.2%	83	26	53	18	36.1%	30.8%
Tenth	R3	W5-L	Bedroom	36.0	19.4	16.6	46.1%												
		W5-U																		
		W6-L		35.9	18.2	17.8	49.4%												
		W6-U						12.0	11.8	98%	11.5	96%	0.3	2.6%	83	26	48	16	42.2%	38.5%
Tenth	R4	W7-L	Bedroom	35.7	15.6	20.1	56.3%												
		W7-U						11.8	10.5	89%	3.3	28%	7.2	68.5%	81	24	44	14	45.7%	41.7%
Tenth	R5	W8-L	LKD	35.6	13.8	21.8	61.2%												
		W8-U																		
		W9-L		38.2	30.1	8.1	21.1%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W9-U						31.6	28.2	89%	23.0	73%	5.2	18.5%	84	25	45	11	46.4%	56.0%
Tenth	R6	W10-L	Studio	38.3	32.6	5.8	15.0%													
		W10-U																		
		W11-L		38.4	33.1	5.2	13.6%													
		W11-U																		
		W12-L		38.4	34.1	4.3	11.2%													
		W12-U						31.9	31.4	98%	31.1	97%	0.3	0.9%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W13-L	LKD	12.8	12.2	0.6	4.5%													
		W13-U						33.0	24.6	74%	24.3	74%	0.3	1.1%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R8	W14-L	Bedroom	38.5	35.2	3.4	8.7%													
		W14-U						13.7	13.4	97%	13.1	95%	0.3	2.1%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R9	W15-L	Bedroom	38.6	35.8	2.8	7.3%													
		W15-U						15.2	14.6	96%	14.2	94%	0.4	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R10	W16-L	Bedroom	38.6	36.2	2.4	6.3%													
		W16-U						12.7	12.1	95%	11.8	93%	0.3	2.6%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R11	W17-L	Bedroom	38.6	36.5	2.1	5.4%													
		W17-U						12.8	12.3	96%	12.1	95%	0.2	1.6%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R12	W18-L	LKD	11.4	11.2	0.2	1.4%													
		W18-U						33.3	27.8	84%	27.8	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R13	W19-L	Bedroom	31.6	30.9	0.7	2.3%													
		W19-U																		
		W20-L		31.6	30.9	0.7	2.2%													
		W20-U						13.1	13.0	99%	13.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R14	W21-L	Bedroom	31.6	30.9	0.7	2.2%													
		W21-U																		
		W22-L		31.6	30.9	0.6	2.1%													
		W22-U						11.9	11.8	100%	11.8	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R15	W23-L	LKD	31.6	31.0	0.6	2.0%													
		W23-U																		
		W24-L		31.6	31.0	0.6	1.9%													
		W24-U																		
		W25-L		5.0	5.0	0.0	0.0%													
		W25-U						33.8	31.5	93%	31.5	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R16	W26-L	Studio	34.2	34.2	0.0	0.0%													
		W26-U																		
		W27-L		31.3	31.3	0.0	0.0%													
		W27-U																		
		W28-L		31.8	31.8	0.0	0.0%													
		W28-U																		
		W29-L		31.7	31.7	0.0	0.0%													
		W29-U																		
		W30-L		34.2	34.2	0.0	0.0%													
		W30-U						38.0	37.4	98%	37.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R17	W31-L	LKD	4.7	4.7	0.0	0.0%													
		W31-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W32-L		39.5	39.5	0.0	0.0%													
		W32-U																		
		W33-L		39.5	39.5	0.0	0.0%													
		W33-U																		
		W34-L		39.5	39.5	0.0	0.0%													
		W34-U																		
		W35-L		39.5	39.5	0.0	0.0%													
		W35-U						38.4	37.1	97%	37.1	97%	0.0	0.0%	59	19	59	19	0.0%	0.0%
Eleventh	R1	W1-L	LKD	39.6	39.6	0.0	0.0%													
		W1-U																		
		W2-L		39.6	39.6	0.0	0.0%													
		W2-U																		
		W3-L		36.4	23.3	13.1	35.9%													
		W3-U						37.1	30.0	81%	30.0	81%	0.0	0.0%	96	28	67	20	30.2%	28.6%
Eleventh	R2	W4-L	Bedroom	36.4	21.0	15.4	42.3%													
		W4-U						12.2	11.4	94%	8.3	68%	3.1	27.0%	84	27	53	18	36.9%	33.3%
Eleventh	R3	W5-L	Bedroom	36.3	19.5	16.8	46.3%													
		W5-U																		
		W6-L		36.3	18.3	18.0	49.5%													
		W6-U						12.0	11.8	98%	11.5	96%	0.3	2.6%	85	28	48	16	43.5%	42.9%
Eleventh	R4	W7-L	Bedroom	36.1	15.8	20.4	56.4%													
		W7-U						11.8	10.5	89%	3.3	28%	7.2	68.4%	82	25	44	14	46.3%	44.0%
Eleventh	R5	W8-L	LKD	36.0	14.0	22.0	61.2%													
		W8-U																		
		W9-L		38.5	30.4	8.1	21.0%													
		W9-U						31.6	28.2	89%	23.0	73%	5.2	18.5%	85	26	45	11	47.1%	57.7%
Eleventh	R6	W10-L	Studio	38.6	32.9	5.7	14.9%													
		W10-U																		
		W11-L		38.7	33.5	5.2	13.4%													
		W11-U																		
		W12-L		38.7	34.5	4.3	11.0%													
		W12-U						31.9	31.4	98%	31.1	97%	0.3	0.9%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R7	W13-L	LKD	13.1	12.6	0.5	4.0%													
		W13-U						32.7	24.1	74%	23.9	73%	0.2	1.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R8	W14-L	Bedroom	30.7	29.2	1.5	4.8%													
		W14-U																		
		W15-L		31.7	30.9	0.8	2.5%													
		W15-U						13.5	13.4	99%	13.4	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R9	W16-L	Bedroom	30.7	29.7	1.0	3.3%													
		W16-U																		
		W17-L		31.7	31.0	0.8	2.4%													
		W17-U						13.4	13.1	98%	13.1	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R10	W18-L	Bedroom	31.7	31.0	0.8	2.4%													
		W18-U																		
		W19-L		30.8	30.2	0.5	1.7%													
		W19-U						11.8	11.7	99%	11.7	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Eleventh	R11	W20-L	Bedroom	31.7	31.0	0.7	2.3%													
		W20-U																		
		W21-L		31.8	31.0	0.7	2.3%													
		W21-U						12.5	12.4	99%	12.4	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R12	W22-L	LKD	23.9	23.7	0.2	0.6%													
		W22-U						33.0	27.6	84%	27.6	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R13	W23-L	Bedroom	30.5	29.8	0.7	2.2%													
		W23-U																		
		W24-L		30.5	29.8	0.6	2.1%													
		W24-U						13.1	13.1	99%	13.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R14	W25-L	Bedroom	30.4	29.8	0.6	2.0%													
		W25-U																		
		W26-L		30.4	29.8	0.6	2.0%													
		W26-U						11.9	11.8	100%	11.8	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R15	W27-L	LKD	30.5	29.9	0.6	1.9%													
		W27-U																		
		W28-L		30.4	29.9	0.6	1.8%													
		W28-U																		
		W29-L		5.0	5.0	0.0	0.0%													
		W29-U						33.8	31.5	93%	31.5	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R16	W30-L	Studio	32.5	32.5	0.0	0.0%													
		W30-U																		
		W31-L		32.3	32.3	0.0	0.0%													
		W31-U																		
		W32-L		32.9	32.9	0.0	0.0%													
		W32-U																		
		W33-L		32.8	32.8	0.0	0.0%													
		W33-U																		
		W34-L		32.4	32.4	0.0	0.0%													
		W34-U						38.0	37.4	98%	37.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R17	W35-L	LKD	4.7	4.7	0.0	0.0%													
		W35-U																		
		W36-L		39.6	39.6	0.0	0.0%													
		W36-U																		
		W37-L		39.6	39.6	0.0	0.0%													
		W37-U																		
		W38-L		39.6	39.6	0.0	0.0%													
		W38-U																		
		W39-L		39.6	39.6	0.0	0.0%													
		W39-U						38.4	37.1	97%	37.1	97%	0.0	0.0%	59	19	59	19	0.0%	0.0%
Twelfth	R1	W1-L	LKD	8.6	8.6	0.0	0.0%													
		W1-U																		
		W2-L		36.7	22.7	14.0	38.2%													
		W2-U																		
		W3-L		36.7	21.3	15.4	41.9%													
		W3-U																		
		W4-L		36.6	19.9	16.8	45.7%													
		W4-U						30.7	29.3	96%	29.3	95%	0.0	0.1%	93	29	62	20	33.3%	31.0%
Twelfth	R2	W5-L	Bedroom	36.6	18.4	18.2	49.8%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W5-U																	
		W6-L		36.6	17.1	19.5	53.2%												
		W6-U						12.8	12.7	99%	10.6	83%	2.1	16.8%	85	28	46	15	45.9%	46.4%
Twelfth	R3	W7-L	LKD	36.5	15.7	20.8	56.9%												
		W7-U																	
		W8-L		36.4	14.7	21.8	59.7%												
		W8-U																	
		W9-L		6.9	6.5	0.5	6.6%												
		W9-U																	
		W10-L		4.4	1.6	2.8	63.9%												
		W10-U																	
		W11-L		30.5	25.7	4.8	15.8%												
		W11-U																	
		W12-L		31.7	28.1	3.7	11.5%												
		W12-U						33.7	30.7	91%	28.9	86%	1.8	5.8%	85	26	53	15	37.6%	42.3%
Twelfth	R4	W13-L	Bedroom	31.7	28.8	3.0	9.4%												
		W13-U																	
		W14-L		31.7	29.3	2.4	7.7%												
		W14-U						11.9	11.8	99%	11.7	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W15-L	Bedroom	31.7	30.0	1.7	5.4%												
		W15-U						12.1	11.0	91%	11.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R6	W16-L	LKD	24.9	24.4	0.5	2.0%												
		W16-U						32.0	27.6	86%	27.6	86%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R7	W17-L	Bedroom	29.5	28.1	1.4	4.8%												
		W17-U																	
		W18-L		30.4	29.7	0.7	2.4%												
		W18-U						11.4	11.2	99%	11.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R8	W19-L	Bedroom	29.5	28.5	0.9	3.2%												
		W19-U																	
		W20-L		30.4	29.7	0.7	2.3%												
		W20-U						13.4	13.3	99%	13.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R9	W21-L	Bedroom	30.4	29.7	0.7	2.3%												
		W21-U																	
		W22-L		29.5	29.0	0.5	1.6%												
		W22-U						13.3	13.2	99%	13.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R10	W23-L	LKD	30.4	29.8	0.7	2.2%												
		W23-U																	
		W24-L		30.4	29.8	0.6	2.1%												
		W24-U																	
		W25-L		34.0	34.0	0.0	0.0%												
		W25-U						30.5	28.9	95%	28.9	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R12	W27-L	LKD	34.1	34.1	0.0	0.0%												
		W27-U																	
		W28-L		9.4	9.4	0.0	0.0%												
		W28-U						28.7	28.6	100%	28.6	100%	0.0	0.0%	20	6	20	6	0.0%	0.0%
Thirteenth	R1	W1-L	LKD	8.7	8.7	0.0	0.0%												
		W1-U																	

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W2-L		37.0	22.8	14.2	38.3%													
		W2-U																		
		W3-L		36.9	21.4	15.5	42.0%													
		W3-U																		
		W4-L		36.9	20.0	16.9	45.8%													
		W4-U						30.6	29.3	96%	29.2	95%	0.0	0.1%	94	30	62	20	34.0%	33.3%
Thirteenth	R2	W5-L	Bedroom	36.9	18.5	18.4	49.9%													
		W5-U																		
		W6-L		36.9	17.3	19.6	53.2%													
		W6-U						12.7	12.7	99%	10.6	83%	2.1	16.8%	86	29	46	15	46.5%	48.3%
Thirteenth	R3	W7-L	LKD	36.8	15.9	21.0	56.9%													
		W7-U																		
		W8-L		36.8	14.8	22.0	59.7%													
		W8-U																		
		W9-L		6.9	6.4	0.5	7.4%													
		W9-U																		
		W10-L		4.4	1.6	2.8	63.9%													
		W10-U																		
		W11-L		29.3	24.6	4.7	16.1%													
		W11-U																		
		W12-L		30.4	26.8	3.6	11.7%													
		W12-U						33.7	31.1	92%	28.9	86%	2.3	7.3%	86	27	53	15	38.4%	44.4%
Thirteenth	R4	W13-L	Bedroom	30.4	27.5	2.9	9.5%													
		W13-U																		
		W14-L		30.4	28.1	2.3	7.7%													
		W14-U						11.9	11.8	99%	11.7	99%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R5	W15-L	Bedroom	30.4	28.8	1.6	5.3%													
		W15-U						12.1	11.0	91%	11.0	91%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R7	W17-L	Living Room	35.4	35.4	0.0	0.0%													
		W17-U																		
		W18-L		39.6	39.6	0.0	0.0%													
		W18-U																		
		W19-L		39.6	39.6	0.0	0.0%													
		W19-U																		
		W20-L		39.6	39.6	0.0	0.0%													
		W20-U																		
		W21-L		39.6	39.6	0.0	0.0%													
		W21-U						41.1	41.1	100%	41.1	100%	0.0	0.0%	61	19	61	19	0.0%	0.0%
11 Hale Road																				
Ground	R1	W1	Residential	28.1	6.5	21.7	77.0%													
		W2		20.8	3.3	17.5	84.2%													
		W3		8.1	3.1	5.0	61.7%	13.0	12.3	94%	2.7	21%	9.5	77.6%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W4-L	Bedroom	12.0	1.0	11.0	91.3%													
		W4-U						9.9	7.2	73%	0.6	6%	6.6	92.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	33.9	8.1	25.8	76.1%													
		W1-U																		
		W2-L		17.1	10.5	6.6	38.4%													
		W2-U						11.8	11.3	96%	10.0	84%	1.4	12.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
First	R2	W3-L	Bedroom	22.0	5.7	16.2	73.9%												
		W3-U						9.9	8.9	90%	2.0	21%	6.8	77.1%	N/F	N/F	N/F	N/F	N/F	N/F
13 Hale Road																			
Ground	R1	W1-L	Bedroom	12.2	5.7	6.5	53.2%												
		W1-U						9.9	8.0	81%	2.3	24%	5.7	70.7%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Residential	9.8	7.1	2.7	28.0%												
		W3		25.9	6.4	19.6	75.5%												
		W4		19.4	5.4	14.0	72.1%	13.0	12.1	93%	4.4	34%	7.7	63.8%	6	0	2	0	66.7%	0.0%
First	R1	W1-L	Bedroom	22.3	9.0	13.3	59.6%												
		W1-U						9.9	9.2	93%	3.6	37%	5.6	60.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Bedroom	16.2	12.6	3.6	22.3%												
		W2-U																		
		W3-L		33.8	8.4	25.3	75.0%												
		W3-U						11.8	11.3	96%	8.4	71%	3.0	26.1%	16	0	8	0	50.0%	0.0%
15 Hale Road																			
Ground	R1	W1	Residential	29.6	8.4	21.2	71.7%	1.6	1.3	78%	0.6	36%	0.7	54.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Kitchen	27.9	7.0	20.9	74.9%												
		W3		10.2	4.1	6.1	59.6%	10.8	6.1	56%	2.3	21%	3.8	62.7%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W4-L	Bedroom	12.8	2.8	10.0	78.1%												
		W4-U						9.9	7.8	79%	1.7	17%	6.2	78.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	33.3	9.7	23.6	71.0%												
		W1-U																		
		W2-L		23.3	13.9	9.4	40.4%												
		W2-U						11.8	11.3	95%	10.5	89%	0.7	6.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W3-L	Bedroom	24.0	8.2	15.8	65.8%												
		W3-U						9.9	9.4	95%	2.9	29%	6.5	69.5%	N/F	N/F	N/F	N/F	N/F	N/F
17 Hale Road																			
Ground	R1	W1-L	Bedroom	12.4	7.1	5.3	42.4%												
		W1-U						9.9	8.0	81%	2.7	28%	5.2	65.8%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Residential	9.7	7.0	2.6	27.2%												
		W3		29.4	8.8	20.6	70.1%												
		W4		30.8	8.9	21.9	71.0%												
		W5		28.1	7.8	20.3	72.3%	13.0	12.1	93%	4.8	37%	7.3	60.4%	2	0	0	0	100.0%	0.0%
First	R1	W1-L	Bedroom	22.2	10.9	11.2	50.7%												
		W1-U						9.9	9.1	92%	3.9	40%	5.1	56.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Bedroom	14.5	11.3	3.3	22.5%												
		W2-U																		
		W3-L		33.1	9.8	23.2	70.3%												
		W3-U						11.8	11.3	95%	7.1	60%	4.2	37.3%	12	0	8	0	33.3%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
21 Hale Road																			
Ground	R1	W1-L	Bedroom	12.0	6.2	5.7	47.8%												
		W1-U						9.2	6.9	75%	2.5	27%	4.4	63.6%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Kitchen	5.8	3.0	2.8	47.9%	11.4	2.7	24%	1.5	13%	1.2	46.1%	0	0	0	0	0.0%	0.0%
First	R1	W1-L	Bedroom	18.7	9.4	9.3	49.9%												
		W1-U						9.3	7.1	76%	3.1	33%	4.1	57.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W3	Kitchen	32.2	11.0	21.2	65.9%	6.3	6.0	95%	3.1	49%	2.9	48.2%	N/F	N/F	N/F	N/F	N/F	N/F
19 Hale Road																			
Ground	R2	W2	Kitchen	28.9	9.5	19.4	67.2%												
		W3		20.1	5.0	15.1	75.3%												
		W4		10.0	4.3	5.7	57.0%	10.8	6.7	62%	2.3	22%	4.4	65.3%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W5-L	Bedroom	12.5	4.4	8.1	64.9%												
		W5-U						9.9	7.7	78%	1.9	20%	5.8	74.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	32.4	10.7	21.7	67.0%												
		W1-U																		
		W2-L		23.1	13.2	9.9	42.9%												
		W2-U						11.8	11.3	96%	10.5	89%	0.8	7.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W3-L	Bedroom	23.6	9.8	13.8	58.4%												
		W3-U						9.9	9.4	95%	2.7	27%	6.7	71.2%	N/F	N/F	N/F	N/F	N/F	N/F
1 Hale Road																			
Ground	R1	W1	Bedroom	22.0	19.5	2.6	11.6%	9.8	9.1	93%	9.0	92%	0.1	1.1%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Kitchen	31.0	30.9	0.0	0.1%												
		W3-L		19.0	15.0	3.9	20.7%												
		W3-U						10.8	10.7	99%	10.3	96%	0.4	3.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	25.9	20.1	5.9	22.6%												
		W1-U						9.8	9.3	94%	9.1	93%	0.1	1.5%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Residential	29.0	29.0	0.1	0.2%												
		W2-U																		
		W3-L		35.1	19.9	15.2	43.4%												
		W3-U						12.4	12.1	97%	11.7	94%	0.4	3.3%	N/F	N/F	N/F	N/F	N/F	N/F
3 Hale Road																			
Ground	R1	W1	Residential	24.5	12.7	11.8	48.0%												
		W2		27.6	13.8	13.8	50.2%	4.5	4.2	94%	3.4	76%	0.8	18.9%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W3	Kitchen	13.4	5.6	7.8	58.2%												
		W4		8.8	4.3	4.4	50.5%												
		W5-L		6.4	2.8	3.6	56.5%												
		W5-U						11.9	9.6	80%	5.3	45%	4.3	44.5%	11	0	3	0	72.7%	0.0%
Ground	R3	W6	Bedroom	12.3	1.7	10.6	86.4%	9.8	7.9	81%	1.8	18%	6.2	77.7%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
First	R1	W1-L	Residential	35.0	18.9	16.1	45.9%												
		W1-U						11.3	11.0	97%	8.3	73%	2.7	24.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Bedroom	24.2	9.0	15.2	62.8%												
		W2-U						9.8	9.4	95%	4.7	47%	4.7	50.2%	N/F	N/F	N/F	N/F	N/F	N/F
5 Hale Road																			
Ground	R1	W1	Bedroom	13.0	6.1	6.8	52.8%	9.8	7.7	79%	5.8	59%	2.0	25.3%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Kitchen	11.1	10.0	1.1	9.9%	9.5	5.1	54%	5.1	54%	0.0	0.9%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W3-L	Residential	25.9	9.7	16.1	62.4%												
		W3-U																		
		W4		29.4	10.2	19.2	65.5%	3.3	3.0	90%	2.9	87%	0.1	4.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	23.1	11.4	11.7	50.5%												
		W1-U						9.8	9.1	92%	7.2	73%	1.9	20.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Residential	34.7	11.6	23.1	66.6%												
		W2-U						10.9	10.5	96%	2.4	22%	8.1	76.7%	N/F	N/F	N/F	N/F	N/F	N/F
7 Hale Road																			
Ground	R1	W1	Residential	29.6	8.4	21.2	71.6%												
		W2-L		26.4	7.6	18.8	71.2%												
		W2-U						3.3	3.0	90%	2.5	77%	0.4	14.8%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W3	Kitchen	10.8	6.8	4.0	36.8%	9.6	4.9	51%	3.9	40%	1.0	21.2%	3	0	3	0	0.0%	0.0%
Ground	R3	W4	Bedroom	12.1	2.0	10.1	83.2%	9.8	7.9	80%	2.0	21%	5.8	74.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Residential	34.6	10.0	24.6	71.2%												
		W1-U						10.9	10.5	96%	3.4	31%	7.1	67.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Bedroom	24.9	6.5	18.4	73.8%												
		W2-U						9.8	9.3	95%	3.7	37%	5.6	60.6%	N/F	N/F	N/F	N/F	N/F	N/F
9 Hale Road																			
Ground	R1	W1	Bedroom	1.5	0.0	1.5	100.0%	9.8	6.1	62%	0.0	0%	6.1	100.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Kitchen	5.6	1.0	4.6	82.6%	9.9	5.2	52%	4.1	42%	1.0	19.8%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W3-L	Residential	27.6	6.7	20.9	75.7%												
		W3-U						4.5	4.3	95%	2.4	53%	1.9	44.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	24.6	6.7	17.9	72.8%												
		W1-U						9.8	9.3	95%	4.1	41%	5.3	56.5%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2-L	Residential	34.2	7.5	26.7	78.0%												
		W2-U						12.4	11.8	95%	2.0	16%	9.8	82.9%	N/F	N/F	N/F	N/F	N/F	N/F
1B Park View Road																			
Ground	R2	W1-L	Living Room	31.4	30.5	0.9	2.8%												
		W1-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W2-L		32.4	30.0	2.4	7.4%													
		W2-U																		
		W3-L		23.9	21.6	2.4	9.9%													
		W3-U						13.5	13.4	100%	13.4	99%	0.0	0.2%	50	11	46	9	8.0%	18.2%
First	R1	W3-L	Study	31.7	29.3	2.4	7.6%													
		W3-U						5.1	5.0	97%	5.0	97%	0.0	0.0%	43	10	38	7	11.6%	30.0%
First	R2	W1-L	Bedroom	31.9	29.6	2.3	7.2%													
		W1-U																		
		W2-L		31.8	29.4	2.4	7.5%													
		W2-U						12.0	11.9	99%	11.9	99%	0.0	0.0%	45	11	41	8	8.9%	27.3%
Second	R1	W1	Bedroom	82.0	80.1	1.9	2.3%													
		W2		82.2	80.2	2.0	2.4%													
		W3		38.9	38.9	0.0	0.0%	18.8	18.7	100%	18.7	100%	0.0	0.0%	91	21	88	19	3.3%	9.5%
1A Park View Road																				
Ground	R1	W2-L	Living Room	29.8	28.7	1.1	3.6%													
		W2-U																		
		W3-L		32.0	29.3	2.7	8.4%													
		W3-U																		
		W4-L		24.7	22.2	2.5	10.2%													
		W4-U						13.5	13.5	100%	13.5	100%	0.0	0.0%	53	10	51	10	3.8%	0.0%
First	R1	W2-L	Bedroom	31.5	28.9	2.6	8.2%													
		W2-U																		
		W3-L		31.4	28.8	2.6	8.4%													
		W3-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	41	8	39	8	4.9%	0.0%
First	R2	W1-L	Study	31.6	29.0	2.5	8.0%													
		W1-U						5.1	4.9	96%	4.9	95%	0.0	0.8%	43	10	39	8	9.3%	20.0%
Second	R1	W1	Bedroom	81.7	79.6	2.1	2.5%													
		W2		81.4	79.2	2.2	2.6%													
		W3		38.7	38.7	0.0	0.0%	18.9	18.9	100%	18.9	100%	0.0	0.1%	87	17	84	16	3.4%	5.9%
1 Park View Road																				
Ground	R2	W2-L	Living Room	30.8	30.2	0.7	2.2%													
		W2-U																		
		W3-L		33.1	31.1	2.0	6.1%													
		W3-U																		
		W4-L		26.7	24.4	2.3	8.6%													
		W4-U						11.2	11.1	100%	11.1	100%	0.0	0.0%	52	11	48	8	7.7%	27.3%
First	R1	W1-L	Bedroom	33.6	31.7	1.9	5.7%													
		W1-U																		
		W2-L		33.6	31.6	2.0	6.0%													
		W2-U						11.9	11.7	98%	11.7	98%	0.0	0.0%	48	12	44	9	8.3%	25.0%
2 Park View Road																				
Ground	R1	W1-L	Living Room	29.7	29.2	0.5	1.8%													
		W1-U																		
		W2-L		33.5	31.7	1.8	5.5%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W2-U																	
		W3-L		26.9	24.8	2.2	8.0%												
		W3-U						20.2	20.1	100%	19.2	95%	1.0	4.8%	52	12	48	9	7.7%	25.0%
First	R1	W1-L	Bedroom	33.7	31.9	1.8	5.3%												
		W1-U																	
		W2-L		33.7	31.8	1.9	5.5%												
		W2-U						12.4	12.2	99%	12.2	99%	0.0	0.0%	47	12	43	9	8.5%	25.0%
The Volunteer																			
First	R2	W2-L	Bedroom	26.4	26.3	0.1	0.3%												
		W2-U						12.3	11.3	92%	11.3	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W3	Kitchen	35.9	35.9	0.0	0.0%												
		W5-L		19.7	18.7	1.0	5.3%												
		W5-U						8.5	8.1	96%	8.1	96%	0.0	0.0%	40	2	39	2	2.5%	0.0%
3 Park View Road																			
Ground	R2	W3-L	Living Room	29.2	28.9	0.3	1.1%												
		W3-U																	
		W4-L		33.1	31.4	1.7	5.2%												
		W4-U																	
		W5-L		22.4	20.5	1.9	8.3%												
		W5-U						12.3	12.3	100%	12.3	100%	0.0	0.0%	50	11	46	8	8.0%	27.3%
First	R1	W1-L	Bedroom	33.8	32.2	1.6	4.8%												
		W1-U																	
		W2-L		33.7	32.0	1.7	5.1%												
		W2-U						12.1	11.9	99%	11.9	99%	0.0	0.0%	47	12	43	9	8.5%	25.0%
5 Park View Road																			
Ground	R1	W1	Kitchen	29.3	28.0	1.3	4.5%												
		W2		27.6	26.3	1.3	4.8%												
		W6-L		12.7	12.7	0.0	0.0%												
		W6-U																	
		W7-L		16.6	16.6	0.0	0.0%												
		W7-U						22.7	18.1	80%	18.1	80%	0.0	0.0%	72	12	68	8	5.6%	33.3%
Ground	R2	W3-L	Living Room	29.3	29.1	0.2	0.8%												
		W3-U																	
		W4-L		33.3	31.9	1.4	4.2%												
		W4-U																	
		W5-L		22.8	21.1	1.7	7.4%												
		W5-U						13.9	13.9	100%	13.9	100%	0.0	0.0%	50	11	46	7	8.0%	36.4%
First	R1	W1-L	Bedroom	34.0	32.6	1.4	4.0%												
		W1-U																	
		W2-L		33.9	32.5	1.4	4.2%												
		W2-U						11.9	11.7	98%	11.7	98%	0.0	0.0%	47	12	42	7	10.6%	41.7%
4 Park View Road																			
Ground	R1	W1-L	Living Room	27.6	27.3	0.3	0.9%												
		W1-U																	

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W2-L		33.2	31.6	1.5	4.6%													
		W2-U																		
		W3-L		23.0	21.2	1.7	7.6%													
		W3-U																		
		W8		12.7	12.7	0.0	0.0%													
		W9		15.0	15.0	0.0	0.0%	19.1	18.8	98%	18.6	97%	0.2	1.0%	56	13	53	10	5.4%	23.1%
First	R1	W1-L	Bedroom	33.9	32.4	1.5	4.4%													
		W1-U																		
		W2-L		33.8	32.3	1.6	4.6%													
		W2-U						14.0	13.8	98%	13.8	98%	0.0	0.0%	47	12	45	10	4.3%	16.7%
6 Park View Road																				
Ground	R1	W1-L	Living Room	27.2	27.1	0.2	0.6%													
		W1-U																		
		W2-L		33.4	32.2	1.3	3.8%													
		W2-U																		
		W3-L		23.4	21.9	1.6	6.6%													
		W3-U						11.4	11.3	99%	11.3	99%	0.0	0.1%	51	12	49	10	3.9%	16.7%
First	R1	W1-L	Bedroom	34.1	32.9	1.2	3.6%													
		W1-U																		
		W2-L		34.0	32.8	1.3	3.8%													
		W2-U						11.6	11.4	98%	11.3	97%	0.1	0.7%	45	10	43	8	4.4%	20.0%
Second	R1	W1-L	Bedroom	26.7	26.7	0.0	0.0%													
		W1-U																		
		W2		78.3	77.2	1.1	1.4%	14.6	13.9	95%	13.9	95%	0.0	0.0%	83	17	80	14	3.6%	17.6%
7A Park View Road																				
Ground	R2	W7-L	Living Room	30.8	30.6	0.2	0.6%													
		W7-U																		
		W8-L		33.5	32.3	1.2	3.6%													
		W8-U																		
		W9-L		22.4	20.9	1.5	6.7%													
		W9-U						13.9	13.9	100%	13.9	100%	0.0	0.0%	48	10	46	8	4.2%	20.0%
First	R1	W1-L	Bedroom	34.3	33.1	1.2	3.4%													
		W1-U																		
		W2-L		34.1	32.9	1.2	3.6%													
		W2-U						12.1	11.9	98%	11.9	98%	0.0	0.0%	44	10	42	8	4.5%	20.0%
Rosa Luxemburg Apartments																				
Ground	R9	W40-L	LKD	23.6	14.6	9.0	38.2%													
		W40-U																		
		W41-L		25.6	16.6	9.0	35.2%													
		W41-U						34.3	31.5	92%	25.8	75%	5.6	17.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1-L	Bedroom	19.4	9.7	9.7	50.1%													
		W1-U						15.6	14.0	90%	4.1	26%	9.9	70.7%	40	12	20	0	50.0%	100.0%
First	R2	W2-L	Bedroom	21.2	10.9	10.2	48.4%													
		W2-U						9.9	7.8	79%	3.7	38%	4.1	52.3%	42	12	21	0	50.0%	100.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
First	R3	W3-L	LKD	22.0	11.3	10.7	48.6%												
		W3-U																	
		W4-L		19.0	7.9	11.1	58.3%												
		W4-U																	
		W5-L		11.9	6.6	5.3	44.6%												
		W5-U																	
		W6-L		8.8	4.7	4.2	46.9%												
		W6-U						28.8	28.4	99%	12.3	43%	16.2	56.9%	47	14	29	1	38.3%	92.9%
First	R4	W7-L	Bedroom	7.2	4.0	3.2	45.0%												
		W7-U						13.7	3.7	27%	1.4	10%	2.3	62.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W8-L	LKD	4.9	4.7	0.2	4.1%												
		W8-U																	
		W9-L		24.9	13.0	11.9	47.7%												
		W9-U						34.8	28.6	82%	7.4	21%	21.2	74.3%	53	16	31	1	41.5%	93.8%
First	R6	W10-L	Bedroom	21.5	11.7	9.7	45.3%												
		W10-U						13.1	11.7	89%	3.7	28%	8.0	68.5%	47	16	29	0	38.3%	100.0%
First	R7	W11-L	Bedroom	7.7	0.8	6.9	89.9%												
		W11-U						12.8	10.1	79%	0.5	4%	9.6	94.9%	12	9	3	0	75.0%	100.0%
First	R8	W12-L	Bedroom	10.8	6.9	4.0	36.4%												
		W12-U						17.2	13.7	79%	4.5	26%	9.2	67.4%	24	8	17	1	29.2%	87.5%
First	R9	W13-L	Bedroom	13.0	8.9	4.1	31.3%												
		W13-U						14.5	9.4	65%	6.4	44%	3.0	31.7%	29	7	18	1	37.9%	85.7%
First	R10	W14-L	Bedroom	14.1	9.5	4.7	33.0%												
		W14-U						13.5	5.9	43%	3.4	25%	2.5	41.9%	23	4	12	0	47.8%	100.0%
First	R11	W15-L	LKD	5.7	0.7	5.0	88.6%												
		W15-U						29.0	26.9	93%	4.0	14%	22.9	85.2%	16	10	2	0	87.5%	100.0%
First	R12	W16-L	LKD	19.3	11.1	8.3	42.8%												
		W16-U						27.2	26.8	99%	25.4	93%	1.5	5.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R1	W1-L	LKD	10.7	2.7	8.0	74.8%												
		W1-U																	
		W2-L		11.1	2.4	8.7	78.3%												
		W2-U																	
		W3-L		27.4	9.6	17.8	64.8%												
		W3-U						26.9	26.7	99%	10.7	40%	16.0	59.8%	78	17	21	2	73.1%	88.2%
Second	R2	W4-L	Bedroom	27.5	8.7	18.8	68.5%												
		W4-U						8.4	7.8	93%	2.1	25%	5.7	72.6%	69	16	18	2	73.9%	87.5%
Second	R3	W5-L	Bedroom	27.7	8.2	19.5	70.5%												
		W5-U						12.0	11.0	92%	2.7	23%	8.3	75.2%	71	15	16	1	77.5%	93.3%
Second	R4	W6-L	LKD	27.6	9.0	18.6	67.4%												
		W6-U																	
		W7-L		7.0	0.7	6.3	89.8%												
		W7-U																	
		W8-L		19.1	12.7	6.5	33.9%												
		W8-U						23.3	22.7	97%	17.1	73%	5.7	24.9%	70	15	27	0	61.4%	100.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Second	R5	W9-L	Bedroom	16.8	11.1	5.7	34.0%												
		W9-U						12.9	10.6	82%	7.3	56%	3.4	31.7%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W10-L	Bedroom	19.8	11.6	8.3	41.6%												
		W10-U						14.5	13.2	91%	5.7	40%	7.5	56.7%	40	12	23	2	42.5%	83.3%
Second	R7	W11-L	Bedroom	21.7	13.2	8.5	39.1%												
		W11-U						9.1	7.7	85%	5.2	57%	2.6	32.9%	42	12	25	2	40.5%	83.3%
Second	R8	W12-L	LKD	22.9	14.0	8.9	38.8%												
		W12-U																		
		W13-L		6.7	0.4	6.3	94.3%												
		W13-U																		
		W14-L		10.3	6.1	4.2	40.8%												
		W14-U						27.3	26.9	99%	14.4	53%	12.5	46.6%	47	14	32	3	31.9%	78.6%
Second	R9	W15-L	Bedroom	8.0	4.7	3.3	41.1%												
		W15-U						14.0	3.8	27%	1.8	13%	2.0	52.6%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R10	W16-L	Bedroom	6.0	5.9	0.1	1.5%												
		W16-U						13.0	2.3	18%	2.3	18%	0.0	0.0%	14	2	14	2	0.0%	0.0%
Second	R11	W17-L	LKD	8.3	7.8	0.5	6.0%												
		W17-U																		
		W18-L		11.6	3.8	7.9	67.5%												
		W18-U																		
		W19-L		24.4	14.9	9.4	38.8%												
		W19-U						23.4	23.0	98%	14.3	61%	8.7	37.9%	54	17	36	6	33.3%	64.7%
Second	R12	W20-L	LKD	9.2	3.1	6.1	66.3%												
		W20-U						22.9	22.5	98%	4.9	21%	17.6	78.4%	20	14	10	5	50.0%	64.3%
Second	R13	W21-L	Bedroom	11.6	8.5	3.1	27.0%												
		W21-U						15.3	12.4	81%	6.4	42%	5.9	48.1%	26	9	21	4	19.2%	55.6%
Second	R14	W22-L	Bedroom	13.6	9.9	3.8	27.7%												
		W22-U						14.5	9.8	68%	7.9	55%	1.9	19.4%	30	7	20	2	33.3%	71.4%
Second	R15	W23-L	Bedroom	15.1	10.9	4.2	27.6%												
		W23-U						13.5	6.1	45%	3.9	29%	2.2	36.6%	25	4	19	2	24.0%	50.0%
Second	R16	W24-L	LKD	6.3	1.3	5.0	79.9%												
		W24-U						29.0	27.0	93%	6.7	23%	20.3	75.1%	17	10	3	0	82.4%	100.0%
Second	R17	W25-L	LKD	20.0	11.5	8.5	42.6%												
		W25-U						27.2	26.8	99%	25.4	93%	1.5	5.5%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	LKD	11.7	4.0	7.6	65.4%												
		W1-U																		
		W2-L		12.1	4.0	8.2	67.2%												
		W2-U																		
		W3-L		28.1	12.3	15.8	56.3%												
		W3-U						26.9	26.8	100%	18.0	67%	8.8	32.9%	79	17	33	4	58.2%	76.5%
Third	R2	W4-L	Bedroom	28.2	11.5	16.7	59.4%												
		W4-U						8.4	7.8	93%	2.8	34%	5.0	63.8%	70	16	29	3	58.6%	81.3%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Third	R3	W5-L	Bedroom	28.3	10.9	17.4	61.5%												
		W5-U						12.0	11.0	92%	3.5	29%	7.5	68.3%	71	15	28	1	60.6%	93.3%
Third	R4	W6-L	LKD	28.3	12.0	16.3	57.5%												
		W6-U																	
		W7-L		7.4	2.1	5.2	71.0%												
		W7-U																	
		W8-L		20.4	14.7	5.6	27.7%												
		W8-U						23.3	22.8	98%	20.1	86%	2.6	11.6%	70	15	35	1	50.0%	93.3%
Third	R5	W9-L	Bedroom	17.7	12.7	5.0	28.4%												
		W9-U						12.9	10.8	83%	8.0	62%	2.8	25.9%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W10-L	Bedroom	20.3	13.6	6.7	33.0%												
		W10-U						14.5	13.3	92%	8.6	59%	4.7	35.5%	40	12	28	4	30.0%	66.7%
Third	R7	W11-L	Bedroom	22.3	15.5	6.8	30.4%												
		W11-U						9.1	8.0	88%	7.5	83%	0.5	6.2%	42	12	29	4	31.0%	66.7%
Third	R8	W12-L	LKD	23.6	16.6	7.1	29.9%												
		W12-U																	
		W13-L		7.2	1.8	5.3	74.3%												
		W13-U																	
		W14-L		11.3	7.3	4.0	35.5%												
		W14-U						27.3	26.9	99%	19.7	72%	7.2	26.8%	46	13	35	5	23.9%	61.5%
Third	R9	W15-L	Bedroom	8.9	5.7	3.2	36.0%												
		W15-U						14.0	3.9	28%	2.1	15%	1.8	45.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R10	W16-L	Bedroom	7.6	7.5	0.1	0.8%												
		W16-U						13.0	2.8	22%	2.8	22%	0.0	0.0%	15	3	15	3	0.0%	0.0%
Third	R11	W17-L	LKD	10.0	9.8	0.3	2.5%												
		W17-U																	
		W18-L		12.1	5.6	6.5	53.4%												
		W18-U																	
		W19-L		25.4	17.5	7.9	31.1%												
		W19-U						23.4	23.0	98%	19.8	84%	3.2	14.1%	57	19	41	10	28.1%	47.4%
Third	R12	W20-L	LKD	9.7	5.1	4.6	47.5%												
		W20-U						22.9	22.5	98%	8.0	35%	14.5	64.3%	22	14	15	10	31.8%	28.6%
Third	R13	W21-L	Bedroom	12.4	10.4	2.1	16.5%												
		W21-U						15.3	12.7	82%	9.5	62%	3.2	25.0%	27	9	24	6	11.1%	33.3%
Third	R14	W22-L	Bedroom	14.4	10.9	3.5	24.5%												
		W22-U						14.5	10.3	71%	9.0	62%	1.3	12.4%	30	7	23	5	23.3%	28.6%
Third	R15	W23-L	Bedroom	16.1	12.1	4.0	24.9%												
		W23-U						13.5	6.6	49%	4.5	33%	2.1	31.6%	26	4	20	2	23.1%	50.0%
Third	R16	W24-L	LKD	7.0	2.1	5.0	70.6%												
		W24-U						29.0	27.2	94%	10.2	35%	17.0	62.4%	18	10	4	0	77.8%	100.0%
Third	R17	W25-L	LKD	20.2	11.9	8.3	41.0%												
		W25-U						27.2	26.8	99%	25.5	94%	1.4	5.1%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fourth	R1	W1-L	LKD	12.3	5.1	7.3	58.8%												
		W1-U																	
		W2-L		14.1	6.0	8.1	57.7%												
		W2-U																	
		W3-L		28.8	15.9	12.8	44.6%												
		W3-U						29.5	28.4	96%	24.6	83%	3.8	13.4%	79	17	44	4	44.3%	76.5%
Fourth	R2	W4-L	Bedroom	28.8	15.9	12.9	44.7%												
		W4-U						12.2	9.0	74%	5.3	43%	3.7	41.3%	71	16	41	3	42.3%	81.3%
Fourth	R3	W5-L	Bedroom	29.0	15.3	13.7	47.3%												
		W5-U						12.6	11.7	93%	4.8	38%	7.0	59.4%	70	15	38	1	45.7%	93.3%
Fourth	R4	W6-L	LKD	29.0	16.6	12.4	42.7%												
		W6-U																	
		W7-L		7.8	4.0	3.8	49.0%												
		W7-U																	
		W8-L		21.8	16.8	5.0	22.9%												
		W8-U						23.3	22.8	98%	21.4	92%	1.3	5.8%	71	15	48	4	32.4%	73.3%
Fourth	R5	W9-L	Bedroom	18.7	14.1	4.6	24.5%												
		W9-U						12.9	11.0	85%	8.6	67%	2.4	21.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W10-L	Bedroom	20.8	15.1	5.7	27.3%												
		W10-U						14.5	13.4	92%	12.4	86%	1.0	7.3%	41	13	31	7	24.4%	46.2%
Fourth	R7	W11-L	Bedroom	23.0	17.2	5.8	25.2%												
		W11-U						9.1	8.3	91%	8.3	91%	0.0	0.1%	43	13	33	7	23.3%	46.2%
Fourth	R8	W12-L	LKD	24.5	18.4	6.1	24.9%												
		W12-U																	
		W13-L		8.5	3.6	4.9	57.5%												
		W13-U																	
		W14-L		12.9	9.1	3.8	29.4%												
		W14-U						27.3	27.0	99%	26.3	96%	0.7	2.4%	48	14	39	8	18.8%	42.9%
Fourth	R9	W15-L	Bedroom	10.3	7.2	3.1	30.0%												
		W15-U						14.0	4.1	29%	2.4	17%	1.7	41.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R10	W16-L	Bedroom	9.9	9.9	0.0	0.5%												
		W16-U						13.0	4.1	32%	4.1	32%	0.0	0.0%	16	3	16	3	0.0%	0.0%
Fourth	R11	W17-L	LKD	12.4	12.2	0.1	1.1%												
		W17-U																	
		W18-L		12.7	7.0	5.6	44.6%												
		W18-U																	
		W19-L		26.6	19.6	7.0	26.4%												
		W19-U						23.4	23.1	98%	22.9	98%	0.1	0.5%	64	20	48	14	25.0%	30.0%
Fourth	R12	W20-L	LKD	10.4	6.5	3.9	37.3%												
		W20-U						22.9	22.5	98%	17.0	74%	5.5	24.6%	24	14	16	11	33.3%	21.4%
Fourth	R13	W21-L	Bedroom	13.8	12.6	1.2	8.6%												
		W21-U						15.3	13.0	85%	12.3	80%	0.7	5.3%	28	9	25	6	10.7%	33.3%
Fourth	R14	W22-L	Bedroom	15.5	12.2	3.3	21.5%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W22-U						14.5	11.0	76%	9.8	68%	1.2	10.8%	34	7	27	5	20.6%	28.6%
Fourth	R15	W23-L	Bedroom	17.4	13.5	3.9	22.3%													
		W23-U						13.5	7.4	55%	5.5	41%	1.9	25.4%	28	4	22	2	21.4%	50.0%
Fourth	R16	W24-L	LKD	8.0	3.6	4.5	55.8%													
		W24-U						29.0	27.7	95%	15.6	54%	12.1	43.8%	21	11	9	4	57.1%	63.6%
Fourth	R17	W25-L	LKD	20.4	14.0	6.4	31.3%													
		W25-U						27.2	26.8	99%	26.1	96%	0.8	2.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R1	W1-L	LKD	13.0	6.0	6.9	53.5%													
		W1-U																		
		W2-L		14.7	7.0	7.7	52.1%													
		W2-U																		
		W3-L		29.4	20.9	8.5	28.8%													
		W3-U						29.5	28.6	97%	25.7	87%	3.0	10.4%	82	18	59	9	28.0%	50.0%
Fifth	R2	W4-L	Bedroom	29.5	21.2	8.3	28.2%													
		W4-U						12.2	9.0	74%	8.2	67%	0.9	9.5%	72	17	53	7	26.4%	58.8%
Fifth	R3	W5-L	Bedroom	29.6	21.0	8.6	29.1%													
		W5-U						12.6	11.8	94%	10.4	82%	1.5	12.3%	72	16	52	6	27.8%	62.5%
Fifth	R4	W6-L	LKD	29.6	21.2	8.4	28.5%													
		W6-U																		
		W7-L		8.2	6.5	1.8	21.2%													
		W7-U																		
		W8-L		23.6	19.1	4.4	18.8%													
		W8-U						23.3	22.8	98%	22.0	94%	0.7	3.2%	73	18	53	9	27.4%	50.0%
Fifth	R5	W9-L	Bedroom	19.9	15.7	4.1	20.8%													
		W9-U						12.9	11.3	87%	9.1	70%	2.2	19.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W10-L	Bedroom	21.3	16.4	4.9	23.0%													
		W10-U						14.5	13.5	93%	12.7	88%	0.8	5.7%	41	13	33	8	19.5%	38.5%
Fifth	R7	W11-L	Bedroom	23.9	18.9	5.0	21.1%													
		W11-U						9.1	8.6	95%	8.6	95%	0.0	0.0%	44	13	35	8	20.5%	38.5%
Fifth	R8	W12-L	LKD	25.7	20.4	5.3	20.6%													
		W12-U																		
		W13-L		9.0	4.6	4.4	48.8%													
		W13-U																		
		W14-L		15.3	11.7	3.6	23.3%													
		W14-U						27.3	27.0	99%	26.7	98%	0.3	1.1%	51	16	43	11	15.7%	31.3%
Fifth	R9	W15-L	Bedroom	12.6	9.6	3.0	23.6%													
		W15-U						14.0	4.6	33%	3.3	24%	1.3	27.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R10	W16-L	Bedroom	13.3	13.2	0.0	0.2%													
		W16-U						13.0	6.4	49%	6.4	49%	0.0	0.0%	23	6	23	6	0.0%	0.0%
Fifth	R11	W17-L	LKD	15.6	15.4	0.3	1.8%													
		W17-U																		
		W18-L		13.3	8.2	5.1	38.5%													
		W18-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W19-L		28.0	21.4	6.5	23.3%												
		W19-U						23.4	23.1	99%	23.1	99%	0.0	0.0%	68	22	53	16	22.1%	27.3%
Fifth	R12	W20-L	LKD	11.7	7.7	4.0	34.4%												
		W20-U						22.9	22.6	99%	20.7	90%	1.9	8.4%	26	15	17	12	34.6%	20.0%
Fifth	R13	W21-L	Bedroom	15.6	14.9	0.7	4.5%												
		W21-U						15.3	13.6	89%	13.0	85%	0.6	4.3%	33	11	31	9	6.1%	18.2%
Fifth	R14	W22-L	Bedroom	17.1	13.8	3.3	19.4%												
		W22-U						14.5	11.9	82%	11.4	79%	0.5	4.6%	43	10	34	7	20.9%	30.0%
Fifth	R15	W23-L	Bedroom	19.4	15.7	3.7	19.2%												
		W23-U						13.5	8.5	63%	7.2	53%	1.3	15.8%	39	5	31	2	20.5%	60.0%
Fifth	R16	W24-L	LKD	9.3	5.3	3.9	42.3%												
		W24-U						29.0	28.5	98%	19.6	67%	8.9	31.3%	23	12	13	8	43.5%	33.3%
Fifth	R17	W25-L	LKD	20.5	16.3	4.2	20.6%												
		W25-U						27.2	26.8	99%	26.2	97%	0.6	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R1	W1-L	LKD	14.9	7.5	7.4	49.6%												
		W1-U																		
		W2-L		16.4	8.5	7.9	48.1%												
		W2-U																		
		W3-L		30.0	24.9	5.1	17.0%												
		W3-U						29.5	28.8	98%	27.9	95%	0.9	3.1%	85	21	63	13	25.9%	38.1%
Sixth	R2	W4-L	Bedroom	30.0	24.8	5.3	17.5%												
		W4-U						12.2	9.1	75%	9.0	74%	0.1	1.0%	75	19	57	11	24.0%	42.1%
Sixth	R3	W5-L	Bedroom	30.1	24.9	5.2	17.3%												
		W5-U						12.6	11.9	95%	11.9	95%	0.0	0.1%	74	18	57	10	23.0%	44.4%
Sixth	R4	W6-L	LKD	30.2	24.8	5.4	17.8%												
		W6-U																		
		W7-L		9.6	8.4	1.3	13.1%												
		W7-U																		
		W8-L		26.0	21.9	4.1	15.6%												
		W8-U						23.3	22.8	98%	22.5	97%	0.2	1.1%	74	18	57	11	23.0%	38.9%
Sixth	R5	W9-L	Bedroom	21.7	17.9	3.8	17.6%												
		W9-U						12.9	11.4	88%	9.4	72%	2.0	17.9%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W10-L	Bedroom	22.1	17.5	4.5	20.5%												
		W10-U						14.5	13.6	94%	12.9	89%	0.7	5.3%	43	13	35	8	18.6%	38.5%
Sixth	R7	W11-L	Bedroom	25.1	20.5	4.7	18.6%												
		W11-U						9.1	8.8	97%	8.8	97%	0.0	0.0%	47	13	39	8	17.0%	38.5%
Sixth	R8	W12-L	LKD	28.0	23.1	4.9	17.5%												
		W12-U																		
		W13-L		26.1	21.0	5.2	19.7%												
		W13-U																		
		W14-L		18.7	15.3	3.4	18.0%												
		W14-U						27.3	27.1	99%	27.1	99%	0.0	0.0%	56	16	49	11	12.5%	31.3%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R9	W15-L	Bedroom	16.6	13.6	3.0	17.9%												
		W15-U						14.0	5.7	41%	4.6	33%	1.0	18.2%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R10	W16-L	Bedroom	17.8	17.8	0.1	0.3%												
		W16-U						13.0	9.6	74%	9.6	74%	0.0	0.0%	26	6	26	6	0.0%	0.0%
Sixth	R11	W17-L	LKD	19.6	18.7	0.9	4.7%												
		W17-U																		
		W18-L		14.9	9.8	5.2	34.5%												
		W18-U																		
		W19-L		29.6	23.2	6.5	21.8%												
		W19-U						23.4	23.1	99%	23.1	99%	0.0	0.0%	72	24	56	18	22.2%	25.0%
Sixth	R12	W20-L	LKD	14.8	9.4	5.4	36.6%												
		W20-U						22.9	22.7	99%	21.7	95%	1.0	4.2%	36	20	22	14	38.9%	30.0%
Sixth	R13	W21-L	Bedroom	17.7	16.5	1.2	7.0%												
		W21-U						15.3	14.0	91%	13.5	88%	0.5	3.7%	36	15	34	13	5.6%	13.3%
Sixth	R14	W22-L	Bedroom	18.7	15.3	3.4	18.2%												
		W22-U						14.5	12.7	88%	12.6	87%	0.1	0.4%	46	13	39	11	15.2%	15.4%
Sixth	R15	W23-L	Bedroom	21.6	17.9	3.7	17.1%												
		W23-U						13.5	9.8	73%	9.3	69%	0.5	5.5%	47	13	39	11	17.0%	15.4%
Sixth	R16	W24-L	LKD	25.9	21.8	4.1	15.8%												
		W24-U						29.0	28.9	100%	24.3	84%	4.7	16.1%	48	14	39	12	18.8%	14.3%
Sixth	R17	W25-L	LKD	38.3	34.7	3.5	9.3%												
		W25-U						27.2	26.9	99%	26.8	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R1	W1-L	LKD	28.3	19.0	9.3	32.8%												
		W1-U																		
		W2-L		33.2	23.3	9.9	29.7%												
		W2-U																		
		W3-L		30.6	26.1	4.5	14.6%												
		W3-U						29.5	29.0	98%	29.0	98%	0.0	0.1%	86	21	65	13	24.4%	38.1%
Seventh	R2	W4-L	Bedroom	30.6	26.1	4.6	14.9%												
		W4-U						12.2	9.2	76%	9.1	75%	0.1	0.8%	76	20	60	13	21.1%	35.0%
Seventh	R3	W5-L	Bedroom	30.8	26.1	4.6	15.1%												
		W5-U						12.6	12.1	96%	12.1	96%	0.0	0.0%	73	18	58	11	20.5%	38.9%
Seventh	R4	W6-L	LKD	30.8	26.0	4.8	15.7%												
		W6-U																		
		W7-L		11.0	9.9	1.1	10.1%												
		W7-U																		
		W8-L		29.5	25.8	3.8	12.8%												
		W8-U						23.3	22.8	98%	22.6	97%	0.2	0.8%	74	19	59	12	20.3%	36.8%
Seventh	R5	W9-L	Bedroom	25.9	22.3	3.6	13.8%												
		W9-U						12.9	11.4	88%	9.5	74%	1.9	16.7%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W10-L	Bedroom	23.5	19.3	4.3	18.1%												
		W10-U						14.0	13.5	96%	12.9	92%	0.6	4.5%	45	13	37	8	17.8%	38.5%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Seventh	R7	W11-L	LKD	27.1	22.7	4.4	16.2%												
		W11-U																	
		W12-L		29.8	25.2	4.7	15.7%												
		W12-U																	
		W13-L		27.5	24.2	3.3	12.1%												
		W13-U						26.6	26.3	99%	26.3	99%	0.0	0.0%	64	19	58	14	9.4%	26.3%
Seventh	R8	W14-L	Bedroom	23.3	22.4	0.9	3.9%												
		W14-U						13.0	11.4	88%	11.3	87%	0.1	0.4%	34	8	31	8	8.8%	0.0%
Seventh	R9	W15-L	LKD	24.6	22.6	1.9	7.9%												
		W15-U																	
		W16-L		26.2	21.1	5.2	19.7%												
		W16-U																	
		W17-L		31.1	24.7	6.4	20.6%												
		W17-U						23.5	23.2	99%	23.2	99%	0.0	0.1%	74	25	58	18	21.6%	28.0%
Seventh	R10	W18-L	LKD	27.9	21.5	6.3	22.7%												
		W18-U						23.1	22.9	99%	22.6	98%	0.4	1.5%	65	22	48	14	26.2%	36.4%
Seventh	R11	W19-L	Bedroom	20.8	18.6	2.1	10.3%												
		W19-U						15.3	14.4	94%	14.0	91%	0.4	2.9%	51	17	44	14	13.7%	17.6%
Seventh	R12	W20-L	Bedroom	23.5	19.7	3.8	16.1%												
		W20-U																	
		W21-L		33.1	25.3	7.8	23.6%												
		W21-U						11.5	11.4	98%	10.9	94%	0.5	4.3%	83	25	63	15	24.1%	40.0%
Seventh	R13	W22-L	Bedroom	27.9	20.0	7.9	28.4%												
		W22-U						12.0	11.5	96%	10.6	88%	0.9	7.9%	67	24	47	14	29.9%	41.7%
Seventh	R14	W23-L	Bedroom	33.8	25.4	8.4	24.8%												
		W23-U						13.5	12.7	94%	10.0	74%	2.7	21.1%	81	24	62	14	23.5%	41.7%
Seventh	R15	W24-L	LKD	34.0	25.5	8.5	25.0%												
		W24-U																	
		W25-L		38.2	35.9	2.3	6.0%												
		W25-U																	
		W26-L		34.8	32.8	2.0	5.8%												
		W26-U						33.5	33.2	99%	33.2	99%	0.0	0.1%	81	23	66	15	18.5%	34.8%
Eighth	R1	W1-L	LKD	34.9	26.8	8.1	23.2%												
		W1-U						21.6	21.3	98%	21.2	98%	0.1	0.3%	54	15	38	10	29.6%	33.3%
Eighth	R2	W2-L	Bedroom	34.8	26.4	8.4	24.2%												
		W2-U																	
		W3-L		25.2	22.8	2.5	9.8%												
		W3-U						13.8	13.8	100%	13.8	100%	0.0	0.0%	68	18	53	13	22.1%	27.8%
Eighth	R3	W4-L	Bedroom	31.8	27.2	4.6	14.5%												
		W4-U						14.2	14.1	99%	14.0	99%	0.0	0.3%	79	22	62	16	21.5%	27.3%
Eighth	R4	W5-L	LKD	31.9	27.1	4.8	15.1%												
		W5-U																	
		W6-L		30.8	27.4	3.4	11.0%												
		W6-U						22.1	22.0	100%	22.0	100%	0.0	0.0%	75	20	58	12	22.7%	40.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Eighth	R5	W7-L	Bedroom	26.5	22.6	4.0	15.0%												
		W7-U						9.3	8.5	91%	8.0	86%	0.5	6.0%	50	13	43	8	14.0%	38.5%
Eighth	R6	W8-L	LKD	30.5	26.0	4.5	14.7%												
		W8-U																	
		W9-L		31.1	28.1	3.0	9.6%												
		W9-U																	
		W10-L		31.2	28.5	2.8	8.9%												
		W10-U						28.6	28.2	99%	28.2	99%	0.0	0.1%	66	17	56	12	15.2%	29.4%
Eighth	R7	W11-L	LKD	17.8	17.8	0.0	0.0%												
		W11-U																	
		W12-L		31.9	28.6	3.4	10.6%												
		W12-U																	
		W13-L		32.2	26.1	6.2	19.1%												
		W13-U						33.8	33.7	100%	33.7	100%	0.0	0.0%	84	25	68	18	19.0%	28.0%
Eighth	R8	W14-L	Bedroom	30.1	23.6	6.4	21.4%												
		W14-U						12.5	11.9	95%	11.9	95%	0.0	0.0%	68	22	54	15	20.6%	31.8%
Eighth	R9	W15-L	Bedroom	21.9	19.9	2.1	9.3%												
		W15-U						14.0	12.4	89%	11.7	84%	0.7	5.3%	51	18	44	15	13.7%	16.7%
Eighth	R10	W16-L	Bedroom	26.2	22.4	3.8	14.6%												
		W16-U																	
		W17-L		34.1	26.6	7.5	22.0%												
		W17-U						13.0	12.9	100%	12.0	92%	0.9	7.1%	89	26	70	16	21.3%	38.5%
Eighth	R11	W18-L	Bedroom	34.3	26.6	7.7	22.4%												
		W18-U						11.4	10.9	95%	10.2	89%	0.7	6.6%	83	26	64	16	22.9%	38.5%
Eighth	R12	W19-L	Bedroom	33.3	25.8	7.4	22.4%												
		W19-U						8.3	7.9	96%	7.4	89%	0.5	6.9%	70	22	57	14	18.6%	36.4%
Eighth	R13	W20-L	LKD	34.5	26.8	7.7	22.3%												
		W20-U																	
		W21-L		38.9	37.0	2.0	5.0%												
		W21-U						28.5	28.2	99%	28.2	99%	0.0	0.1%	80	24	69	17	13.8%	29.2%
Ninth	R2	W2-L	LKD	31.4	31.4	0.0	0.0%												
		W2-U																	
		W3-L		35.0	31.1	3.9	11.0%												
		W3-U						33.0	30.5	92%	29.4	89%	1.1	3.6%	54	14	46	11	14.8%	21.4%
Ninth	R3	W4-L	Bedroom	35.1	31.0	4.1	11.6%												
		W4-U																	
		W5-L		33.5	27.6	5.9	17.5%												
		W5-U						14.6	13.6	93%	13.4	92%	0.1	1.0%	90	24	76	17	15.6%	29.2%
Ninth	R5	W7-L	Bedroom	25.4	23.0	2.4	9.5%												
		W7-U						13.8	8.4	60%	6.2	45%	2.2	26.0%	58	19	50	16	13.8%	15.8%
Ninth	R6	W8-L	Bedroom	30.9	27.1	3.8	12.2%												
		W8-U																	
		W9-L		34.5	27.4	7.2	20.7%												
		W9-U						13.3	12.0	90%	11.5	86%	0.5	4.3%	91	26	74	16	18.7%	38.5%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Ninth	R7	W10-L	Bedroom	34.7	27.4	7.3	21.1%												
		W10-U						11.1	10.8	97%	9.6	87%	1.1	10.4%	83	27	66	17	20.5%	37.0%
Ninth	R8	W11-L	LKD	34.8	27.6	7.3	20.9%												
		W11-U																	
		W12-L		16.6	14.7	1.9	11.3%												
		W12-U																	
		W13-L		15.7	15.5	0.2	1.5%												
		W13-U						31.6	31.5	100%	31.5	100%	0.0	0.0%	81	24	68	17	16.0%	29.2%
West Apartments																			
First	R1	W1-L	LKD	13.4	9.0	4.4	32.8%												
		W1-U																	
		W2-L		4.9	0.5	4.4	90.2%												
		W2-U																	
		W7-L		1.5	0.0	1.5	100.0%												
		W7-U						30.8	20.1	65%	6.0	19%	14.1	70.2%	27	2	19	0	29.6%	100.0%
First	R2	W3-L	LKD	0.0	0.0	0.0	0.0%												
		W3-U																	
		W4-L		17.3	10.4	6.9	39.9%												
		W4-U																	
		W6-L		0.9	0.0	0.9	100.0%												
		W6-U						30.8	17.2	56%	5.1	17%	12.1	70.2%	32	2	21	0	34.4%	100.0%
First	R3	W5-L	Bedroom	31.6	12.2	19.4	61.3%												
		W5-U						12.8	12.6	98%	5.2	40%	7.4	58.8%	N/F	N/F	N/F	N/F	N/F	N/F
First	R4	W8-L	Bedroom	17.6	8.6	9.0	51.1%												
		W8-U						12.8	9.3	72%	4.8	37%	4.5	48.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W9-L	Bedroom	6.1	2.0	4.1	67.3%												
		W9-U						12.3	7.9	64%	2.1	17%	5.8	73.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W10-L	Bedroom	15.1	7.7	7.4	49.0%												
		W10-U						13.7	10.0	73%	10.0	73%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W11-L	LKD	13.1	4.7	8.4	64.4%												
		W11-U																	
		W12-L		13.9	5.5	8.4	60.4%												
		W12-U						28.4	24.9	88%	22.5	79%	2.4	9.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W13-L	Bedroom	22.8	13.8	9.0	39.4%												
		W13-U						14.0	12.8	91%	12.6	90%	0.2	1.5%	N/F	N/F	N/F	N/F	N/F	N/F
First	R9	W14-L	LKD	20.2	9.7	10.5	52.1%												
		W14-U																	
		W15-L		18.5	7.3	11.2	60.5%												
		W15-U						28.4	26.1	92%	22.8	80%	3.3	12.8%	N/F	N/F	N/F	N/F	N/F	N/F
First	R10	W16-L	Bedroom	14.1	5.7	8.5	60.0%												
		W16-U						9.7	9.3	96%	5.7	58%	3.6	39.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R11	W17-L	Bedroom	14.4	6.0	8.5	58.7%												
		W17-U						35.6	33.1	93%	26.3	74%	6.7	20.3%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Second	R1	W1-L	LKD	14.6	10.2	4.4	29.9%												
		W1-U																	
		W2-L		5.1	0.6	4.4	87.4%												
		W2-U																	
		W7-L		1.8	0.0	1.8	100.0%												
		W7-U						30.8	20.1	65%	6.7	22%	13.5	66.9%	28	2	20	0	28.6%	100.0%
Second	R2	W3-L	LKD	0.0	0.0	0.0	0.0%												
		W3-U																	
		W4-L		18.6	11.8	6.8	36.8%												
		W4-U																	
		W6-L		1.2	0.0	1.2	100.0%												
		W6-U						30.8	19.4	63%	6.4	21%	13.0	67.0%	34	2	23	0	32.4%	100.0%
Second	R3	W5-L	Bedroom	32.4	14.5	17.9	55.4%												
		W5-U						12.8	12.6	98%	7.0	54%	5.7	44.8%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R4	W8-L	Bedroom	18.1	10.2	8.0	43.9%												
		W8-U						12.8	9.3	73%	6.1	48%	3.2	34.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W9-L	Bedroom	6.3	2.8	3.5	55.4%												
		W9-U						12.3	7.9	64%	3.2	26%	4.7	59.6%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W10-L	Bedroom	16.3	9.3	7.0	43.2%												
		W10-U						13.7	10.4	76%	10.4	76%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W11-L	LKD	15.0	7.1	7.9	52.6%												
		W11-U																	
		W12-L		15.3	7.1	8.2	53.4%												
		W12-U						28.4	25.3	89%	22.9	81%	2.4	9.4%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R8	W13-L	Bedroom	25.0	15.7	9.2	37.0%												
		W13-U						14.0	13.4	96%	13.3	95%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R9	W14-L	LKD	22.5	11.8	10.6	47.4%												
		W14-U																	
		W15-L		20.2	9.1	11.1	54.8%												
		W15-U						28.4	26.2	92%	22.8	80%	3.3	12.8%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R10	W16-L	Bedroom	15.0	6.2	8.8	58.6%												
		W16-U						9.7	9.4	96%	5.7	59%	3.7	39.2%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R11	W17-L	Bedroom	15.5	6.5	9.0	57.8%												
		W17-U						35.6	33.2	93%	26.7	75%	6.5	19.6%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	LKD	15.7	11.4	4.3	27.2%												
		W1-U																	
		W2-L		5.2	0.8	4.4	84.6%												
		W2-U																	
		W7-L		2.0	0.0	2.0	100.0%												
		W7-U						30.8	20.2	65%	8.8	28%	11.4	56.5%	30	3	23	1	23.3%	66.7%
Third	R2	W3-L	LKD	0.0	0.0	0.0	0.0%												
		W3-U																	
		W4-L		19.9	13.2	6.8	34.0%												
		W4-U																	
		W6-L		1.4	0.0	1.4	100.0%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W6-U						30.8	21.4	69%	9.0	29%	12.4	58.0%	37	3	27	1	27.0%	66.7%
Third	R3	W5-L	Bedroom	33.1	17.0	16.1	48.7%													
		W5-U						12.8	12.6	98%	9.5	74%	3.1	24.3%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W8-L	Bedroom	18.7	12.0	6.7	35.9%													
		W8-U						12.8	9.4	73%	8.1	63%	1.3	13.4%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W9-L	Bedroom	6.5	3.7	2.8	43.3%													
		W9-U						12.3	7.9	64%	4.7	38%	3.2	40.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W10-L	Bedroom	18.9	12.4	6.6	34.7%													
		W10-U						13.7	11.9	87%	11.9	86%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W11-L	LKD	18.7	10.8	7.9	42.2%													
		W11-U																		
		W12-L		17.9	9.4	8.5	47.5%													
		W12-U						28.4	25.8	91%	23.5	83%	2.3	9.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R8	W13-L	Bedroom	27.6	18.2	9.5	34.3%													
		W13-U						14.0	13.8	99%	13.8	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R9	W14-L	LKD	25.0	14.4	10.7	42.5%													
		W14-U																		
		W15-L		22.2	11.4	10.8	48.7%													
		W15-U						28.4	26.2	92%	22.9	80%	3.4	12.8%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R10	W16-L	Bedroom	15.9	6.9	9.0	56.6%													
		W16-U						9.7	9.4	96%	6.0	61%	3.4	36.3%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R11	W17-L	Bedroom	16.6	7.2	9.4	56.7%													
		W17-U						35.6	33.2	93%	27.1	76%	6.1	18.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R1	W1-L	LKD	16.8	12.7	4.1	24.4%													
		W1-U																		
		W2-L		5.3	1.0	4.3	81.7%													
		W2-U																		
		W7-L		2.2	0.1	2.0	94.0%													
		W7-U						30.8	20.5	66%	13.7	44%	6.8	33.0%	33	4	26	2	21.2%	50.0%
Fourth	R2	W3-L	LKD	0.0	0.0	0.0	0.0%													
		W3-U																		
		W4-L		21.2	14.6	6.6	31.1%													
		W4-U																		
		W6-L		1.7	0.1	1.6	94.7%													
		W6-U						30.8	21.6	70%	14.3	46%	7.3	33.8%	39	4	29	2	25.6%	50.0%
Fourth	R3	W5-L	Bedroom	33.8	19.9	13.9	41.1%													
		W5-U						12.8	12.6	98%	11.9	93%	0.7	5.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R4	W8-L	Bedroom	19.4	14.0	5.4	27.8%													
		W8-U						12.8	9.5	74%	9.5	74%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W9-L	Bedroom	6.8	4.7	2.1	30.2%													
		W9-U						12.3	8.0	65%	6.7	54%	1.3	15.8%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W10-L	Bedroom	27.3	19.8	7.5	27.5%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W10-U						13.7	13.6	99%	13.6	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W11-L	LKD	25.1	16.2	8.9	35.4%													
		W11-U																		
		W12-L		22.3	13.1	9.2	41.1%													
		W12-U						28.4	26.3	93%	24.1	85%	2.2	8.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R8	W13-L	Bedroom	30.4	20.8	9.7	31.7%													
		W13-U						14.0	13.8	99%	13.8	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R9	W14-L	LKD	27.3	16.9	10.4	38.1%													
		W14-U																		
		W15-L		24.1	13.6	10.5	43.5%													
		W15-U						28.4	26.3	93%	23.1	81%	3.2	12.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R10	W16-L	Bedroom	16.9	7.9	9.0	53.3%													
		W16-U						9.7	9.4	96%	7.1	73%	2.3	24.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R11	W17-L	Bedroom	17.6	8.1	9.5	54.0%													
		W17-U						35.6	33.3	93%	27.6	77%	5.7	17.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R1	W1-L	LKD	12.5	10.4	2.2	17.4%													
		W1-U																		
		W2-L		32.9	24.1	8.7	26.6%													
		W2-U																		
		W3-L		28.3	19.6	8.7	30.6%													
		W3-U																		
		W4-L		24.3	15.7	8.5	35.1%													
		W4-U						35.2	30.1	86%	30.0	85%	0.1	0.2%	32	4	29	3	9.4%	25.0%
Fifth	R3	W6-L	Bedroom	34.0	25.0	8.9	26.3%													
		W6-U						11.5	11.5	99%	11.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R4	W7-L	LKD	28.7	19.4	9.3	32.3%													
		W7-U																		
		W8-L		25.0	15.9	9.1	36.4%													
		W8-U						29.6	27.2	92%	25.4	86%	1.9	7.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W9-L	Bedroom	33.2	23.9	9.3	28.0%													
		W9-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W10-L	LKD	29.2	19.3	9.8	33.7%													
		W10-U																		
		W11-L		25.7	15.8	9.9	38.4%													
		W11-U						29.6	27.2	92%	25.0	84%	2.2	8.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W12-L	LKD	18.8	9.5	9.3	49.4%													
		W12-U						46.5	44.4	96%	41.7	90%	2.7	6.1%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R1	W1-L	LKD	13.1	11.0	2.1	16.0%													
		W1-U																		
		W2-L		34.5	26.1	8.5	24.5%													
		W2-U																		
		W3-L		22.4	16.9	5.5	24.6%													
		W3-U																		
		W4-L		24.4	16.3	8.1	33.2%													
		W4-U						35.2	29.7	85%	29.7	84%	0.0	0.1%	34	6	32	6	5.9%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R3	W6-L	Bedroom	35.6	27.4	8.2	23.1%												
		W6-U						11.5	11.5	99%	11.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W7-L	LKD	35.9	27.5	8.4	23.5%												
		W7-U																	
		W8-L		35.7	27.4	8.3	23.3%												
		W8-U						29.6	27.3	92%	25.5	86%	1.8	6.5%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W9-L	Bedroom	35.2	26.9	8.3	23.6%												
		W9-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W10-L	LKD	35.5	26.8	8.7	24.4%												
		W10-U																	
		W11-L		36.1	27.5	8.6	23.8%												
		W11-U						29.6	27.2	92%	25.1	85%	2.0	7.5%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W12-L	LKD	15.8	8.9	6.9	43.6%												
		W12-U						46.5	43.9	95%	40.9	88%	3.0	6.9%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R1	W1	LKD	14.0	11.9	2.1	15.0%												
		W2		34.1	26.0	8.1	23.6%												
		W3-L		23.2	17.8	5.4	23.4%												
		W3-U																	
		W4		24.9	17.1	7.8	31.3%	35.2	30.1	86%	30.0	85%	0.1	0.2%	36	6	34	6	5.6%	0.0%
Seventh	R3	W6	Bedroom	35.9	28.2	7.7	21.5%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R4	W7	Bedroom	35.8	28.1	7.7	21.6%	10.5	10.0	95%	9.8	93%	0.2	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W8	LKD	25.8	18.2	7.7	29.8%												
		W9		26.7	18.9	7.8	29.3%												
		W10		34.8	30.1	4.7	13.5%	44.0	39.3	89%	39.3	89%	0.1	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W11	Bedroom	34.2	29.9	4.3	12.6%	13.3	13.1	98%	13.0	98%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W12-L	Bedroom	33.5	29.4	4.1	12.2%												
		W12-U						13.7	13.6	99%	13.5	99%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R1	W1	LKD	14.6	12.6	2.0	13.6%												
		W2		35.3	27.7	7.7	21.7%												
		W3-L		23.3	18.3	5.1	21.7%												
		W3-U																	
		W4		25.2	17.7	7.5	29.7%	35.2	29.7	85%	29.7	85%	0.0	0.0%	38	7	36	7	5.3%	0.0%
Eighth	R3	W6	Bedroom	36.2	28.9	7.3	20.2%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R4	W7	Bedroom	36.1	28.7	7.3	20.3%	10.5	10.0	95%	9.8	93%	0.2	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W8-L	LKD	29.2	21.9	7.4	25.2%												
		W8-U																	
		W9		27.0	19.5	7.4	27.6%												
		W10		35.3	31.0	4.3	12.2%	43.6	39.2	90%	39.1	90%	0.1	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R6	W11	Bedroom	34.7	30.7	4.0	11.6%	12.4	12.2	99%	12.2	98%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W12-L	Bedroom	34.0	30.2	3.8	11.2%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W12-U						12.7	12.5	99%	12.5	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R1	W1	LKD	15.5	13.5	1.9	12.4%													
		W2		34.7	27.5	7.3	20.9%													
		W3-L		23.9	19.0	4.9	20.6%													
		W3-U																		
		W4		25.5	18.4	7.1	27.9%	35.2	30.1	86%	30.1	85%	0.0	0.1%	39	8	37	8	5.1%	0.0%
Ninth	R3	W6	Bedroom	36.5	29.6	6.9	19.0%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R4	W7	Bedroom	36.4	29.5	7.0	19.1%	10.5	10.0	95%	9.8	93%	0.2	2.3%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W8-L	LKD	29.5	22.6	7.0	23.6%													
		W8-U																		
		W9		27.2	20.2	7.1	25.9%													
		W10		35.8	31.6	4.2	11.7%	43.6	39.2	90%	39.2	90%	0.1	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R6	W11	Bedroom	35.2	31.3	3.9	11.2%	12.4	12.2	99%	12.2	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R7	W12-L	Bedroom	34.5	30.7	3.7	10.8%													
		W12-U						12.7	12.5	99%	12.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R1	W1	LKD	16.1	14.3	1.8	11.2%													
		W2		36.0	29.1	6.9	19.0%													
		W3-L		23.9	19.4	4.5	18.8%													
		W3-U																		
		W4		25.8	19.1	6.7	25.9%	35.2	29.8	85%	29.8	85%	0.0	0.0%	41	8	39	8	4.9%	0.0%
Tenth	R3	W6	Bedroom	36.9	30.4	6.5	17.7%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R4	W7	Bedroom	36.8	30.2	6.5	17.8%	10.5	10.0	95%	9.8	93%	0.2	2.3%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R5	W8-L	LKD	29.8	23.3	6.6	22.0%													
		W8-U																		
		W9		27.5	20.9	6.6	24.1%													
		W10		36.3	32.2	4.1	11.2%	43.6	39.2	90%	39.2	90%	0.1	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R6	W11	Bedroom	35.7	31.8	3.8	10.7%	12.4	12.2	99%	12.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W12-L	Bedroom	34.9	31.3	3.6	10.4%													
		W12-U						12.7	12.5	99%	12.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R1	W1	LKD	17.2	15.4	1.7	10.1%													
		W2		35.4	29.0	6.4	18.0%													
		W3-L		24.0	19.9	4.1	17.0%													
		W3-U																		
		W4		26.1	19.8	6.3	24.0%	35.2	30.1	86%	30.1	85%	0.0	0.1%	41	8	39	8	4.9%	0.0%
Eleventh	R3	W6	Bedroom	37.3	31.3	6.1	16.3%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R4	W7	Bedroom	37.1	31.0	6.1	16.4%	10.5	10.0	95%	9.8	93%	0.2	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R5	W8-L	LKD	30.1	24.0	6.1	20.3%													
		W8-U																		
		W9		27.7	21.5	6.2	22.3%													
		W10		36.7	32.8	4.0	10.8%	43.6	39.2	90%	39.2	90%	0.1	0.2%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Eleventh	R6	W11	Bedroom	36.1	32.4	3.7	10.3%	12.4	12.2	99%	12.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R7	W12-L	Bedroom	35.4	31.9	3.5	10.0%													
		W12-U						12.7	12.5	99%	12.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R1	W1	LKD	18.0	16.4	1.6	8.8%													
		W2		37.0	31.1	5.9	16.0%													
		W3-L		23.4	20.1	3.3	14.2%													
		W3-U																		
		W4		26.4	20.6	5.8	21.9%	35.2	29.8	85%	29.8	85%	0.0	0.0%	43	8	41	8	4.7%	0.0%
Twelfth	R3	W6	Bedroom	37.9	32.3	5.6	14.8%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R4	W7	Bedroom	37.5	31.9	5.6	15.0%	10.5	10.0	95%	9.9	94%	0.2	1.6%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W8-L	LKD	30.6	24.9	5.7	18.5%													
		W8-U																		
		W9		27.9	22.2	5.7	20.5%													
		W10		37.1	33.2	3.8	10.3%	43.6	39.2	90%	39.2	90%	0.1	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R6	W11	Bedroom	36.5	32.9	3.6	9.9%	12.4	12.2	99%	12.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R7	W12-L	Bedroom	35.8	32.3	3.5	9.6%													
		W12-U						12.7	12.5	99%	12.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R1	W1	LKD	19.4	17.9	1.5	7.7%													
		W2		38.6	33.2	5.4	14.0%													
		W3-L		31.0	28.2	2.8	9.1%													
		W3-U																		
		W4		38.7	33.5	5.3	13.6%	35.2	30.1	86%	30.1	85%	0.0	0.1%	46	9	45	9	2.2%	0.0%
Thirteenth	R3	W6	Bedroom	38.3	33.2	5.1	13.4%	14.3	14.2	99%	14.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R4	W7	Bedroom	38.2	33.0	5.1	13.5%	10.5	10.0	95%	10.0	95%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R5	W8-L	LKD	30.8	25.6	5.2	16.9%													
		W8-U																		
		W9		28.1	22.8	5.2	18.6%													
		W10		37.4	33.7	3.7	9.8%	43.6	39.2	90%	39.2	90%	0.1	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R6	W11	Bedroom	36.9	33.4	3.5	9.5%	12.4	12.2	99%	12.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R7	W12-L	Bedroom	36.2	32.9	3.3	9.2%													
		W12-U						12.7	12.5	99%	12.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R1	W1	LKD	20.8	19.5	1.3	6.3%													
		W2		38.9	34.1	4.8	12.4%													
		W3		39.0	34.3	4.8	12.2%													
		W4		39.1	34.4	4.7	12.1%	35.2	30.2	86%	30.1	86%	0.0	0.2%	50	10	50	10	0.0%	0.0%
Fourteenth	R3	W6	Bedroom	38.7	34.1	4.6	12.0%	14.3	14.2	100%	14.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R4	W7	Bedroom	38.9	34.3	4.6	11.9%	10.5	10.0	96%	10.0	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R5	W8-L	LKD	39.0	34.3	4.7	12.0%													
		W8-U																		
		W9		39.1	34.4	4.7	12.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W10		37.7	34.2	3.5	9.3%	43.6	39.3	90%	39.2	90%	0.1	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R6	W11	Bedroom	37.2	33.9	3.4	9.0%	12.4	12.2	99%	12.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R7	W12-L	Bedroom	36.6	33.4	3.2	8.8%													
		W12-U						12.7	12.5	99%	12.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
WalterTull House																				
Second	R1	W1-L	LKD	27.8	27.8	0.0	0.0%													
		W1-U																		
		W2-L		7.6	5.5	2.1	27.5%													
		W2-U																		
		W3-L		25.7	22.8	2.9	11.3%													
		W3-U						34.4	32.2	94%	31.3	91%	0.9	2.9%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	LKD	29.3	29.3	0.0	0.0%													
		W1-U																		
		W2-L		7.8	5.7	2.1	26.4%													
		W2-U																		
		W3-L		26.2	23.4	2.8	10.7%													
		W3-U						34.4	32.7	95%	32.3	94%	0.4	1.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R2	W4	LKD	22.0	22.0	0.0	0.0%													
		W5-L		34.6	30.8	3.8	10.9%													
		W5-U																		
		W6-L		34.5	30.6	3.9	11.4%													
		W6-U																		
		W7-L		1.7	1.2	0.5	29.9%													
		W7-U						29.5	26.9	91%	25.8	87%	1.1	4.1%	43	11	33	8	23.3%	27.3%
Third	R3	W8-L	Bedroom	6.2	3.8	2.4	38.6%													
		W8-U						11.9	10.9	92%	9.9	84%	1.0	9.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W9-L	Bedroom	34.3	30.3	4.1	11.9%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W10-L	Bedroom	34.3	30.2	4.2	12.1%													
		W10-U						13.5	13.2	98%	12.7	94%	0.5	3.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W11-L	LKD	7.5	4.8	2.7	35.6%													
		W11-U																		
		W12-L		35.6	34.0	1.6	4.5%													
		W12-U																		
		W13-L		36.5	35.0	1.5	4.2%													
		W13-U						33.6	30.8	91%	30.7	91%	0.0	0.0%	87	28	80	26	8.0%	7.1%
Fourth	R1	W1-L	LKD	31.6	31.6	0.0	0.0%													
		W1-U																		
		W2-L		8.0	5.9	2.1	26.2%													
		W2-U																		
		W3-L		26.5	23.8	2.7	10.3%													
		W3-U						34.4	32.9	96%	32.6	95%	0.2	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R2	W4	LKD	22.1	22.1	0.0	0.0%													
		W5-L		35.0	31.3	3.7	10.5%													
		W5-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W6-L		34.9	31.1	3.8	10.9%												
		W6-U																	
		W7-L		1.8	1.3	0.6	29.9%												
		W7-U						29.5	26.9	91%	26.0	88%	0.9	3.3%	44	11	35	8	20.5%	27.3%
Fourth	R3	W8-L	Bedroom	6.4	4.0	2.4	37.7%												
		W8-U						11.9	10.9	92%	10.1	85%	0.8	7.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R4	W9-L	Bedroom	34.8	30.8	4.0	11.4%												
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W10-L	Bedroom	34.7	30.7	4.0	11.6%												
		W10-U						13.5	13.2	98%	12.7	95%	0.4	3.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W11-L	LKD	7.7	5.0	2.7	35.3%												
		W11-U																	
		W12-L		36.0	34.4	1.6	4.4%												
		W12-U																	
		W13-L		36.9	35.4	1.5	4.1%												
		W13-U						33.6	30.8	91%	30.8	91%	0.0	0.0%	89	28	83	26	6.7%	7.1%
Fifth	R1	W1-L	LKD	34.9	34.9	0.0	0.0%												
		W1-U																	
		W2-L		8.2	6.1	2.1	25.7%												
		W2-U																	
		W3-L		26.7	24.1	2.6	9.8%												
		W3-U						34.4	32.9	96%	32.7	95%	0.1	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R2	W4	LKD	22.1	22.1	0.0	0.0%												
		W5-L		35.4	31.8	3.6	10.1%												
		W5-U																	
		W6-L		35.3	31.6	3.7	10.5%												
		W6-U																	
		W7-L		1.9	1.4	0.6	29.4%												
		W7-U						29.5	26.9	91%	26.2	89%	0.7	2.6%	44	11	36	8	18.2%	27.3%
Fifth	R3	W8-L	Bedroom	6.6	4.1	2.4	37.1%												
		W8-U						11.9	10.9	92%	10.2	86%	0.7	6.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R4	W9-L	Bedroom	35.2	31.3	3.9	11.0%												
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W10-L	Bedroom	35.1	31.2	3.9	11.2%												
		W10-U						13.5	13.2	98%	12.8	95%	0.3	2.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W11-L	LKD	8.0	5.2	2.8	35.2%												
		W11-U																	
		W12-L		36.1	34.6	1.6	4.3%												
		W12-U																	
		W13-L		37.1	35.6	1.5	4.0%												
		W13-U						33.6	30.8	91%	30.8	91%	0.0	0.0%	89	28	83	26	6.7%	7.1%
Sixth	R1	W1-L	LKD	38.1	38.1	0.0	0.0%												
		W1-U																	
		W2-L		8.4	6.2	2.1	25.6%												
		W2-U																	
		W3-L		27.0	24.4	2.6	9.4%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W3-U						34.4	32.9	96%	32.8	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R2	W4	LKD	22.2	22.2	0.0	0.0%													
		W5-L		35.8	32.3	3.5	9.8%													
		W5-U																		
		W6-L		35.7	32.1	3.6	10.0%													
		W6-U																		
		W7-L		2.0	1.4	0.6	29.1%													
		W7-U						29.5	26.8	91%	26.7	91%	0.1	0.5%	45	11	37	8	17.8%	27.3%
Sixth	R3	W8-L	Bedroom	6.7	4.3	2.5	36.6%													
		W8-U						11.9	10.9	92%	10.4	88%	0.5	4.8%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W9-L	Bedroom	35.6	31.8	3.8	10.5%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W10-L	Bedroom	35.5	31.6	3.9	10.9%													
		W10-U						13.5	13.1	97%	12.6	93%	0.5	4.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W11-L	LKD	8.2	5.3	2.9	35.0%													
		W11-U																		
		W12-L		36.3	34.8	1.5	4.2%													
		W12-U																		
		W13-L		37.3	35.9	1.4	3.8%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	85	26	5.6%	7.1%
Seventh	R1	W1-L	LKD	38.4	38.4	0.0	0.0%													
		W1-U																		
		W2-L		8.6	6.4	2.2	25.1%													
		W2-U																		
		W3-L		27.2	24.8	2.5	9.0%													
		W3-U						34.4	32.9	96%	32.8	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R2	W4	LKD	22.2	22.2	0.0	0.0%													
		W5-L		36.2	32.8	3.4	9.3%													
		W5-U																		
		W6-L		36.1	32.6	3.5	9.6%													
		W6-U																		
		W7-L		2.1	1.5	0.6	28.2%													
		W7-U						29.5	27.0	91%	26.8	91%	0.2	0.6%	45	11	37	8	17.8%	27.3%
Seventh	R3	W8-L	Bedroom	6.9	4.5	2.5	35.4%													
		W8-U						11.9	10.9	92%	10.5	88%	0.4	4.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R4	W9-L	Bedroom	36.0	32.3	3.6	10.1%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W10-L	Bedroom	35.9	32.2	3.7	10.4%													
		W10-U						13.5	13.1	97%	12.8	95%	0.3	2.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W11-L	LKD	8.4	5.5	2.9	34.5%													
		W11-U																		
		W12-L		36.5	35.0	1.5	4.1%													
		W12-U																		
		W13-L		37.5	36.2	1.4	3.6%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	85	26	5.6%	7.1%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Eighth	R1	W1-L	LKD	38.5	38.5	0.0	0.0%													
		W1-U																		
		W2-L		8.7	6.6	2.2	25.1%													
		W2-U																		
		W3-L		27.5	25.1	2.4	8.6%													
		W3-U						34.4	32.9	96%	32.8	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R2	W4	LKD	22.3	22.3	0.0	0.0%													
		W5-L		36.5	33.3	3.3	8.9%													
		W5-U																		
		W6-L		36.5	33.1	3.3	9.1%													
		W6-U																		
		W7-L		2.2	1.6	0.6	27.4%													
		W7-U						29.5	27.0	92%	26.9	91%	0.2	0.6%	46	12	40	9	13.0%	25.0%
Eighth	R3	W8-L	Bedroom	7.1	4.7	2.4	33.2%													
		W8-U						11.9	10.9	92%	10.6	90%	0.3	2.7%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R4	W9-L	Bedroom	36.4	32.9	3.5	9.6%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W10-L	Bedroom	36.3	32.7	3.6	9.9%													
		W10-U						13.5	13.1	97%	12.9	96%	0.2	1.5%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R6	W11-L	LKD	8.7	5.7	2.9	33.9%													
		W11-U																		
		W12-L		36.6	35.2	1.5	4.0%													
		W12-U																		
		W13-L		37.7	36.4	1.3	3.5%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	86	26	4.4%	7.1%
Ninth	R1	W1-L	LKD	38.5	38.5	0.0	0.0%													
		W1-U																		
		W2-L		8.9	6.7	2.2	24.2%													
		W2-U																		
		W3-L		27.7	25.4	2.3	8.2%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R2	W4	LKD	22.4	22.4	0.0	0.0%													
		W5-L		36.9	33.8	3.1	8.5%													
		W5-U																		
		W6-L		36.8	33.6	3.2	8.6%													
		W6-U																		
		W7-L		2.3	1.7	0.6	25.0%													
		W7-U						29.5	27.1	92%	27.0	91%	0.1	0.5%	46	12	41	10	10.9%	16.7%
Ninth	R3	W8-L	Bedroom	7.3	5.0	2.2	30.9%													
		W8-U						11.9	10.9	92%	10.7	90%	0.2	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R4	W9-L	Bedroom	36.7	33.4	3.3	9.1%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W10-L	Bedroom	36.7	33.2	3.4	9.4%													
		W10-U						13.5	13.1	97%	13.0	97%	0.1	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R6	W11-L	LKD	8.9	6.0	2.9	32.7%													
		W11-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W12-L		36.8	35.4	1.4	3.8%													
		W12-U																		
		W13-L		37.8	36.6	1.3	3.4%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	86	26	4.4%	7.1%
Tenth	R1	W1-L	LKD	38.5	38.5	0.0	0.0%													
		W1-U																		
		W2-L		9.1	7.0	2.1	22.7%													
		W2-U																		
		W3-L		27.9	25.7	2.2	7.7%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R2	W4	LKD	22.4	22.4	0.0	0.0%													
		W5-L		37.2	34.3	3.0	8.0%													
		W5-U																		
		W6-L		37.2	34.1	3.0	8.2%													
		W6-U																		
		W7-L		2.4	1.9	0.6	22.8%													
		W7-U						29.5	27.1	92%	27.0	92%	0.1	0.5%	46	12	42	10	8.7%	16.7%
Tenth	R3	W8-L	Bedroom	7.4	5.3	2.1	28.7%													
		W8-U						11.9	10.9	92%	10.7	90%	0.2	1.8%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R4	W9-L	Bedroom	37.1	33.9	3.2	8.5%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R5	W10-L	Bedroom	37.0	33.8	3.3	8.8%													
		W10-U						13.5	13.1	97%	13.0	97%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R6	W11-L	LKD	9.1	6.3	2.8	30.7%													
		W11-U																		
		W12-L		37.0	35.6	1.4	3.7%													
		W12-U																		
		W13-L		38.0	36.8	1.2	3.2%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	86	26	4.4%	7.1%
Eleventh	R1	W1-L	LKD	38.6	38.6	0.0	0.0%													
		W1-U																		
		W2-L		9.2	7.3	2.0	21.2%													
		W2-U																		
		W3-L		28.1	26.0	2.0	7.2%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R2	W4	LKD	22.5	22.5	0.0	0.0%													
		W5-L		37.6	34.7	2.8	7.5%													
		W5-U																		
		W6-L		37.5	34.6	2.9	7.7%													
		W6-U																		
		W7-L		2.5	2.0	0.5	21.2%													
		W7-U						29.5	27.2	92%	27.0	92%	0.1	0.5%	46	12	42	10	8.7%	16.7%
Eleventh	R3	W8-L	Bedroom	7.6	5.6	2.0	26.5%													
		W8-U						11.9	10.9	92%	10.7	91%	0.2	1.6%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R4	W9-L	Bedroom	37.4	34.4	3.0	8.0%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Eleventh	R5	W10-L	Bedroom	37.4	34.3	3.1	8.3%													
		W10-U						13.5	13.1	97%	13.0	97%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R6	W11-L	LKD	9.2	6.6	2.6	28.6%													
		W11-U																		
		W12-L		37.1	35.8	1.3	3.5%													
		W12-U																		
		W13-L		38.1	37.0	1.2	3.0%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	87	27	3.3%	3.6%
Twelfth	R1	W1-L	LKD	38.6	38.6	0.0	0.0%													
		W1-U																		
		W2-L		9.3	7.5	1.8	19.7%													
		W2-U																		
		W3-L		28.2	26.3	1.9	6.7%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R2	W4	LKD	22.5	22.5	0.0	0.0%													
		W5-L		37.8	35.2	2.7	7.0%													
		W5-U																		
		W6-L		37.8	35.1	2.7	7.1%													
		W6-U																		
		W7-L		2.6	2.1	0.5	19.2%													
		W7-U						29.5	27.2	92%	27.1	92%	0.2	0.6%	46	12	43	10	6.5%	16.7%
Twelfth	R3	W8-L	Bedroom	7.7	5.8	1.9	24.3%													
		W8-U						11.9	10.9	92%	10.8	91%	0.1	1.2%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R4	W9-L	Bedroom	37.7	34.9	2.8	7.5%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W10-L	Bedroom	37.7	34.8	2.9	7.7%													
		W10-U						13.5	13.1	97%	13.1	97%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R6	W11-L	LKD	9.4	6.9	2.5	26.3%													
		W11-U																		
		W12-L		37.3	36.1	1.2	3.3%													
		W12-U																		
		W13-L		38.3	37.2	1.1	2.9%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	87	27	3.3%	3.6%
Thirteenth	R1	W1-L	LKD	38.6	38.6	0.0	0.0%													
		W1-U																		
		W2-L		9.4	7.7	1.7	18.1%													
		W2-U																		
		W3-L		28.3	26.6	1.8	6.2%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R2	W4	LKD	22.7	22.7	0.0	0.0%													
		W5-L		38.1	35.6	2.5	6.5%													
		W5-U																		
		W6-L		38.0	35.5	2.5	6.6%													
		W6-U																		
		W7-L		2.7	2.2	0.5	17.5%													
		W7-U						29.5	27.3	92%	27.1	92%	0.2	0.6%	46	12	44	11	4.3%	8.3%
Thirteenth	R3	W8-L	Bedroom	7.8	6.0	1.7	22.1%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W8-U						11.9	10.9	92%	10.8	91%	0.1	1.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R4	W9-L	Bedroom	37.9	35.3	2.6	6.9%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R5	W10-L	Bedroom	37.9	35.2	2.7	7.1%													
		W10-U						13.5	13.1	97%	13.1	97%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R6	W11-L	LKD	9.5	7.2	2.3	24.1%													
		W11-U																		
		W12-L		37.4	36.3	1.2	3.1%													
		W12-U																		
		W13-L		38.4	37.4	1.1	2.7%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	88	28	2.2%	0.0%
Fourteenth	R1	W1-L	LKD	38.6	38.6	0.0	0.0%													
		W1-U																		
		W2-L		9.5	7.9	1.6	16.6%													
		W2-U																		
		W3-L		28.4	26.8	1.6	5.7%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R2	W4	LKD	23.0	23.0	0.0	0.0%													
		W5-L		38.2	36.0	2.3	6.0%													
		W5-U																		
		W6-L		38.2	35.9	2.3	6.1%													
		W6-U																		
		W7-L		2.8	2.3	0.4	15.8%													
		W7-U						29.5	27.3	92%	27.1	92%	0.2	0.6%	46	12	44	11	4.3%	8.3%
Fourteenth	R3	W8-L	Bedroom	7.8	6.3	1.6	19.9%													
		W8-U						11.9	10.9	92%	10.8	91%	0.1	0.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R4	W9-L	Bedroom	38.1	35.7	2.4	6.3%													
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R5	W10-L	Bedroom	38.1	35.6	2.5	6.5%													
		W10-U						13.5	13.1	97%	13.1	97%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R6	W11-L	LKD	9.5	7.4	2.1	21.9%													
		W11-U																		
		W12-L		37.6	36.5	1.1	2.9%													
		W12-U																		
		W13-L		38.6	37.6	1.0	2.6%													
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	88	28	2.2%	0.0%
Fifteenth	R1	W1-L	LKD	38.6	38.6	0.0	0.0%													
		W1-U																		
		W2-L		9.5	8.1	1.4	15.0%													
		W2-U																		
		W3-L		28.8	27.4	1.5	5.1%													
		W3-U						34.2	33.3	97%	33.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R2	W4	LKD	24.5	24.5	0.0	0.0%													
		W5-L		38.4	36.3	2.1	5.4%													
		W5-U																		
		W6-L		38.4	36.3	2.1	5.5%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W6-U																	
		W7-L		2.9	2.5	0.4	14.0%												
		W7-U						29.5	27.3	93%	27.1	92%	0.2	0.6%	46	12	46	12	0.0%	0.0%
Fifteenth	R3	W8-L	Bedroom	7.9	6.5	1.4	17.8%												
		W8-U						11.9	10.9	92%	10.8	91%	0.1	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R4	W9-L	Bedroom	38.3	36.1	2.2	5.7%												
		W9-U						13.1	12.8	98%	12.8	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R5	W10-L	Bedroom	38.3	36.0	2.3	5.9%												
		W10-U						13.5	13.1	97%	13.1	97%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R6	W11-L	LKD	9.6	7.7	1.9	19.9%												
		W11-U																	
		W12-L		37.7	36.7	1.0	2.7%												
		W12-U																	
		W13-L		38.7	37.8	0.9	2.4%												
		W13-U						33.6	30.4	90%	30.4	90%	0.0	0.0%	90	28	88	28	2.2%	0.0%
East Apartments																			
First	R2	W3-L	Bedroom	1.3	0.0	1.3	100.0%												
		W3-U																	
		W4		0.2	0.0	0.2	100.0%	12.2	4.5	37%	0.3	2%	4.2	93.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W5-L	LKD	0.0	0.0	0.0	0.0%												
		W5-U																	
		W6-L		18.8	10.3	8.5	45.4%												
		W6-U																	
		W7-L		21.2	10.9	10.3	48.6%												
		W7-U						32.0	24.3	76%	13.7	43%	10.7	43.8%	12	2	9	2	25.0%	0.0%
First	R4	W8-L	LKD	4.9	0.0	4.9	100.0%												
		W8-U																	
		W9		0.4	0.0	0.4	100.0%												
		W10-L		0.0	0.0	0.0	0.0%												
		W10-U																	
		W11-L		25.4	12.6	12.8	50.4%												
		W11-U						34.0	26.6	78%	8.3	24%	18.3	68.7%	14	1	6	1	57.1%	0.0%
First	R5	W12-L	Bedroom	27.0	13.7	13.3	49.2%												
		W12-U						12.2	11.4	94%	5.0	41%	6.5	56.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W13-L	LKD	28.3	15.1	13.2	46.7%												
		W13-U																	
		W14-L		29.0	16.3	12.7	43.8%												
		W14-U																	
		W15-L		20.3	13.2	7.1	35.2%												
		W15-U																	
		W16-L		19.5	11.1	8.4	42.9%												
		W16-U						44.4	38.3	86%	34.6	78%	3.7	9.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W17-L	Bedroom	24.7	14.0	10.7	43.2%												
		W17-U						9.3	8.4	91%	8.4	90%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W18-L	Bedroom	29.5	18.3	11.3	38.1%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W18-U						9.2	8.7	94%	7.4	81%	1.3	14.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R9	W19-L	Bedroom	30.6	18.8	11.9	38.7%													
		W19-U																		
		W20-L		23.3	13.6	9.7	41.8%													
		W20-U						17.9	17.9	100%	17.2	96%	0.7	4.1%	23	0	18	0	21.7%	0.0%
Second	R1	W1-L	LKD	9.7	9.7	0.0	0.0%													
		W1-U																		
		W2-L		12.2	10.1	2.1	17.5%													
		W2-U																		
		W3-L		14.2	11.1	3.2	22.2%													
		W3-U						38.7	23.9	62%	10.3	27%	13.6	57.0%	22	8	22	8	0.0%	0.0%
Second	R2	W4-L	Bedroom	2.7	0.0	2.7	100.0%													
		W4-U						12.2	7.8	64%	0.1	1%	7.7	98.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W5-L	LKD	0.0	0.0	0.0	0.0%													
		W5-U																		
		W6-L		20.3	12.9	7.4	36.5%													
		W6-U																		
		W7-L		22.5	13.7	8.7	38.8%													
		W7-U						31.9	24.9	78%	12.9	40%	12.0	48.4%	12	2	9	2	25.0%	0.0%
Second	R4	W8-L	LKD	6.0	0.0	6.0	100.0%													
		W8-U																		
		W9-L		0.3	0.1	0.2	66.7%													
		W9-U																		
		W10-L		26.7	15.8	10.8	40.6%													
		W10-U						34.0	29.7	87%	9.6	28%	20.1	67.6%	15	0	6	0	60.0%	0.0%
Second	R5	W11-L	Bedroom	28.4	17.3	11.1	39.1%													
		W11-U						12.2	11.8	97%	6.9	56%	4.9	41.7%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W12-L	LKD	29.5	18.7	10.8	36.6%													
		W12-U																		
		W13-L		30.3	20.1	10.2	33.6%													
		W13-U																		
		W14-L		16.0	10.6	5.4	33.7%													
		W14-U																		
		W15-L		20.7	10.7	10.1	48.5%													
		W15-U						44.5	39.4	89%	33.8	76%	5.6	14.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W16-L	Bedroom	29.8	19.2	10.6	35.5%													
		W16-U						9.1	8.6	94%	6.8	74%	1.8	21.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R8	W17-L	Bedroom	32.3	21.4	10.9	33.8%													
		W17-U						9.5	9.3	97%	7.5	78%	1.8	19.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R9	W18-L	Bedroom	32.9	21.3	11.6	35.2%													
		W18-U																		
		W19-L		24.0	15.4	8.7	36.1%													
		W19-U						18.0	16.7	93%	15.5	86%	1.2	7.4%	26	2	21	2	19.2%	0.0%
Third	R1	W1-L	LKD	10.6	10.6	0.0	0.1%													
		W1-U																		
		W2-L		13.1	11.5	1.6	12.1%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W2-U																		
		W3-L		15.1	12.6	2.5	16.5%													
		W3-U						38.7	20.3	52%	13.8	36%	6.6	32.3%	24	7	24	7	0.0%	0.0%
Third	R2	W4-L	Bedroom	1.1	0.2	0.9	85.8%													
		W4-U						12.2	4.6	38%	1.6	13%	3.0	64.3%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W5-L	LKD	0.0	0.0	0.0	0.0%													
		W5-U																		
		W6-L		21.0	15.3	5.8	27.5%													
		W6-U																		
		W7-L		23.2	16.3	6.9	29.8%													
		W7-U						32.0	24.2	76%	16.2	51%	8.1	33.2%	12	2	9	2	25.0%	0.0%
Third	R4	W8-L	LKD	3.8	0.2	3.6	93.9%													
		W8-U																		
		W9-L		0.0	0.0	0.0	0.0%													
		W9-U																		
		W10-L		27.4	18.6	8.7	31.9%													
		W10-U						34.0	27.0	79%	11.8	35%	15.2	56.3%	16	1	7	1	56.3%	0.0%
Third	R5	W11-L	Bedroom	28.9	19.8	9.1	31.5%													
		W11-U						12.2	11.3	93%	6.4	53%	5.0	43.6%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W12-L	LKD	30.2	21.4	8.8	29.2%													
		W12-U																		
		W13-L		31.0	22.7	8.3	26.8%													
		W13-U																		
		W14-L		20.1	15.3	4.8	23.9%													
		W14-U																		
		W15-L		18.1	12.2	5.9	32.7%													
		W15-U						44.6	39.7	89%	36.1	81%	3.6	9.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W16-L	Bedroom	26.9	17.1	9.8	36.6%													
		W16-U						9.4	8.6	92%	8.6	92%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R8	W17-L	Bedroom	33.0	22.7	10.3	31.1%													
		W17-U						12.1	11.6	96%	11.3	94%	0.3	2.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R9	W18-L	Bedroom	33.6	22.8	10.8	32.0%													
		W18-U																		
		W19-L		25.9	17.0	8.9	34.3%													
		W19-U						14.3	14.3	100%	14.3	100%	0.0	0.0%	29	2	25	2	13.8%	0.0%
Fourth	R1	W1-L	LKD	11.3	11.3	0.0	0.4%													
		W1-U																		
		W2-L		14.8	13.4	1.4	9.5%													
		W2-U																		
		W3-L		17.1	14.7	2.4	14.2%													
		W3-U						38.7	27.1	70%	19.3	50%	7.7	28.5%	26	8	26	8	0.0%	0.0%
Fourth	R2	W4-L	Bedroom	3.9	1.2	2.6	68.3%													
		W4-U						12.2	9.4	77%	6.1	50%	3.3	34.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R3	W5-L	LKD	0.0	0.0	0.0	0.0%													
		W5-U																		
		W6-L		22.7	17.9	4.8	21.3%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W6-U																		
		W7-L		24.6	19.2	5.4	22.0%													
		W7-U						32.0	25.8	81%	24.2	76%	1.6	6.2%	14	2	11	2	21.4%	0.0%
Fourth	R4	W8-L	LKD	6.8	2.2	4.6	68.1%													
		W8-U																		
		W9-L		0.5	0.4	0.1	27.5%													
		W9-U																		
		W10-L		28.6	21.8	6.8	23.6%													
		W10-U						34.0	30.0	88%	21.0	62%	9.0	30.0%	17	1	11	1	35.3%	0.0%
Fourth	R5	W11-L	Bedroom	30.2	23.2	7.0	23.0%													
		W11-U						12.2	11.8	97%	11.6	95%	0.2	1.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W12-L	LKD	31.3	24.6	6.7	21.5%													
		W12-U																		
		W13-L		32.0	25.8	6.2	19.4%													
		W13-U																		
		W14-L		18.6	14.2	4.4	23.6%													
		W14-U																		
		W15-L		23.0	14.2	8.9	38.5%													
		W15-U						44.5	39.6	89%	35.5	80%	4.2	10.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W16-L	Bedroom	32.5	23.2	9.3	28.7%													
		W16-U						9.1	8.6	94%	6.8	74%	1.8	21.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R8	W17-L	Bedroom	33.7	24.1	9.6	28.4%													
		W17-U						9.5	9.3	98%	7.5	79%	1.8	19.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R9	W18-L	Bedroom	33.3	22.6	10.7	32.1%													
		W18-U																		
		W19-L		26.4	18.6	7.8	29.6%													
		W19-U						18.0	16.7	93%	16.1	89%	0.6	3.9%	30	2	28	2	6.7%	0.0%
Fifth	R1	W1-L	LKD	12.5	12.4	0.0	0.3%													
		W1-U																		
		W2-L		16.0	15.0	1.0	6.3%													
		W2-U																		
		W3-L		18.3	16.2	2.1	11.5%													
		W3-U						38.7	28.7	74%	23.0	59%	5.7	19.9%	27	8	27	8	0.0%	0.0%
Fifth	R2	W4-L	Bedroom	2.8	1.1	1.8	62.3%													
		W4-U						12.2	9.9	81%	9.9	81%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R3	W5-L	LKD	0.0	0.0	0.0	0.0%													
		W5-U																		
		W6-L		23.9	20.5	3.4	14.4%													
		W6-U																		
		W7-L		25.7	22.0	3.7	14.4%													
		W7-U						32.0	25.2	79%	25.1	79%	0.1	0.5%	18	3	16	3	11.1%	0.0%
Fifth	R4	W8-L	LKD	4.7	2.1	2.6	55.8%													
		W8-U																		
		W9-L		0.0	0.0	0.0	0.0%													
		W9-U																		
		W10-L		29.4	25.0	4.5	15.1%													
		W10-U						34.0	28.8	85%	28.4	83%	0.4	1.5%	19	2	16	2	15.8%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Fifth	R5	W11-L	Bedroom	30.9	26.2	4.7	15.1%													
		W11-U						12.2	11.5	94%	11.5	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W12-L	LKD	32.0	27.3	4.7	14.7%													
		W12-U																		
		W13-L		32.7	28.0	4.7	14.2%													
		W13-U																		
		W14-L		35.8	27.9	7.9	22.1%													
		W14-U																		
		W15-L		35.6	27.2	8.4	23.7%													
		W15-U						44.6	40.8	92%	37.8	85%	3.0	7.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W16-L	Bedroom	35.2	26.3	8.9	25.2%													
		W16-U						9.4	8.6	92%	8.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R8	W17-L	Bedroom	32.8	24.7	8.1	24.7%													
		W17-U						12.1	11.6	96%	11.3	94%	0.3	2.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R9	W18-L	Bedroom	21.3	15.7	5.6	26.3%													
		W18-U																		
		W19-L		28.1	20.1	8.0	28.5%													
		W19-U						14.3	14.3	100%	14.3	100%	0.0	0.0%	38	3	36	3	5.3%	0.0%
Sixth	R1	W1-L	Bedroom	13.4	13.3	0.1	0.7%													
		W1-U																		
		W2-L		18.0	16.9	1.1	6.1%													
		W2-U						11.7	8.9	76%	8.0	69%	0.9	9.7%	30	10	30	10	0.0%	0.0%
Sixth	R2	W3-L	Bedroom	20.7	18.3	2.4	11.4%													
		W3-U						12.1	8.7	71%	8.4	69%	0.3	3.6%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R3	W4-L	Bedroom	5.4	3.1	2.3	42.6%													
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W5-L	LKD	0.0	0.0	0.0	0.0%													
		W5-U																		
		W6-L		25.5	22.8	2.6	10.3%													
		W6-U																		
		W7-L		27.2	24.7	2.5	9.1%													
		W7-U						32.1	28.5	89%	28.5	89%	0.0	0.0%	21	3	19	3	9.5%	0.0%
Sixth	R5	W8-L	LKD	7.6	5.3	2.4	31.0%													
		W8-U																		
		W9-L		0.7	0.7	0.0	4.2%													
		W9-U																		
		W10-L		30.8	28.2	2.6	8.5%													
		W10-U																		
		W11-L		36.6	34.1	2.6	7.0%													
		W11-U						31.3	30.7	98%	30.7	98%	0.0	0.0%	23	1	22	1	4.3%	0.0%
Sixth	R6	W12-L	Bedroom	36.8	34.3	2.5	6.8%													
		W12-U						13.1	12.6	96%	12.6	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W13-L	Bedroom	37.0	34.6	2.4	6.5%													
		W13-U						11.8	11.4	97%	11.4	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R8	W14-L	Bedroom	35.4	26.4	8.9	25.3%												
		W14-U																	
		W15-L		30.4	24.9	5.5	18.0%												
		W15-U						14.9	14.6	98%	13.9	93%	0.6	4.4%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R9	W16-L	LKD	25.6	15.2	10.4	40.6%												
		W16-U																	
		W17-L		28.7	21.3	7.4	25.9%												
		W17-U																	
		W18-L		27.2	21.0	6.2	22.9%												
		W18-U						36.0	29.0	80%	28.8	80%	0.1	0.4%	38	3	36	3	5.3%	0.0%
Seventh	R1	W1-L	Bedroom	14.8	14.8	0.1	0.5%												
		W1-U																	
		W2-L		19.0	18.2	0.8	4.1%												
		W2-U						11.7	9.0	77%	8.7	74%	0.3	3.0%	29	9	29	9	0.0%	0.0%
Seventh	R2	W3-L	Bedroom	21.3	19.4	1.9	9.0%												
		W3-U						12.1	6.2	51%	5.2	43%	1.1	17.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R3	W4-L	Bedroom	3.6	1.6	2.0	55.6%												
		W4-U						12.4	10.3	83%	10.3	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R4	W5-L	LKD	0.0	0.0	0.0	0.0%												
		W5-U																	
		W6-L		26.3	24.2	2.1	7.9%												
		W6-U																	
		W7-L		28.0	25.9	2.1	7.3%												
		W7-U						32.1	26.0	81%	26.0	81%	0.1	0.3%	21	3	19	3	9.5%	0.0%
Seventh	R5	W8-L	LKD	5.2	3.3	1.9	35.8%												
		W8-U																	
		W9-L		0.0	0.0	0.0	0.0%												
		W9-U																	
		W10-L		31.3	29.3	2.1	6.5%												
		W10-U																	
		W11-L		37.1	35.0	2.1	5.8%												
		W11-U						31.3	30.7	98%	30.6	98%	0.1	0.2%	27	3	26	3	3.7%	0.0%
Seventh	R6	W12-L	Bedroom	37.4	35.3	2.2	5.8%												
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W13-L	Bedroom	37.6	35.4	2.2	5.8%												
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R8	W14-L	Bedroom	37.7	35.5	2.1	5.7%												
		W14-U																	
		W15-L		34.2	25.8	8.5	24.8%												
		W15-U						14.9	14.9	100%	14.4	97%	0.4	3.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R9	W16-L	LKD	22.5	15.9	6.6	29.2%												
		W16-U																	
		W17-L		30.6	22.5	8.1	26.4%												
		W17-U																	
		W18-L		29.3	22.5	6.8	23.2%												
		W18-U						36.0	30.2	84%	30.2	84%	0.0	0.0%	43	5	41	5	4.7%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Eighth	R1	W1-L	Bedroom	16.1	16.0	0.1	0.5%													
		W1-U																		
		W2-L		20.7	19.8	0.8	4.1%													
		W2-U						11.7	8.9	76%	8.2	70%	0.7	8.3%	31	10	31	10	0.0%	0.0%
Eighth	R2	W3-L	Bedroom	23.1	21.2	2.0	8.6%													
		W3-U						12.1	9.0	74%	8.7	72%	0.2	2.5%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R3	W4-L	Bedroom	5.6	3.7	1.9	33.8%													
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R4	W5-L	LKD	0.0	0.0	0.0	0.0%													
		W5-U																		
		W6-L		27.6	25.6	2.0	7.3%													
		W6-U																		
		W7-L		29.3	27.3	1.9	6.6%													
		W7-U						32.1	28.8	90%	28.8	90%	0.0	0.0%	23	3	21	3	8.7%	0.0%
Eighth	R5	W8-L	LKD	7.8	6.0	1.8	23.5%													
		W8-U																		
		W9-L		0.9	0.9	0.0	0.0%													
		W9-U																		
		W10-L		32.6	30.7	1.9	5.9%													
		W10-U																		
		W11-L		37.7	35.6	2.1	5.6%													
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	29	3	28	3	3.4%	0.0%
Eighth	R6	W12-L	Bedroom	37.9	35.9	2.1	5.5%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W13-L	Bedroom	38.1	36.1	2.0	5.3%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R8	W14-L	Bedroom	36.7	27.5	9.1	24.9%													
		W14-U																		
		W15-L		31.7	25.7	6.0	18.8%													
		W15-U						14.9	14.6	98%	14.0	94%	0.6	4.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R9	W16-L	LKD	26.8	16.0	10.8	40.4%													
		W16-U																		
		W17-L		31.5	24.0	7.5	23.9%													
		W17-U																		
		W18-L		30.2	23.9	6.3	20.8%													
		W18-U						36.0	29.0	81%	28.9	80%	0.1	0.4%	44	4	42	4	4.5%	0.0%
Ninth	R1	W1-L	Bedroom	18.0	17.9	0.1	0.4%													
		W1-U																		
		W2-L		22.1	21.5	0.7	3.1%													
		W2-U						11.7	9.3	80%	9.3	80%	0.0	0.0%	33	9	33	9	0.0%	0.0%
Ninth	R2	W3-L	Bedroom	24.2	22.5	1.7	6.9%													
		W3-U						12.1	7.0	58%	6.3	52%	0.7	10.1%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R3	W4-L	Bedroom	3.7	1.9	1.8	47.4%													
		W4-U						12.4	10.3	83%	10.3	83%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R4	W5-L	LKD	0.1	0.1	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W5-U																	
		W6-L		28.7	26.9	1.8	6.4%												
		W6-U																	
		W7-L		30.3	28.5	1.8	6.0%												
		W7-U						32.1	26.7	83%	26.6	83%	0.1	0.3%	26	3	24	3	7.7%	0.0%
Ninth	R5	W8-L	LKD	5.4	3.8	1.6	30.2%												
		W8-U																	
		W9-L		0.1	0.1	0.0	0.0%												
		W9-U																	
		W10-L		33.3	31.5	1.8	5.4%												
		W10-U																	
		W11-L		38.2	36.2	2.0	5.1%												
		W11-U						31.3	30.7	98%	30.7	98%	0.1	0.2%	30	3	29	3	3.3%	0.0%
Ninth	R6	W12-L	Bedroom	38.4	36.4	2.0	5.2%												
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R7	W13-L	Bedroom	38.5	36.5	2.0	5.2%												
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R8	W14-L	Bedroom	38.6	36.6	2.0	5.2%												
		W14-U																	
		W15-L		35.3	26.6	8.8	24.8%												
		W15-U						14.9	14.9	100%	14.4	97%	0.4	3.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R9	W16-L	LKD	23.6	16.5	7.1	29.9%												
		W16-U																	
		W17-L		33.6	25.4	8.2	24.3%												
		W17-U																	
		W18-L		32.5	25.7	6.8	21.0%												
		W18-U						36.0	30.2	84%	30.2	84%	0.0	0.0%	49	8	47	8	4.1%	0.0%
Tenth	R1	W1-L	Bedroom	19.7	19.7	0.1	0.3%												
		W1-U																	
		W2-L		24.5	23.8	0.7	3.0%												
		W2-U						11.7	9.0	77%	8.7	74%	0.3	3.3%	36	10	36	10	0.0%	0.0%
Tenth	R2	W3-L	Bedroom	26.6	24.9	1.7	6.4%												
		W3-U						12.1	9.6	79%	9.5	78%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R3	W4-L	Bedroom	5.7	4.1	1.6	28.4%												
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R4	W5-L	LKD	0.9	0.9	0.0	0.0%												
		W5-U																	
		W6-L		30.4	28.7	1.7	5.7%												
		W6-U																	
		W7-L		31.9	30.2	1.7	5.2%												
		W7-U						32.1	29.4	92%	29.4	92%	0.0	0.0%	29	3	27	3	6.9%	0.0%
Tenth	R5	W8-L	LKD	8.2	6.6	1.6	19.4%												
		W8-U																	
		W9-L		1.9	1.9	0.0	0.0%												
		W9-U																	
		W10-L		34.6	32.9	1.7	4.9%												
		W10-U																	

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W11-L		38.6	36.7	1.9	4.9%													
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	33	4	32	4	3.0%	0.0%
Tenth	R6	W12-L	Bedroom	38.8	36.9	1.9	4.9%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W13-L	Bedroom	38.9	37.0	1.9	4.8%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R8	W14-L	Bedroom	37.6	28.3	9.2	24.6%													
		W14-U																		
		W15-L		32.6	26.2	6.3	19.4%													
		W15-U						14.9	14.6	98%	14.0	94%	0.6	3.8%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R9	W16-L	LKD	27.7	16.7	11.1	39.9%													
		W16-U																		
		W17-L		34.7	27.2	7.5	21.7%													
		W17-U																		
		W18-L		33.7	27.5	6.3	18.6%													
		W18-U						36.0	29.3	81%	29.3	81%	0.0	0.0%	49	8	48	8	2.0%	0.0%
Eleventh	R1	W1-L	Bedroom	22.2	22.1	0.1	0.3%													
		W1-U																		
		W2-L		27.0	26.4	0.6	2.1%													
		W2-U						11.7	10.3	88%	10.3	88%	0.0	0.0%	39	9	39	9	0.0%	0.0%
Eleventh	R2	W3-L	Bedroom	28.5	27.1	1.4	4.9%													
		W3-U						12.1	9.2	75%	8.9	74%	0.2	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R3	W4-L	Bedroom	4.4	2.9	1.5	34.2%													
		W4-U						12.4	10.8	87%	10.8	87%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R4	W5-L	LKD	0.5	0.5	0.0	0.0%													
		W5-U																		
		W6-L		32.0	30.4	1.6	4.9%													
		W6-U																		
		W7-L		33.2	31.6	1.6	4.7%													
		W7-U						32.1	27.9	87%	27.9	87%	0.1	0.3%	31	4	29	4	6.5%	0.0%
Eleventh	R5	W8-L	LKD	6.2	4.8	1.4	22.7%													
		W8-U																		
		W9-L		0.8	0.8	0.0	0.0%													
		W9-U																		
		W10-L		35.4	33.8	1.6	4.4%													
		W10-U																		
		W11-L		38.9	37.1	1.8	4.6%													
		W11-U						31.3	30.7	98%	30.7	98%	0.1	0.2%	34	4	32	4	5.9%	0.0%
Eleventh	R6	W12-L	Bedroom	39.1	37.2	1.9	4.8%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R7	W13-L	Bedroom	39.1	37.3	1.9	4.8%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R8	W14-L	Bedroom	39.2	37.3	1.9	4.7%													
		W14-U																		
		W15-L		36.0	27.1	8.9	24.6%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W15-U						14.9	14.9	100%	14.4	97%	0.4	3.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R9	W16-L	LKD	24.3	16.9	7.5	30.6%													
		W16-U																		
		W17-L		36.5	28.5	8.1	22.1%													
		W17-U																		
		W18-L		35.9	29.2	6.7	18.8%													
		W18-U						36.0	30.3	84%	30.3	84%	0.0	0.0%	56	14	55	14	1.8%	0.0%
Twelfth	R1	W1-L	Bedroom	24.6	24.6	0.1	0.2%													
		W1-U																		
		W2-L		30.2	29.6	0.6	2.0%													
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	42	10	42	10	0.0%	0.0%
Twelfth	R2	W3-L	Bedroom	31.5	30.1	1.4	4.5%													
		W3-U						12.1	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R3	W4-L	Bedroom	7.1	5.8	1.3	18.9%													
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R4	W5-L	LKD	2.6	2.6	0.0	0.0%													
		W5-U																		
		W6-L		34.0	32.5	1.5	4.3%													
		W6-U																		
		W7-L		34.9	33.5	1.4	4.0%													
		W7-U						32.1	29.8	93%	29.8	93%	0.0	0.0%	33	4	31	4	6.1%	0.0%
Twelfth	R5	W8-L	LKD	9.0	7.6	1.4	15.6%													
		W8-U																		
		W9-L		3.4	3.4	0.1	1.7%													
		W9-U																		
		W10-L		36.6	34.9	1.7	4.5%													
		W10-U																		
		W11-L		39.2	37.3	1.8	4.6%													
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	35	5	33	4	5.7%	20.0%
Twelfth	R6	W12-L	Bedroom	39.2	37.4	1.8	4.6%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R7	W13-L	Bedroom	39.3	37.5	1.8	4.5%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R8	W14-L	Bedroom	38.0	28.8	9.2	24.2%													
		W14-U																		
		W15-L		33.0	26.4	6.6	19.9%													
		W15-U						14.9	14.6	98%	14.1	94%	0.5	3.4%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R9	W16-L	LKD	28.1	17.1	11.0	39.1%													
		W16-U																		
		W17-L		37.8	30.4	7.4	19.6%													
		W17-U																		
		W18-L		37.4	31.2	6.2	16.5%													
		W18-U						36.0	30.9	86%	30.9	86%	0.0	0.0%	56	14	55	14	1.8%	0.0%
Thirteenth	R1	W1-L	Bedroom	27.4	26.9	0.5	1.7%													
		W1-U																		
		W2-L		33.5	32.5	1.0	2.9%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	47	10	47	10	0.0%	0.0%
Thirteenth	R2	W3-L	Bedroom	34.2	32.7	1.5	4.3%													
		W3-U						12.1	11.7	97%	11.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R3	W4-L	Bedroom	7.6	6.1	1.6	20.3%													
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R4	W5-L	LKD	1.1	1.1	0.0	0.0%													
		W5-U																		
		W6-L		35.9	34.3	1.5	4.3%													
		W6-U																		
		W7-L		36.5	34.9	1.5	4.2%													
		W7-U						32.1	30.8	96%	30.6	95%	0.2	0.7%	35	5	33	5	5.7%	0.0%
Thirteenth	R5	W8-L	LKD	7.9	6.4	1.5	19.1%													
		W8-U																		
		W9-L		1.6	1.6	0.0	0.0%													
		W9-U																		
		W10-L		37.5	35.8	1.7	4.6%													
		W10-U																		
		W11-L		39.3	37.6	1.7	4.3%													
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	36	6	34	5	5.6%	16.7%
Thirteenth	R6	W12-L	Bedroom	39.4	37.7	1.7	4.4%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R7	W13-L	Bedroom	39.4	37.7	1.7	4.4%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R8	W14-L	Bedroom	39.5	37.8	1.7	4.3%													
		W14-U																		
		W15-L		36.3	27.5	8.8	24.1%													
		W15-U						14.9	14.9	100%	14.5	97%	0.4	2.7%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R9	W16-L	LKD	24.4	16.9	7.5	30.8%													
		W16-U																		
		W17-L		39.1	31.3	7.8	19.9%													
		W17-U																		
		W18-L		39.0	32.5	6.5	16.7%													
		W18-U						36.0	30.3	84%	30.3	84%	0.0	0.0%	57	15	56	15	1.8%	0.0%
Fourteenth	R1	W1-L	Bedroom	29.9	29.0	0.9	3.0%													
		W1-U																		
		W2-L		36.6	34.9	1.7	4.6%													
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	52	13	51	13	1.9%	0.0%
Fourteenth	R2	W3-L	Bedroom	37.0	35.1	1.8	5.0%													
		W3-U						12.1	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R3	W4-L	Bedroom	9.2	7.9	1.2	13.4%													
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R4	W5-L	LKD	4.4	4.0	0.3	7.1%													
		W5-U																		
		W6-L		37.7	35.9	1.8	4.8%													
		W6-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W7-L		38.0	36.2	1.8	4.6%												
		W7-U						32.1	31.2	97%	31.2	97%	0.0	0.0%	37	7	35	7	5.4%	0.0%
Fourteenth	R5	W8-L	LKD	9.8	8.4	1.4	14.2%												
		W8-U																	
		W9-L		4.9	4.6	0.3	6.9%												
		W9-U																	
		W10-L		38.4	36.7	1.8	4.7%												
		W10-U																	
		W11-L		39.5	37.9	1.7	4.2%												
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	38	8	35	6	7.9%	25.0%
Fourteenth	R6	W12-L	Bedroom	39.5	37.9	1.6	4.1%												
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R7	W13-L	Bedroom	39.6	38.0	1.6	4.0%												
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R8	W14-L	Bedroom	38.2	29.4	8.8	23.1%												
		W14-U																	
		W15-L		33.1	26.5	6.6	19.9%												
		W15-U						14.9	14.6	98%	14.2	95%	0.4	2.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R9	W16-L	LKD	28.2	17.7	10.5	37.3%												
		W16-U																	
		W17-L		39.4	32.4	7.0	17.9%												
		W17-U																	
		W18-L		39.4	33.5	5.9	14.9%												
		W18-U						36.0	30.9	86%	30.9	86%	0.0	0.0%	57	15	56	15	1.8%	0.0%
Fifteenth	R1	W1-L	Bedroom	31.2	30.2	1.0	3.2%												
		W1-U																	
		W2-L		37.9	36.1	1.8	4.8%												
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	53	13	52	13	1.9%	0.0%
Fifteenth	R2	W3-L	Bedroom	38.1	36.3	1.8	4.7%												
		W3-U						12.1	11.7	97%	11.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R3	W4-L	Bedroom	9.7	8.0	1.7	17.3%												
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R4	W5-L	LKD	1.8	1.8	0.0	0.0%												
		W5-U																	
		W6-L		38.5	36.8	1.7	4.4%												
		W6-U																	
		W7-L		38.6	36.9	1.7	4.4%												
		W7-U						32.1	30.9	96%	30.8	96%	0.1	0.2%	38	8	36	7	5.3%	12.5%
Fifteenth	R5	W8-L	LKD	8.9	7.4	1.5	17.2%												
		W8-U																	
		W9-L		2.2	2.2	0.0	0.0%												
		W9-U																	
		W10-L		38.8	37.2	1.7	4.3%												
		W10-U																	
		W11-L		39.6	38.1	1.5	3.8%												
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	39	9	36	7	7.7%	22.2%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fifteenth	R6	W12-L	Bedroom	39.6	38.1	1.5	3.7%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R7	W13-L	Bedroom	39.6	38.1	1.5	3.8%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R8	W14-L	Bedroom	39.6	38.1	1.5	3.7%													
		W14-U																		
		W15-L		36.4	28.2	8.2	22.6%													
		W15-U						14.9	14.9	100%	14.6	98%	0.3	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R9	W16-L	LKD	24.5	17.2	7.3	29.8%													
		W16-U																		
		W17-L		39.4	32.2	7.3	18.4%													
		W17-U																		
		W18-L		39.4	33.3	6.1	15.5%													
		W18-U						36.0	30.3	84%	30.3	84%	0.0	0.0%	57	15	56	15	1.8%	0.0%
Sixteenth	R1	W1-L	Bedroom	31.8	30.9	0.9	2.8%													
		W1-U																		
		W2-L		38.3	36.7	1.6	4.1%													
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	55	14	54	14	1.8%	0.0%
Sixteenth	R2	W3-L	Bedroom	38.4	36.8	1.5	4.0%													
		W3-U						12.1	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R3	W4-L	Bedroom	9.5	8.5	1.0	10.0%													
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R4	W5-L	LKD	5.0	4.7	0.3	5.8%													
		W5-U																		
		W6-L		38.7	37.2	1.5	3.9%													
		W6-U																		
		W7-L		38.8	37.3	1.4	3.7%													
		W7-U						32.1	31.2	97%	31.2	97%	0.0	0.0%	38	8	37	8	2.6%	0.0%
Sixteenth	R5	W8-L	LKD	9.9	8.8	1.1	11.1%													
		W8-U																		
		W9-L		5.4	5.1	0.3	5.8%													
		W9-U																		
		W10-L		39.0	37.6	1.4	3.6%													
		W10-U																		
		W11-L		39.6	38.3	1.3	3.4%													
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	39	9	38	8	2.6%	11.1%
Sixteenth	R6	W12-L	Bedroom	39.6	38.3	1.3	3.3%													
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R7	W13-L	Bedroom	39.6	38.3	1.3	3.3%													
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R8	W14-L	Bedroom	38.4	30.3	8.1	21.2%													
		W14-U																		
		W15-L		33.2	26.9	6.3	19.1%													
		W15-U						14.9	14.6	98%	14.4	97%	0.1	1.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R9	W16-L	LKD	28.3	18.5	9.8	34.6%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W16-U																	
		W17-L		39.5	32.9	6.5	16.6%												
		W17-U																	
		W18-L		39.5	34.0	5.5	13.9%												
		W18-U						36.0	30.9	86%	30.9	86%	0.0	0.0%	57	15	56	15	1.8%	0.0%
Seventeenth	R1	W1-L	Bedroom	32.3	31.6	0.7	2.3%												
		W1-U																	
		W2-L		38.5	37.2	1.3	3.4%												
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	55	14	54	14	1.8%	0.0%
Seventeenth	R2	W3-L	Bedroom	38.6	37.3	1.3	3.3%												
		W3-U						12.1	11.7	97%	11.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R3	W4-L	Bedroom	9.7	8.5	1.2	12.5%												
		W4-U						12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R4	W5-L	LKD	2.3	2.3	0.0	0.0%												
		W5-U																	
		W6-L		38.9	37.6	1.2	3.2%												
		W6-U																	
		W7-L		38.9	37.7	1.2	3.1%												
		W7-U						32.1	31.0	97%	31.0	97%	0.0	0.0%	38	8	36	7	5.3%	12.5%
Seventeenth	R5	W8-L	LKD	8.9	7.8	1.1	12.4%												
		W8-U																	
		W9-L		2.6	2.6	0.0	0.0%												
		W9-U																	
		W10-L		39.1	37.9	1.2	3.0%												
		W10-U																	
		W11-L		39.6	38.5	1.1	2.9%												
		W11-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	39	9	38	8	2.6%	11.1%
Seventeenth	R6	W12-L	Bedroom	39.6	38.5	1.1	2.8%												
		W12-U						13.1	12.5	96%	12.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R7	W13-L	Bedroom	39.6	38.5	1.1	2.9%												
		W13-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R8	W14-L	Bedroom	39.6	38.5	1.1	2.9%												
		W14-U																	
		W15-L		37.2	29.7	7.5	20.1%												
		W15-U						14.9	14.9	100%	14.6	98%	0.3	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R9	W16-L	LKD	24.5	17.6	6.9	28.2%												
		W16-U																	
		W17-L		39.5	32.8	6.7	16.9%												
		W17-U																	
		W18-L		39.5	33.9	5.6	14.2%												
		W18-U						36.0	30.3	84%	30.3	84%	0.0	0.0%	57	15	56	15	1.8%	0.0%
Eighteenth	R1	W1-L	Bedroom	33.0	32.4	0.6	1.8%												
		W1-U																	
		W2-L		38.8	37.8	1.1	2.7%												
		W2-U						11.7	11.6	99%	11.6	99%	0.0	0.0%	56	15	56	15	0.0%	0.0%
Eighteenth	R2	W3-L	Bedroom	38.9	37.9	1.0	2.6%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W3-U						12.1	11.8	97%	11.8	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R3	W4-L	Bedroom	13.0	12.3	0.6	4.9%													
		W4-U																		
		W5		2.0	1.5	0.6	27.6%	12.4	12.4	100%	12.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R4	W6-L	LKD	6.4	6.2	0.2	3.1%													
		W6-U																		
		W7-L		39.1	38.1	1.0	2.6%													
		W7-U																		
		W8-L		39.1	38.2	1.0	2.5%													
		W8-U						32.1	31.1	97%	31.1	97%	0.0	0.0%	39	9	39	9	0.0%	0.0%
Eighteenth	R5	W9-L	LKD	13.5	12.8	0.7	5.5%													
		W9-U																		
		W10		2.1	1.5	0.7	30.7%													
		W11-L		6.7	6.5	0.2	3.2%													
		W11-U																		
		W12-L		39.2	38.3	0.9	2.4%													
		W12-U																		
		W13-L		39.6	38.7	0.9	2.4%													
		W13-U						31.3	30.8	98%	30.8	98%	0.0	0.0%	40	10	39	9	2.5%	10.0%
Eighteenth	R6	W14-L	Bedroom	39.6	38.7	0.9	2.3%													
		W14-U						13.1	12.6	96%	12.6	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R7	W15-L	Bedroom	39.6	38.7	0.9	2.4%													
		W15-U						11.8	11.3	96%	11.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R8	W16-L	Bedroom	39.6	32.4	7.3	18.3%													
		W16-U																		
		W17-L		39.6	31.6	8.0	20.3%													
		W17-U						14.9	14.6	98%	14.5	97%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R9	W18-L	LKD	39.6	30.8	8.8	22.3%													
		W18-U																		
		W19-L		39.5	33.5	5.9	15.0%													
		W19-U																		
		W20-L		39.5	34.5	5.0	12.6%													
		W20-U						36.0	30.9	86%	30.9	86%	0.0	0.0%	58	15	57	15	1.7%	0.0%
Mezzanine	R1	W1-L	Residential	4.5	4.4	0.1	2.9%													
		W1-U																		
		W2-L		9.3	5.2	4.1	44.5%													
		W2-U						37.9	37.2	98%	35.7	94%	1.5	4.0%	11	4	11	4	0.0%	0.0%
Millstream Tower																				
First	R1	W1-L	LKD	26.3	20.5	5.8	22.1%													
		W1-U																		
		W2-L		8.4	8.4	0.0	0.0%													
		W2-U						33.5	20.6	61%	19.2	57%	1.4	6.9%	7	0	7	0	0.0%	0.0%
First	R2	W3-L	Bedroom	20.9	15.7	5.2	24.9%													
		W3-U						14.8	11.0	74%	10.9	74%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W4-L	LKD	23.5	19.2	4.2	18.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W4-U																	
		W5-L		7.9	7.9	0.0	0.0%												
		W5-U						28.8	14.4	50%	13.1	45%	1.4	9.6%	7	0	7	0	0.0%	0.0%
First	R4	W6-L	Bedroom	18.2	14.5	3.7	20.3%												
		W6-U						14.5	9.7	67%	9.7	67%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W7-L	LKD	21.1	18.1	2.9	13.9%												
		W7-U																	
		W8-L		7.9	7.9	0.0	0.0%												
		W8-U						28.8	13.1	46%	13.1	46%	0.0	0.0%	8	0	8	0	0.0%	0.0%
First	R6	W9-L	Bedroom	16.5	13.9	2.6	15.5%												
		W9-U						14.5	9.3	64%	9.3	64%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W10-L	LKD	19.4	17.2	2.2	11.3%												
		W10-U																	
		W11-L		8.5	8.5	0.0	0.0%												
		W11-U						28.8	13.3	46%	13.3	46%	0.0	0.0%	8	0	8	0	0.0%	0.0%
First	R8	W12-L	Bedroom	14.8	13.2	1.5	10.4%												
		W12-U						14.5	9.0	62%	9.0	62%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R9	W13-L	LKD	17.5	15.8	1.7	9.7%												
		W13-U																	
		W14-L		8.9	8.9	0.0	0.0%												
		W14-U						28.9	14.9	51%	14.9	51%	0.0	0.0%	8	0	8	0	0.0%	0.0%
First	R10	W15-L	Bedroom	13.0	12.0	1.1	8.3%												
		W15-U						14.5	8.2	57%	8.2	57%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R11	W16-L	LKD	16.2	14.9	1.3	8.2%												
		W16-U																	
		W17-L		9.3	9.3	0.0	0.0%												
		W17-U						28.9	18.2	63%	18.2	63%	0.0	0.0%	6	0	6	0	0.0%	0.0%
First	R12	W18-L	Bedroom	15.1	14.3	0.8	5.2%												
		W18-U						14.5	13.1	90%	13.1	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R13	W19-L	Bedroom	18.2	17.0	1.3	7.0%												
		W19-U						12.9	11.4	88%	11.4	88%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R14	W20-L	LKD	19.0	17.8	1.3	6.6%												
		W20-U																	
		W21-L		11.9	11.5	0.4	3.5%												
		W21-U																	
		W22-L		3.2	3.2	0.0	0.0%												
		W22-U																	
		W23-L		1.0	1.0	0.0	0.0%												
		W23-U						40.8	31.6	77%	30.9	76%	0.7	2.3%	19	7	19	7	0.0%	0.0%
Second	R1	W1-L	LKD	28.6	22.7	5.9	20.5%												
		W1-U																	
		W2-L		9.0	9.0	0.0	0.0%												
		W2-U						33.5	24.5	73%	24.3	72%	0.2	1.0%	7	0	7	0	0.0%	0.0%
Second	R2	W3-L	Bedroom	23.1	17.9	5.2	22.6%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W3-U						14.8	13.4	91%	13.4	90%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W4-L	LKD	26.0	21.7	4.3	16.7%													
		W4-U																		
		W5-L		8.4	8.4	0.0	0.0%													
		W5-U						28.8	20.2	70%	20.2	70%	0.0	0.2%	7	0	7	0	0.0%	0.0%
Second	R4	W6-L	Bedroom	20.5	16.7	3.8	18.7%													
		W6-U						14.5	12.3	85%	12.3	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W7-L	LKD	23.5	20.3	3.2	13.4%													
		W7-U																		
		W8-L		8.2	8.2	0.0	0.0%													
		W8-U						28.8	19.5	68%	19.5	68%	0.0	0.0%	8	0	8	0	0.0%	0.0%
Second	R6	W9-L	Bedroom	18.6	15.9	2.8	14.8%													
		W9-U						14.5	11.4	79%	11.4	79%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W10-L	LKD	21.5	19.1	2.4	11.3%													
		W10-U																		
		W11-L		8.8	8.8	0.0	0.0%													
		W11-U						28.8	18.9	66%	18.9	66%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Second	R8	W12-L	Bedroom	16.6	14.9	1.8	10.5%													
		W12-U						14.5	10.6	73%	10.6	73%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R9	W13-L	LKD	19.2	17.2	1.9	10.0%													
		W13-U																		
		W14-L		9.2	9.2	0.0	0.0%													
		W14-U						28.9	19.8	68%	19.8	68%	0.0	0.0%	8	0	8	0	0.0%	0.0%
Second	R10	W15-L	Bedroom	14.4	13.1	1.3	8.7%													
		W15-U						14.5	8.7	60%	8.7	60%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R11	W16-L	LKD	17.4	15.9	1.5	8.7%													
		W16-U																		
		W17-L		9.6	9.6	0.0	0.0%													
		W17-U						28.9	21.5	74%	21.5	74%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Second	R12	W18-L	Bedroom	16.2	15.3	0.9	5.6%													
		W18-U						14.5	13.2	91%	13.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R13	W19-L	Bedroom	19.3	17.9	1.4	7.4%													
		W19-U						12.9	11.6	90%	11.6	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R14	W20-L	LKD	20.0	18.6	1.4	7.0%													
		W20-U																		
		W21-L		12.4	11.9	0.4	3.6%													
		W21-U																		
		W22-L		3.3	3.3	0.0	0.0%													
		W22-U																		
		W23-L		1.0	1.0	0.0	0.0%													
		W23-U						40.8	31.7	78%	31.0	76%	0.7	2.2%	19	7	19	7	0.0%	0.0%
Third	R1	W1-L	LKD	30.5	24.9	5.6	18.4%													
		W1-U																		
		W2-L		9.7	9.7	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W2-U						33.5	31.1	93%	30.4	91%	0.7	2.2%	7	0	7	0	0.0%	0.0%
Third	R2	W3-L	Bedroom	25.0	20.0	5.0	20.1%													
		W3-U						14.8	13.5	91%	13.5	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W4-L	LKD	28.3	24.0	4.3	15.1%													
		W4-U																		
		W5-L		8.9	8.9	0.0	0.1%													
		W5-U						28.8	27.3	95%	27.0	94%	0.3	1.1%	7	0	7	0	0.0%	0.0%
Third	R4	W6-L	Bedroom	22.7	18.8	3.9	17.2%													
		W6-U						14.5	12.4	85%	12.4	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W7-L	LKD	25.8	22.5	3.3	12.8%													
		W7-U																		
		W8-L		8.6	8.6	0.0	0.0%													
		W8-U						28.8	25.0	87%	24.7	86%	0.3	1.2%	8	0	8	0	0.0%	0.0%
Third	R6	W9-L	Bedroom	20.7	17.8	2.9	14.2%													
		W9-U						14.5	11.5	79%	11.5	79%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W10-L	LKD	23.6	21.0	2.7	11.3%													
		W10-U																		
		W11-L		9.1	9.1	0.0	0.0%													
		W11-U						28.8	22.8	79%	22.5	78%	0.3	1.5%	9	0	9	0	0.0%	0.0%
Third	R8	W12-L	Bedroom	18.4	16.5	2.0	10.7%													
		W12-U						14.5	10.6	73%	10.6	73%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R9	W13-L	LKD	20.8	18.7	2.1	10.2%													
		W13-U																		
		W14-L		9.5	9.5	0.0	0.0%													
		W14-U						28.9	22.6	78%	22.5	78%	0.0	0.2%	8	0	8	0	0.0%	0.0%
Third	R10	W15-L	Bedroom	15.7	14.3	1.4	8.9%													
		W15-U						14.5	8.8	61%	8.8	61%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R11	W16-L	LKD	18.7	17.0	1.7	9.1%													
		W16-U																		
		W17-L		10.0	10.0	0.0	0.0%													
		W17-U						28.9	24.2	84%	24.2	84%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Third	R12	W18-L	Bedroom	17.2	16.2	1.0	5.8%													
		W18-U						14.5	13.2	91%	13.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R13	W19-L	Bedroom	20.4	18.8	1.6	7.7%													
		W19-U						12.9	11.6	90%	11.6	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R14	W20-L	LKD	21.1	19.6	1.5	7.2%													
		W20-U																		
		W21-L		12.8	12.4	0.5	3.8%													
		W21-U																		
		W22-L		3.4	3.4	0.0	0.0%													
		W22-U																		
		W23-L		1.1	1.1	0.0	0.0%													
		W23-U						40.8	31.8	78%	31.1	76%	0.7	2.2%	19	7	19	7	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fourth	R1	W1-L	LKD	31.8	26.3	5.5	17.4%												
		W1-U																	
		W2-L		10.4	10.4	0.0	0.3%												
		W2-U						33.5	31.4	93%	31.0	92%	0.3	1.1%	7	0	7	0	0.0%	0.0%
Fourth	R2	W3-L	Bedroom	26.3	21.3	5.0	19.0%												
		W3-U						14.8	13.6	92%	13.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R3	W4-L	LKD	30.0	25.4	4.5	15.1%												
		W4-U																	
		W5-L		9.5	9.5	0.0	0.3%												
		W5-U						28.8	27.5	95%	27.5	95%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Fourth	R4	W6-L	Bedroom	24.3	20.1	4.2	17.2%												
		W6-U						14.5	12.4	86%	12.4	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W7-L	LKD	27.6	23.9	3.7	13.5%												
		W7-U																	
		W8-L		9.1	9.1	0.0	0.0%												
		W8-U						28.8	25.5	88%	25.4	88%	0.0	0.1%	9	0	9	0	0.0%	0.0%
Fourth	R6	W9-L	Bedroom	22.3	19.0	3.3	14.7%												
		W9-U						14.5	11.6	80%	11.6	80%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W10-L	LKD	25.3	22.2	3.1	12.1%												
		W10-U																	
		W11-L		9.4	9.4	0.0	0.0%												
		W11-U						28.8	23.2	81%	23.2	80%	0.1	0.2%	10	0	10	0	0.0%	0.0%
Fourth	R8	W12-L	Bedroom	19.8	17.5	2.3	11.6%												
		W12-U						14.5	10.6	73%	10.6	73%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R9	W13-L	LKD	22.1	19.7	2.4	10.7%												
		W13-U																	
		W14-L		9.8	9.8	0.0	0.0%												
		W14-U						28.9	23.0	79%	22.9	79%	0.0	0.2%	8	0	8	0	0.0%	0.0%
Fourth	R10	W15-L	Bedroom	16.7	15.2	1.6	9.4%												
		W15-U						14.5	8.8	61%	8.8	61%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R11	W16-L	LKD	19.8	17.9	1.9	9.5%												
		W16-U																	
		W17-L		10.3	10.3	0.0	0.0%												
		W17-U						28.9	25.0	87%	25.0	87%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Fourth	R12	W18-L	Bedroom	18.3	17.2	1.1	6.1%												
		W18-U						14.5	13.2	91%	13.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R13	W19-L	Bedroom	21.4	19.8	1.7	7.7%												
		W19-U						12.9	11.6	90%	11.6	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R14	W20-L	LKD	22.1	20.5	1.6	7.3%												
		W20-U																	
		W21-L		13.3	12.8	0.5	3.8%												
		W21-U																	
		W22-L		3.5	3.5	0.0	0.0%												
		W22-U																	

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W23-L		1.1	1.1	0.0	0.0%												
		W23-U						40.8	31.9	78%	31.2	77%	0.7	2.1%	19	7	19	7	0.0%	0.0%
Fifth	R1	W1-L	LKD	32.7	27.4	5.3	16.2%												
		W1-U																	
		W2-L		11.2	11.1	0.0	0.4%												
		W2-U						33.5	31.4	94%	31.0	93%	0.3	1.1%	7	0	7	0	0.0%	0.0%
Fifth	R2	W3-L	Bedroom	27.4	22.6	4.7	17.3%												
		W3-U						14.8	13.8	93%	13.8	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R3	W4-L	LKD	30.9	26.6	4.4	14.1%												
		W4-U																	
		W5-L		10.1	10.1	0.0	0.4%												
		W5-U						28.8	27.6	96%	27.6	96%	0.0	0.0%	8	0	8	0	0.0%	0.0%
Fifth	R4	W6-L	Bedroom	25.4	21.4	4.0	15.7%												
		W6-U						14.5	12.5	86%	12.5	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W7-L	LKD	28.6	25.0	3.6	12.6%												
		W7-U																	
		W8-L		9.5	9.5	0.0	0.0%												
		W8-U						28.8	25.8	90%	25.8	90%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Fifth	R6	W9-L	Bedroom	23.4	20.3	3.2	13.4%												
		W9-U						14.5	11.6	80%	11.6	80%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W10-L	LKD	26.2	23.3	3.0	11.3%												
		W10-U																	
		W11-L		9.8	9.8	0.0	0.0%												
		W11-U						28.8	23.7	82%	23.7	82%	0.0	0.1%	10	0	10	0	0.0%	0.0%
Fifth	R8	W12-L	Bedroom	20.8	18.6	2.2	10.7%												
		W12-U						14.5	10.6	73%	10.6	73%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R9	W13-L	LKD	23.0	20.6	2.4	10.3%												
		W13-U																	
		W14-L		10.2	10.2	0.0	0.0%												
		W14-U						28.9	23.0	80%	23.0	80%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Fifth	R10	W15-L	Bedroom	17.7	16.1	1.6	9.1%												
		W15-U						14.5	8.9	61%	8.9	61%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R11	W16-L	LKD	20.8	18.9	1.9	9.3%												
		W16-U																	
		W17-L		10.6	10.6	0.0	0.0%												
		W17-U						28.9	25.2	87%	25.2	87%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Fifth	R12	W18-L	Bedroom	19.3	18.2	1.1	5.8%												
		W18-U						14.5	13.2	91%	13.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R13	W19-L	Bedroom	22.4	20.8	1.7	7.4%												
		W19-U						12.9	11.7	90%	11.7	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R14	W20-L	LKD	23.1	21.5	1.6	6.9%												
		W20-U																	
		W21-L		13.8	13.2	0.5	3.9%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W21-U																	
		W22-L		3.6	3.6	0.0	0.0%												
		W22-U																	
		W23-L		1.1	1.1	0.0	0.0%												
		W23-U						40.8	32.0	78%	31.4	77%	0.6	2.0%	21	7	21	7	0.0%	0.0%
Sixth	R1	W1-L	LKD	33.4	28.4	5.0	14.9%												
		W1-U																	
		W2-L		12.0	12.0	0.0	0.2%												
		W2-U						33.5	31.5	94%	31.1	93%	0.3	1.1%	7	0	7	0	0.0%	0.0%
Sixth	R2	W3-L	Bedroom	29.9	25.5	4.4	14.9%												
		W3-U						14.8	14.3	96%	14.3	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R3	W4-L	LKD	31.7	27.7	4.0	12.7%												
		W4-U																	
		W5-L		10.7	10.7	0.0	0.3%												
		W5-U						28.8	27.6	96%	27.6	96%	0.0	0.0%	8	0	8	0	0.0%	0.0%
Sixth	R4	W6-L	Bedroom	28.0	24.3	3.7	13.3%												
		W6-U						14.5	12.9	89%	12.9	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W7-L	LKD	29.4	26.1	3.3	11.3%												
		W7-U																	
		W8-L		10.0	10.0	0.0	0.0%												
		W8-U						28.8	26.1	91%	26.1	91%	0.0	0.0%	10	0	10	0	0.0%	0.0%
Sixth	R6	W9-L	Bedroom	26.0	23.0	2.9	11.2%												
		W9-U						14.5	11.8	82%	11.8	82%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W10-L	LKD	27.1	24.3	2.7	10.1%												
		W10-U																	
		W11-L		10.2	10.2	0.0	0.0%												
		W11-U						28.8	24.4	85%	24.4	85%	0.0	0.0%	11	0	11	0	0.0%	0.0%
Sixth	R8	W12-L	Bedroom	22.7	20.6	2.1	9.0%												
		W12-U						14.5	10.7	74%	10.7	74%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R9	W13-L	LKD	23.8	21.6	2.2	9.3%												
		W13-U																	
		W14-L		10.5	10.5	0.0	0.0%												
		W14-U						28.9	23.0	80%	23.0	80%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Sixth	R10	W15-L	Bedroom	18.5	17.1	1.5	8.0%												
		W15-U						14.5	8.9	62%	8.9	62%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R11	W16-L	LKD	21.8	20.0	1.8	8.2%												
		W16-U																	
		W17-L		10.9	10.9	0.0	0.0%												
		W17-U						28.9	25.2	87%	25.2	87%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Sixth	R12	W18-L	Bedroom	20.2	19.2	1.0	5.1%												
		W18-U						14.5	13.2	91%	13.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R13	W19-L	Bedroom	23.4	21.9	1.5	6.5%												
		W19-U						12.9	11.7	90%	11.7	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R14	W20-L	LKD	24.1	22.6	1.5	6.3%												
		W20-U																	
		W21-L		14.2	13.7	0.5	3.7%												
		W21-U																	
		W22-L		3.7	3.7	0.0	0.0%												
		W22-U																	
		W23-L		1.1	1.1	0.0	0.0%												
		W23-U						40.8	32.1	79%	31.5	77%	0.6	1.9%	21	7	21	7	0.0%	0.0%
Seventh	R1	W1-L	LKD	19.1	9.9	9.2	48.1%												
		W1-U																	
		W2-L		32.9	22.9	10.0	30.4%												
		W2-U																	
		W3-L		28.7	26.1	2.6	9.2%												
		W3-U						24.5	24.5	100%	24.3	99%	0.2	0.9%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R2	W4-L	Bedroom	25.8	23.4	2.4	9.2%												
		W4-U						14.6	10.8	74%	10.8	74%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R3	W5-L	LKD	24.8	22.7	2.1	8.3%												
		W5-U																	
		W6-L		10.9	10.9	0.0	0.0%												
		W6-U						28.7	22.7	79%	22.7	79%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Seventh	R4	W7-L	Bedroom	19.5	18.1	1.4	7.0%												
		W7-U						14.5	9.0	62%	9.0	62%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W8-L	LKD	22.7	21.1	1.7	7.3%												
		W8-U																	
		W9-L		11.2	11.2	0.0	0.0%												
		W9-U						28.7	25.0	87%	25.0	87%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Seventh	R6	W10-L	Bedroom	21.1	20.2	0.9	4.4%												
		W10-U						14.5	13.2	91%	13.2	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W11-L	Bedroom	24.3	22.9	1.4	5.8%												
		W11-U						12.9	11.6	90%	11.6	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R8	W12-L	LKD	25.0	23.6	1.4	5.7%												
		W12-U																	
		W13-L		14.6	14.1	0.5	3.7%												
		W13-U																	
		W14-L		4.1	4.1	0.0	0.0%												
		W14-U																	
		W15-L		1.1	1.1	0.0	0.0%												
		W15-U						40.8	32.3	79%	31.8	78%	0.6	1.8%	23	7	23	7	0.0%	0.0%
Eighth	R1	W1-L	LKD	34.2	23.8	10.4	30.3%												
		W1-U																	
		W2-L		22.3	19.7	2.6	11.7%												
		W2-U																	
		W3-L		33.2	23.6	9.6	29.0%												
		W3-U																	
		W4-L		29.7	27.2	2.5	8.4%												
		W4-U						27.6	27.2	99%	27.0	98%	0.2	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R2	W5-L	Bedroom	26.8	24.5	2.2	8.4%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W5-U						14.3	10.6	74%	10.6	74%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R3	W6-L	LKD	25.8	23.9	1.9	7.5%													
		W6-U																		
		W7-L		11.2	11.2	0.0	0.0%													
		W7-U						28.8	22.7	79%	22.7	79%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Eighth	R4	W8-L	Bedroom	20.6	19.3	1.3	6.2%													
		W8-U						14.3	9.1	64%	9.0	63%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W9-L	LKD	23.9	22.3	1.6	6.5%													
		W9-U																		
		W10-L		11.5	11.5	0.0	0.0%													
		W10-U						31.0	26.7	86%	26.7	86%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Eighth	R6	W11-L	Bedroom	22.2	21.3	0.9	3.9%													
		W11-U						12.7	12.2	96%	12.2	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W12-L	Bedroom	25.3	23.9	1.3	5.3%													
		W12-U																		
		W13-L		14.6	14.5	0.1	0.5%													
		W13-U						17.4	16.1	92%	16.1	92%	0.0	0.0%	23	3	23	3	0.0%	0.0%
Ninth	R1	W1-L	LKD	34.9	24.9	10.0	28.6%													
		W1-U																		
		W2-L		22.6	20.1	2.5	10.8%													
		W2-U																		
		W3-L		33.6	24.4	9.2	27.4%													
		W3-U																		
		W4-L		30.8	28.5	2.3	7.6%													
		W4-U						29.2	28.9	99%	28.7	98%	0.2	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R2	W5-L	Bedroom	27.9	25.8	2.1	7.5%													
		W5-U						14.8	11.1	75%	11.1	75%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R3	W6-L	LKD	27.1	25.3	1.8	6.7%													
		W6-U																		
		W7-L		11.6	11.6	0.0	0.0%													
		W7-U						28.7	22.7	79%	22.7	79%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Ninth	R4	W8-L	Bedroom	21.9	20.6	1.2	5.5%													
		W8-U						14.5	9.2	64%	9.1	63%	0.1	1.2%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W9-L	LKD	25.2	23.7	1.5	5.8%													
		W9-U																		
		W10-L		11.8	11.8	0.0	0.0%													
		W10-U						32.3	28.2	87%	28.2	87%	0.0	0.2%	6	0	6	0	0.0%	0.0%
Ninth	R6	W11-L	Bedroom	23.5	22.6	0.8	3.5%													
		W11-U						12.1	11.2	92%	11.2	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R7	W12-L	Bedroom	26.5	25.2	1.2	4.7%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	10.6	74%	10.6	74%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Tenth	R1	W1-L	LKD	35.6	26.1	9.5	26.8%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W1-U																	
		W2-L		22.8	20.6	2.3	10.0%												
		W2-U																	
		W3-L		34.1	25.3	8.8	25.8%												
		W3-U																	
		W4-L		32.1	29.9	2.2	6.7%												
		W4-U						29.2	28.9	99%	28.7	98%	0.2	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R2	W5-L	Bedroom	29.3	27.3	2.0	6.7%												
		W5-U						14.8	11.4	76%	11.4	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R3	W6-L	LKD	28.6	26.9	1.7	5.8%												
		W6-U																	
		W7-L		12.0	12.0	0.0	0.0%												
		W7-U						28.7	22.7	79%	22.7	79%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Tenth	R4	W8-L	Bedroom	23.4	22.2	1.2	4.9%												
		W8-U						14.5	9.5	65%	9.2	64%	0.2	2.6%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R5	W9-L	LKD	26.8	25.4	1.4	5.3%												
		W9-U																	
		W10-L		12.1	12.0	0.0	0.2%												
		W10-U						32.3	28.2	87%	28.2	87%	0.0	0.1%	6	0	6	0	0.0%	0.0%
Tenth	R6	W11-L	Bedroom	24.9	24.1	0.8	3.1%												
		W11-U						12.1	11.2	92%	11.2	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W12-L	Bedroom	27.8	26.7	1.2	4.2%												
		W12-U																	
		W13-L		0.0	0.0	0.0	0.0%												
		W13-U						14.2	10.6	75%	10.6	75%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Eleventh	R1	W1-L	LKD	36.4	27.3	9.1	24.9%												
		W1-U																	
		W2-L		23.0	20.9	2.1	9.2%												
		W2-U																	
		W3-L		34.5	26.2	8.3	24.1%												
		W3-U																	
		W4-L		33.4	31.4	2.0	6.0%												
		W4-U						29.2	29.1	100%	28.9	99%	0.2	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R2	W5-L	Bedroom	30.8	29.0	1.8	5.9%												
		W5-U						14.8	11.9	80%	11.9	80%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R3	W6-L	LKD	30.3	28.7	1.5	5.1%												
		W6-U																	
		W7-L		12.5	12.5	0.0	0.1%												
		W7-U						28.7	22.8	79%	22.8	79%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Eleventh	R4	W8-L	Bedroom	25.1	24.0	1.1	4.4%												
		W8-U						14.5	10.0	69%	9.8	68%	0.2	2.1%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R5	W9-L	LKD	28.6	27.2	1.4	4.8%												
		W9-U																	
		W10-L		12.4	12.3	0.0	0.3%												
		W10-U						32.3	28.2	87%	28.2	87%	0.0	0.1%	7	0	7	0	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Eleventh	R6	W11-L	Bedroom	26.5	25.7	0.8	3.0%												
		W11-U						12.1	11.4	94%	11.4	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R7	W12-L	Bedroom	29.4	28.2	1.1	3.8%												
		W12-U																	
		W13-L		0.0	0.0	0.0	0.0%												
		W13-U						14.2	10.9	77%	10.9	77%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Twelfth	R1	W1-L	LKD	37.2	28.6	8.6	23.1%												
		W1-U																	
		W2-L		23.2	21.3	1.9	8.3%												
		W2-U																	
		W3-L		35.0	27.2	7.8	22.4%												
		W3-U																	
		W4-L		34.7	32.6	2.1	6.1%												
		W4-U						29.2	29.2	100%	29.0	99%	0.2	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R2	W5-L	Bedroom	32.3	30.4	1.9	6.0%												
		W5-U						14.8	13.2	89%	13.0	88%	0.3	1.9%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R3	W6-L	LKD	32.2	30.5	1.6	5.1%												
		W6-U																	
		W7-L		12.9	12.8	0.1	0.8%												
		W7-U						28.7	22.8	79%	22.8	79%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Twelfth	R4	W8-L	Bedroom	27.0	25.8	1.2	4.4%												
		W8-U						14.5	11.9	82%	11.8	82%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W9-L	LKD	30.6	29.2	1.4	4.5%												
		W9-U																	
		W10-L		12.6	12.5	0.1	0.6%												
		W10-U						32.3	28.2	87%	28.2	87%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Twelfth	R6	W11-L	Bedroom	28.2	27.4	0.8	2.9%												
		W11-U						12.1	11.7	97%	11.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R7	W12-L	Bedroom	31.0	29.9	1.1	3.6%												
		W12-U																	
		W13-L		0.0	0.0	0.0	0.0%												
		W13-U						14.2	11.8	83%	11.8	83%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Thirteenth	R1	W1-L	LKD	38.0	30.0	8.0	21.1%												
		W1-U																	
		W2-L		23.4	21.6	1.8	7.5%												
		W2-U																	
		W3-L		35.4	28.1	7.3	20.6%												
		W3-U																	
		W4-L		35.9	33.7	2.2	6.1%												
		W4-U						29.2	29.2	100%	29.1	100%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R2	W5-L	Bedroom	33.7	31.7	2.0	5.9%												
		W5-U						14.8	14.3	96%	14.2	96%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R3	W6-L	LKD	34.1	32.3	1.7	5.1%												
		W6-U																	
		W7-L		13.3	13.2	0.2	1.4%												
		W7-U						28.7	23.8	83%	23.8	83%	0.0	0.1%	9	0	9	0	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Thirteenth	R4	W8-L	Bedroom	28.9	27.6	1.3	4.4%													
		W8-U						14.5	14.0	96%	13.8	95%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R5	W9-L	LKD	32.8	31.4	1.4	4.2%													
		W9-U																		
		W10-L		12.9	12.8	0.1	0.9%													
		W10-U						32.3	29.0	90%	29.0	90%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Thirteenth	R6	W11-L	Bedroom	30.0	29.2	0.9	2.9%													
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R7	W12-L	Bedroom	32.7	31.6	1.2	3.5%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	12.8	90%	12.8	90%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Fourteenth	R1	W1-L	LKD	38.7	31.3	7.4	19.2%													
		W1-U																		
		W2-L		23.5	22.0	1.6	6.6%													
		W2-U																		
		W3-L		35.8	29.1	6.7	18.7%													
		W3-U																		
		W4-L		36.9	34.7	2.2	6.0%													
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R2	W5-L	Bedroom	35.0	32.9	2.1	5.9%													
		W5-U						14.8	14.3	96%	14.3	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R3	W6-L	LKD	35.8	34.0	1.8	4.9%													
		W6-U																		
		W7-L		13.7	13.4	0.2	1.8%													
		W7-U						28.7	28.4	99%	28.0	98%	0.4	1.3%	9	0	9	0	0.0%	0.0%
Fourteenth	R4	W8-L	Bedroom	30.7	29.4	1.3	4.4%													
		W8-U						14.5	14.0	96%	13.9	96%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R5	W9-L	LKD	34.9	33.5	1.4	4.0%													
		W9-U																		
		W10-L		13.1	12.9	0.2	1.2%													
		W10-U						32.3	31.9	99%	31.8	99%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Fourteenth	R6	W11-L	Bedroom	31.8	30.9	0.9	3.0%													
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R7	W12-L	Bedroom	34.4	33.2	1.2	3.4%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	12.8	90%	12.8	90%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Fifteenth	R1	W1-L	LKD	39.3	32.6	6.8	17.2%													
		W1-U																		
		W2-L		23.6	22.3	1.4	5.8%													
		W2-U																		
		W3-L		36.2	30.1	6.1	16.8%													
		W3-U																		
		W4-L		37.8	35.6	2.3	6.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R2	W5-L	Bedroom	36.1	34.0	2.1	5.8%													
		W5-U						14.8	14.3	96%	14.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R3	W6-L	LKD	37.3	35.5	1.8	4.9%													
		W6-U																		
		W7-L		14.0	13.7	0.3	2.1%													
		W7-U						28.7	28.4	99%	28.1	98%	0.3	0.9%	9	0	9	0	0.0%	0.0%
Fifteenth	R4	W8-L	Bedroom	32.3	30.9	1.4	4.4%													
		W8-U						14.5	14.0	96%	14.0	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R5	W9-L	LKD	36.9	35.4	1.4	3.9%													
		W9-U																		
		W10-L		13.3	13.1	0.2	1.5%													
		W10-U						32.3	31.9	99%	31.9	99%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Fifteenth	R6	W11-L	Bedroom	33.4	32.4	1.0	3.1%													
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R7	W12-L	Bedroom	35.9	34.6	1.2	3.4%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	12.8	91%	12.8	91%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Sixteenth	R1	W1-L	LKD	39.6	33.6	6.1	15.3%													
		W1-U																		
		W2-L		23.6	22.5	1.2	5.0%													
		W2-U																		
		W3-L		36.4	31.0	5.4	14.8%													
		W3-U																		
		W4-L		38.2	36.1	2.2	5.6%													
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R2	W5-L	Bedroom	36.5	34.5	2.0	5.5%													
		W5-U						14.8	14.3	96%	14.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R3	W6-L	LKD	37.9	36.1	1.8	4.7%													
		W6-U																		
		W7-L		14.2	13.9	0.3	2.4%													
		W7-U						28.7	28.4	99%	28.2	98%	0.2	0.8%	9	0	9	0	0.0%	0.0%
Sixteenth	R4	W8-L	Bedroom	32.9	31.4	1.4	4.4%													
		W8-U						14.5	14.0	96%	14.0	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R5	W9-L	LKD	37.6	36.1	1.5	3.9%													
		W9-U																		
		W10-L		13.4	13.2	0.2	1.8%													
		W10-U						32.3	31.9	99%	31.9	99%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Sixteenth	R6	W11-L	Bedroom	34.0	32.9	1.1	3.2%													
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R7	W12-L	Bedroom	36.4	35.1	1.3	3.5%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W13-U						14.2	12.8	91%	12.8	91%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Seventeenth	R1	W1-L	LKD	39.6	34.3	5.3	13.4%													
		W1-U																		
		W2-L		23.7	22.6	1.0	4.3%													
		W2-U																		
		W3-L		36.4	31.7	4.7	12.9%													
		W3-U																		
		W4-L		38.5	36.5	2.0	5.1%													
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R2	W5-L	Bedroom	36.8	34.9	1.9	5.1%													
		W5-U						14.8	14.3	96%	14.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R3	W6-L	LKD	38.2	36.5	1.7	4.5%													
		W6-U																		
		W7-L		14.6	14.2	0.4	2.5%													
		W7-U						28.7	28.4	99%	28.4	99%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Seventeenth	R4	W8-L	Bedroom	33.2	31.8	1.4	4.2%													
		W8-U						14.5	14.0	96%	14.0	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R5	W9-L	LKD	37.9	36.4	1.5	3.8%													
		W9-U																		
		W10-L		13.6	13.3	0.3	2.0%													
		W10-U						32.3	31.9	99%	31.9	99%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Seventeenth	R6	W11-L	Bedroom	34.3	33.1	1.2	3.4%													
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R7	W12-L	Bedroom	36.8	35.4	1.3	3.6%													
		W12-U																		
		W13-L		0.0	0.0	0.0	0.0%													
		W13-U						14.2	12.8	91%	12.8	91%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Eighteenth	R1	W1-L	LKD	39.6	35.1	4.5	11.4%													
		W1-U																		
		W2-L		23.7	22.8	0.8	3.5%													
		W2-U																		
		W3-L		36.5	32.5	4.0	10.9%													
		W3-U																		
		W4-L		38.7	36.9	1.8	4.7%													
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R2	W5-L	Bedroom	37.1	35.4	1.7	4.7%													
		W5-U						14.8	14.3	96%	14.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R3	W6-L	LKD	38.5	36.9	1.6	4.2%													
		W6-U																		
		W7-L		14.9	14.5	0.4	2.8%													
		W7-U						28.7	28.4	99%	28.4	99%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Eighteenth	R4	W8-L	Bedroom	33.7	32.3	1.4	4.2%													
		W8-U						14.5	14.0	96%	14.0	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R5	W9-L	LKD	38.1	36.7	1.5	3.9%													
		W9-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W10-L		13.8	13.5	0.3	2.3%												
		W10-U						32.3	31.9	99%	31.9	99%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Eighteenth	R6	W11-L	Bedroom	34.7	33.4	1.2	3.6%												
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighteenth	R7	W12-L	Bedroom	37.2	35.8	1.4	3.7%												
		W12-U																	
		W13-L		0.0	0.0	0.0	0.0%												
		W13-U						14.2	12.8	91%	12.8	91%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Nineteenth	R1	W1-L	LKD	39.6	36.0	3.7	9.3%												
		W1-U																	
		W2-L		23.7	23.1	0.6	2.7%												
		W2-U																	
		W3-L		37.5	34.2	3.2	8.6%												
		W3-U																	
		W4-L		38.9	37.3	1.6	4.2%												
		W4-U						29.2	29.2	100%	29.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R2	W5-L	Bedroom	38.0	36.4	1.6	4.2%												
		W5-U						14.8	14.5	98%	14.5	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R3	W6-L	LKD	38.8	37.2	1.6	4.0%												
		W6-U																	
		W7-L		15.2	14.8	0.4	2.8%												
		W7-U						28.7	28.4	99%	28.4	99%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Nineteenth	R4	W8-L	Bedroom	35.5	34.1	1.4	3.9%												
		W8-U						14.5	14.2	98%	14.2	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R5	W9-L	LKD	38.4	37.0	1.5	3.8%												
		W9-U																	
		W10-L		14.0	13.6	0.4	2.5%												
		W10-U						32.3	31.9	99%	31.9	99%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Nineteenth	R6	W11-L	Bedroom	35.9	34.6	1.3	3.6%												
		W11-U						12.1	12.0	99%	12.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Nineteenth	R7	W12-L	Bedroom	37.7	36.3	1.4	3.7%												
		W12-U																	
		W13-L		0.0	0.0	0.0	0.0%												
		W13-U						14.2	12.8	91%	12.8	91%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Twentieth	R1	W1-L	LKD	20.2	17.8	2.4	11.7%												
		W1-U																	
		W2-L		9.7	9.4	0.3	3.0%												
		W2-U																	
		W3-L		39.6	37.2	2.5	6.2%												
		W3-U																	
		W4-L		39.1	37.6	1.5	3.7%												
		W4-U						34.9	34.9	100%	34.9	100%	0.0	0.0%	45	9	44	9	2.2%	0.0%
Twentieth	R2	W5-L	Bedroom	39.0	37.5	1.5	3.7%												
		W5-U						12.9	12.6	98%	12.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R3	W6-L	Bedroom	38.9	37.5	1.4	3.7%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W6-U						12.9	12.7	99%	12.7	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R4	W7-L	Bedroom	38.8	37.3	1.4	3.7%													
		W7-U						14.6	13.7	94%	13.7	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R5	W8-L	Bedroom	38.6	37.2	1.4	3.7%													
		W8-U						13.5	12.9	96%	12.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R6	W9-L	Bedroom	38.5	37.1	1.4	3.7%													
		W9-U						12.0	11.7	98%	11.7	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twentieth	R7	W10-L	LKD	38.1	36.7	1.4	3.7%													
		W10-U																		
		W11-L		5.9	5.9	0.0	0.0%													
		W11-U						27.4	25.1	92%	25.1	92%	0.0	0.0%	10	4	9	4	10.0%	0.0%
Twenty-First	R1	W1-L	LKD	20.2	18.5	1.7	8.3%													
		W1-U																		
		W2-L		9.7	9.5	0.2	2.2%													
		W2-U																		
		W3-L		39.6	37.9	1.7	4.4%													
		W3-U																		
		W4-L		39.1	37.9	1.2	3.1%													
		W4-U						34.9	34.9	100%	34.9	100%	0.0	0.0%	45	9	45	9	0.0%	0.0%
Twenty-First	R2	W5-L	Bedroom	39.0	37.8	1.2	3.1%													
		W5-U						12.9	12.6	98%	12.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R3	W6-L	Bedroom	38.9	37.7	1.2	3.1%													
		W6-U						12.9	12.7	99%	12.7	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R4	W7-L	Bedroom	38.8	37.6	1.2	3.1%													
		W7-U						14.6	13.7	94%	13.7	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R5	W8-L	Bedroom	38.6	37.4	1.2	3.1%													
		W8-U						13.5	12.9	96%	12.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R6	W9-L	Bedroom	38.5	37.3	1.2	3.2%													
		W9-U						12.0	11.7	98%	11.7	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Twenty-First	R7	W10-L	LKD	38.2	36.9	1.2	3.2%													
		W10-U																		
		W11-L		6.1	6.1	0.0	0.0%													
		W11-U						27.4	25.1	92%	25.1	92%	0.0	0.0%	10	4	10	4	0.0%	0.0%
Sessile Apartments																				
Ground	R15	W28-L	Bedroom	13.7	12.2	1.5	10.7%													
		W28-U						9.8	5.2	53%	4.8	49%	0.4	7.7%	31	6	27	2	12.9%	66.7%
Ground	R16	W29-L	LKD	12.3	8.5	3.8	31.1%													
		W29-U																		
		W30-L		36.9	35.9	1.0	2.7%													
		W30-U						41.4	32.9	80%	31.3	76%	1.6	5.0%	43	9	36	4	16.3%	55.6%
First	R1	W1-L	Bedroom	35.7	35.7	0.0	0.0%													
		W1-U						11.3	10.4	92%	10.4	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
First	R2	W2-L	LKD	35.4	35.4	0.0	0.0%												
		W2-U																	
		W3-L		15.5	14.7	0.8	5.0%												
		W3-U																	
		W4		26.8	25.6	1.2	4.3%	27.5	27.5	100%	27.5	100%	0.0	0.0%	45	9	40	5	11.1%	44.4%
First	R3	W5-L	Bedroom	32.5	31.3	1.2	3.7%												
		W5-U						12.0	11.8	98%	11.7	97%	0.1	0.5%	43	8	38	4	11.6%	50.0%
First	R4	W6-L	Bedroom	32.1	31.0	1.1	3.4%												
		W6-U						13.1	12.7	97%	12.7	97%	0.0	0.3%	40	6	36	3	10.0%	50.0%
First	R5	W7-L	Bedroom	27.8	27.5	0.3	1.1%												
		W7-U						11.3	10.5	94%	10.5	93%	0.0	0.2%	28	2	27	1	3.6%	50.0%
First	R6	W8-L	LKD	16.0	14.6	1.4	8.9%												
		W8-U						31.4	24.7	79%	24.7	79%	0.0	0.0%	28	8	24	4	14.3%	50.0%
First	R7	W9-L	Bedroom	29.7	28.1	1.6	5.3%												
		W9-U						16.9	15.9	94%	15.8	94%	0.1	0.3%	40	5	36	1	10.0%	80.0%
First	R8	W10-L	LKD	15.2	14.0	1.3	8.3%												
		W10-U						23.1	20.3	88%	19.4	84%	0.9	4.6%	23	6	20	3	13.0%	50.0%
First	R9	W11-L	Bedroom	27.9	25.8	2.0	7.2%												
		W11-U						12.7	9.8	77%	9.5	75%	0.4	3.7%	40	6	34	2	15.0%	66.7%
First	R10	W12-L	Bedroom	24.3	23.5	0.8	3.3%												
		W12-U						7.8	6.2	80%	6.2	80%	0.0	0.2%	20	1	19	0	5.0%	100.0%
First	R11	W13-L	LKD	12.3	10.9	1.4	11.6%												
		W13-U																	
		W14-L		7.0	4.7	2.2	31.9%												
		W14-U																	
		W15-L		5.4	4.4	1.0	18.1%												
		W15-U																	
		W16-L		4.1	3.9	0.1	3.4%												
		W16-U						36.2	27.4	76%	26.9	74%	0.5	1.7%	36	7	30	2	16.7%	71.4%
First	R13	W23-L	Bedroom	1.8	1.0	0.8	45.2%												
		W23-U						19.1	4.1	22%	4.0	21%	0.1	3.3%	5	1	5	1	0.0%	0.0%
First	R14	W24-L	Bedroom	13.5	11.4	2.2	16.0%												
		W24-U						14.6	3.9	27%	3.3	23%	0.6	15.4%	28	2	22	0	21.4%	100.0%
First	R15	W25-L	LKD	13.8	11.5	2.3	16.9%												
		W25-U																	
		W26-L		3.0	1.9	1.1	35.2%												
		W26-U																	
		W27-L		5.0	5.0	0.0	0.4%												
		W27-U						48.9	34.0	70%	29.2	60%	4.9	14.3%	41	6	33	3	19.5%	50.0%
First	R16	W28-L	LKD	8.8	6.6	2.2	25.1%												
		W28-U																	
		W29-L		3.3	2.5	0.8	24.5%												
		W29-U						35.0	20.7	59%	17.2	49%	3.5	17.0%	30	3	25	2	16.7%	33.3%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
First	R17	W30-L W30-U	Bedroom	9.5	9.2	0.3	2.8%	11.2	3.5	31%	3.2	29%	0.3	8.8%	23	2	22	2	4.3%	0.0%
First	R18	W31-L W31-U	LKD	2.9	2.3	0.7	22.1%	34.5	3.9	11%	3.3	10%	0.6	15.4%	11	1	9	1	18.2%	0.0%
First	R19	W32-L W32-U	Bedroom	10.0	9.6	0.4	4.2%	12.1	4.7	38%	4.4	36%	0.3	5.4%	25	2	24	2	4.0%	0.0%
First	R20	W33-L W33-U	LKD	4.5	3.6	0.9	20.9%	33.0	6.1	19%	5.2	16%	0.9	15.1%	18	3	15	2	16.7%	33.3%
First	R21	W34-L W34-U	Bedroom	15.4	14.3	1.2	7.7%	11.5	7.5	65%	7.1	62%	0.3	4.5%	36	7	33	4	8.3%	42.9%
First	R22	W35-L W35-U W36-L W36-U	LKD	19.1 38.1	15.5 37.3	3.6 0.9	18.8% 2.3%	36.4	28.2	78%	27.1	74%	1.1	3.9%	53	10	47	5	11.3%	50.0%
First	R23	W37-L W37-U	Bedroom	7.5	7.5	0.0	0.0%	73.9	14.0	19%	14.0	19%	0.0	0.0%	1	0	1	0	0.0%	0.0%
First	R24	W38-L W38-U	Bedroom	1.0	1.0	0.0	0.0%	17.0	11.7	69%	11.7	69%	0.0	0.0%	5	0	5	0	0.0%	0.0%
First	R25	W39-L W39-U	Bedroom	11.6	11.6	0.0	0.0%	12.9	12.6	97%	12.6	97%	0.0	0.0%	6	0	6	0	0.0%	0.0%
First	R26	W40-L W40-U	Bedroom	10.6	10.6	0.0	0.0%	12.0	6.6	55%	6.6	55%	0.0	0.0%	8	0	8	0	0.0%	0.0%
First	R27	W41-L W41-U	LKD	0.5	0.5	0.0	0.0%	27.9	7.4	26%	7.4	26%	0.0	0.0%	0	0	0	0	0.0%	0.0%
First	R28	W42-L W42-U	LKD	0.3	0.3	0.0	0.0%	27.9	5.8	21%	5.8	21%	0.0	0.0%	1	0	1	0	0.0%	0.0%
First	R29	W43-L W43-U	Bedroom	10.0	10.0	0.0	0.1%	11.9	5.3	45%	5.3	44%	0.0	0.2%	11	0	11	0	0.0%	0.0%
First	R30	W44-L W44-U	Bedroom	10.7	10.7	0.1	0.6%	12.9	6.7	52%	6.7	52%	0.0	0.0%	15	0	15	0	0.0%	0.0%
First	R31	W45-L W45-U	Bedroom	0.2	0.2	0.0	0.0%	17.0	1.7	10%	1.7	10%	0.0	0.9%	0	0	0	0	0.0%	0.0%
First	R32	W46-L W46-U	Residential	6.5	6.4	0.1	1.8%	76.4	4.4	6%	4.3	6%	0.1	1.5%	13	0	13	0	0.0%	0.0%
Second	R1	W1-L W1-U	Bedroom	31.3	31.3	0.0	0.0%	11.4	10.6	92%	10.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R2	W2-L W2-U W3-L	LKD	19.8 31.9	19.8 30.8	0.0 1.2	0.0% 3.6%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W3-U																	
		W4		32.6	31.4	1.2	3.7%	34.2	30.4	89%	30.4	89%	0.0	0.0%	50	12	44	7	12.0%	41.7%
Second	R3	W5-L	Bedroom	33.5	32.2	1.3	3.8%													
		W5-U						12.0	11.7	98%	11.7	97%	0.1	0.5%	46	11	40	6	13.0%	45.5%
Second	R4	W6-L	Bedroom	32.9	31.7	1.2	3.5%													
		W6-U						13.1	12.7	97%	12.7	97%	0.0	0.3%	43	9	38	5	11.6%	44.4%
Second	R5	W7-L	Bedroom	28.6	28.1	0.4	1.5%													
		W7-U						11.3	10.6	94%	10.6	94%	0.0	0.2%	31	6	29	4	6.5%	33.3%
Second	R6	W8-L	LKD	16.5	15.0	1.5	9.3%													
		W8-U						31.4	24.7	79%	24.7	79%	0.0	0.0%	30	11	25	6	16.7%	45.5%
Second	R7	W9-L	Bedroom	30.5	28.9	1.7	5.5%													
		W9-U						16.9	16.1	95%	16.0	95%	0.0	0.3%	42	7	36	1	14.3%	85.7%
Second	R8	W10-L	LKD	15.8	14.4	1.4	8.6%													
		W10-U						25.0	20.8	83%	19.9	80%	0.9	4.2%	24	8	19	3	20.8%	62.5%
Second	R9	W11-L	Bedroom	28.7	26.7	2.0	7.1%													
		W11-U						12.7	10.2	80%	9.9	78%	0.3	2.6%	42	8	34	2	19.0%	75.0%
Second	R10	W12-L	Bedroom	25.1	24.3	0.8	3.1%													
		W12-U						7.8	6.5	83%	6.5	83%	0.0	0.3%	24	4	21	1	12.5%	75.0%
Second	R11	W13-L	LKD	13.0	11.7	1.3	10.0%													
		W13-U																		
		W14-L		6.1	5.0	1.1	17.7%													
		W14-U																		
		W15-L		4.6	4.5	0.1	2.2%													
		W15-U						36.4	27.1	74%	27.0	74%	0.1	0.4%	33	5	29	2	12.1%	60.0%
Second	R12	W16	LKD	8.8	8.8	0.0	0.0%													
		W17-L		10.9	9.0	1.8	16.8%													
		W17-U						43.0	34.9	81%	33.6	78%	1.3	3.8%	17	4	15	2	11.8%	50.0%
Second	R13	W18-L	Bedroom	24.8	21.0	3.9	15.5%													
		W18-U						12.1	9.2	76%	7.3	60%	1.9	20.2%	29	3	21	0	27.6%	100.0%
Second	R14	W19-L	LKD	11.8	7.3	4.5	38.2%													
		W19-U						28.4	18.9	67%	8.7	31%	10.2	53.9%	22	8	10	3	54.5%	62.5%
Second	R15	W20-L	Bedroom	26.1	19.5	6.6	25.1%													
		W20-U						13.1	10.9	83%	7.7	59%	3.2	29.4%	38	10	23	4	39.5%	60.0%
Second	R16	W21-L	LKD	25.4	17.7	7.7	30.5%													
		W21-U																		
		W22-L		4.3	2.0	2.2	52.2%													
		W22-U						43.2	30.4	70%	20.5	48%	9.8	32.4%	51	12	34	6	33.3%	50.0%
Second	R17	W23-L	Bedroom	18.3	14.8	3.6	19.4%													
		W23-U						13.6	3.3	24%	3.3	24%	0.0	0.0%	52	7	40	2	23.1%	71.4%
Second	R18	W24-L	Bedroom	18.0	14.5	3.5	19.2%													
		W24-U						11.8	4.1	35%	4.1	34%	0.0	1.0%	48	7	38	2	20.8%	71.4%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Second	R19	W25-L	Bedroom	17.5	14.2	3.3	18.7%												
		W25-U						7.7	2.4	32%	2.4	31%	0.0	1.5%	46	7	37	3	19.6%	57.1%
Second	R20	W26-L	LKD	2.0	1.1	0.9	43.7%												
		W26-U						30.6	6.7	22%	5.7	19%	1.1	15.7%	7	2	7	2	0.0%	0.0%
Second	R21	W27-L	Bedroom	15.6	13.3	2.3	14.7%												
		W27-U						8.0	3.4	43%	2.8	35%	0.6	17.0%	35	3	28	0	20.0%	100.0%
Second	R22	W28-L	Bedroom	15.9	13.5	2.4	15.1%												
		W28-U						11.7	5.5	47%	4.7	40%	0.8	14.8%	38	4	30	0	21.1%	100.0%
Second	R23	W29-L	LKD	3.3	2.3	1.0	30.9%												
		W29-U																		
		W30-L		6.0	6.0	0.0	0.2%												
		W30-U						39.0	24.6	63%	23.8	61%	0.8	3.4%	24	7	21	4	12.5%	42.9%
Second	R24	W31-L	LKD	10.0	7.6	2.3	23.5%												
		W31-U																		
		W32-L		3.7	2.8	0.9	24.4%												
		W32-U						35.2	21.3	61%	18.7	53%	2.6	12.2%	31	3	27	2	12.9%	33.3%
Second	R25	W33-L	Bedroom	11.1	10.8	0.2	2.2%												
		W33-U						11.2	4.2	37%	3.9	35%	0.3	7.4%	25	2	24	2	4.0%	0.0%
Second	R26	W34-L	LKD	3.3	2.5	0.7	22.7%												
		W34-U						34.5	4.7	14%	4.1	12%	0.6	12.7%	12	1	10	1	16.7%	0.0%
Second	R27	W35-L	Bedroom	11.7	11.3	0.4	3.3%												
		W35-U						12.1	5.3	44%	5.1	42%	0.2	3.9%	31	3	30	3	3.2%	0.0%
Second	R28	W36-L	LKD	4.8	3.9	0.9	19.0%												
		W36-U						33.1	6.6	20%	5.9	18%	0.8	11.9%	19	3	16	2	15.8%	33.3%
Second	R29	W37-L	Bedroom	16.3	15.3	1.0	6.0%												
		W37-U						11.5	7.7	66%	7.4	64%	0.2	3.1%	34	7	32	5	5.9%	28.6%
Second	R30	W38-L	LKD	8.4	5.2	3.2	38.2%												
		W38-U																		
		W39-L		38.5	37.7	0.8	2.1%												
		W39-U						37.4	29.2	78%	28.1	75%	1.1	3.8%	41	11	36	6	12.2%	45.5%
Second	R31	W40-L	Bedroom	8.5	8.5	0.0	0.0%												
		W40-U						14.8	8.4	57%	8.4	57%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Second	R32	W41-L	LKD	1.4	1.4	0.0	0.0%												
		W41-U						26.1	18.0	69%	18.0	69%	0.0	0.0%	6	0	6	0	0.0%	0.0%
Second	R33	W42-L	Bedroom	13.3	13.3	0.0	0.0%												
		W42-U						12.5	11.8	95%	11.8	95%	0.0	0.0%	10	0	10	0	0.0%	0.0%
Second	R34	W43-L	Bedroom	12.1	12.1	0.0	0.0%												
		W43-U						11.1	7.6	68%	7.6	68%	0.0	0.0%	12	0	12	0	0.0%	0.0%
Second	R35	W44-L	LKD	0.7	0.7	0.0	0.0%												
		W44-U						34.5	8.8	25%	8.8	25%	0.0	0.0%	1	0	1	0	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Second	R36	W45-L W45-U	LKD	0.5	0.5	0.0	0.0%	34.4	6.4	19%	6.4	19%	0.0	0.0%	1	0	1	0	0.0%	0.0%
Second	R37	W46-L W46-U	Bedroom	11.3	11.3	0.1	0.7%	11.1	7.7	69%	7.6	68%	0.1	0.8%	13	0	13	0	0.0%	0.0%
Second	R38	W47-L W47-U	Bedroom	12.3	12.2	0.2	1.3%	12.5	8.0	64%	8.0	64%	0.0	0.0%	18	0	18	0	0.0%	0.0%
Second	R39	W48-L W48-U	LKD	0.5	0.5	0.0	1.9%	26.1	2.9	11%	2.9	11%	0.0	0.2%	2	2	2	2	0.0%	0.0%
Second	R40	W49-L W49-U	Bedroom	7.3	7.1	0.2	2.2%	14.8	5.8	39%	5.7	38%	0.1	1.9%	13	0	13	0	0.0%	0.0%
Third	R1	W1-L W1-U	Bedroom	36.4	36.4	0.0	0.0%	11.4	10.6	93%	10.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R2	W2-L W2-U	LKD	36.1	36.1	0.0	0.0%													
		W3-L W3-U		16.7	15.8	0.9	5.5%													
		W4		28.2	27.0	1.2	4.4%	34.2	30.5	89%	30.5	89%	0.0	0.0%	50	12	45	7	10.0%	41.7%
Third	R3	W5-L W5-U	Bedroom	34.0	32.7	1.3	3.9%	12.0	11.7	98%	11.7	97%	0.1	0.5%	46	11	41	6	10.9%	45.5%
Third	R4	W6-L W6-U	Bedroom	33.6	32.4	1.2	3.6%	13.1	12.7	97%	12.7	97%	0.0	0.3%	44	10	40	6	9.1%	40.0%
Third	R5	W7-L W7-U	Bedroom	29.3	28.7	0.5	1.8%	11.3	10.6	94%	10.6	94%	0.0	0.2%	32	7	30	5	6.3%	28.6%
Third	R6	W8-L W8-U	LKD	17.1	15.4	1.6	9.5%	31.4	24.7	79%	24.7	79%	0.0	0.0%	30	11	25	6	16.7%	45.5%
Third	R7	W9-L W9-U	Bedroom	31.3	29.5	1.8	5.6%	16.9	16.2	96%	16.2	96%	0.0	0.2%	43	8	37	2	14.0%	75.0%
Third	R8	W10-L W10-U	LKD	16.4	14.9	1.4	8.7%	25.0	21.2	85%	21.2	85%	0.0	0.0%	25	9	20	4	20.0%	55.6%
Third	R9	W11-L W11-U	Bedroom	29.5	27.4	2.1	7.1%	12.7	10.6	83%	10.3	81%	0.3	2.4%	43	9	35	3	18.6%	66.7%
Third	R10	W12-L W12-U	Bedroom	25.9	25.0	0.9	3.4%	7.8	6.9	88%	6.9	88%	0.0	0.1%	25	4	22	1	12.0%	75.0%
Third	R11	W13-L W13-U	LKD	13.7	12.3	1.4	10.1%													
		W14-L W14-U		7.0	5.9	1.1	16.3%													
		W15-L W15-U		5.4	5.4	0.1	1.1%	36.4	27.2	75%	27.1	74%	0.1	0.4%	36	8	31	4	13.9%	50.0%
Third	R12	W16	LKD	9.5	9.5	0.0	0.0%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W17-L		12.3	10.5	1.7	14.2%												
		W17-U						43.0	35.2	82%	34.3	80%	1.0	2.7%	21	7	17	3	19.0%	57.1%
Third	R13	W18-L	Bedroom	26.6	23.2	3.4	12.8%												
		W18-U						12.1	9.9	82%	9.2	76%	0.7	6.7%	33	4	24	0	27.3%	100.0%
Third	R14	W19-L	LKD	13.6	9.7	3.9	28.5%												
		W19-U						28.4	19.8	70%	12.2	43%	7.7	38.7%	25	10	16	4	36.0%	60.0%
Third	R15	W20-L	Bedroom	28.1	22.6	5.5	19.6%												
		W20-U						13.1	11.3	86%	10.6	81%	0.6	5.7%	42	10	31	5	26.2%	50.0%
Third	R16	W21-L	LKD	11.0	6.8	4.3	38.7%												
		W21-U																		
		W22-L		19.2	15.0	4.2	21.9%												
		W22-U						43.2	30.4	70%	26.3	61%	4.1	13.4%	68	12	57	7	16.2%	41.7%
Third	R17	W23-L	Bedroom	20.3	16.7	3.7	18.0%												
		W23-U						13.6	4.2	31%	4.2	31%	0.1	1.4%	49	7	38	2	22.4%	71.4%
Third	R18	W24-L	Bedroom	20.1	16.7	3.4	17.1%												
		W24-U						11.8	4.5	38%	4.4	38%	0.1	1.5%	51	7	41	2	19.6%	71.4%
Third	R19	W25-L	Bedroom	19.7	16.4	3.3	16.7%												
		W25-U						7.7	2.9	37%	2.7	36%	0.1	4.3%	55	7	46	3	16.4%	57.1%
Third	R20	W26-L	LKD	2.4	1.4	1.0	42.4%												
		W26-U						30.6	7.3	24%	6.5	21%	0.8	11.4%	8	2	8	2	0.0%	0.0%
Third	R21	W27-L	Bedroom	18.0	15.6	2.4	13.3%												
		W27-U						8.0	4.4	55%	3.8	47%	0.6	14.4%	41	4	35	1	14.6%	75.0%
Third	R22	W28-L	Bedroom	18.2	15.8	2.5	13.5%												
		W28-U						11.7	6.1	52%	5.5	47%	0.5	9.1%	45	6	37	2	17.8%	66.7%
Third	R23	W29-L	LKD	3.9	2.9	1.1	27.1%												
		W29-U																		
		W30-L		7.4	7.4	0.0	0.1%												
		W30-U						39.0	25.6	66%	25.0	64%	0.6	2.4%	27	7	24	4	11.1%	42.9%
Third	R24	W31-L	LKD	11.5	9.0	2.5	21.3%												
		W31-U																		
		W32-L		4.2	3.3	1.0	23.3%												
		W32-U						35.2	22.0	63%	19.6	56%	2.4	11.1%	34	5	30	4	11.8%	20.0%
Third	R25	W33-L	Bedroom	13.0	12.8	0.2	1.8%												
		W33-U						11.2	5.1	46%	4.9	43%	0.3	5.3%	30	2	30	2	0.0%	0.0%
Third	R26	W34-L	LKD	3.8	3.0	0.8	21.1%												
		W34-U						34.5	5.4	16%	4.9	14%	0.5	9.5%	14	3	11	2	21.4%	33.3%
Third	R27	W35-L	Bedroom	13.7	13.3	0.4	2.6%												
		W35-U						12.1	6.1	50%	5.9	49%	0.2	3.2%	34	3	33	3	2.9%	0.0%
Third	R28	W36-L	LKD	5.3	4.4	0.9	17.2%												
		W36-U						33.1	7.5	23%	6.7	20%	0.7	9.8%	20	4	16	2	20.0%	50.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Third	R29	W37-L	Bedroom	18.3	17.5	0.8	4.3%												
		W37-U						11.5	7.9	69%	7.7	67%	0.2	2.9%	42	8	40	6	4.8%	25.0%
Third	R30	W38-L	LKD	21.8	18.6	3.2	14.7%												
		W38-U																	
		W39-L		38.7	38.0	0.7	1.8%												
		W39-U						37.4	29.2	78%	28.4	76%	0.8	2.8%	57	11	52	6	8.8%	45.5%
Third	R31	W40-L	Bedroom	9.5	9.5	0.0	0.0%												
		W40-U						14.8	9.5	64%	9.5	64%	0.0	0.0%	4	0	4	0	0.0%	0.0%
Third	R32	W41-L	LKD	1.9	1.9	0.0	0.0%												
		W41-U						26.1	18.3	70%	18.3	70%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Third	R33	W42-L	Bedroom	15.2	15.2	0.0	0.0%												
		W42-U						12.5	12.1	97%	12.1	97%	0.0	0.0%	16	0	16	0	0.0%	0.0%
Third	R34	W43-L	Bedroom	13.6	13.6	0.0	0.1%												
		W43-U						11.1	8.3	75%	8.3	75%	0.0	0.0%	15	0	14	0	6.7%	0.0%
Third	R35	W44-L	LKD	1.1	1.1	0.0	0.0%												
		W44-U						34.5	10.1	29%	10.1	29%	0.0	0.0%	1	0	1	0	0.0%	0.0%
Third	R36	W45-L	LKD	0.9	0.9	0.0	0.0%												
		W45-U						34.4	7.9	23%	7.9	23%	0.0	0.0%	2	0	2	0	0.0%	0.0%
Third	R37	W46-L	Bedroom	12.8	12.6	0.1	1.0%												
		W46-U						11.1	9.1	82%	9.0	81%	0.1	1.1%	17	0	17	0	0.0%	0.0%
Third	R38	W47-L	Bedroom	14.2	13.9	0.3	1.9%												
		W47-U						12.5	8.9	72%	8.9	72%	0.0	0.0%	22	2	22	2	0.0%	0.0%
Third	R39	W48-L	LKD	1.0	1.0	0.1	4.9%												
		W48-U						26.1	4.2	16%	4.2	16%	0.0	0.0%	3	3	3	3	0.0%	0.0%
Third	R40	W49-L	Bedroom	8.1	7.9	0.2	2.6%												
		W49-U						14.8	6.9	47%	6.9	47%	0.0	0.3%	15	1	15	1	0.0%	0.0%
Fourth	R1	W1-L	Bedroom	31.7	31.7	0.0	0.0%												
		W1-U						11.4	10.6	92%	10.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R2	W2-L	LKD	20.4	20.4	0.0	0.0%												
		W2-U																	
		W3-L		33.3	32.0	1.2	3.7%												
		W3-U																	
		W4		33.9	32.6	1.3	3.8%	34.2	30.5	89%	30.5	89%	0.0	0.0%	52	13	48	9	7.7%	30.8%
Fourth	R3	W5-L	Bedroom	34.8	33.4	1.4	4.0%												
		W5-U						12.0	11.7	98%	11.7	97%	0.0	0.2%	47	12	43	8	8.5%	33.3%
Fourth	R4	W6-L	Bedroom	34.3	33.0	1.3	3.7%												
		W6-U						13.1	12.7	97%	12.7	97%	0.0	0.3%	44	10	41	7	6.8%	30.0%
Fourth	R5	W7-L	Bedroom	29.9	29.3	0.6	2.1%												
		W7-U						11.3	10.6	94%	10.6	94%	0.0	0.2%	32	7	30	5	6.3%	28.6%
Fourth	R6	W8-L	LKD	17.8	16.1	1.7	9.3%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W8-U						31.4	24.7	79%	24.7	79%	0.0	0.0%	30	11	26	7	13.3%	36.4%
Fourth	R7	W9-L	Bedroom	32.0	30.2	1.8	5.5%													
		W9-U						16.9	16.3	97%	16.3	96%	0.0	0.1%	43	8	38	3	11.6%	62.5%
Fourth	R8	W10-L	LKD	17.2	15.6	1.5	8.8%													
		W10-U						25.0	21.5	86%	21.5	86%	0.0	0.0%	25	9	20	4	20.0%	55.6%
Fourth	R9	W11-L	Bedroom	30.3	28.2	2.1	7.0%													
		W11-U						12.7	11.0	87%	10.8	85%	0.2	2.2%	43	9	36	3	16.3%	66.7%
Fourth	R10	W12-L	Bedroom	26.7	25.7	1.0	3.6%													
		W12-U						7.8	7.4	94%	7.4	94%	0.0	0.0%	26	5	23	2	11.5%	60.0%
Fourth	R11	W13-L	LKD	14.6	13.1	1.5	10.2%													
		W13-U																		
		W14-L		8.2	7.1	1.2	14.1%													
		W14-U																		
		W15-L		6.6	6.6	0.0	0.8%													
		W15-U						36.4	27.5	76%	27.4	75%	0.1	0.3%	39	9	34	5	12.8%	44.4%
Fourth	R12	W16	LKD	10.6	10.6	0.0	0.0%													
		W17-L		13.8	12.1	1.7	12.6%													
		W17-U						43.0	35.8	83%	35.8	83%	0.0	0.1%	22	8	20	6	9.1%	25.0%
Fourth	R13	W18-L	Bedroom	28.3	25.2	3.1	11.0%													
		W18-U						12.1	10.5	87%	10.3	84%	0.3	2.7%	36	6	30	3	16.7%	50.0%
Fourth	R14	W19-L	LKD	15.4	11.9	3.4	22.3%													
		W19-U						28.4	20.9	74%	19.9	70%	1.0	4.9%	27	11	21	6	22.2%	45.5%
Fourth	R15	W20-L	Bedroom	29.7	24.9	4.8	16.1%													
		W20-U						13.1	11.8	90%	11.8	90%	0.0	0.0%	46	13	38	8	17.4%	38.5%
Fourth	R16	W21-L	LKD	28.7	23.3	5.4	18.7%													
		W21-U																		
		W22-L		5.6	3.4	2.2	39.8%													
		W22-U						43.2	30.5	71%	27.5	64%	3.0	9.8%	58	14	46	9	20.7%	35.7%
Fourth	R17	W23-L	Bedroom	22.8	19.2	3.6	15.8%													
		W23-U						13.6	5.7	42%	5.4	40%	0.3	5.9%	62	9	51	4	17.7%	55.6%
Fourth	R18	W24-L	Bedroom	22.7	19.3	3.4	15.1%													
		W24-U						11.8	5.2	44%	5.1	43%	0.1	2.4%	59	8	49	4	16.9%	50.0%
Fourth	R19	W25-L	Bedroom	22.2	18.9	3.3	15.0%													
		W25-U						7.7	3.4	44%	3.3	42%	0.1	4.0%	56	7	46	3	17.9%	57.1%
Fourth	R20	W26-L	LKD	3.7	2.5	1.2	33.2%													
		W26-U						30.6	9.8	32%	7.4	24%	2.4	24.7%	12	5	11	4	8.3%	20.0%
Fourth	R21	W27-L	Bedroom	20.8	18.3	2.5	12.1%													
		W27-U						8.0	5.7	72%	5.3	66%	0.4	7.8%	44	5	38	2	13.6%	60.0%
Fourth	R22	W28-L	Bedroom	20.9	18.3	2.6	12.5%													
		W28-U						11.7	7.1	61%	6.8	58%	0.3	3.7%	47	7	39	3	17.0%	57.1%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fourth	R23	W29-L	LKD	4.8	3.6	1.2	24.7%												
		W29-U																	
		W30-L		9.3	9.3	0.0	0.2%												
		W30-U						39.0	26.3	67%	25.7	66%	0.5	2.0%	29	7	26	4	10.3%	42.9%
Fourth	R24	W31-L	LKD	13.4	10.9	2.5	18.8%												
		W31-U																	
		W32-L		5.3	4.2	1.1	20.3%												
		W32-U						35.2	23.1	66%	21.1	60%	2.1	9.0%	38	8	32	5	15.8%	37.5%
Fourth	R25	W33-L	Bedroom	15.4	15.1	0.2	1.4%												
		W33-U						11.2	6.6	59%	6.3	57%	0.3	4.1%	37	4	37	4	0.0%	0.0%
Fourth	R26	W34-L	LKD	4.6	3.8	0.9	18.8%												
		W34-U						34.5	6.6	19%	6.2	18%	0.4	5.6%	17	6	13	4	23.5%	33.3%
Fourth	R27	W35-L	Bedroom	16.0	15.7	0.3	2.0%												
		W35-U						12.1	7.1	59%	6.9	57%	0.2	2.6%	41	6	40	6	2.4%	0.0%
Fourth	R28	W36-L	LKD	6.0	5.2	0.9	14.6%												
		W36-U						33.1	8.8	27%	8.1	25%	0.7	7.7%	21	6	17	4	19.0%	33.3%
Fourth	R29	W37-L	Bedroom	19.6	18.9	0.7	3.7%												
		W37-U						11.5	8.4	73%	8.0	70%	0.4	4.4%	40	9	38	7	5.0%	22.2%
Fourth	R30	W38-L	LKD	9.2	6.2	3.1	33.1%												
		W38-U																	
		W39-L		38.8	38.2	0.6	1.6%												
		W39-U						37.4	29.2	78%	28.5	76%	0.7	2.4%	42	12	38	8	9.5%	33.3%
Fourth	R31	W40-L	Bedroom	10.9	10.9	0.0	0.0%												
		W40-U						14.8	10.7	73%	10.7	73%	0.0	0.0%	5	0	5	0	0.0%	0.0%
Fourth	R32	W41-L	LKD	2.8	2.8	0.0	0.0%												
		W41-U						26.1	18.8	72%	18.8	72%	0.0	0.0%	7	0	7	0	0.0%	0.0%
Fourth	R33	W42-L	Bedroom	17.3	17.3	0.0	0.0%												
		W42-U						12.5	12.3	99%	12.3	99%	0.0	0.0%	20	0	20	0	0.0%	0.0%
Fourth	R34	W43-L	Bedroom	15.1	15.0	0.1	0.9%												
		W43-U						11.1	9.1	82%	9.1	82%	0.0	0.0%	16	0	16	0	0.0%	0.0%
Fourth	R35	W44-L	LKD	2.0	2.0	0.0	0.5%												
		W44-U						34.5	12.2	35%	12.2	35%	0.0	0.0%	4	2	4	2	0.0%	0.0%
Fourth	R36	W45-L	LKD	1.5	1.5	0.0	0.0%												
		W45-U						34.4	10.1	29%	10.1	29%	0.0	0.0%	2	0	2	0	0.0%	0.0%
Fourth	R37	W46-L	Bedroom	14.3	14.1	0.2	1.1%												
		W46-U						11.1	9.8	88%	9.8	88%	0.0	0.2%	18	1	18	1	0.0%	0.0%
Fourth	R38	W47-L	Bedroom	16.3	15.9	0.4	2.3%												
		W47-U						12.5	10.0	80%	10.0	80%	0.0	0.0%	31	5	31	5	0.0%	0.0%
Fourth	R39	W48-L	LKD	2.2	2.0	0.2	9.1%												
		W48-U						26.1	6.2	24%	6.2	24%	0.0	0.0%	7	4	7	4	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fourth	R40	W49-L	Bedroom	9.2	8.8	0.3	3.7%												
		W49-U						14.8	8.1	55%	8.1	55%	0.0	0.0%	18	2	18	2	0.0%	0.0%
Fifth	R1	W1-L	Bedroom	36.7	36.7	0.0	0.0%												
		W1-U						11.4	10.6	93%	10.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R2	W2-L	LKD	36.3	36.3	0.0	0.0%												
		W2-U																	
		W3-L		17.9	16.9	1.1	5.9%												
		W3-U																	
		W4		29.4	28.1	1.3	4.4%	34.2	30.5	89%	30.5	89%	0.0	0.0%	55	15	51	11	7.3%	26.7%
Fifth	R3	W5-L	Bedroom	35.3	33.9	1.4	4.0%												
		W5-U						12.0	11.7	98%	11.7	97%	0.0	0.2%	50	13	46	9	8.0%	30.8%
Fifth	R4	W6-L	Bedroom	34.9	33.6	1.3	3.7%												
		W6-U						13.1	12.7	97%	12.7	97%	0.0	0.2%	45	11	42	8	6.7%	27.3%
Fifth	R5	W7-L	Bedroom	30.5	29.8	0.7	2.3%												
		W7-U						11.3	10.6	94%	10.6	94%	0.0	0.2%	32	7	30	5	6.3%	28.6%
Fifth	R6	W8-L	LKD	18.6	16.9	1.7	9.1%												
		W8-U						31.4	24.7	79%	24.7	79%	0.0	0.0%	32	13	28	9	12.5%	30.8%
Fifth	R7	W9-L	Bedroom	32.6	30.8	1.8	5.5%												
		W9-U						16.9	16.4	97%	16.4	97%	0.0	0.1%	45	10	40	5	11.1%	50.0%
Fifth	R8	W10-L	LKD	18.0	16.4	1.6	8.8%												
		W10-U						25.0	21.7	87%	21.7	87%	0.0	0.0%	27	11	22	6	18.5%	45.5%
Fifth	R9	W11-L	Bedroom	31.2	29.1	2.1	6.8%												
		W11-U						12.7	11.5	91%	11.3	89%	0.2	2.0%	47	10	40	4	14.9%	60.0%
Fifth	R10	W12-L	Bedroom	27.5	26.5	1.1	3.8%												
		W12-U						7.8	7.5	96%	7.5	96%	0.0	0.0%	27	6	24	3	11.1%	50.0%
Fifth	R11	W13-L	LKD	15.4	13.9	1.6	10.2%												
		W13-U																	
		W14-L		10.3	9.0	1.3	12.9%												
		W14-U																	
		W15-L		8.6	8.5	0.1	0.8%												
		W15-U						36.4	27.9	77%	27.8	76%	0.0	0.1%	41	10	36	6	12.2%	40.0%
Fifth	R12	W16	LKD	12.3	12.3	0.0	0.0%												
		W17-L		14.7	12.9	1.8	12.3%												
		W17-U						43.0	36.1	84%	36.1	84%	0.0	0.0%	23	8	21	6	8.7%	25.0%
Fifth	R13	W18-L	Bedroom	29.6	26.8	2.8	9.3%												
		W18-U						12.1	11.2	92%	10.9	90%	0.3	2.3%	36	6	30	3	16.7%	50.0%
Fifth	R14	W19-L	LKD	16.4	13.4	2.9	17.9%												
		W19-U						28.4	22.1	78%	21.8	77%	0.3	1.4%	27	11	21	6	22.2%	45.5%
Fifth	R15	W20-L	Bedroom	30.9	26.9	4.0	13.0%												
		W20-U						13.1	12.3	93%	12.3	93%	0.0	0.0%	50	12	43	7	14.0%	41.7%
Fifth	R16	W21-L	LKD	13.6	11.1	2.5	18.6%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W21-U																	
		W22-L		23.6	19.6	4.1	17.1%												
		W22-U						43.2	30.5	71%	29.9	69%	0.6	2.0%	79	16	69	11	12.7%	31.3%
Fifth	R17	W23-L	Bedroom	25.4	21.8	3.7	14.4%												
		W23-U						13.6	7.4	54%	6.8	50%	0.5	7.4%	60	12	49	7	18.3%	41.7%
Fifth	R18	W24-L	Bedroom	25.4	21.9	3.5	13.8%												
		W24-U						11.8	6.1	52%	6.0	51%	0.0	0.5%	62	12	53	8	14.5%	33.3%
Fifth	R19	W25-L	Bedroom	25.1	21.7	3.4	13.7%												
		W25-U						7.7	4.1	54%	4.1	53%	0.0	1.1%	65	11	56	7	13.8%	36.4%
Fifth	R20	W26-L	LKD	6.8	5.2	1.6	22.9%												
		W26-U						30.6	13.8	45%	9.4	31%	4.4	32.0%	18	10	15	7	16.7%	30.0%
Fifth	R21	W27-L	Bedroom	24.1	21.1	3.0	12.4%												
		W27-U						8.0	6.5	81%	5.9	74%	0.5	8.5%	48	8	43	6	10.4%	25.0%
Fifth	R22	W28-L	Bedroom	24.1	21.0	3.1	12.7%												
		W28-U						11.7	8.2	70%	8.1	69%	0.1	0.8%	52	10	45	7	13.5%	30.0%
Fifth	R23	W29-L	LKD	7.5	5.9	1.6	20.9%												
		W29-U																		
		W30-L		12.1	12.1	0.1	0.7%												
		W30-U						39.0	26.9	69%	26.6	68%	0.4	1.4%	35	10	32	7	8.6%	30.0%
Fifth	R24	W31-L	LKD	16.1	13.6	2.6	16.0%												
		W31-U																		
		W32-L		7.5	6.3	1.2	15.8%												
		W32-U						35.2	24.2	69%	22.5	64%	1.7	6.9%	44	10	39	7	11.4%	30.0%
Fifth	R25	W33-L	Bedroom	18.5	18.1	0.3	1.8%												
		W33-U						11.2	8.3	74%	8.0	72%	0.3	3.1%	42	8	40	6	4.8%	25.0%
Fifth	R26	W34-L	LKD	6.3	5.4	0.9	14.8%												
		W34-U						34.5	8.4	24%	8.4	24%	0.0	0.0%	21	9	16	6	23.8%	33.3%
Fifth	R27	W35-L	Bedroom	19.0	18.6	0.3	1.8%												
		W35-U						12.1	8.6	71%	8.4	70%	0.2	2.1%	47	8	46	8	2.1%	0.0%
Fifth	R28	W36-L	LKD	7.5	6.6	0.9	12.1%												
		W36-U						33.1	11.0	33%	10.8	33%	0.1	1.3%	25	8	22	7	12.0%	12.5%
Fifth	R29	W37-L	Bedroom	22.2	21.5	0.7	3.3%												
		W37-U						11.5	9.0	78%	8.3	72%	0.6	7.1%	50	10	48	8	4.0%	20.0%
Fifth	R30	W38-L	LKD	25.7	22.6	3.1	12.1%												
		W38-U																		
		W39-L		38.9	38.4	0.5	1.4%												
		W39-U						37.4	29.2	78%	28.6	76%	0.7	2.3%	67	15	62	10	7.5%	33.3%
Fifth	R31	W40-L	Bedroom	12.6	12.6	0.0	0.0%												
		W40-U						14.8	12.0	81%	12.0	81%	0.0	0.0%	9	0	9	0	0.0%	0.0%
Fifth	R32	W41-L	LKD	4.2	4.2	0.0	0.0%												
		W41-U						26.1	19.6	75%	19.6	75%	0.0	0.0%	7	0	7	0	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Fifth	R33	W42-L W42-U	Bedroom	19.9	19.6	0.2	1.1%	12.5	12.4	99%	12.4	99%	0.0	0.0%	22	0	21	0	4.5%	0.0%
Fifth	R34	W43-L W43-U	Bedroom	16.9	16.6	0.3	1.8%	11.1	9.8	89%	9.8	89%	0.0	0.0%	20	0	19	0	5.0%	0.0%
Fifth	R35	W44-L W44-U	LKD	3.9	3.8	0.1	3.3%	34.5	14.9	43%	14.9	43%	0.0	0.0%	11	3	11	3	0.0%	0.0%
Fifth	R36	W45-L W45-U	LKD	2.9	2.8	0.1	2.4%	34.4	12.6	36%	12.5	36%	0.0	0.1%	6	1	6	1	0.0%	0.0%
Fifth	R37	W46-L W46-U	Bedroom	16.1	15.9	0.2	1.5%	11.1	10.3	93%	10.3	93%	0.0	0.0%	21	1	21	1	0.0%	0.0%
Fifth	R38	W47-L W47-U	Bedroom	18.7	18.2	0.5	2.8%	12.5	10.7	86%	10.7	86%	0.0	0.0%	37	6	37	6	0.0%	0.0%
Fifth	R39	W48-L W48-U	LKD	3.6	3.3	0.4	10.2%	26.1	8.7	33%	8.7	33%	0.0	0.0%	11	5	11	5	0.0%	0.0%
Fifth	R40	W49-L W49-U	Bedroom	10.4	9.9	0.5	4.6%	14.8	9.1	62%	9.1	62%	0.0	0.0%	20	2	20	2	0.0%	0.0%
Sixth	R1	W1-L W1-U	Bedroom	32.4	32.4	0.0	0.0%	11.4	10.6	92%	10.6	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R2	W2-L W2-U	LKD	20.7	20.7	0.0	0.0%													
		W3-L W3-U		34.6	33.3	1.3	3.7%													
		W4		35.2	33.9	1.3	3.7%	34.2	30.5	89%	30.5	89%	0.0	0.0%	58	18	55	15	5.2%	16.7%
Sixth	R3	W5-L W5-U	Bedroom	36.1	34.7	1.4	3.9%	12.0	11.7	98%	11.7	97%	0.0	0.1%	54	14	51	11	5.6%	21.4%
Sixth	R4	W6-L W6-U	Bedroom	35.6	34.3	1.3	3.7%	13.1	12.7	97%	12.7	97%	0.0	0.1%	49	13	47	11	4.1%	15.4%
Sixth	R5	W7-L W7-U	Bedroom	31.2	30.4	0.8	2.6%	11.3	10.6	94%	10.6	94%	0.0	0.1%	34	9	32	7	5.9%	22.2%
Sixth	R6	W8-L W8-U	LKD	19.5	17.8	1.7	8.7%	31.4	24.7	79%	24.7	79%	0.0	0.0%	35	14	31	10	11.4%	28.6%
Sixth	R7	W9-L W9-U	Bedroom	33.5	31.7	1.8	5.3%	16.9	16.5	97%	16.5	97%	0.0	0.0%	46	11	41	6	10.9%	45.5%
Sixth	R8	W10-L W10-U	LKD	19.0	17.3	1.7	8.7%	25.0	22.0	88%	22.0	88%	0.0	0.0%	31	14	26	9	16.1%	35.7%
Sixth	R9	W11-L W11-U	Bedroom	32.5	30.4	2.1	6.6%	12.7	12.1	95%	11.9	94%	0.2	1.8%	53	13	46	7	13.2%	46.2%
Sixth	R10	W12-L W12-U	Bedroom	29.1	27.9	1.2	4.0%	7.8	7.5	96%	7.5	96%	0.0	0.0%	28	7	25	4	10.7%	42.9%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Sixth	R11	W13-L	LKD	16.5	14.8	1.7	10.1%												
		W13-U																	
		W14-L		13.5	11.9	1.6	12.0%												
		W14-U																	
		W15-L		11.9	11.8	0.1	0.8%												
		W15-U						36.4	27.9	77%	27.9	77%	0.0	0.0%	59	14	52	8	11.9%	42.9%
Sixth	R12	W16	LKD	15.3	15.3	0.0	0.0%												
		W17-L		15.7	13.9	1.9	11.9%												
		W17-U						43.0	36.4	85%	36.4	85%	0.0	0.0%	25	9	23	7	8.0%	22.2%
Sixth	R13	W18-L	Bedroom	31.8	29.1	2.7	8.5%												
		W18-U						12.1	11.5	94%	11.2	92%	0.3	2.2%	41	6	35	3	14.6%	50.0%
Sixth	R14	W19-L	LKD	17.5	14.5	2.9	16.7%												
		W19-U						28.4	22.7	80%	22.5	79%	0.2	0.8%	29	11	23	6	20.7%	45.5%
Sixth	R15	W20-L	Bedroom	32.5	28.6	3.9	12.0%												
		W20-U						13.1	12.5	95%	12.5	95%	0.0	0.0%	52	14	45	9	13.5%	35.7%
Sixth	R16	W21-L	LKD	33.7	29.3	4.3	12.8%												
		W21-U																	
		W22-L		10.2	7.5	2.6	25.9%												
		W22-U						43.2	30.8	71%	30.3	70%	0.4	1.4%	66	18	55	12	16.7%	33.3%
Sixth	R17	W23-L	Bedroom	28.1	24.2	3.9	13.8%												
		W23-U						13.6	9.9	72%	9.2	67%	0.7	6.7%	72	16	60	10	16.7%	37.5%
Sixth	R18	W24-L	Bedroom	28.3	24.6	3.7	13.2%												
		W24-U						11.8	8.1	69%	8.1	69%	0.0	0.1%	71	16	62	12	12.7%	25.0%
Sixth	R19	W25-L	Bedroom	28.1	24.4	3.7	13.1%												
		W25-U						7.7	5.7	74%	5.7	74%	0.0	0.0%	70	15	61	11	12.9%	26.7%
Sixth	R20	W26-L	LKD	9.4	7.6	1.8	19.4%												
		W26-U						30.6	16.5	54%	12.8	42%	3.7	22.5%	24	13	21	10	12.5%	23.1%
Sixth	R21	W27-L	Bedroom	27.9	24.4	3.5	12.5%												
		W27-U						8.0	7.3	92%	7.2	90%	0.2	2.3%	60	14	53	10	11.7%	28.6%
Sixth	R22	W28-L	Bedroom	27.9	24.4	3.5	12.6%												
		W28-U						11.7	9.4	80%	9.3	80%	0.1	0.6%	61	14	52	9	14.8%	35.7%
Sixth	R23	W29-L	LKD	10.2	8.1	2.1	20.3%												
		W29-U																	
		W30-L		16.0	15.8	0.2	1.4%												
		W30-U						39.0	27.9	71%	27.4	70%	0.5	1.8%	40	13	36	9	10.0%	30.8%
Sixth	R24	W31-L	LKD	19.7	17.0	2.7	13.5%												
		W31-U																	
		W32-L		10.4	9.1	1.3	12.3%												
		W32-U						35.2	24.6	70%	24.0	68%	0.6	2.3%	55	16	50	13	9.1%	18.8%
Sixth	R25	W33-L	Bedroom	23.1	22.7	0.4	1.8%												
		W33-U						11.2	9.5	85%	9.3	83%	0.2	2.5%	52	12	50	10	3.8%	16.7%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Sixth	R26	W34-L	LKD	8.6	7.6	1.0	11.7%													
		W34-U						34.5	12.5	36%	12.5	36%	0.0	0.0%	31	12	26	9	16.1%	25.0%
Sixth	R27	W35-L	Bedroom	23.3	22.9	0.5	2.0%													
		W35-U						12.1	9.8	81%	9.6	79%	0.2	2.3%	57	11	56	11	1.8%	0.0%
Sixth	R28	W36-L	LKD	9.4	8.4	1.0	10.3%													
		W36-U						33.1	13.6	41%	13.5	41%	0.1	0.6%	33	12	31	11	6.1%	8.3%
Sixth	R29	W37-L	Bedroom	24.3	23.4	0.9	3.7%													
		W37-U						11.5	9.7	84%	9.1	79%	0.5	5.5%	47	12	46	11	2.1%	8.3%
Sixth	R30	W38-L	LKD	12.3	9.1	3.2	25.8%													
		W38-U																		
		W39-L		39.0	38.6	0.5	1.2%													
		W39-U						37.4	29.2	78%	28.6	76%	0.7	2.2%	50	18	45	14	10.0%	22.2%
Sixth	R31	W40-L	Bedroom	14.5	14.5	0.0	0.0%													
		W40-U						14.8	13.2	89%	13.2	89%	0.0	0.0%	10	0	10	0	0.0%	0.0%
Sixth	R32	W41-L	LKD	6.2	6.2	0.0	0.2%													
		W41-U						26.1	21.1	81%	21.1	81%	0.0	0.1%	10	0	10	0	0.0%	0.0%
Sixth	R33	W42-L	Bedroom	22.7	22.1	0.6	2.5%													
		W42-U						12.5	12.4	99%	12.4	99%	0.0	0.0%	23	0	22	0	4.3%	0.0%
Sixth	R34	W43-L	Bedroom	19.7	19.2	0.5	2.7%													
		W43-U						11.1	10.5	95%	10.5	95%	0.0	0.0%	22	1	21	1	4.5%	0.0%
Sixth	R35	W44-L	LKD	6.2	5.8	0.4	6.8%													
		W44-U						34.5	20.0	58%	20.0	58%	0.0	0.0%	13	4	13	4	0.0%	0.0%
Sixth	R36	W45-L	LKD	5.3	5.0	0.3	5.9%													
		W45-U						34.4	17.9	52%	17.9	52%	0.0	0.0%	9	3	8	2	11.1%	33.3%
Sixth	R37	W46-L	Bedroom	19.2	18.8	0.4	2.3%													
		W46-U						11.1	10.7	96%	10.7	96%	0.0	0.0%	30	2	29	1	3.3%	50.0%
Sixth	R38	W47-L	Bedroom	21.4	20.7	0.7	3.2%													
		W47-U						12.5	11.7	94%	11.7	94%	0.0	0.0%	41	8	41	8	0.0%	0.0%
Sixth	R39	W48-L	LKD	5.3	4.8	0.6	10.3%													
		W48-U						26.1	10.9	42%	10.9	42%	0.0	0.0%	15	7	15	7	0.0%	0.0%
Sixth	R40	W49-L	Bedroom	12.1	11.5	0.6	5.1%													
		W49-U						14.8	10.5	71%	10.5	71%	0.0	0.0%	23	4	22	3	4.3%	25.0%
Seventh	R1	W1-L	Bedroom	39.0	39.0	0.0	0.0%													
		W1-U						11.4	10.6	93%	10.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R2	W2-L	LKD	39.5	39.5	0.0	0.0%													
		W2-U																		
		W3-L		22.3	21.0	1.3	5.7%													
		W3-U																		
		W4		31.2	29.9	1.3	4.2%	34.3	31.0	90%	31.0	90%	0.0	0.0%	59	18	56	15	5.1%	16.7%
Seventh	R3	W5-L	Bedroom	36.7	35.3	1.4	3.9%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W5-U						12.0	11.7	98%	11.7	98%	0.0	0.0%	56	16	53	13	5.4%	18.8%
Seventh	R4	W6-L	Bedroom	36.6	35.2	1.3	3.6%													
		W6-U						13.1	12.7	97%	12.7	97%	0.0	0.0%	53	13	51	11	3.8%	15.4%
Seventh	R5	W7-L	Bedroom	32.8	31.7	1.1	3.2%													
		W7-U						11.3	10.6	94%	10.6	94%	0.0	0.1%	34	11	31	8	8.8%	27.3%
Seventh	R6	W8-L	LKD	23.2	21.5	1.7	7.3%													
		W8-U						31.4	24.8	79%	24.8	79%	0.0	0.0%	43	16	39	12	9.3%	25.0%
Seventh	R7	W9-L	Bedroom	34.9	33.2	1.8	5.1%													
		W9-U						16.9	16.5	97%	16.5	97%	0.0	0.0%	53	13	48	8	9.4%	38.5%
Seventh	R8	W10-L	LKD	22.7	20.8	1.9	8.5%													
		W10-U						25.0	22.8	92%	22.8	92%	0.0	0.0%	38	15	33	10	13.2%	33.3%
Seventh	R9	W11-L	Bedroom	34.3	32.1	2.2	6.4%													
		W11-U						12.7	12.3	97%	12.1	95%	0.2	1.8%	55	15	48	9	12.7%	40.0%
Seventh	R10	W12-L	Bedroom	36.0	33.7	2.3	6.5%													
		W12-U						7.8	7.5	96%	7.5	96%	0.0	0.0%	55	15	48	9	12.7%	40.0%
Seventh	R11	W13-L	LKD	36.0	33.5	2.5	7.0%													
		W13-U																		
		W14-L		18.3	16.1	2.2	12.0%													
		W14-U																		
		W15-L		16.9	15.7	1.1	6.8%													
		W15-U						36.4	28.0	77%	28.0	77%	0.0	0.0%	74	16	67	10	9.5%	37.5%
Seventh	R12	W16	LKD	20.8	20.8	0.0	0.0%													
		W17-L		35.4	32.4	3.1	8.6%													
		W17-U						43.0	36.8	86%	36.8	86%	0.0	0.0%	56	14	50	10	10.7%	28.6%
Seventh	R13	W18-L	Bedroom	35.1	31.7	3.4	9.6%													
		W18-U						12.1	11.5	95%	11.3	93%	0.2	1.8%	52	12	44	7	15.4%	41.7%
Seventh	R14	W19-L	LKD	34.3	30.6	3.6	10.6%													
		W19-U						28.4	24.0	85%	23.8	84%	0.2	0.7%	45	11	38	6	15.6%	45.5%
Seventh	R15	W20-L	Bedroom	34.8	31.0	3.8	11.0%													
		W20-U						13.1	12.5	95%	12.5	95%	0.0	0.0%	53	14	46	9	13.2%	35.7%
Seventh	R16	W21-L	LKD	34.6	30.3	4.3	12.3%													
		W21-U																		
		W22-L		31.5	26.9	4.5	14.4%													
		W22-U						43.2	31.6	73%	31.5	73%	0.1	0.3%	88	22	79	18	10.2%	18.2%
Seventh	R17	W23-L	Bedroom	30.9	26.7	4.2	13.5%													
		W23-U						13.6	11.1	81%	9.8	72%	1.2	11.2%	75	18	62	11	17.3%	38.9%
Seventh	R18	W24-L	Bedroom	30.8	26.8	4.0	13.1%													
		W24-U						11.8	10.8	91%	10.8	91%	0.0	0.0%	75	18	65	13	13.3%	27.8%
Seventh	R19	W25-L	Bedroom	30.8	26.9	4.0	12.9%													
		W25-U						7.7	7.1	92%	7.1	92%	0.0	0.0%	76	19	66	13	13.2%	31.6%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Seventh	R20	W26-L	LKD	27.6	25.4	2.2	8.0%													
		W26-U						30.6	21.3	70%	20.7	68%	0.5	2.5%	58	16	55	13	5.2%	18.8%
Seventh	R21	W27-L	Bedroom	31.5	27.4	4.1	13.1%													
		W27-U						8.0	7.7	97%	7.6	95%	0.1	1.7%	77	21	68	14	11.7%	33.3%
Seventh	R22	W28-L	Bedroom	31.6	27.7	3.9	12.2%													
		W28-U						11.7	11.0	94%	10.9	93%	0.1	0.5%	76	20	66	13	13.2%	35.0%
Seventh	R23	W29-L	LKD	31.4	28.3	3.1	9.9%													
		W29-U																		
		W30-L		21.4	21.0	0.4	2.0%													
		W30-U						39.2	29.0	74%	28.5	73%	0.5	1.7%	73	18	64	13	12.3%	27.8%
Seventh	R24	W31-L	LKD	23.4	20.7	2.8	11.7%													
		W31-U																		
		W32-L		29.7	27.9	1.8	6.0%													
		W32-U						35.2	24.9	71%	24.7	70%	0.2	0.6%	78	21	74	18	5.1%	14.3%
Seventh	R25	W33-L	Bedroom	29.1	27.5	1.6	5.6%													
		W33-U						11.2	10.5	94%	10.3	92%	0.3	2.7%	75	18	71	16	5.3%	11.1%
Seventh	R26	W34-L	LKD	28.8	27.4	1.5	5.2%													
		W34-U						34.5	19.1	55%	19.1	55%	0.0	0.0%	75	18	70	15	6.7%	16.7%
Seventh	R27	W35-L	Bedroom	28.9	27.4	1.5	5.2%													
		W35-U						12.1	11.3	93%	11.0	91%	0.3	2.7%	74	17	70	14	5.4%	17.6%
Seventh	R28	W36-L	LKD	29.4	27.9	1.5	5.2%													
		W36-U						33.0	17.6	53%	17.2	52%	0.5	2.7%	76	19	72	16	5.3%	15.8%
Seventh	R29	W37-L	Bedroom	27.9	26.6	1.3	4.7%													
		W37-U						11.5	11.0	95%	10.9	95%	0.1	0.7%	57	15	55	13	3.5%	13.3%
Seventh	R30	W38-L	LKD	32.8	29.4	3.4	10.2%													
		W38-U																		
		W39-L		39.1	38.7	0.4	1.0%													
		W39-U						37.5	29.6	79%	28.7	77%	0.9	3.0%	78	20	74	17	5.1%	15.0%
Seventh	R31	W40-L	Bedroom	16.5	16.5	0.0	0.0%													
		W40-U						14.8	13.6	92%	13.6	92%	0.0	0.0%	14	0	14	0	0.0%	0.0%
Seventh	R32	W41-L	LKD	11.5	11.2	0.2	2.0%													
		W41-U						26.1	23.8	91%	23.6	91%	0.1	0.6%	16	1	15	0	6.3%	100.0%
Seventh	R33	W42-L	Bedroom	25.5	24.7	0.9	3.4%													
		W42-U						12.5	12.4	100%	12.4	100%	0.0	0.0%	28	3	26	2	7.1%	33.3%
Seventh	R34	W43-L	Bedroom	23.8	23.0	0.8	3.2%													
		W43-U						11.1	10.7	96%	10.7	96%	0.0	0.0%	25	3	24	2	4.0%	33.3%
Seventh	R35	W44-L	LKD	27.5	26.7	0.8	3.0%													
		W44-U						34.6	23.1	67%	23.1	67%	0.0	0.0%	37	6	36	5	2.7%	16.7%
Seventh	R36	W45-L	LKD	27.2	26.3	0.8	3.1%													
		W45-U						34.5	24.4	71%	24.4	71%	0.0	0.1%	41	9	39	7	4.9%	22.2%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Seventh	R37	W46-L W46-U	Bedroom	23.7	22.9	0.8	3.5%	11.1	10.7	96%	10.7	96%	0.0	0.0%	42	10	40	8	4.8%	20.0%
Seventh	R38	W47-L W47-U	Bedroom	24.2	23.3	0.8	3.5%	12.5	12.4	100%	12.4	100%	0.0	0.0%	46	13	45	12	2.2%	7.7%
Seventh	R39	W48-L W48-U	LKD	9.9	9.0	0.9	8.6%	26.1	17.2	66%	17.2	66%	0.0	0.0%	28	14	27	13	3.6%	7.1%
Seventh	R40	W49-L W49-U	Bedroom	14.6	13.7	0.9	5.8%	14.8	11.8	80%	11.8	80%	0.0	0.0%	25	6	24	5	4.0%	16.7%
Eighth	R1	W1-L W1-U	Bedroom	39.6	39.6	0.0	0.0%	11.4	10.6	93%	10.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R2	W2-L W2-U	LKD	39.6	39.6	0.0	0.0%													
		W3-L W3-U		37.9	36.7	1.3	3.4%													
		W4		37.9	36.6	1.3	3.4%	34.1	30.4	89%	30.4	89%	0.0	0.0%	60	18	57	15	5.0%	16.7%
Eighth	R3	W5-L W5-U	Bedroom	37.7	36.3	1.4	3.8%	12.0	11.7	98%	11.7	98%	0.0	0.0%	57	17	54	14	5.3%	17.6%
Eighth	R4	W6-L W6-U	Bedroom	37.6	36.2	1.5	3.9%	13.1	12.7	97%	12.7	97%	0.0	0.0%	57	17	54	14	5.3%	17.6%
Eighth	R5	W7-L W7-U	Bedroom	37.6	36.0	1.6	4.2%	11.3	10.6	94%	10.6	94%	0.0	0.0%	57	17	53	13	7.0%	23.5%
Eighth	R6	W8-L W8-U	LKD	37.4	35.7	1.7	4.5%	31.4	24.9	79%	24.9	79%	0.0	0.0%	57	17	53	13	7.0%	23.5%
Eighth	R7	W9-L W9-U	Bedroom	37.3	35.5	1.8	4.8%	16.9	16.5	97%	16.5	97%	0.0	0.0%	56	16	51	11	8.9%	31.3%
Eighth	R8	W10-L W10-U	LKD	36.0	34.1	2.0	5.4%	25.0	23.4	94%	23.4	94%	0.0	0.0%	56	16	51	11	8.9%	31.3%
Eighth	R9	W11-L W11-U	Bedroom	36.9	34.7	2.2	5.9%	14.5	13.3	92%	13.2	91%	0.1	0.7%	56	16	50	10	10.7%	37.5%
Eighth	R10	W12-L W12-U	Bedroom	34.3	31.9	2.4	7.0%													
		W13-L W13-U		27.9	24.8	3.1	11.0%	13.7	12.0	88%	11.6	85%	0.5	3.9%	82	15	77	11	6.1%	26.7%
Eighth	R11	W14-L W14-U	LKD	29.1	29.1	0.0	0.0%													
		W15-L W15-U		31.0	31.0	0.0	0.0%													
		W16-L W16-U		36.2	33.1	3.1	8.6%	33.3	29.1	87%	29.1	87%	0.0	0.0%	58	16	53	12	8.6%	25.0%
Eighth	R12	W17-L W17-U	Bedroom	36.0	32.6	3.4	9.4%	11.4	10.7	94%	10.2	89%	0.5	4.8%	56	16	49	11	12.5%	31.3%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Eighth	R13	W18-L	Bedroom	35.9	32.3	3.6	10.1%													
		W18-U						13.1	12.6	97%	12.5	96%	0.1	1.0%	56	16	49	11	12.5%	31.3%
Eighth	R14	W19-L	Bedroom	35.8	31.9	3.8	10.7%													
		W19-U						15.7	14.9	95%	13.8	88%	1.1	7.5%	54	14	47	10	13.0%	28.6%
Eighth	R15	W20-L	LKD	35.7	31.6	4.1	11.4%													
		W20-U																		
		W21-L		33.8	28.8	5.0	14.9%													
		W21-U																		
		W22-L		33.6	28.7	4.9	14.6%													
		W22-U						34.1	31.5	92%	31.4	92%	0.1	0.3%	93	25	84	20	9.7%	20.0%
Eighth	R16	W23-L	Bedroom	33.8	29.1	4.7	13.8%													
		W23-U																		
		W24-L		33.8	29.3	4.6	13.4%													
		W24-U						15.8	15.2	96%	15.0	95%	0.1	0.7%	81	24	73	19	9.9%	20.8%
Eighth	R17	W25-L	Bedroom	33.9	29.4	4.5	13.3%													
		W25-U						11.4	11.1	97%	11.0	96%	0.1	1.0%	81	24	73	18	9.9%	25.0%
Eighth	R18	W26-L	Bedroom	33.8	29.7	4.1	12.1%													
		W26-U						8.5	8.3	98%	8.3	98%	0.0	0.0%	81	24	73	18	9.9%	25.0%
Eighth	R19	W27-L	LKD	33.7	30.0	3.7	10.9%													
		W27-U																		
		W28-L		29.6	28.9	0.7	2.4%													
		W28-U						39.1	30.9	79%	30.5	78%	0.5	1.5%	79	22	71	17	10.1%	22.7%
Eighth	R20	W29-L	LKD	28.3	25.8	2.5	8.8%													
		W29-U																		
		W30-L		29.1	26.5	2.6	8.9%													
		W30-U																		
		W31-L		32.5	30.0	2.5	7.6%													
		W31-U																		
		W32-L		32.5	30.1	2.4	7.4%													
		W32-U						42.1	34.8	83%	34.8	83%	0.0	0.1%	86	25	84	23	2.3%	8.0%
Eighth	R21	W33-L	Bedroom	32.6	30.3	2.3	7.0%													
		W33-U						9.7	8.7	90%	8.6	89%	0.1	0.8%	79	22	76	19	3.8%	13.6%
Eighth	R22	W34-L	Bedroom	32.7	30.4	2.3	7.0%													
		W34-U						10.7	10.3	96%	10.3	96%	0.0	0.0%	76	22	71	18	6.6%	18.2%
Eighth	R23	W35-L	Bedroom	32.2	29.9	2.4	7.3%													
		W35-U						15.2	14.8	97%	14.7	97%	0.1	0.6%	75	24	69	19	8.0%	20.8%
Eighth	R24	W36-L	Bedroom	33.7	31.0	2.7	8.1%													
		W36-U						11.7	11.4	98%	11.3	96%	0.1	1.2%	83	26	77	21	7.2%	19.2%
Eighth	R25	W37-L	LKD	34.7	31.3	3.4	9.9%													
		W37-U																		
		W38-L		39.3	38.9	0.4	1.0%													
		W38-U						43.6	33.4	77%	32.7	75%	0.7	2.1%	85	26	81	23	4.7%	11.5%
Eighth	R26	W39-L	Bedroom	19.3	19.3	0.0	0.0%													
		W39-U						14.8	14.0	95%	14.0	95%	0.0	0.0%	17	1	17	1	0.0%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
Eighth	R27	W40-L W40-U	LKD	14.0	13.6	0.4	2.9%	26.1	24.5	94%	24.4	93%	0.1	0.6%	19	2	18	1	5.3%	50.0%
Eighth	R28	W41-L W41-U	Bedroom	29.3	28.1	1.2	4.1%	12.8	12.4	97%	12.4	97%	0.0	0.0%	37	4	34	2	8.1%	50.0%
Eighth	R29	W42-L W42-U	Bedroom	19.8	19.8	0.0	0.0%	6.7	6.4	96%	6.4	96%	0.0	0.0%	16	2	16	2	0.0%	0.0%
Eighth	R30	W43-L W43-U	LKD	29.0	27.8	1.1	3.9%	28.9	21.6	75%	21.6	75%	0.0	0.0%	39	8	37	6	5.1%	25.0%
Eighth	R31	W44-L W44-U	LKD	28.7	27.7	1.1	3.8%	29.1	22.4	77%	21.7	75%	0.6	2.8%	47	11	45	9	4.3%	18.2%
Eighth	R32	W45-L W45-U	Bedroom	20.4	19.3	1.1	5.2%	6.7	6.4	96%	6.3	95%	0.1	1.3%	47	12	45	10	4.3%	16.7%
Eighth	R33	W46-L W46-U	Bedroom	27.6	26.6	1.0	3.6%	12.8	12.5	97%	12.5	97%	0.0	0.0%	51	16	50	15	2.0%	6.3%
Eighth	R34	W47-L W47-U	LKD	12.4	11.4	1.0	8.1%	26.3	23.7	90%	23.7	90%	0.0	0.0%	31	15	30	14	3.2%	6.7%
Eighth	R35	W48-L W48-U	Bedroom	18.2	17.3	1.0	5.3%	14.8	13.8	94%	13.8	94%	0.0	0.0%	36	8	35	7	2.8%	12.5%
Ninth	R1	W1-L W1-U	LKD	34.2	34.2	0.0	0.0%													
		W2-L W2-U		38.8	38.8	0.0	0.0%													
		W3-L W3-U		39.1	39.1	0.0	0.0%													
		W4-L W4-U		38.1	36.8	1.3	3.4%	37.0	36.9	100%	36.9	100%	0.0	0.0%	58	17	55	14	5.2%	17.6%
Ninth	R2	W5-L W5-U	Bedroom	38.0	36.6	1.4	3.6%	10.4	10.2	98%	10.2	98%	0.0	0.0%	57	17	54	14	5.3%	17.6%
Ninth	R3	W6-L W6-U	Bedroom	37.9	36.5	1.4	3.7%	12.9	12.9	99%	12.9	99%	0.0	0.0%	57	17	54	14	5.3%	17.6%
Ninth	R4	W7-L W7-U	Bedroom	37.8	36.3	1.6	4.2%	11.1	11.0	99%	11.0	99%	0.0	0.0%	57	17	53	13	7.0%	23.5%
Ninth	R5	W8-L W8-U	LKD	37.7	36.1	1.7	4.4%													
		W9-L W9-U		37.6	35.9	1.8	4.7%	32.8	29.5	90%	29.4	90%	0.1	0.2%	57	17	52	12	8.8%	29.4%
Ninth	R6	W10-L W10-U	LKD	18.3	17.5	0.8	4.4%													
		W11-L W11-U		18.1	18.1	0.0	0.0%	38.2	27.8	73%	27.8	73%	0.1	0.2%	30	7	27	4	10.0%	42.9%
Ninth	R7	W12-L	Bedroom	36.4	34.0	2.3	6.4%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W12-U																	
		W13-L		32.6	29.6	3.0	9.1%												
		W13-U						10.9	10.9	100%	10.9	100%	0.0	0.0%	92	24	87	20	5.4%	16.7%
Ninth	R8	W14-L	LKD	33.2	33.2	0.0	0.0%												
		W14-U																	
		W15-L		8.6	8.6	0.0	0.3%												
		W15-U						31.3	28.7	92%	28.7	92%	0.0	0.0%	17	3	17	3	0.0%	0.0%
Ninth	R9	W16-L	Bedroom	6.8	6.8	0.0	0.0%												
		W16-U																	
		W17-L		36.8	33.4	3.3	9.0%												
		W17-U						14.2	12.6	89%	12.6	89%	0.0	0.1%	56	16	50	11	10.7%	31.3%
Ninth	R10	W18-L	Bedroom	36.7	33.1	3.5	9.7%												
		W18-U						13.0	12.1	94%	12.1	94%	0.0	0.0%	56	16	50	11	10.7%	31.3%
Ninth	R11	W19-L	LKD	36.6	32.8	3.8	10.3%												
		W19-U																	
		W20-L		8.1	7.1	1.0	12.4%												
		W20-U																	
		W21-L		0.0	0.0	0.0	0.0%												
		W21-U						31.0	22.3	72%	22.3	72%	0.0	0.0%	63	23	55	18	12.7%	21.7%
Ninth	R12	W22-L	Bedroom	35.4	30.2	5.2	14.6%												
		W22-U						7.9	7.6	95%	7.5	94%	0.1	1.2%	83	26	73	19	12.0%	26.9%
Ninth	R14	W24-L	Bedroom	35.2	30.4	4.9	13.8%												
		W24-U						11.8	11.0	93%	9.8	83%	1.2	10.7%	83	26	74	19	10.8%	26.9%
Ninth	R15	W25-L	Bedroom	35.2	30.6	4.6	13.1%												
		W25-U						10.8	10.6	98%	10.5	97%	0.1	0.9%	83	26	74	19	10.8%	26.9%
Ninth	R16	W26-L	Bedroom	35.1	30.8	4.2	12.1%												
		W26-U																	
		W27-L		7.5	6.5	1.0	13.1%												
		W27-U						7.9	7.8	98%	7.8	98%	0.0	0.0%	82	25	74	19	9.8%	24.0%
Ninth	R17	W28-L	LKD	10.9	8.9	1.9	17.7%												
		W28-U																	
		W29-L		32.7	31.9	0.8	2.6%												
		W29-U																	
		W30-L		32.0	31.2	0.8	2.5%												
		W30-U						32.4	26.7	82%	26.7	82%	0.0	0.0%	42	17	39	14	7.1%	17.6%
Ninth	R18	W31-L	LKD	33.8	31.3	2.5	7.3%												
		W31-U																	
		W32-L		34.0	31.5	2.5	7.4%												
		W32-U																	
		W33-L		10.3	7.9	2.4	23.1%												
		W33-U																	
		W34-L		6.7	5.3	1.4	20.9%												
		W34-U																	
		W35-L		34.6	31.6	3.0	8.6%												
		W35-U						31.9	30.5	96%	30.5	96%	0.0	0.0%	93	26	91	24	2.2%	7.7%
Ninth	R19	W36-L	Bedroom	34.7	31.8	2.9	8.2%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W36-U						11.7	11.5	99%	11.5	99%	0.0	0.0%	84	27	80	23	4.8%	14.8%
Ninth	R20	W37-L	Bedroom	34.8	31.9	2.9	8.3%													
		W37-U						7.3	7.1	97%	7.1	97%	0.0	0.0%	85	28	80	24	5.9%	14.3%
Ninth	R21	W38-L	Bedroom	35.1	32.1	3.0	8.4%													
		W38-U						11.9	11.5	97%	11.5	97%	0.0	0.4%	85	28	80	24	5.9%	14.3%
Ninth	R22	W39-L	LKD	27.6	25.4	2.2	8.0%													
		W39-U																		
		W40-L		35.6	32.3	3.3	9.2%													
		W40-U																		
		W41-L		39.0	38.6	0.4	1.0%													
		W41-U						40.3	38.1	95%	38.0	95%	0.0	0.0%	83	26	79	23	4.8%	11.5%
Ninth	R23	W42-L	Bedroom	24.1	24.1	0.0	0.0%													
		W42-U						14.3	14.0	97%	14.0	97%	0.0	0.0%	19	1	19	1	0.0%	0.0%
Ninth	R24	W43-L	Bedroom	30.1	29.5	0.6	2.1%													
		W43-U						12.1	12.1	100%	12.1	100%	0.0	0.0%	36	2	34	1	5.6%	50.0%
Ninth	R25	W44-L	LKD	33.6	32.1	1.5	4.5%													
		W44-U						42.2	28.0	66%	28.0	66%	0.0	0.0%	50	11	47	9	6.0%	18.2%
Ninth	R26	W45-L	LKD	32.2	31.0	1.2	3.6%													
		W45-U						42.1	27.7	66%	27.5	65%	0.2	0.8%	55	17	54	16	1.8%	5.9%
Ninth	R27	W46-L	Bedroom	28.9	27.8	1.1	3.9%													
		W46-U						11.8	11.8	100%	11.8	100%	0.0	0.0%	53	17	52	16	1.9%	5.9%
Ninth	R28	W47-L	Bedroom	23.6	22.5	1.1	4.6%													
		W47-U						14.3	14.0	98%	13.9	97%	0.1	0.7%	52	17	51	16	1.9%	5.9%
Tenth	R1	W1-L	Studio	39.6	39.6	0.0	0.0%													
		W1-U																		
		W2-L		39.6	39.6	0.0	0.0%													
		W2-U																		
		W3-L		39.6	39.6	0.0	0.0%													
		W3-U																		
		W4-L		39.6	39.6	0.0	0.0%													
		W4-U																		
		W5-L		38.6	37.4	1.3	3.3%													
		W5-U																		
		W6-L		38.6	37.2	1.3	3.5%													
		W6-U																		
		W7-L		38.5	37.1	1.4	3.6%													
		W7-U																		
		W8-L		38.4	37.0	1.5	3.8%													
		W8-U						94.4	94.2	100%	94.2	100%	0.0	0.0%	60	18	57	15	5.0%	16.7%
Tenth	R2	W9-L	Studio	38.4	36.8	1.6	4.1%													
		W9-U																		
		W10-L		38.3	36.6	1.7	4.3%													
		W10-U																		
		W11-L		38.3	36.5	1.7	4.5%													
		W11-U						39.0	36.3	93%	35.6	91%	0.7	1.9%	57	17	53	13	7.0%	23.5%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Tenth	R3	W12-L	Studio	38.2	36.4	1.8	4.7%													
		W12-U																		
		W13-L		38.1	36.1	2.0	5.3%													
		W13-U																		
		W14-L		36.1	32.4	3.7	10.2%													
		W14-U						39.7	38.2	96%	38.2	96%	0.0	0.0%	96	28	90	22	6.3%	21.4%
Tenth	R5	W16-L	LKD	36.9	34.5	2.4	6.6%													
		W16-U																		
		W17-L		36.1	32.7	3.4	9.3%													
		W17-U																		
		W18-L		36.3	32.9	3.4	9.3%													
		W18-U						40.4	38.2	94%	38.2	94%	0.0	0.1%	96	29	92	25	4.2%	13.8%
Tenth	R6	W19-L	Bedroom	36.4	33.0	3.4	9.3%													
		W19-U																		
		W20-L		36.5	33.1	3.4	9.3%													
		W20-U						11.6	11.5	99%	11.5	99%	0.0	0.0%	85	28	80	24	5.9%	14.3%
Tenth	R7	W21-L	LKD	36.5	33.2	3.3	9.1%													
		W21-U																		
		W22-L		36.6	33.2	3.3	9.1%													
		W22-U																		
		W23-L		8.4	8.0	0.4	4.9%													
		W23-U																		
		W24-L		9.3	7.1	2.3	24.1%													
		W24-U						40.6	38.9	96%	38.5	95%	0.4	1.0%	87	28	83	25	4.6%	10.7%
Tenth	R8	W25-L	Bedroom	29.7	29.6	0.0	0.1%													
		W25-U						10.7	10.4	97%	10.4	97%	0.0	0.0%	34	2	34	2	0.0%	0.0%
Tenth	R9	W26-L	Bedroom	34.5	33.5	1.0	2.8%													
		W26-U						7.7	7.4	96%	7.4	96%	0.0	0.0%	50	11	48	9	4.0%	18.2%
Tenth	R10	W27-L	LKD	32.0	30.3	1.6	5.1%													
		W27-U																		
		W28-L		36.0	36.0	0.0	0.0%													
		W28-U						30.8	26.7	87%	26.7	87%	0.0	0.0%	36	6	34	4	5.6%	33.3%
Tenth	R11	W29-L	LKD	35.4	33.9	1.6	4.4%													
		W29-U																		
		W30-L		31.0	29.8	1.2	4.0%													
		W30-U						30.5	26.2	86%	26.2	86%	0.0	0.0%	96	29	94	27	2.1%	6.9%
Tenth	R12	W31-L	Bedroom	33.5	32.3	1.2	3.6%													
		W31-U						7.7	7.4	96%	7.4	96%	0.0	0.3%	58	19	57	18	1.7%	5.3%
Tenth	R13	W32-L	Bedroom	29.0	27.8	1.2	4.1%													
		W32-U						10.7	10.4	97%	10.4	97%	0.0	0.0%	54	19	53	18	1.9%	5.3%
165-195 High cross road																				
Ground	R1	W1-L	Residential	31.9	25.4	6.5	20.4%													
		W1-U																		
		W2-L		2.1	1.2	0.8	40.1%													
		W2-U																		
		W3-L		1.6	1.2	0.4	26.3%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W3-U						14.2	14.1	99%	13.5	95%	0.6	4.5%	27	2	16	2	40.7%	0.0%
Ground	R2	W4-L	Residential	8.2	3.7	4.5	55.1%													
		W4-U																		
		W5-L		7.4	4.0	3.4	46.4%													
		W5-U																		
		W6-L		7.8	4.6	3.2	41.4%													
		W6-U						16.2	15.5	96%	15.1	93%	0.4	2.8%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W7-L	Residential	6.0	2.3	3.6	61.2%													
		W7-U																		
		W8-L		7.8	4.0	3.7	48.1%													
		W8-U																		
		W9-L		10.6	6.3	4.2	40.1%													
		W9-U						16.2	15.3	95%	13.6	84%	1.7	11.3%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R4	W10-L	Residential	4.5	4.5	0.0	0.0%													
		W10-U																		
		W11-L		2.4	2.4	0.0	0.0%													
		W11-U																		
		W12-L		31.5	23.6	7.9	25.0%													
		W12-U						14.1	14.1	100%	13.0	92%	1.1	7.5%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R5	W13-L	Residential	31.2	23.1	8.1	26.0%													
		W13-U																		
		W14-L		1.7	1.7	0.0	0.0%													
		W14-U																		
		W15-L		0.9	0.8	0.1	7.9%													
		W15-U						14.1	14.1	100%	13.4	95%	0.7	4.9%	24	3	15	3	37.5%	0.0%
Ground	R6	W16-L	Residential	7.4	2.5	5.0	66.8%													
		W16-U																		
		W17-L		6.7	3.0	3.8	56.0%													
		W17-U																		
		W18-L		7.5	3.7	3.8	50.9%													
		W18-U						16.2	15.2	94%	13.3	82%	1.9	12.8%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R7	W19-L	Residential	5.4	1.6	3.8	70.3%													
		W19-U																		
		W20-L		7.1	3.3	3.8	53.2%													
		W20-U																		
		W21-L		10.4	5.5	4.9	47.3%													
		W21-U						16.2	15.2	94%	13.2	81%	2.1	13.6%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R8	W22-L	Residential	5.3	5.1	0.2	4.3%													
		W22-U																		
		W23-L		5.2	5.2	0.0	0.0%													
		W23-U																		
		W24-L		30.4	21.5	8.9	29.4%													
		W24-U																		
		W25-L		31.4	29.5	1.9	6.1%													
		W25-U						14.1	14.1	100%	13.9	98%	0.2	1.4%	66	22	63	22	4.5%	0.0%
First	R1	W1-L	Residential	32.2	25.8	6.5	20.1%													
		W1-U																		
		W2-L		4.9	4.0	1.0	19.4%													
		W2-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W3-L		3.7	2.2	1.5	40.9%													
		W3-U						14.2	14.1	99%	13.7	97%	0.4	2.6%	27	2	17	2	37.0%	0.0%
First	R2	W4-L	Residential	9.9	4.8	5.1	51.8%													
		W4-U																		
		W5-L		9.5	5.3	4.2	44.6%													
		W5-U																		
		W6-L		10.6	6.4	4.3	40.1%													
		W6-U						15.9	15.3	96%	14.9	94%	0.3	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W7-L	Residential	9.7	5.2	4.5	46.3%													
		W7-U																		
		W8-L		10.7	6.1	4.6	42.8%													
		W8-U																		
		W9-L		13.2	8.6	4.7	35.4%													
		W9-U						15.9	15.2	96%	14.0	88%	1.2	7.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R4	W10-L	Residential	7.9	7.9	0.0	0.0%													
		W10-U																		
		W11-L		7.3	7.3	0.0	0.0%													
		W11-U																		
		W12-L		31.9	24.1	7.8	24.6%													
		W12-U						14.1	14.0	99%	12.9	92%	1.1	7.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W13-L	Residential	31.6	23.5	8.1	25.7%													
		W13-U																		
		W14-L		5.2	5.0	0.2	3.9%													
		W14-U																		
		W15-L		3.6	2.2	1.5	40.2%													
		W15-U						14.1	14.0	100%	13.1	93%	0.9	6.8%	25	3	15	3	40.0%	0.0%
First	R6	W16-L	Residential	9.3	3.7	5.6	59.7%													
		W16-U																		
		W17-L		8.8	4.1	4.8	54.2%													
		W17-U																		
		W18-L		10.0	5.1	4.9	48.7%													
		W18-U						15.9	15.0	94%	13.5	85%	1.5	9.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W19-L	Residential	9.0	4.0	4.9	54.9%													
		W19-U																		
		W20-L		10.0	5.0	4.9	49.4%													
		W20-U																		
		W21-L		12.8	7.5	5.3	41.3%													
		W21-U						15.9	14.9	94%	13.2	83%	1.7	11.6%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W22-L	Residential	7.9	7.7	0.2	2.3%													
		W22-U																		
		W23-L		7.5	7.5	0.0	0.0%													
		W23-U																		
		W24-L		30.8	21.9	8.9	29.0%													
		W24-U																		
		W25-L		32.4	30.5	1.9	6.0%													
		W25-U						14.1	14.1	100%	13.9	98%	0.2	1.2%	69	24	66	24	4.3%	0.0%
Second	R1	W1-L	Residential	32.7	26.3	6.4	19.7%													
		W1-U																		
		W2-L		2.6	1.9	0.7	27.3%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W2-U																		
		W3-L		2.0	1.4	0.6	31.0%													
		W3-U						14.2	14.1	99%	13.8	97%	0.3	1.9%	30	3	19	3	36.7%	0.0%
Second	R2	W4-L	Residential	7.6	3.2	4.4	57.5%													
		W4-U																		
		W5-L		6.5	3.3	3.3	49.9%													
		W5-U																		
		W6-L		7.4	4.1	3.3	44.9%													
		W6-U						15.9	15.2	95%	14.9	94%	0.3	1.8%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W7-L	Residential	6.7	3.2	3.5	51.9%													
		W7-U																		
		W8-L		7.4	3.9	3.6	47.8%													
		W8-U																		
		W9-L		10.4	6.2	4.1	39.9%													
		W9-U						15.9	15.0	94%	13.7	86%	1.3	9.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R4	W10-L	Residential	5.8	5.8	0.0	0.0%													
		W10-U																		
		W11-L		4.9	4.9	0.0	0.0%													
		W11-U																		
		W12-L		32.3	24.5	7.8	24.1%													
		W12-U						14.1	14.0	99%	13.3	94%	0.8	5.4%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W13-L	Residential	32.1	24.0	8.1	25.2%													
		W13-U																		
		W14-L		2.7	2.6	0.1	5.2%													
		W14-U																		
		W15-L		1.9	1.2	0.7	38.2%													
		W15-U						14.1	14.0	100%	13.2	94%	0.8	5.7%	27	4	18	4	33.3%	0.0%
Second	R6	W16-L	Residential	7.2	2.5	4.7	65.0%													
		W16-U																		
		W17-L		6.0	2.5	3.6	59.4%													
		W17-U																		
		W18-L		6.9	3.3	3.6	52.7%													
		W18-U						15.9	14.9	94%	13.2	83%	1.8	11.8%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W19-L	Residential	6.1	2.5	3.6	59.1%													
		W19-U																		
		W20-L		6.9	3.3	3.6	52.5%													
		W20-U																		
		W21-L		9.9	5.5	4.5	45.1%													
		W21-U						15.9	14.9	94%	13.0	82%	1.9	12.9%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R8	W22-L	Residential	5.8	5.6	0.2	3.1%													
		W22-U																		
		W23-L		5.0	5.0	0.0	0.0%													
		W23-U																		
		W24-L		31.3	22.4	8.9	28.5%													
		W24-U																		
		W25-L		33.4	31.5	2.0	5.9%													
		W25-U						14.1	14.1	100%	13.9	98%	0.2	1.2%	71	25	68	25	4.2%	0.0%
Third	R1	W1-L	Residential	32.9	26.5	6.4	19.4%													
		W1-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W2-L		2.6	2.2	0.4	15.1%												
		W2-U																	
		W3-L		1.6	0.9	0.7	43.9%												
		W3-U						14.2	14.1	99%	13.9	98%	0.2	1.6%	30	4	20	4	33.3%	0.0%
Third	R2	W4-L	Residential	7.5	3.2	4.3	57.3%												
		W4-U																	
		W5-L		5.7	2.8	2.9	51.2%												
		W5-U																	
		W6-L		6.3	3.4	2.9	46.7%												
		W6-U						15.9	15.2	95%	14.8	93%	0.4	2.4%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W7-L	Residential	4.9	1.9	3.1	62.4%												
		W7-U																	
		W8-L		6.1	3.0	3.2	51.6%												
		W8-U																	
		W9-L		9.9	5.9	4.1	40.8%												
		W9-U						15.9	14.9	94%	13.4	84%	1.5	10.3%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W10-L	Residential	5.3	5.3	0.0	0.0%												
		W10-U																	
		W11-L		4.2	4.2	0.0	0.0%												
		W11-U																	
		W12-L		32.4	24.7	7.7	23.9%												
		W12-U						14.1	14.1	100%	13.8	98%	0.3	2.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W13-L	Residential	32.2	24.2	8.0	25.0%												
		W13-U																	
		W14-L		2.9	2.9	0.0	0.0%												
		W14-U																	
		W15-L		1.4	1.1	0.3	23.8%												
		W15-U						14.1	14.1	100%	13.8	98%	0.3	2.2%	28	5	17	5	39.3%	0.0%
Third	R6	W16-L	Residential	7.0	2.3	4.7	66.8%												
		W16-U																	
		W17-L		5.2	2.1	3.2	60.2%												
		W17-U																	
		W18-L		5.9	2.7	3.2	54.0%												
		W18-U						15.9	14.9	94%	13.0	82%	2.0	13.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W19-L	Residential	4.5	1.3	3.2	70.2%												
		W19-U																	
		W20-L		5.6	2.5	3.1	55.7%												
		W20-U																	
		W21-L		9.5	5.2	4.4	45.8%												
		W21-U						15.9	14.9	94%	12.8	80%	2.1	14.3%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R8	W22-L	Residential	5.2	5.2	0.0	0.0%												
		W22-U																	
		W23-L		4.3	4.3	0.0	0.0%												
		W23-U																	
		W24-L		31.5	22.6	8.9	28.3%												
		W24-U																	
		W25-L		34.0	32.0	2.0	5.8%												
		W25-U						14.1	14.1	100%	13.9	99%	0.1	1.1%	71	25	67	25	5.6%	0.0%

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
First	R1	W1-L	LKD	30.4	29.4	1.0	3.3%												
		W1-U																	
		W2-L		30.5	29.1	1.5	4.8%												
		W2-U																	
		W3-L		16.8	2.8	14.0	83.1%												
		W3-U						38.0	26.7	70%	26.3	69%	0.4	1.6%	46	13	46	13	0.0%	0.0%
First	R2	W4-L	Bedroom	30.4	2.6	27.8	91.5%												
		W4-U						12.1	10.8	89%	1.6	13%	9.2	85.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W5-L	Bedroom	31.0	2.9	28.2	90.8%												
		W5-U						12.5	11.6	93%	1.8	15%	9.8	84.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R4	W6-L	Bedroom	30.5	2.5	28.1	92.0%												
		W6-U						13.0	12.4	96%	0.7	6%	11.7	94.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W7-L	LKD	29.7	2.1	27.7	93.1%												
		W7-U																	
		W8-L		8.9	0.0	8.9	99.9%												
		W8-U						39.5	28.9	73%	0.6	2%	28.3	97.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W9-L	Bedroom	14.6	2.1	12.5	85.4%												
		W9-U						13.6	12.6	93%	0.5	4%	12.1	95.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W10-L	Studio	12.4	1.1	11.3	91.3%												
		W10-U						37.2	16.5	44%	1.0	3%	15.5	94.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R1	W1-L	LKD	32.8	31.8	1.0	3.0%												
		W1-U																	
		W2-L		32.9	31.5	1.4	4.3%												
		W2-U																	
		W3-L		18.0	3.1	14.9	83.0%												
		W3-U						38.0	27.9	73%	27.3	72%	0.6	2.0%	48	14	48	14	0.0%	0.0%
Second	R2	W4-L	Bedroom	31.7	3.7	28.0	88.2%												
		W4-U						12.1	10.9	90%	1.0	8%	9.9	90.9%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W5-L	Bedroom	32.4	3.9	28.5	88.0%												
		W5-U						12.5	11.7	93%	1.9	15%	9.7	83.6%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R4	W6-L	Bedroom	31.9	3.2	28.7	90.0%												
		W6-U						13.0	12.4	96%	0.3	2%	12.1	97.8%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W7-L	LKD	31.1	2.6	28.5	91.6%												
		W7-U																	
		W8-L		9.6	0.0	9.6	100.0%												
		W8-U						39.5	29.5	75%	0.6	2%	28.9	97.9%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W9-L	Bedroom	15.6	2.7	12.9	82.5%												
		W9-U						13.6	12.8	94%	0.7	5%	12.1	94.8%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W10-L	Studio	13.3	1.6	11.7	88.2%												
		W10-U						37.2	17.7	48%	1.2	3%	16.6	93.4%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	LKD	34.7	33.8	0.9	2.7%												
		W1-U																	

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W2-L		34.8	33.5	1.3	3.6%												
		W2-U																	
		W3-L		19.0	4.1	14.9	78.3%												
		W3-U						38.0	30.4	80%	29.8	78%	0.6	1.9%	50	16	50	16	0.0%	0.0%
Third	R2	W4-L	Bedroom	32.7	4.9	27.8	84.9%												
		W4-U						12.1	10.9	90%	1.6	13%	9.3	85.3%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W5-L	Bedroom	33.4	4.9	28.6	85.5%												
		W5-U						12.5	11.7	94%	2.3	18%	9.5	80.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W6-L	Bedroom	33.0	4.0	29.0	87.8%												
		W6-U						13.0	12.4	96%	0.4	3%	12.1	97.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W7-L	LKD	32.2	3.3	28.9	89.8%												
		W7-U																	
		W8-L		10.3	0.0	10.3	100.0%												
		W8-U						39.5	30.1	76%	0.9	2%	29.2	96.9%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W9-L	Bedroom	16.8	3.5	13.3	79.2%												
		W9-U						13.6	12.9	95%	0.9	6%	12.0	93.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W10-L	Studio	15.4	3.4	12.0	78.2%												
		W10-U						37.2	18.6	50%	2.2	6%	16.5	88.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R1	W1-L	LKD	36.4	35.5	0.9	2.4%												
		W1-U																	
		W2-L		36.4	35.3	1.1	3.0%												
		W2-U																	
		W3-L		20.0	5.2	14.8	74.0%												
		W3-U						38.0	32.7	86%	32.2	85%	0.6	1.7%	51	16	51	16	0.0%	0.0%
Fourth	R2	W4-L	Bedroom	33.7	6.2	27.5	81.6%												
		W4-U						12.1	11.0	91%	1.8	15%	9.2	83.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R3	W5-L	Bedroom	34.5	5.9	28.6	82.9%												
		W5-U						12.5	11.8	95%	2.4	19%	9.4	80.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R4	W6-L	Bedroom	34.1	4.9	29.2	85.6%												
		W6-U						13.0	12.4	96%	0.6	4%	11.9	95.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W7-L	LKD	33.4	4.0	29.3	87.9%												
		W7-U																	
		W8-L		11.0	0.0	11.0	100.0%												
		W8-U						39.5	31.0	78%	1.6	4%	29.4	95.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W9-L	Bedroom	18.1	4.5	13.6	75.1%												
		W9-U						13.6	12.9	95%	1.2	9%	11.7	91.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W10-L	Studio	17.2	4.9	12.3	71.4%												
		W10-U						37.2	19.4	52%	3.0	8%	16.4	84.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R1	W1-L	LKD	37.9	37.1	0.8	2.1%												
		W1-U																	
		W2-L		37.9	36.9	1.0	2.7%												
		W2-U																	
		W3-L		20.8	6.0	14.8	71.3%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W3-U						38.0	32.8	86%	32.3	85%	0.5	1.5%	52	17	52	17	0.0%	0.0%
Fifth	R2	W4-L	Bedroom	34.5	6.9	27.6	80.0%													
		W4-U						12.1	11.0	91%	1.9	15%	9.1	83.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R3	W5-L	Bedroom	35.3	6.6	28.7	81.2%													
		W5-U						12.5	11.9	95%	2.4	19%	9.5	79.8%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R4	W6-L	Bedroom	35.0	5.7	29.3	83.8%													
		W6-U						13.0	12.4	96%	0.8	6%	11.6	93.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W7-L	LKD	34.3	4.8	29.5	86.0%													
		W7-U																		
		W8-L		11.5	0.0	11.5	100.0%													
		W8-U						39.5	31.8	81%	2.6	7%	29.3	91.9%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W9-L	Bedroom	19.4	5.9	13.5	69.6%													
		W9-U						13.6	12.9	95%	1.6	12%	11.3	87.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W10-L	Studio	18.6	6.4	12.2	65.5%													
		W10-U						37.2	20.0	54%	4.0	11%	16.0	79.8%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R1	W1-L	LKD	38.2	37.6	0.6	1.6%													
		W1-U																		
		W2-L		38.2	37.4	0.8	2.2%													
		W2-U																		
		W3-L		21.2	6.4	14.8	69.8%													
		W3-U						38.0	32.8	86%	32.3	85%	0.4	1.3%	52	16	52	16	0.0%	0.0%
Sixth	R2	W4-L	Bedroom	34.8	7.2	27.6	79.3%													
		W4-U						12.1	11.0	91%	1.9	16%	9.1	83.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R3	W5-L	Bedroom	35.6	7.0	28.6	80.4%													
		W5-U						12.5	11.9	95%	2.4	19%	9.5	79.8%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W6-L	Bedroom	35.4	6.2	29.2	82.6%													
		W6-U						13.0	12.4	96%	1.1	8%	11.4	91.3%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W7-L	LKD	34.8	5.4	29.3	84.4%													
		W7-U																		
		W8-L		11.9	0.1	11.8	99.2%													
		W8-U						39.5	32.5	82%	4.1	10%	28.4	87.3%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W9-L	Bedroom	20.7	7.6	13.1	63.1%													
		W9-U						13.6	12.9	95%	2.0	15%	10.9	84.4%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W10-L	Studio	20.1	8.3	11.8	58.5%													
		W10-U						37.2	20.5	55%	5.1	14%	15.4	75.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R1	W1-L	LKD	38.9	38.1	0.8	2.1%													
		W1-U																		
		W2-L		38.9	37.8	1.0	2.6%													
		W2-U																		
		W3-L		21.6	6.8	14.8	68.4%													
		W3-U						38.0	32.8	86%	32.6	86%	0.2	0.6%	56	18	56	18	0.0%	0.0%
Seventh	R2	W4-L	Bedroom	35.5	8.0	27.4	77.4%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W4-U						12.1	11.0	91%	1.9	16%	9.1	82.9%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R3	W5-L	Bedroom	36.3	8.0	28.4	78.0%													
		W5-U						12.5	11.9	95%	2.4	19%	9.5	79.7%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R4	W6-L	Bedroom	36.3	7.5	28.8	79.4%													
		W6-U						13.0	12.5	96%	1.5	12%	10.9	87.9%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W7-L	LKD	35.8	6.9	28.9	80.7%													
		W7-U																		
		W8-L		12.7	0.4	12.3	96.6%													
		W8-U						39.5	32.9	83%	6.8	17%	26.1	79.3%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W9-L	Bedroom	22.4	10.1	12.3	54.9%													
		W9-U						13.6	13.0	96%	3.2	24%	9.8	75.1%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W10-L	Studio	22.0	10.9	11.2	50.7%													
		W10-U						37.2	21.5	58%	8.3	22%	13.2	61.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R1	W1-L	LKD	39.0	38.2	0.8	2.1%													
		W1-U																		
		W2-L		39.0	38.0	1.0	2.6%													
		W2-U																		
		W3-L		21.9	7.2	14.8	67.3%													
		W3-U						38.0	32.8	86%	32.6	86%	0.2	0.6%	56	18	56	18	0.0%	0.0%
Eighth	R2	W4-L	Bedroom	35.8	8.5	27.3	76.3%													
		W4-U						12.1	11.0	91%	1.9	16%	9.1	82.9%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R3	W5-L	Bedroom	36.7	8.6	28.1	76.5%													
		W5-U						12.5	11.9	95%	2.4	19%	9.5	79.7%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R4	W6-L	Bedroom	36.8	8.6	28.3	76.7%													
		W6-U						13.0	12.5	96%	1.6	13%	10.8	86.8%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W7-L	LKD	36.5	8.3	28.1	77.1%													
		W7-U																		
		W8-L		14.2	2.3	11.9	83.8%													
		W8-U						39.5	33.1	84%	10.2	26%	22.8	69.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R6	W9-L	Bedroom	24.1	12.8	11.3	46.8%													
		W9-U						13.6	13.1	96%	5.6	41%	7.5	57.1%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W10-L	Studio	24.1	13.4	10.6	44.1%													
		W10-U						37.2	23.2	62%	13.6	36%	9.6	41.5%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R1	W1-L	LKD	39.1	38.3	0.8	2.0%													
		W1-U																		
		W2-L		39.1	38.1	1.0	2.5%													
		W2-U																		
		W3-L		22.2	7.5	14.8	66.5%													
		W3-U						38.0	32.8	86%	32.6	86%	0.2	0.5%	55	18	55	18	0.0%	0.0%
Ninth	R2	W4-L	Bedroom	36.1	9.0	27.2	75.2%													
		W4-U						12.1	11.0	91%	1.9	16%	9.1	82.9%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R3	W5-L	Bedroom	37.1	9.3	27.8	74.9%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W5-U						12.5	11.9	95%	2.4	19%	9.5	79.7%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R4	W6-L	Bedroom	37.2	9.6	27.6	74.1%													
		W6-U						13.0	12.5	96%	1.7	13%	10.8	86.7%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W7-L	LKD	36.9	10.0	27.0	73.1%													
		W7-U																		
		W8-L		15.5	5.1	10.3	66.9%													
		W8-U						39.5	33.4	85%	17.3	44%	16.1	48.3%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R6	W9-L	Bedroom	25.8	15.8	10.0	38.8%													
		W9-U						13.6	13.1	96%	10.2	75%	2.9	21.8%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R7	W10-L	LKD	7.4	4.9	2.5	33.9%													
		W10-U						30.3	23.0	76%	17.9	59%	5.1	22.2%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R1	W1-L	LKD	39.1	38.4	0.8	1.9%													
		W1-U																		
		W2-L		39.1	38.1	1.0	2.5%													
		W2-U																		
		W3-L		22.5	7.7	14.8	65.7%													
		W3-U						38.0	32.8	86%	32.6	86%	0.2	0.6%	55	18	55	18	0.0%	0.0%
Tenth	R2	W4-L	Bedroom	36.4	9.4	27.0	74.2%													
		W4-U						12.1	11.0	91%	1.9	16%	9.1	82.9%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R3	W5-L	Bedroom	37.4	9.9	27.4	73.5%													
		W5-U						12.5	11.9	95%	2.4	19%	9.5	79.7%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R4	W6-L	Bedroom	37.6	10.7	26.9	71.5%													
		W6-U						13.0	12.5	96%	1.7	13%	10.8	86.6%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R5	W7-L	LKD	37.3	11.5	25.8	69.2%													
		W7-U																		
		W8-L		16.5	7.9	8.6	52.3%													
		W8-U						39.5	35.8	91%	33.4	85%	2.4	6.6%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R6	W9-L	Bedroom	27.4	18.6	8.8	32.0%													
		W9-U						13.6	13.1	96%	10.4	76%	2.7	20.8%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W10-L	LKD	9.1	7.0	2.1	23.3%													
		W10-U						30.3	24.4	80%	21.7	72%	2.7	10.9%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R1	W1-L	LKD	39.1	38.4	0.7	1.9%													
		W1-U																		
		W2-L		39.1	38.2	1.0	2.4%													
		W2-U																		
		W3-L		22.8	7.8	14.9	65.6%													
		W3-U						38.0	32.8	86%	32.6	86%	0.2	0.6%	54	17	54	17	0.0%	0.0%
Eleventh	R2	W4-L	Bedroom	36.6	9.6	27.0	73.8%													
		W4-U						12.1	11.0	91%	1.9	16%	9.1	82.9%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R3	W5-L	Bedroom	37.6	10.2	27.4	72.8%													
		W5-U						12.5	11.9	95%	2.4	19%	9.5	79.7%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R4	W6-L	Bedroom	37.8	11.2	26.6	70.5%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W6-U						13.0	12.5	96%	1.7	13%	10.8	86.6%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R5	W7-L	LKD	37.6	12.1	25.5	67.7%													
		W7-U																		
		W8-L		17.1	9.1	8.0	46.9%													
		W8-U						39.5	35.9	91%	33.6	85%	2.3	6.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R6	W9-L	Bedroom	28.0	19.5	8.5	30.3%													
		W9-U						13.6	13.1	96%	10.4	76%	2.7	20.5%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R7	W10-L	LKD	9.6	7.6	2.0	21.2%													
		W10-U						30.3	24.5	81%	21.9	72%	2.6	10.7%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R1	W1-L	LKD	38.7	38.1	0.6	1.5%													
		W1-U																		
		W2-L		38.7	37.9	0.8	2.0%													
		W2-U																		
		W3-L		22.9	7.9	15.0	65.6%													
		W3-U						38.0	32.8	86%	32.6	86%	0.2	0.5%	53	16	53	16	0.0%	0.0%
Twelfth	R2	W4-L	Bedroom	36.6	9.5	27.0	74.0%													
		W4-U						12.1	11.0	91%	1.9	16%	9.1	82.9%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R3	W5-L	Bedroom	37.5	10.1	27.4	73.1%													
		W5-U						12.5	11.9	95%	2.4	19%	9.5	79.7%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R4	W6-L	Bedroom	37.7	11.1	26.6	70.7%													
		W6-U						13.0	12.5	96%	1.7	13%	10.8	86.6%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R5	W7-L	LKD	37.5	12.1	25.4	67.8%													
		W7-U																		
		W8-L		17.4	9.3	8.1	46.5%													
		W8-U						39.5	35.9	91%	33.6	85%	2.3	6.4%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R6	W9-L	Bedroom	28.3	19.8	8.5	30.1%													
		W9-U						13.6	13.1	96%	10.4	77%	2.7	20.4%	N/F	N/F	N/F	N/F	N/F	N/F
Twelfth	R7	W10-L	LKD	9.5	7.4	2.1	21.7%													
		W10-U						30.3	24.5	81%	21.9	72%	2.6	10.6%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R1	W1-L	LKD	39.3	38.5	0.8	1.9%													
		W1-U																		
		W2-L		39.3	38.3	1.0	2.5%													
		W2-U																		
		W3-L		23.2	8.0	15.2	65.4%													
		W3-U						38.0	32.8	86%	32.6	86%	0.2	0.5%	56	18	56	18	0.0%	0.0%
Thirteenth	R2	W4-L	Bedroom	37.1	10.1	27.0	72.8%													
		W4-U						12.1	11.0	91%	1.9	16%	9.1	82.8%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R3	W5-L	Bedroom	38.1	10.7	27.4	71.8%													
		W5-U						12.5	11.9	95%	2.4	19%	9.5	79.6%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R4	W6-L	Bedroom	38.3	11.7	26.6	69.4%													
		W6-U						13.0	12.5	96%	1.7	13%	10.8	86.4%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R5	W7-L	LKD	38.0	12.7	25.4	66.7%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W7-U																	
		W8-L		17.9	9.7	8.2	45.9%												
		W8-U						39.5	35.9	91%	33.7	85%	2.3	6.3%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R6	W9-L	Bedroom	29.2	20.7	8.6	29.3%												
		W9-U						13.6	13.1	96%	10.5	77%	2.6	19.6%	N/F	N/F	N/F	N/F	N/F	N/F
Thirteenth	R7	W10-L	LKD	10.3	8.2	2.1	20.5%												
		W10-U						30.3	24.6	81%	21.9	72%	2.6	10.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R1	W1-L	LKD	39.3	38.6	0.8	1.9%												
		W1-U																	
		W2-L		39.3	38.4	0.9	2.4%												
		W2-U																	
		W3-L		23.4	8.1	15.2	65.3%												
		W3-U						38.0	32.8	86%	32.6	86%	0.2	0.6%	56	18	56	18	0.0%	0.0%
Fourteenth	R2	W4-L	Bedroom	37.3	10.4	26.9	72.2%												
		W4-U						12.1	11.0	91%	1.9	16%	9.1	82.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R3	W5-L	Bedroom	38.3	11.0	27.3	71.2%												
		W5-U						12.5	11.9	95%	2.4	20%	9.5	79.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R4	W6-L	Bedroom	38.5	12.1	26.5	68.7%												
		W6-U						13.0	12.5	96%	1.7	13%	10.7	86.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R5	W7-L	LKD	38.3	13.0	25.2	66.0%												
		W7-U																	
		W8-L		18.2	9.9	8.3	45.6%												
		W8-U						39.5	35.9	91%	33.7	85%	2.2	6.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R6	W9-L	Bedroom	29.8	21.3	8.5	28.6%												
		W9-U						13.6	13.1	96%	10.5	78%	2.5	19.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourteenth	R7	W10-L	LKD	10.6	8.5	2.1	20.0%												
		W10-U						30.3	24.6	81%	22.0	72%	2.7	10.8%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R1	W1-L	LKD	39.3	38.6	0.8	1.9%												
		W1-U																	
		W2-L		39.3	38.4	0.9	2.4%												
		W2-U																	
		W3-L		23.5	8.2	15.3	65.1%												
		W3-U						38.0	32.8	86%	32.6	86%	0.2	0.6%	55	18	55	18	0.0%	0.0%
Fifteenth	R2	W4-L	Bedroom	37.6	10.8	26.8	71.2%												
		W4-U						12.1	11.0	91%	1.9	16%	9.1	82.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R3	W5-L	Bedroom	38.6	11.5	27.1	70.3%												
		W5-U						12.5	11.9	95%	2.5	20%	9.4	79.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R4	W6-L	Bedroom	38.7	12.4	26.3	67.9%												
		W6-U						13.0	12.5	96%	1.7	13%	10.7	86.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R5	W7-L	LKD	38.5	13.4	25.0	65.1%												
		W7-U																	
		W8-L		18.5	10.1	8.4	45.3%												
		W8-U						39.5	35.9	91%	33.7	85%	2.2	6.2%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fifteenth	R6	W9-L W9-U	Bedroom	30.4	21.9	8.5	27.9%	13.6	13.1	96%	10.6	78%	2.4	18.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fifteenth	R7	W10-L W10-U	LKD	10.8	8.7	2.1	19.4%	30.3	24.7	81%	22.0	73%	2.6	10.7%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R1	W1-L W1-U	LKD	39.4	38.6	0.7	1.8%													
		W2-L W2-U		39.4	38.4	0.9	2.4%													
		W3-L W3-U		23.6	8.3	15.4	65.0%	38.0	32.8	86%	32.6	86%	0.2	0.6%	55	18	55	18	0.0%	0.0%
Sixteenth	R2	W4-L W4-U	Bedroom	38.3	11.7	26.6	69.4%	12.1	11.0	91%	2.0	16%	9.0	82.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R3	W5-L W5-U	Bedroom	38.8	12.0	26.9	69.2%	12.5	11.9	95%	2.5	20%	9.4	79.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R4	W6-L W6-U	Bedroom	38.9	12.9	26.0	66.9%	13.0	12.5	96%	1.8	14%	10.7	85.7%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R5	W7-L W7-U	LKD	38.7	14.0	24.8	64.0%													
		W8-L W8-U		18.8	10.3	8.4	45.0%	39.5	36.0	91%	33.8	85%	2.2	6.1%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R6	W9-L W9-U	Bedroom	31.8	22.9	8.9	28.0%	13.6	13.1	96%	10.7	79%	2.4	18.1%	N/F	N/F	N/F	N/F	N/F	N/F
Sixteenth	R7	W10-L W10-U	LKD	11.0	9.0	2.1	18.9%	30.3	24.7	81%	22.1	73%	2.6	10.5%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R1	W1-L W1-U	LKD	39.3	38.6	0.7	1.7%													
		W2-L W2-U		39.3	38.4	0.9	2.3%													
		W3-L W3-U		39.1	14.9	24.2	62.0%	38.0	32.8	86%	32.6	86%	0.2	0.6%	53	16	53	16	0.0%	0.0%
Seventeenth	R2	W4-L W4-U	Bedroom	39.0	12.8	26.2	67.2%	12.1	11.0	91%	2.0	17%	9.0	81.4%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R3	W5-L W5-U	Bedroom	39.0	12.5	26.5	67.9%	12.5	11.9	95%	2.6	21%	9.3	78.5%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R4	W6-L W6-U	Bedroom	39.0	13.4	25.6	65.7%	13.0	12.5	96%	1.8	14%	10.6	85.3%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R5	W7-L W7-U	LKD	39.0	14.6	24.3	62.4%													
		W8-L W8-U		34.9	22.6	12.3	35.3%	39.5	36.0	91%	34.1	86%	1.9	5.4%	N/F	N/F	N/F	N/F	N/F	N/F
Seventeenth	R6	W9-L W9-U	Bedroom	34.2	23.6	10.7	31.1%	13.6	13.1	96%	10.9	80%	2.2	17.1%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Seventeenth	R7	W10-L W10-U	LKD	11.2	9.2	2.1	18.3%	30.3	24.7	81%	22.2	73%	2.5	10.0%	N/F	N/F	N/F	N/F	N/F	N/F

Appendix: Daylight, Sunlight, Overshadowing and Solar Glare

Annex 1: Drawings of Existing, Proposed and Surrounding Buildings
Annex 2: Results of the Daylight and Sunlight Assessments with Neighbouring Properties
Annex 3: Results of the Cumulative Daylight and Sunlight Assessments
Annex 4: Results of the Future Baseline Daylight and Sunlight Assessments
Annex 5: Results of the Consented Baseline Daylight and Sunlight Assessments
Annex 6: Results of the Mirrored Assessment for Rosa Luxemburg Apartments
Annex 7: Results of the Sunlight Amenity Assessments
Annex 8: Transient Shadow Images
Annex 9: Solar Glare Images
Annex 10: Policy and Legislation Review
Annex 11: Hale Road Properties

Annex 4

Results of the future baseline daylight and sunlight assessments

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
The Hale																			
Ground	R8	W9-L	Residential	32.9	28.6	4.4	13.2%												
		W9-U																	
		W10-L		33.0	29.2	3.8	11.5%												
		W10-U																	
		W11-L		16.1	16.1	0.0	0.0%												
		W11-U						52.3	51.5	99%	51.5	99%	0.0	0.0%	39	12	39	12	0.0%	0.0%
First	R1	W1-L	Bedroom	23.1	16.9	6.3	27.1%												
		W1-U																	
		W2-L		25.3	19.0	6.3	24.9%												
		W2-U						11.2	9.7	87%	8.3	74%	1.4	14.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W3-L	Bedroom	24.4	17.9	6.5	26.8%												
		W3-U																	
		W4-L		26.1	19.4	6.7	25.6%												
		W4-U						10.4	10.3	99%	9.5	91%	0.8	7.8%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W5-L	Bedroom	25.1	18.1	7.0	27.8%												
		W5-U																	
		W6-L		26.8	19.8	7.0	26.0%												
		W6-U						10.0	9.9	99%	9.2	92%	0.7	7.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R4	W7-L	Bedroom	25.8	18.6	7.2	27.8%												
		W7-U																	
		W8-L		27.1	19.9	7.2	26.7%												
		W8-U						10.3	10.2	99%	9.4	91%	0.9	8.5%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W9-L	Bedroom	25.9	18.4	7.5	28.8%												
		W9-U																	
		W10-L		28.1	20.6	7.5	26.6%												
		W10-U						10.0	10.0	99%	9.3	92%	0.7	6.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W11-L	Bedroom	27.0	19.3	7.7	28.5%												
		W11-U																	
		W12-L		28.7	20.9	7.8	27.2%												
		W12-U						10.2	10.1	99%	9.1	89%	1.0	10.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W13-L	Bedroom	27.5	19.4	8.1	29.4%												
		W13-U																	
		W14-L		29.2	21.0	8.2	28.0%												
		W14-U						10.1	10.0	99%	9.2	91%	0.8	8.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W15-L	Bedroom	27.9	19.6	8.4	30.0%												
		W15-U																	
		W16-L		29.4	20.9	8.4	28.7%												
		W16-U						10.2	10.1	99%	8.5	84%	1.6	15.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R9	W17-L	Studio	27.8	19.2	8.5	30.7%												
		W17-U																	
		W18-L		29.9	21.2	8.6	28.9%												
		W18-U						15.0	14.7	98%	11.8	79%	2.8	19.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R10	W19-L	Studio	28.5	19.8	8.7	30.6%												
		W19-U																	
		W20-L		30.1	21.4	8.7	28.9%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W20-U						14.0	13.6	98%	12.4	89%	1.2	8.8%	N/F	N/F	N/F	N/F	N/F	N/F
First	R11	W21-L	Studio	28.8	20.0	8.8	30.5%													
		W21-U																		
		W22-L		30.1	21.3	8.7	29.1%													
		W22-U						14.8	14.0	94%	12.1	81%	1.9	13.7%	N/F	N/F	N/F	N/F	N/F	N/F
First	R12	W23-L	Studio	30.8	25.3	5.6	18.0%													
		W23-U																		
		W24-L		32.3	27.1	5.2	16.1%													
		W24-U						14.2	14.1	99%	14.0	99%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
First	R13	W25-L	Studio	31.5	26.3	5.2	16.4%													
		W25-U																		
		W26-L		32.4	27.6	4.8	14.7%													
		W26-U						14.2	14.1	99%	14.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R14	W27-L	Studio	31.5	26.9	4.7	14.8%													
		W27-U																		
		W28-L		32.0	27.8	4.2	13.1%													
		W28-U						14.2	14.1	99%	14.1	99%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R15	W29-L	Studio	31.0	26.9	4.1	13.1%													
		W29-U																		
		W30-L		32.3	28.7	3.7	11.4%													
		W30-U																		
		W31-L		31.5	27.7	3.8	12.0%													
		W31-U																		
		W32-L		31.8	28.6	3.2	10.2%													
		W32-U						16.7	16.3	97%	16.1	96%	0.2	1.1%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R1	W1-L	Bedroom	25.9	19.4	6.5	25.1%													
		W1-U																		
		W2-L		27.7	21.2	6.5	23.6%													
		W2-U						11.9	11.1	94%	10.5	88%	0.6	5.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R2	W3-L	Bedroom	26.6	19.8	6.8	25.4%													
		W3-U																		
		W4-L		28.4	21.5	6.9	24.3%													
		W4-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W5-L	Bedroom	27.2	20.0	7.2	26.4%													
		W5-U																		
		W6-L		29.0	21.9	7.2	24.7%													
		W6-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R4	W7-L	Bedroom	27.7	20.3	7.4	26.6%													
		W7-U																		
		W8-L		29.5	22.1	7.4	25.1%													
		W8-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W9-L	Bedroom	28.0	20.4	7.6	27.1%													
		W9-U																		
		W10-L		29.9	22.3	7.6	25.5%													
		W10-U						10.2	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W11-L	Bedroom	28.5	20.7	7.9	27.6%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W11-U																		
		W12-L		30.4	22.5	8.0	26.2%													
		W12-U						10.1	10.1	99%	10.0	99%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W13-L	Bedroom	28.9	20.7	8.2	28.4%													
		W13-U																		
		W14-L		30.8	22.5	8.3	27.0%													
		W14-U						10.1	10.1	99%	10.0	99%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R8	W15-L	Bedroom	29.3	20.8	8.5	29.1%													
		W15-U																		
		W16-L		31.2	22.7	8.6	27.4%													
		W16-U						10.1	10.1	99%	9.3	92%	0.7	7.1%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R9	W17-L	Studio	29.9	21.2	8.7	29.0%													
		W17-U																		
		W18-L		31.6	22.8	8.8	27.8%													
		W18-U						14.9	14.6	98%	12.8	86%	1.7	11.9%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R10	W19-L	Studio	30.2	21.3	8.9	29.4%													
		W19-U																		
		W20-L		31.8	23.0	8.8	27.8%													
		W20-U						14.1	13.7	98%	13.5	96%	0.2	1.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R11	W21-L	Studio	30.5	21.5	8.9	29.4%													
		W21-U																		
		W22-L		31.9	23.0	8.9	27.9%													
		W22-U						14.7	13.9	94%	12.3	83%	1.7	11.9%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R12	W23-L	Studio	34.8	29.0	5.8	16.8%													
		W23-U																		
		W24-L		35.3	29.7	5.6	15.8%													
		W24-U						14.2	14.0	99%	13.9	98%	0.1	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R13	W25-L	Studio	34.7	29.4	5.3	15.2%													
		W25-U																		
		W26-L		35.3	30.3	5.0	14.1%													
		W26-U						14.2	14.0	99%	13.9	99%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R14	W27-L	Studio	34.6	29.8	4.8	13.8%													
		W27-U																		
		W28-L		35.2	30.6	4.6	13.0%													
		W28-U						14.2	14.1	99%	14.0	99%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R15	W29-L	Studio	34.6	30.4	4.2	12.1%													
		W29-U																		
		W30-L		35.1	31.0	4.1	11.7%													
		W30-U																		
		W31-L		34.5	30.7	3.8	11.0%													
		W31-U																		
		W32-L		35.0	31.3	3.7	10.7%													
		W32-U						16.8	16.2	97%	16.0	95%	0.2	1.5%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L	Bedroom	27.2	21.0	6.2	22.7%													
		W1-U																		
		W2-L		29.0	22.8	6.2	21.4%													
		W2-U						11.9	11.8	99%	11.8	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Third	R2	W3-L	Bedroom	27.9	21.4	6.4	23.1%													
		W3-U																		
		W4-L		29.6	23.0	6.5	22.1%													
		W4-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W5-L	Bedroom	28.3	21.5	6.8	24.1%													
		W5-U																		
		W6-L		30.0	23.2	6.8	22.6%													
		W6-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W7-L	Bedroom	28.6	21.7	7.0	24.4%													
		W7-U																		
		W8-L		30.3	23.3	7.0	23.1%													
		W8-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W9-L	Bedroom	28.8	21.6	7.2	25.0%													
		W9-U																		
		W10-L		30.6	23.4	7.3	23.7%													
		W10-U						10.2	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W11-L	Bedroom	29.3	21.8	7.5	25.5%													
		W11-U																		
		W12-L		31.1	23.5	7.6	24.4%													
		W12-U						10.1	10.1	99%	10.0	99%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W13-L	Bedroom	29.5	21.7	7.8	26.5%													
		W13-U																		
		W14-L		31.3	23.4	7.9	25.2%													
		W14-U						10.1	10.1	99%	10.0	99%	0.0	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R8	W15-L	Bedroom	29.8	21.7	8.1	27.2%													
		W15-U																		
		W16-L		31.7	23.6	8.2	25.7%													
		W16-U						10.1	10.1	99%	9.4	93%	0.6	6.4%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R9	W17-L	Studio	30.4	22.1	8.2	27.1%													
		W17-U																		
		W18-L		32.0	23.7	8.4	26.1%													
		W18-U						14.9	14.6	98%	12.9	87%	1.7	11.4%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R10	W19-L	Studio	30.6	22.1	8.5	27.7%													
		W19-U																		
		W20-L		32.2	23.7	8.5	26.3%													
		W20-U						14.1	13.7	98%	13.6	96%	0.2	1.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R11	W21-L	Studio	30.9	22.3	8.6	27.9%													
		W21-U																		
		W22-L		32.3	23.7	8.6	26.6%													
		W22-U						14.7	13.9	94%	12.3	83%	1.6	11.8%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R12	W23-L	Studio	35.2	29.5	5.7	16.2%													
		W23-U																		
		W24-L		35.7	30.2	5.5	15.3%													
		W24-U						14.2	14.0	99%	13.9	98%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R13	W25-L	Studio	35.1	29.9	5.2	14.7%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W25-U																		
		W26-L		35.6	30.7	4.9	13.7%													
		W26-U						14.2	14.0	99%	14.0	99%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R14	W27-L	Studio	35.1	30.4	4.7	13.4%													
		W27-U																		
		W28-L		35.6	31.1	4.5	12.6%													
		W28-U						14.2	14.1	99%	14.0	99%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R15	W29-L	Studio	35.1	31.0	4.1	11.7%													
		W29-U																		
		W30-L		35.5	31.5	4.0	11.4%													
		W30-U																		
		W31-L		35.0	31.3	3.7	10.6%													
		W31-U																		
		W32-L		35.6	31.9	3.7	10.3%													
		W32-U						16.8	16.2	97%	16.0	95%	0.2	1.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R1	W1-L	Bedroom	28.4	22.5	6.0	21.0%													
		W1-U																		
		W2-L		30.1	24.2	6.0	19.9%													
		W2-U						11.9	11.8	99%	11.8	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R2	W3-L	Bedroom	28.9	22.7	6.2	21.4%													
		W3-U																		
		W4-L		30.6	24.3	6.3	20.6%													
		W4-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R3	W5-L	Bedroom	29.2	22.7	6.5	22.3%													
		W5-U																		
		W6-L		30.9	24.4	6.5	21.0%													
		W6-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R4	W7-L	Bedroom	29.5	22.8	6.7	22.6%													
		W7-U																		
		W8-L		31.1	24.4	6.7	21.6%													
		W8-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W9-L	Bedroom	29.6	22.7	6.9	23.3%													
		W9-U																		
		W10-L		31.3	24.4	6.9	22.1%													
		W10-U						10.2	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W11-L	Bedroom	29.9	22.8	7.1	23.7%													
		W11-U																		
		W12-L		31.6	24.4	7.2	22.7%													
		W12-U						10.1	10.1	99%	10.0	99%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W13-L	Bedroom	30.0	22.7	7.4	24.6%													
		W13-U																		
		W14-L		31.8	24.3	7.5	23.5%													
		W14-U						10.1	10.1	99%	10.0	99%	0.0	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R8	W15-L	Bedroom	30.3	22.6	7.7	25.3%													
		W15-U																		
		W16-L		32.1	24.4	7.7	24.0%													
		W16-U						10.1	10.1	99%	9.4	93%	0.6	6.2%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Fourth	R9	W17-L	Studio	30.8	23.0	7.8	25.5%													
		W17-U																		
		W18-L		32.4	24.5	8.0	24.5%													
		W18-U						14.9	14.6	98%	12.9	87%	1.6	11.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R10	W19-L	Studio	31.1	22.9	8.1	26.2%													
		W19-U																		
		W20-L		32.6	24.5	8.1	24.9%													
		W20-U						14.1	13.7	98%	13.6	97%	0.2	1.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R11	W21-L	Studio	31.3	23.0	8.3	26.5%													
		W21-U																		
		W22-L		32.7	24.4	8.3	25.3%													
		W22-U						14.7	13.9	94%	12.3	83%	1.6	11.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R12	W23-L	Studio	35.6	30.0	5.6	15.7%													
		W23-U																		
		W24-L		36.1	30.7	5.4	14.9%													
		W24-U						14.2	14.0	99%	13.9	99%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R13	W25-L	Studio	35.4	30.4	5.1	14.3%													
		W25-U																		
		W26-L		36.0	31.2	4.8	13.3%													
		W26-U						14.2	14.0	99%	14.0	99%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R14	W27-L	Studio	35.4	30.8	4.6	13.0%													
		W27-U																		
		W28-L		36.0	31.6	4.4	12.2%													
		W28-U						14.2	14.1	99%	14.0	99%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R15	W29-L	Studio	35.4	31.4	4.0	11.3%													
		W29-U																		
		W30-L		35.8	31.9	3.9	11.0%													
		W30-U																		
		W31-L		35.4	31.8	3.6	10.2%													
		W31-U																		
		W32-L		35.9	32.3	3.6	10.0%													
		W32-U						16.8	16.2	97%	16.0	96%	0.2	1.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R1	W1-L	Bedroom	29.2	23.5	5.7	19.4%													
		W1-U																		
		W2-L		30.8	25.1	5.7	18.5%													
		W2-U						11.9	11.8	99%	11.8	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R2	W3-L	Bedroom	29.6	23.7	5.9	19.9%													
		W3-U																		
		W4-L		31.2	25.2	6.0	19.2%													
		W4-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R3	W5-L	Bedroom	29.9	23.7	6.2	20.8%													
		W5-U																		
		W6-L		31.5	25.3	6.2	19.7%													
		W6-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R4	W7-L	Bedroom	30.1	23.7	6.4	21.2%													
		W7-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W8-L		31.6	25.3	6.4	20.2%												
		W8-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W9-L	Bedroom	30.1	23.6	6.6	21.8%												
		W9-U																	
		W10-L		31.8	25.2	6.6	20.7%												
		W10-U						10.2	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W11-L	Bedroom	30.4	23.6	6.7	22.2%												
		W11-U																	
		W12-L		32.1	25.3	6.8	21.2%												
		W12-U						10.1	10.1	99%	10.0	99%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W13-L	Bedroom	30.5	23.5	7.0	23.0%												
		W13-U																	
		W14-L		32.2	25.1	7.1	22.0%												
		W14-U						10.1	10.1	99%	10.0	99%	0.0	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R8	W15-L	Bedroom	30.7	23.4	7.3	23.7%												
		W15-U																	
		W16-L		32.6	25.2	7.4	22.6%												
		W16-U						10.1	10.1	99%	9.4	93%	0.6	6.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R9	W17-L	Studio	31.2	23.8	7.5	24.0%												
		W17-U																	
		W18-L		32.8	25.2	7.6	23.2%												
		W18-U						14.9	14.6	98%	12.9	87%	1.6	11.2%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R10	W19-L	Studio	31.5	23.7	7.8	24.8%												
		W19-U																	
		W20-L		33.0	25.2	7.8	23.6%												
		W20-U						14.1	13.7	98%	13.6	97%	0.2	1.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R11	W21-L	Studio	31.7	23.7	8.0	25.2%												
		W21-U																	
		W22-L		33.1	25.1	8.0	24.1%												
		W22-U						14.7	13.9	95%	12.3	83%	1.6	11.7%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R12	W23-L	Studio	35.9	30.4	5.4	15.2%												
		W23-U																	
		W24-L		36.3	31.0	5.2	14.4%												
		W24-U						14.2	14.0	99%	14.0	99%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R13	W25-L	Studio	35.7	30.8	5.0	13.9%												
		W25-U																	
		W26-L		36.2	31.5	4.7	12.9%												
		W26-U						14.2	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R14	W27-L	Studio	35.7	31.2	4.5	12.6%												
		W27-U																	
		W28-L		36.2	31.9	4.3	11.9%												
		W28-U						14.2	14.1	99%	14.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R15	W29-L	Studio	35.7	31.8	3.9	10.9%												
		W29-U																	
		W30-L		36.2	32.3	3.9	10.7%												
		W30-U																	

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W31-L		35.7	32.2	3.5	9.9%												
		W31-U																	
		W32-L		36.2	32.7	3.5	9.7%												
		W32-U						16.8	16.2	97%	16.1	96%	0.1	0.9%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R1	W1-L	Bedroom	29.7	24.3	5.4	18.2%												
		W1-U																	
		W2-L		31.4	26.0	5.4	17.3%												
		W2-U						11.9	11.8	99%	11.8	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R2	W3-L	Bedroom	30.1	24.5	5.6	18.6%												
		W3-U																	
		W4-L		31.7	26.1	5.7	17.9%												
		W4-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R3	W5-L	Bedroom	30.3	24.4	5.9	19.5%												
		W5-U																	
		W6-L		32.0	26.1	5.9	18.4%												
		W6-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W7-L	Bedroom	30.5	24.4	6.1	19.9%												
		W7-U																	
		W8-L		32.1	26.0	6.1	18.9%												
		W8-U						10.1	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W9-L	Bedroom	30.5	24.3	6.3	20.5%												
		W9-U																	
		W10-L		32.3	26.0	6.3	19.5%												
		W10-U						10.2	10.1	99%	10.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W11-L	Bedroom	30.7	24.3	6.5	21.0%												
		W11-U																	
		W12-L		32.5	25.9	6.6	20.2%												
		W12-U						10.1	10.1	99%	10.0	99%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W13-L	Bedroom	30.9	24.1	6.8	21.9%												
		W13-U																	
		W14-L		32.6	25.8	6.8	21.0%												
		W14-U						10.1	10.1	99%	10.0	99%	0.0	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R8	W15-L	Bedroom	31.2	24.1	7.0	22.6%												
		W15-U																	
		W16-L		33.0	25.8	7.1	21.6%												
		W16-U						10.1	10.1	99%	9.4	93%	0.6	6.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R9	W17-L	Studio	31.6	24.3	7.3	23.0%												
		W17-U																	
		W18-L		33.3	25.9	7.4	22.3%												
		W18-U						14.9	14.6	98%	12.9	87%	1.6	11.2%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R10	W19-L	Studio	31.8	24.2	7.6	23.9%												
		W19-U																	
		W20-L		33.4	25.8	7.6	22.7%												
		W20-U						14.1	13.7	98%	13.6	97%	0.1	1.1%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R11	W21-L	Studio	32.0	24.2	7.8	24.3%												
		W21-U																	

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W22-L		33.4	25.7	7.8	23.2%												
		W22-U						14.7	13.9	95%	12.3	84%	1.6	11.6%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R12	W23-L	Studio	36.2	30.8	5.3	14.7%												
		W23-U																	
		W24-L		36.6	31.4	5.1	14.1%												
		W24-U						14.2	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R13	W25-L	Studio	36.0	31.2	4.8	13.4%												
		W25-U																	
		W26-L		36.5	31.9	4.6	12.6%												
		W26-U						14.2	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R14	W27-L	Studio	36.0	31.6	4.4	12.2%												
		W27-U																	
		W28-L		36.5	32.3	4.2	11.5%												
		W28-U						14.2	14.1	99%	14.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R15	W29-L	Studio	36.1	32.3	3.8	10.5%												
		W29-U																	
		W30-L		36.4	32.7	3.8	10.4%												
		W30-U																	
		W31-L		36.0	32.6	3.4	9.6%												
		W31-U																	
		W32-L		36.5	33.1	3.4	9.4%												
		W32-U						16.8	16.2	97%	16.1	96%	0.1	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R1	W1-L	Residential	20.1	20.1	0.0	0.0%												
		W1-U																	
		W2-L		34.6	28.6	6.0	17.2%												
		W2-U																	
		W3-L		34.2	28.0	6.2	18.0%												
		W3-U																	
		W4-L		34.5	28.2	6.3	18.1%												
		W4-U																	
		W5-L		34.3	27.8	6.5	18.9%												
		W5-U																	
		W6-L		34.6	28.0	6.6	18.9%												
		W6-U																	
		W7-L		34.5	27.8	6.8	19.6%												
		W7-U																	
		W8-L		34.9	28.1	6.8	19.6%												
		W8-U																	
		W9-L		35.0	28.0	7.0	20.0%												
		W9-U																	
		W10-L		35.2	28.1	7.1	20.2%												
		W10-U																	
		W11-L		35.2	27.9	7.3	20.8%												
		W11-U																	
		W12-L		35.3	28.0	7.3	20.8%												
		W12-U																	
		W25-L		8.3	8.3	0.0	0.0%												
		W25-U						105.6	104.2	99%	104.2	99%	0.0	0.0%	35	6	35	6	0.0%	0.0%
Seventh	R2	W13-L	Studio	35.3	27.8	7.6	21.4%												
		W13-U																	
		W14-L		35.3	27.8	7.6	21.4%												

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W14-U						14.7	14.0	95%	12.4	84%	1.6	11.5%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R3	W15-L	Studio	36.3	31.1	5.2	14.3%													
		W15-U																		
		W16-L		36.8	31.8	5.0	13.6%													
		W16-U						14.1	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R4	W17-L	Studio	36.2	31.5	4.7	13.0%													
		W17-U																		
		W18-L		36.8	32.4	4.5	12.1%													
		W18-U						14.1	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W19-L	Studio	36.3	32.0	4.3	11.7%													
		W19-U																		
		W20-L		36.8	32.7	4.1	11.1%													
		W20-U						14.1	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W21-L	Studio	36.5	32.8	3.7	10.1%													
		W21-U																		
		W22-L		36.8	33.2	3.7	10.0%													
		W22-U																		
		W23-L		36.4	33.1	3.3	9.2%													
		W23-U																		
		W24-L		36.9	33.6	3.3	9.0%													
		W24-U						16.8	16.2	97%	16.1	96%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R1	W1-L	Kitchen	22.7	22.7	0.0	0.0%													
		W1-U																		
		W2-L		35.0	29.3	5.7	16.4%													
		W2-U						17.1	17.1	100%	17.1	100%	0.0	0.0%	31	7	31	7	0.0%	0.0%
Eighth	R2	W3-L	Bedroom	31.9	25.9	5.9	18.6%													
		W3-U																		
		W4-L		33.4	27.4	6.0	18.0%													
		W4-U						10.0	10.0	99%	9.9	99%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R3	W5-L	Bedroom	31.9	25.6	6.2	19.6%													
		W5-U																		
		W6-L		33.3	27.0	6.3	19.0%													
		W6-U						10.0	10.0	99%	9.9	99%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R4	W7-L	Bedroom	32.0	25.5	6.5	20.4%													
		W7-U																		
		W8-L		33.6	27.0	6.6	19.7%													
		W8-U						10.1	10.0	99%	9.4	93%	0.6	6.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W9-L	Studio	32.1	25.4	6.8	21.1%													
		W9-U																		
		W10-L		33.7	26.8	6.9	20.5%													
		W10-U						14.9	14.6	98%	12.8	86%	1.8	12.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R6	W11-L	Studio	32.9	25.7	7.1	21.7%													
		W11-U																		
		W12-L		34.2	27.0	7.1	20.9%													
		W12-U						14.1	13.6	97%	13.4	96%	0.2	1.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R7	W13-L	Studio	33.0	25.7	7.4	22.3%													

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss	Loss	Existing APSH		Proposed APSH		% Reduction	
									m^2	%	m^2	%	m^2	%	Total	Winter	Total	Winter	Total	Winter
		W13-U																		
		W14-L		34.3	26.9	7.4	21.5%													
		W14-U						14.7	13.8	93%	12.0	81%	1.8	13.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R8	W15-L	Studio	34.5	29.5	5.0	14.6%													
		W15-U																		
		W16-L		35.6	30.7	4.9	13.7%													
		W16-U						14.2	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R9	W17-L	Studio	34.5	30.0	4.6	13.2%													
		W17-U																		
		W18-L		35.7	31.4	4.3	12.0%													
		W18-U						14.2	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R10	W19-L	Studio	34.6	30.5	4.1	11.9%													
		W19-U																		
		W20-L		35.7	31.9	3.9	10.8%													
		W20-U						14.2	14.1	99%	14.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R11	W21-L	Studio	34.9	31.3	3.6	10.3%													
		W21-U																		
		W22-L		35.7	32.3	3.3	9.4%													
		W22-U																		
		W23-L		34.7	31.5	3.2	9.3%													
		W23-U																		
		W24-L		35.8	32.8	3.0	8.3%													
		W24-U						16.8	16.2	97%	16.2	96%	0.0	0.3%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R1	W1-L	Kitchen	23.8	23.8	0.0	0.0%													
		W1-U																		
		W2-L		35.4	29.9	5.5	15.5%													
		W2-U						17.1	17.1	100%	17.1	100%	0.0	0.0%	33	8	33	8	0.0%	0.0%
Ninth	R2	W3-L	Bedroom	32.3	26.6	5.7	17.6%													
		W3-U																		
		W4-L		33.7	27.9	5.8	17.1%													
		W4-U						10.0	10.0	99%	9.9	99%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R3	W5-L	Bedroom	32.2	26.3	6.0	18.6%													
		W5-U																		
		W6-L		33.6	27.6	6.1	18.0%													
		W6-U						10.0	10.0	99%	9.9	99%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R4	W7-L	Bedroom	32.4	26.1	6.3	19.3%													
		W7-U																		
		W8-L		33.9	27.6	6.4	18.7%													
		W8-U						10.1	10.0	99%	9.4	93%	0.6	6.2%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W9-L	Studio	32.5	26.0	6.5	20.1%													
		W9-U																		
		W10-L		34.0	27.4	6.7	19.5%													
		W10-U						14.9	14.6	98%	12.8	86%	1.8	12.4%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R6	W11-L	Studio	33.2	26.3	6.9	20.8%													
		W11-U																		
		W12-L		34.5	27.6	6.9	20.0%													
		W12-U						14.1	13.6	97%	13.4	96%	0.2	1.3%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)							Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
Ninth	R7	W13-L	Studio	33.3	26.2	7.1	21.4%													
		W13-U																		
		W14-L		34.6	27.4	7.1	20.6%													
		W14-U						14.7	13.8	93%	12.0	81%	1.8	13.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R8	W15-L	Studio	34.8	29.9	4.9	14.0%													
		W15-U																		
		W16-L		35.8	31.1	4.7	13.1%													
		W16-U						14.2	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R9	W17-L	Studio	34.7	30.3	4.4	12.7%													
		W17-U																		
		W18-L		35.8	31.7	4.1	11.6%													
		W18-U						14.2	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R10	W19-L	Studio	34.8	30.8	4.0	11.4%													
		W19-U																		
		W20-L		35.9	32.2	3.7	10.4%													
		W20-U						14.2	14.1	99%	14.1	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R11	W21-L	Studio	35.1	31.6	3.5	9.8%													
		W21-U																		
		W22-L		35.9	32.6	3.2	9.0%													
		W22-U																		
		W23-L		34.9	31.8	3.1	8.9%													
		W23-U																		
		W24-L		36.0	33.1	2.9	7.9%													
		W24-U						16.8	16.2	97%	16.2	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R1	W1-L	Kitchen	24.6	24.6	0.0	0.0%													
		W1-U																		
		W2-L		34.1	28.9	5.2	15.3%													
		W2-U						17.1	17.1	100%	17.1	100%	0.0	0.0%	33	8	33	8	0.0%	0.0%
Tenth	R2	W3-L	Bedroom	32.3	26.9	5.4	16.7%													
		W3-U																		
		W4-L		33.6	28.2	5.5	16.3%													
		W4-U						10.0	9.9	99%	9.9	98%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R3	W5-L	Bedroom	32.3	26.6	5.7	17.6%													
		W5-U																		
		W6-L		33.6	27.8	5.8	17.2%													
		W6-U						10.0	9.9	99%	9.8	98%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R4	W7-L	Bedroom	32.4	26.4	6.0	18.5%													
		W7-U																		
		W8-L		33.9	27.8	6.1	17.9%													
		W8-U						10.1	10.0	99%	9.3	93%	0.6	6.3%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R5	W9-L	Studio	32.5	26.3	6.2	19.2%													
		W9-U																		
		W10-L		33.9	27.6	6.4	18.8%													
		W10-U						14.9	14.4	96%	12.6	84%	1.8	12.6%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R6	W11-L	Studio	33.4	26.7	6.6	19.8%													
		W11-U																		

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL m^2	Existing NSL %	Proposed NSL m^2	Proposed NSL %	Loss m^2	Loss %	Existing APSH Total	Existing APSH Winter	Proposed APSH Total	Proposed APSH Winter	% Reduction Total	% Reduction Winter
		W12-L		34.6	28.0	6.6	19.1%												
		W12-U						14.1	13.5	96%	13.3	95%	0.2	1.4%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R7	W13-L	Studio	33.5	26.7	6.8	20.4%												
		W13-U																	
		W14-L		34.7	27.8	6.8	19.7%												
		W14-U						14.7	13.6	92%	11.8	80%	1.8	13.2%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R8	W15-L	Studio	34.8	30.2	4.7	13.4%												
		W15-U																	
		W16-L		35.8	31.3	4.5	12.6%												
		W16-U						14.2	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R9	W17-L	Studio	34.8	30.6	4.2	12.2%												
		W17-U																	
		W18-L		35.9	31.9	4.0	11.1%												
		W18-U						14.2	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R10	W19-L	Studio	34.9	31.1	3.8	11.0%												
		W19-U																	
		W20-L		36.0	32.4	3.6	9.9%												
		W20-U						14.2	14.0	99%	14.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R11	W21-L	Studio	35.2	31.8	3.3	9.4%												
		W21-U																	
		W22-L		35.9	32.9	3.1	8.6%												
		W22-U																	
		W23-L		35.1	32.1	3.0	8.6%												
		W23-U																	
		W24-L		36.0	33.3	2.7	7.6%												
		W24-U						16.8	16.1	96%	16.1	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R1	W1-L	Kitchen	26.0	26.0	0.0	0.0%												
		W1-U																	
		W2-L		36.2	31.3	4.9	13.5%												
		W2-U						17.1	17.1	100%	17.1	100%	0.0	0.0%	39	10	39	10	0.0%	0.0%
Eleventh	R2	W3-L	Bedroom	32.9	27.8	5.1	15.5%												
		W3-U																	
		W4-L		34.3	29.1	5.2	15.1%												
		W4-U						10.0	10.0	99%	9.9	99%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R3	W5-L	Bedroom	32.9	27.5	5.4	16.4%												
		W5-U																	
		W6-L		34.2	28.7	5.5	16.0%												
		W6-U						10.0	10.0	99%	9.9	99%	0.1	0.6%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R4	W7-L	Bedroom	33.0	27.3	5.7	17.2%												
		W7-U																	
		W8-L		34.5	28.7	5.8	16.7%												
		W8-U						10.1	10.0	99%	9.4	93%	0.6	6.2%	N/F	N/F	N/F	N/F	N/F	N/F
Eleventh	R5	W9-L	Studio	33.1	27.2	5.9	17.9%												
		W9-U																	
		W10-L		34.6	28.5	6.1	17.5%												
		W10-U						14.9	14.6	98%	12.8	86%	1.8	12.4%	N/F	N/F	N/F	N/F	N/F	N/F