

Quotation : 66623R4

Date: 25/03/2026

Contact: Martin Duffin

Mail: Martin.Duffin@heronjoinery.com

Sales Contact: andy.turner@heronjoinery.com

Job Reference:

LB Haringey properties
39 Queens Avenue

RIDGE & PARTNERS
England

Michael,

Please find attached Supply and Install Quotation for job reference above.

All Trickle Vents removed.

Sliding Sash Windows are:

- Redwood timber with hardwood external architrave.
- Factory finished in a single colour, **Heron Joinery White.**
- Cords and weights sliding sash windows, horns to top sash only.
- Polished chrome ironmongery, locking restrictors to all bottom sashes.
- 4/16/4 clear float Low E glazing with white warmedge spacer bar, toughened where required.
- 22mm applied astragals with white duplex bar.
- Flush cills.
- No Allowance for Trickle vent .
- Ground floor windows have been priced to Secure By Design Specification, please note any windows which are outside the SBD tested size range have been priced with Enhanced Security.
- Windows will achieve a u-value of 1.4w/m2k based on our desktop study, copy of study available if required.
- No allowance has been made for fire escape windows.
- All items have been priced as per drawings provided.
- All priced to Heron Joinery standard specification and profiles.

Windows are:

- Redwood timber.
- Factory finished in a single colour, **Heron Joinery White.**
- 68mm stormproof casement windows.
- Polished chrome ironmongery.
- 4/16 or 20/4 clear float Low E glazing with white warmedge spacer bar, toughened where required.
- 62mm clip on cills.
- No Allowance for Trickle vent .
- Ground floor windows have been priced to Secure By Design Specification, please note any windows which are outside the SBD tested size range have been priced with Enhanced Security

Page 1 of 47

Quotation : 66623R4, of 25/03/2026

- Windows will achieve a u-value of 1.4w/m2k based on our desktop study, copy of study available if required.
- No allowance has been made for fire escape windows.
- All items have been priced as per drawings provided.
- All priced to Heron Joinery standard specification and profiles.

Doors are:

- Redwood frame and sapele openers.
- Factory finished in a single colour, **RAL colour to be confirmed.**
- 92mm framing with 58mm door sash.
- Polished chrome ironmongery.
- 6.8/14/4 laminated backed with clear toughened Climaguard One glazing with white warmedge spacer bar
- Door with 37mm cill packer to accommodate 62mm clip on cill.
- No Allowance for Trickle vent .
- Ground floor doors have been priced to Secure By Design Specification, please note any doors which are outside the SBD tested size range have been priced with Enhanced Security.
- Doors will achieve a u-value of 1.4w/m2k based on our desktop study, copy of study available if required..
- All items have been priced as per drawings provided.
- All priced to Heron Joinery standard specification and profiles.

Remove and Install.

Notes on installation

- Detailed site survey prior to manufacture and sign-off for approval.
- We have assumed clear and unobstructed access for all delivery vehicles.
- Produce site specific RAMS for scope of works.
- Telescopic/forklift for off loading to be provided by Main Contractor.
- Storage area to be provided by Main Contractor and to be located as close to installation area as possible.
- Removals of any obstructions to the works are by Main Contractor.
- Removal of existing windows and doors by Heron Joinery.
- Disposal of existing windows and doors into skips provided by Main Contractor.
- Vertical loading out of windows and doors by Main Contractor.
- Horizontal loading out of windows and doors by Heron Joinery.
- Installation of new windows and doors.
- Removal, setting aside and refitting of blinds / curtains if required by Main Contractor.
- Installation from towers/hop ups provided by Main Contractor.
- All access equipment as required for the installation to be supplied and maintained by the Main Contractor - Scaffold, hoist, skip etc.
- Silicone seal has been allowed for at the internals only (colour coded to windows / doors).
- External silicone / mastic included on the basis that it is carried out at the same time as the installation. If a revisit is required to carry out mastic this will be priced at day rates.
- Please note no allowance has been made for collar joints / cement fillets. If required these will be charged for accordingly.
- Supply and fit internally 110 x 18mm timber trim to head, jambs & cills of all items.
- No allowance has been made for repairs of any kind to existing plaster reveals etc.
- No allowance has been made for renewal of existing window cills etc.
- Redecoration to the internal of the dwelling to be by others.
- All welfare facilities to be provided by Main Contractor.

Quotation : 66623R4, of 25/03/2026

- Window protection, if required, by others.
- EPDM or air seal tape, if required, by others.
- Please note no allowance has been made for compliance with PAS2030 on this project. If required please advise and we will reprice accordingly.
- Free parking / permits must be provided for by the client with 50 meters of the installation properties entrance, subject to additional charges if not provided.
- Minimum of 4No Items to be installed in any give day, if required across various properties on the same street. This is based on a continuous installation program. Any variation to this may result in day rate charges.
- Any cancelations within 48 hours of prearranged install dates will be charged at a minimum 2-person day rate, extra rates may apply if additional labour has been arranged for the works, any no access to install on the day of installations will incur the same charges.
- Price included for 1 day to complete site survey.
- Delivery included on the bases that batches of 40-50No items will be delivered at the one time. Storage facility to be able to accommodate this quantity of items.
- Installation programme to be agreed with Client prior to any works being undertaken.
- RLO and access to properties to be co-ordinated by Main Contractor.
- Subject to final site survey.

Please note the following:

1. Our quotation reference must be used on all correspondence.
2. All sizes shown are assumed to be manufacturing sizes and all items are viewed from the outside. Sizes shown in overall item description are final size where illustration size differs.
3. This quotation represents our best interpretation of your enquiry. We ask that all details are checked for adherence to specific requirements. Any variation to specification or quantities should be notified as a requote will be required.
4. Building Regulation Part Q Compliance. Part Q applies to 'new dwellings only; this includes dwellings formed by a material change of use' eg a barn conversion. People who are responsible for building work (eg, agent, designer, builder or installer) must ensure that the work complies with all applicable requirements of the Building Regulations. It is the responsibility of the enquirer, to inform Heron Joinery, if windows or doors, in whole or in part, are required to be Part Q compliant for a particular project.
5. All items are priced to Heron Joinery standard specification which is available on request.
6. If required, any bay windows priced will be supplied in sections as shown. If assembly of a bay is required there may be an additional charge.
7. We are unable to give any delivery dates until an order has been placed and fully signed off. Lead times are available on request but are subject to change.
8. Items as quoted are not load bearing and should not be relied upon as structural
9. Delays on site which cause a request for delay to product delivery are not the responsibility of Heron Joinery - product manufactured and ready for dispatch will be invoiced in month of anticipated delivery.
10. Should an Order feature Slimline Glass, due to the extended glass delivery lead time, the glass will be ordered upon receipt of signed confirmation of order. Any further change to window size after the confirmation date will be subject to additional charge, if the change requires the glass to be re-ordered. Re-ordering of glass will also effect the Order lead time.
11. Jersey Building Regulations require glazing installations to be certified in line with the Jersey Scheme for Certification of Design. This means a Structural Engineers Registration (SER) must be provided to certify the structural design of glazing systems used in a domestic or commercial building. Heron Joinery will not be responsible for SER calculations where the information required has not been provided at enquiry stage.

Additional delivery charges may apply. 1 No delivery on a 40ft articulated lorry included in quotation. Additional deliveries or requirement for a rigid/other lorry may incur a further charge. Please ensure suitable offloading facilities are available on site - failure to comply may result in additional charges

Non-standard items can have extended lead times of 8+ weeks beyond standard lead times. These include

o Shaped work

Quotation : 66623R4, of 25/03/2026

- o Fire glass products
- o Dual Colour
- o Sliding Patios
- o Specialist ironmongery.
- o Bi- fold doors
- o Austenitic (salt resistant) gear

It is customer responsibility to ensure careful handling of all deliveries to avoid site damage. Sites must also take full responsibility for all deliveries being kept clean and unmarked from site dirt


If unglazed frames are required it is the customer's responsibility to purchase glazing units to match the specification supplied by Heron Joinery and to also provide written evidence of the glazing units purchased per each and every order placed. Failure to comply with this requirement will immediately result in the frames not being CE marked. With requirements for the same being the responsibility of the end installer.

All orders will proceed on a Proforma basis:
50% deposit required before manufacturing begins with the remaining 50% due prior to despatch.

Should you have any further queries please do not hesitate to contact me.

Many thanks


Martin Duffin

Item		Quantity	DescriptionXXX	Per Item	Total
1		1 Piece(s)	O/A Dims: 2850 x 2000mm Product: 159mm Cords & Weights 3-Coupled Frames with 92mm Jamb & Head, Flush Staff Bead. Timber: Redwood with Hardwood Ext Architrave. Cill Profile: Frame Bottom + Window Board Groove, Frame Bottom + Window Board Groove, Frame Bottom + Window Board Groove Coupling: Coupled Frame Detail with 42x6 Rebate to Frame to Internal & External Architrave & 40x6 Covermould. Fr.Profile: Pencil Round External Liners. Op.Profile: Lambs Ogee Sash Profile, Externally Glazed Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Top Sash with 52mm Meeting Rail & Profile Horns. Bottom Sash with 52mm Meeting Rails, No Horns. Type: Top Cords & Weights Sliding Sash. Bottom Cords & Weights Sliding Sash. Gasket: White Weather Gasket H/ware: Standard Security Polished Chrome Sash Ring Pull Polished Chrome Axial Pulleys. Horn Profile 07 to Top Sash - 65mm Overall		

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
		Length Polished Chrome Sash Lift Satin Chrome Axial Pulleys. Hardex Chrome Classic Locking Cam Fasteners. 2No Pol.Chrome Face Fix Angel Ventlock Safety Restrictors./ Top Sash 2no White Sash D Handle Internally Fitted No Horns to Bottom Sash Standard Frame Cill. Vent Concealed In Frame. 425 White TV90 (4300EA) Ventilator White Titon Slot Insect Grille Bar: 22mm QW-BB3 External Beveled Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar. Glass 4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Approx Kg: 293Kg	4,595.00	4,595.00

1no Piece(s) Per Item - 2no Pairs of 30x8mm Hardwood Vertical
Covermoulds Supplied Loose as below:



1no Piece(s) Per Item - 30x8 Hardwood Round 2-Edge Covermould. @ 2,200 Meter
 1no Piece(s) Per Item - 30x8 Hardwood Round 2-Edge Covermould. @ 2,200 Meter
 1no Piece(s) Per Item - 30x8 Hardwood Round 2-Edge Covermould. @ 2,200 Meter
 1no Piece(s) Per Item - 30x8 Hardwood Round 2-Edge Covermould. @ 2,200 Meter
 1no Piece(s) Per Item - **Ref: Second Floor Front** @ 1 Piece(s)
 1no Piece(s) Per Item - 3.000mtr Length Fin110x18 Redwood R1E @ 6 Piece(s)
 Trim to Jambs, Head & Cill, Supplied Loose.



1no Piece(s) Per Item - 2no Pairs of 30x8mm Hardwood Vertical
Covermoulds Supplied Loose as below: @ 1,0 Pieces


Carry over: 4,595.00


Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	4,595.00





1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 1,0 Pieces



2		2 Piece(s)	O/A Dims: 1900 x 1800mm Product: 159mm Cords & Weights 2-Coupled Frames with 92mm Jamb & Head, Flush Staff Bead. Timber: Redwood with Hardwood Ext Architrave. Cill Profile: Frame Bottom + Window Board Groove, Frame Bottom + Window Board Groove Coupling: Coupled Frame Detail with 42x6 Rebate to Frame to Internal & External Architrave & 40x6 Covermould. Fr.Profile: Pencil Round External Liners. Op.Profile: Lambs Ogee Sash Profile, Externally Glazed Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Top Sash with 52mm Meeting Rail & Profile Horns. Bottom Sash with 52mm Meeting Rails, No Horns. Type: Top Cords & Weights Sliding Sash. Bottom Cords & Weights Sliding Sash. Gasket: White Weather Gasket H/ware: Standard Security Polished Chrome Sash Ring Pull Polished Chrome Axial Pulleys. Horn Profile 07 to Top Sash - 65mm Overall Length Polished Chrome Sash Lift Hardex Chrome Classic Locking Cam Fasteners. 2No Pol.Chrome Face Fix Angel Ventlock Safety Restrictors./ Top Sash 2no White Sash D Handle Internally Fitted No Horns to Bottom Sash Standard Frame Cill. Bar: 22mm QW-BB3 External Beveled Astragal & 22mm QW-LB1 Internal Astragal Bar with		
			Carry over:	4,595.00	

Quotation : 66623R4, of 25/03/2026


Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	4,595.00
		Glass	Internal Duplux Glazing Bar. 4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Approx Kg: 179Kg	
1no Piece(s)	Per Item -	1no Pairs of 30x8mm Hardwood Vertical Covermoulds Supplied Loose as below:	2,900.81 @ 1,0 Pieces	5,801.62
				
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,000 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,000 Meter	
1no Piece(s)	Per Item -	Ref: Second Floor Front	@ 1 Piece(s)	
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.	@ 5 Piece(s)	
				
1no Piece(s)	Per Item -	2no Pairs of 30x8mm Hardwood Vertical Covermoulds Supplied Loose as below:	@ 1,0 Pieces	
				
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,000 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,000 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,000 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,000 Meter	
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 1,0 Pieces	
			Carry over:	10,396.62

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	10,396.62



3



4 Piece(s)

O/A Dims:

Product:

Timber:

Cill Profile:

Fr.Profile:

Op.Profile:

Finish:

Pane:

Type:

Gasket:

H/ware:

Bar:

Glass

Approx Kg:

1300 x 2100mm

159mm Cords & Weight Sliding Sash with 92mm Head & Jamb Architrave, Flush Staff Bead.

Redwood with Hardwood Ext Architrave.

Frame Bottom + Window Board Groove

Pencil Round External Liners.

Lambs Ogee Sash Profile, Externally Glazed

HJ White 30% Gloss - 3-Coat Finish.

Top Sash with 52mm Meeting Rail & Profile Horns.

Bottom Sash with 52mm Meeting Rails, No Horns.

Top Cords & Weights Sliding Sash.

Bottom Cords & Weights Sliding Sash.

White Weather Gasket

Standard Security

Polished Chrome Sash Ring Pull

Polished Chrome Axial Pulleys.

Horn Profile 07 to Top Sash - 65mm Overall Length

Polished Chrome Sash Lift

Hardex Chrome Classic Locking Cam Fasteners.

2No Pol.Chrome Face Fix Angel Ventlock Safety Restrictors./ Top Sash

2no White Sash D Handle Internally Fitted

No Horns to Bottom Sash

Standard Frame Cill.

22mm QW-BB3 External Beveled Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar.

4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled)

4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled)

138Kg

2,080.65

8,322.60

1no Piece(s)

Per Item -

Ref: First Floor Front

@ 1 Piece(s)

1no Piece(s)

Per Item -

3.000mtr Length Fin110x18 Redwood R1E

@ 4 Piece(s)


Trim to Jambs, Head & Cill, Supplied Loose.

Carry over:


18,719.22


Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	18,719.22





1no Piece(s) Per Item - 2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards. @ 1,0 Pieces



4		1 Piece(s)	O/A Dims: 2850 x 2000mm Product: 159mm Cords & Weights 3-Coupled Frames with 92mm Jamb & Head, Flush Staff Bead. Timber: Redwood with Hardwood Ext Architrave. Cill Profile: Frame Bottom + Window Board Groove, Frame Bottom + Window Board Groove, Frame Bottom + Window Board Groove Coupling: Coupled Frame Detail with 42x6 Rebate to Frame to Internal & External Architrave & 40x6 Covermould. Fr.Profile: Pencil Round External Liners. Op.Profile: Lambs Ogee Sash Profile, Externally Glazed Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Top Sash with 52mm Meeting Rail & Profile Horns. Bottom Sash with 52mm Meeting Rails, No Horns. Type: Top Cords & Weights Sliding Sash. Bottom Cords & Weights Sliding Sash. Gasket: White Weather Gasket H/ware: Standard Security Polished Chrome Sash Ring Pull Polished Chrome Axial Pulleys. Horn Profile 07 to Top Sash - 65mm Overall Length Polished Chrome Sash Lift Satin Chrome Axial Pulleys. Hardex Chrome Classic Locking Cam Fasteners. 2No Pol.Chrome Face Fix Angel Ventlock Safety Restrictors./ Top Sash 2no White Sash D Handle Internally Fitted No Horns to Bottom Sash Standard Frame Cill. Vent Concealed In Frame. 425 White TV90 (4300EA) Ventilator White Titon Slot Insect Grille Bar: 22mm QW-BB3 External Beveled Astragal &	
			Carry over:	18,719.22


Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	18,719.22
		22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar. Glass 4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Approx Kg: 293Kg	4,595.00	4,595.00
1no Piece(s)	Per Item -	2no Pairs of 30x8mm Hardwood Vertical Covermoulds Supplied Loose as below:	@ 1,0 Pieces	
				
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	Ref: First Floor Front	@ 1 Piece(s)	
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jamb, Head & Cill, Supplied Loose.	@ 6 Piece(s)	
				
1no Piece(s)	Per Item -	2no Pairs of 30x8mm Hardwood Vertical Covermoulds Supplied Loose as below:	@ 1,0 Pieces	
				
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 1,0 Pieces	
			Carry over:	23,314.22

Quotation : 66623R4, of 25/03/2026


Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	23,314.22




5		3 Piece(s)	O/A Dims: 1300 x 2400mm Product: 159mm Cords & Weight Sliding Sash with 92mm Head & Jamb Architrave, Flush Staff Bead. Timber: Redwood with Hardwood Ext Architrave. Cill Profile: Frame Bottom + Window Board Groove Fr.Profile: Pencil Round External Liners. Op.Profile: Lambs Ogee Sash Profile, Externally Glazed Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Top Sash with 52mm Meeting Rail & Profile Horns. Bottom Sash with 52mm Meeting Rails, No Horns. Type: Top Cords & Weights Sliding Sash. Bottom Cords & Weights Sliding Sash. Gasket: White Weather Gasket H/ware: Enhanced Security * Polished Chrome Sash Ring Pull Polished Chrome Axial Pulleys. Horn Profile 07 to Top Sash - 65mm Overall Length Polished Chrome Sash Lift Hardex Chrome ERA Classic Lever, High Security ERA Cam Locks. 2No Pol.Chrome Face Fix Angel Ventlock Safety Restrictors./ Top Sash 2no White Sash D Handle Internally Fitted No Horns to Bottom Sash Standard Frame Cill. Bar: 22mm QW-BB3 External Beveled Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplex Glazing Bar. Glass 4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Approx Kg: 155Kg	2,335.34	7,006.02
1no Piece(s) Per Item - Ref: Ground Floor Front		@ 1 Piece(s)			
1no Piece(s) Per Item - 3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.		@ 5 Piece(s)			
			Carry over:	30,320.24	


Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	30,320.24



1no Piece(s) Per Item - 2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards. @ 1,0 Pieces




6	1 Piece(s)		O/A Dims: 2200 x 2900mm Product: 92mm Doorset Opening In with AM3 Aluminium Threshold. Timber: Redwood & Laminated Sapele Door/Sash Cill Profile: Standard Doorframe Bottom., Standard Doorframe Bottom., Standard Doorframe Bottom. Coupling: 58mm Frame Jambs Butt Jointed, Back to Back Vertical Coupling. Fr.Profile: Pencil RoundFrame Profile. Op.Profile: Lambs Tongue Door/Sash Profile. Finish: RAL 9005 Black 30% Gloss Finish Pane: Doorframe Externally Glazed Fixed Light with Standard Bead. 58mm Opening In Door. Type: Fixed Light Right Hand Single Door Opening In 911.0 x 2062.7mm Gasket: Black Weather Gasket H/ware: Enhanced Security * Yale Silver Adjustable Door Hinges Timber Door Deflector Matt Alum Stormguard Proline AM3EX Threshold Cill Door Prehung with Hinges and Lock Customer To provide own means of Entry/Exit Control. Wiring by Others for Keyless Entry System on Site. ThumbTurn/Key 3-Star Cylinder - 3No Keys Per Cylinder. AV Electronic Winkhaus Locking System. (Electrical Wiring Req On Site) Polished Chrome Heritage Euro Cylinder Pull. Bar: Door In Rail with Standard Bead. Door In, Glazing Bar. Door In, Muntin Rail. 22mm QW-BB3 External Beveled Astragal &	
			Carry over:	30,320.24


Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
Carry over :				30,320.24





		Glass	22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar. 6.8mm Clear Laminated Low E / 18 / 4mm Stippolyte Pattern (Privacy Level 4) Toughened - Black Warmedge Spacer with (Single Bar) 18mm Duplex Bar (Argon filled) 6.8mm Clear Laminated Low E / 14 / 4mm Stippolyte Pattern (Privacy Level 4) Toughened - Black Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled)		
		Panel:	Raised & Fielded Panel		
		Approx Kg:	278Kg		
1no Piece(s)	Per Item -	Ref: Ground Floor Front	@ 1 Piece(s)	6,552.99	6,552.99
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.	@ 7 Piece(s)		





1no Piece(s)	Per Item -	N.B: Decorative Mouldings	@ 1 Piece(s)		
--------------	------------	----------------------------------	--------------	--	--

7		1 Piece(s)	O/A Dims: 600 x 2400mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Type: Top Hung Sash Left Hand Side Hung Sash Gasket: Black Weather Gasket H/ware: Hardex Pol.Chrome Locking Cranked Connoisseur Handle. Friction Hinges Enhanced Security * Maco R.A.I.L Multipoint Espagnolette Lock. Trojan Mega Egress Hinge Sash Rising Block Fitted Bar: 22mm QW-BB3 Beveled External Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar. Glass: 4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Approx Kg: 73Kg		
				Carry over:	36,873.23





Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	36,873.23
			1,206.43	1,206.43
1no Piece(s)	Per Item -	Ref: Ground Floor Front Bay	@ 1 Piece(s)	
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.	@ 4 Piece(s)	
				
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 0,5 Pieces	
				
1no Piece(s)	Per Item -	62x37mm L.Siberian Larch Cill Ext Fitted.	@ 0,600 Meter	
				
1no Piece(s)	Per Item -	28x25 Redwood Drip Supplied Loose for Fitting to Transom - 88mm Transom	@ 0,600 Meter	
				
1no Piece(s)	Per Item -	109x13 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round Covermould, Supplied loose..	@ 2,500 Meter	
				
			Carry over:	38,079.66

Quotation : 66623R4, of 25/03/2026


Item	Quantity	DescriptionXXX	Per Item	Total
Carry over :				38,079.66
1no Piece(s) Per Item -		<u>Trojan Sash Hinge has been Immobilised for Easy Clean Operation.</u>	@ 1,0 Pieces	
		This is due to Sash width being over the 650mm Maximum limit for Easy Clean.		
1no Piece(s) Per Item -		180x18 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round Covermould, Supplied loose..	@ 2,500 Meter	
				
8	2 Piece(s)	O/A Dims: 1100 x 2400mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Type: Top Hung Sash Fixed Sash Gasket: Black Weather Gasket H/ware: Hardex Pol.Chrome Locking Cranked Connoisseur Handle. Friction Hinges Enhanced Security * Bar: Maco R.A.I.L Multipoint Espagnolette Lock. 22mm QW-BB3 Beveled External Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar. Glass: 4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 4mm Clear Float / 16 / 4mm Clear Float Low E - Silver Aluminium Spacer (Argon filled) Approx Kg: 131Kg		
			1,502.86	3,005.72
1no Piece(s) Per Item -		Ref: Ground Floor Front Bay	@ 1 Piece(s)	
1no Piece(s) Per Item -		3.000mtr Length Fin110x18 Redwood R1E Trim to Jambes, Head & Cill, Supplied Loose.	@ 5 Piece(s)	
Carry over:				41,085.38

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	41,085.38
				
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 0,5 Pieces	
				
1no Piece(s)	Per Item -	62x37mm L.Siberian Larch Cill Ext Fitted.	@ 1,100 Meter	
				
1no Piece(s)	Per Item -	28x25 Redwood Drip Supplied Loose for Fitting to Transom - 88mm Transom	@ 1,100 Meter	
				
1no Piece(s)	Per Item -	109x13 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round Covermould, Supplied loose..	@ 2,500 Meter	
				
1no Piece(s)	Per Item -	180x18 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round Covermould, Supplied loose..	@ 2,500 Meter	
			Carry over:	41,085.38

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	41,085.38



9	1 Piece(s)	O/A Dims: 600 x 2400mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Type: Top Hung Sash Right Hand Side Hung Sash Gasket: Black Weather Gasket H/ware: Hardex Pol.Chrome Locking Cranked Connoisseur Handle. Friction Hinges Enhanced Security * Maco R.A.I.L Multipoint Espagnolette Lock. Trojan Mega Egress Hinge Sash Rising Block Fitted Bar: 22mm QW-BB3 Beveled External Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar. Glass: 4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Approx Kg: 73Kg	1,047.83	1,047.83
---	------------	--	----------	----------

1no Piece(s) Per Item - **Ref: Ground Floor Front Bay**

1no Piece(s) Per Item - 3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.




1no Piece(s) Per Item - 2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.


Carry over: 42,133.21

Quotation : 66623R4, of 25/03/2026


Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	42,133.21



1no Piece(s) Per Item - 62x37mm L.Siberian Larch Cill Ext Fitted. @ 0,600 Meter




1no Piece(s) Per Item - 28x25 Redwood Drip Supplied Loose for Fitting to Transom - 88mm Transom @ 0,600 Meter



1no Piece(s) Per Item - **Trojan Sash Hinge has been Immobilised for Easy Clean Operation.** @ 1,0 Pieces

This is due to Sash width being over the 650mm Maximum limit for Easy Clean.

10		2 Piece(s)	O/A Dims: 1900 x 2000mm Product: 159mm Cords & Weights 2-Coupled Frames with 92mm Jamb & Head, Flush Staff Bead. Timber: Redwood with Hardwood Ext Architrave. Cill Profile: Frame Bottom + Window Board Groove, Frame Bottom + Window Board Groove Coupling: Coupled Frame Detail with 42x6 Rebate to Frame to Internal & External Architrave & 40x6 Covermould. Fr.Profile: Pencil Round External Liners. Op.Profile: Lambs Ogee Sash Profile, Externally Glazed Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Top Sash with 52mm Meeting Rail & Profile Horns. Bottom Sash with 52mm Meeting Rails, No Horns. Type: Top Cords & Weights Sliding Sash. Bottom Cords & Weights Sliding Sash. Gasket: White Weather Gasket H/ware: Standard Security Polished Chrome Sash Ring Pull Polished Chrome Axial Pulleys.
----	---	------------	--

Carry over: 42,133.21


Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	42,133.21
		Horn Profile 07 to Top Sash - 65mm Overall Length Polished Chrome Sash Lift Hardex Chrome Classic Locking Cam Fasteners. 2No Pol.Chrome Face Fix Angel Ventlock Safety Restrictors./ Top Sash 2no White Sash D Handle Internally Fitted No Horns to Bottom Sash Standard Frame Cill. Bar: 22mm QW-BB3 External Beveled Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar. Glass 4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Approx Kg: 196Kg		
1no Piece(s)	Per Item -	1no Pairs of 30x8mm Hardwood Vertical Covermoulds Supplied Loose as below:	3,109.76 @ 1,0 Pieces	6,219.52
				
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	Ref: Second Floor Rear	@ 1 Piece(s)	
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.	@ 5 Piece(s)	
				
1no Piece(s)	Per Item -	2no Pairs of 30x8mm Hardwood Vertical Covermoulds Supplied Loose as below:	@ 1,0 Pieces	
				
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
			Carry over:	48,352.73



Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	48,352.73
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 1,0 Pieces	




11		1 Piece(s)	O/A Dims: 3375 x 2000mm Product: 159mm Cords & Weights 3-Coupled Frames with 92mm Jamb & Head, Flush Staff Bead. Timber: Redwood with Hardwood Ext Architrave. Cill Profile: Frame Bottom + Window Board Groove, Frame Bottom + Window Board Groove, Frame Bottom + Window Board Groove Coupling: Coupled Frame Detail with 42x6 Rebate to Frame to Internal & External Architrave & 40x6 Covermould. Fr.Profile: Pencil Round External Liners. Op.Profile: Lambs Ogee Sash Profile, Externally Glazed Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Top Sash with 52mm Meeting Rail & Profile Horns. Bottom Sash with 52mm Meeting Rails, No Horns. Type: Top Cords & Weights Sliding Sash. Bottom Cords & Weights Sliding Sash. Gasket: White Weather Gasket H/ware: Standard Security Polished Chrome Sash Ring Pull Polished Chrome Axial Pulleys. Horn Profile 07 to Top Sash - 65mm Overall Length Polished Chrome Sash Lift Satin Chrome Axial Pulleys. Hardex Chrome Classic Locking Cam Fasteners. 2No Pol.Chrome Face Fix Angel Ventlock Safety Restrictors./ Top Sash 2no White Sash D Handle Internally Fitted No Horns to Bottom Sash Standard Frame Cill. Vent Concealed In Frame. 425 White TV90 (4300EA) Ventilator White Titon Slot Insect Grille Bar: 22mm QW-BB3 External Beveled Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar. Glass: 4mm Clear Float / 16 / 4mm Clear Float Low E -	
			Carry over:	48,352.73

Quotation : 66623R4, of 25/03/2026


Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	48,352.73
White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer with (2 Bar or Cross) 18mm Duplex Bar (Argon filled) Approx Kg: 346Kg			5,859.25	5,859.25
1no Piece(s)	Per Item -	2no Pairs of 30x8mm Hardwood Vertical Covermoulds Supplied Loose as below:	@ 1,0 Pieces	
				
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	Ref: First Floor Rear	@ 1 Piece(s)	
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.	@ 7 Piece(s)	
				
1no Piece(s)	Per Item -	2no Pairs of 30x8mm Hardwood Vertical Covermoulds Supplied Loose as below:	@ 1,0 Pieces	
				
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter	
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 1,0 Pieces	
			Carry over:	54,211.98

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	54,211.98



1no Piece(s) Per Item - **1No 2.400mtr 600x18mm Marine Plywood Strip Supplied Loose.** @ 6,0 Pieces

12		1 Piece(s)	O/A Dims: 2100 x 2000mm Product: 159mm Cords & Weights 2-Coupled Frames with 92mm Jamb & Head, Flush Staff Bead. Timber: Redwood with Hardwood Ext Architrave. Cill Profile: Frame Bottom + Window Board Groove, Frame Bottom + Window Board Groove Coupling: Coupled Frame Detail with 42x6 Rebate to Frame to Internal & External Architrave & 40x6 Covermould. Fr.Profile: Pencil Round External Liners. Op.Profile: Lambs Ogee Sash Profile, Externally Glazed Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Top Sash with 52mm Meeting Rail & Profile Horns. Bottom Sash with 52mm Meeting Rails, No Horns. Type: Top Cords & Weights Sliding Sash. Bottom Cords & Weights Sliding Sash. Gasket: White Weather Gasket H/ware: Standard Security Polished Chrome Sash Ring Pull Polished Chrome Axial Pulleys. Horn Profile 07 to Top Sash - 65mm Overall Length Polished Chrome Sash Lift Hardex Chrome Classic Locking Cam Fasteners. 2No Pol.Chrome Face Fix Angel Ventlock Safety Restrictors./ Top Sash 2no White Sash D Handle Internally Fitted No Horns to Bottom Sash Standard Frame Cill. Bar: 22mm QW-BB3 External Beveled Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplex Glazing Bar. Glass 4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Approx Kg: 216Kg	3,428.07	3,428.07
1no Piece(s) Per Item - 1no Pairs of 30x8mm Hardwood Vertical			@ 1,0 Pieces		

Carry over: 57,640.05


Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	57,640.05

Covermoulds Supplied Loose as below:




1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,200 Meter
1no Piece(s)	Per Item -	Ref: First Floor Rear	@ 1 Piece(s)
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.	@ 5 Piece(s)



1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 1,0 Pieces
--------------	------------	---	--------------



13		1 Piece(s)	O/A Dims: 600 x 600mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Fixed Light with Standard Bead. Type: Top Hung Sash Fixed Light Gasket: Black Weather Gasket H/ware: Hardex Pol.Chrome Locking Cranked Connoisseur Handle. Friction Hinges Standard Security Maco R.A.I.L Multipoint Espagnolette Lock. Glass: 4mm Clear Float Low E / 16 / 4mm Stippolyte Pattern (Privacy Level 4) Float - White Warmedge Spacer (Argon filled) 4mm Clear Toughened Low E / 20 / 4mm Stippolyte Pattern (Privacy Level 4) Toughened - White Warmedge Spacer (Argon filled)
----	---	------------	---

Carry over: 57,640.05

Quotation : 66623R4, of 25/03/2026


Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	57,640.05

Approx Kg: 18Kg


1no Piece(s)	Per Item -	Ref: First Floor Rear	419.01	419.01
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E	@ 1 Piece(s)	
		Trim to Jambs, Head & Cill, Supplied Loose.	@ 2 Piece(s)	




1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 0,5 Pieces	
--------------	------------	---	--------------	--




1no Piece(s)	Per Item -	62x37mm L.Siberian Larch Cill Ext Fitted.	@ 0,600 Meter	
--------------	------------	---	---------------	--



14		1 Piece(s)	O/A Dims: 300 x 800mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Type: Fixed Light with Standard Bead. Top Hung Sash Fixed Light Gasket: Black Weather Gasket H/ware: Polished Chrome Locking Fasteners Friction Hinges Standard Security Glass: 4mm Clear Float Low E / 16 / 4mm Stippolyte Pattern (Privacy Level 4) Float - White Warmedge Spacer (Argon filled) 4mm Clear Toughened Low E / 20 / 4mm Stippolyte Pattern (Privacy Level 4) Toughened - White Warmedge Spacer (Argon filled)
----	---	------------	---

Carry over: 58,059.06

Quotation : 66623R4, of 25/03/2026


Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	58,059.06
Approx Kg: 12Kg				
1no Piece(s) Per Item - Ref: First Floor Rear			310.75	310.75
1no Piece(s) Per Item - 3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.			@ 1 Piece(s)	
			@ 1 Piece(s)	
1no Piece(s) Per Item - 2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.			@ 0,5 Pieces	
1no Piece(s) Per Item - 62x37mm L.Siberian Larch Cill Ext Fitted.			@ 0,300 Meter	
15	2 Piece(s)	 O/A Dims: 2100 x 1200mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Fixed Light with Standard Bead. Type: Left Hand Side Hung Sash Fixed Light Right Hand Side Hung Sash Gasket: Black Weather Gasket H/ware: Hardex Pol.Chrome Locking Cranked Connoisseur Handle. Trojan Mega Egress Hinge Standard Security Maco R.A.I.L Multipoint Espagnolette Lock. Sash Rising Block Fitted Glass: 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer		
			Carry over:	58,369.81

Quotation : 66623R4, of 25/03/2026


Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	58,369.81

(Argon filled)
4mm Clear Toughened / 20 / 4mm Clear
Toughened Low E - White Warmedge Spacer
(Argon filled)
Approx Kg: 121Kg


1no Piece(s) Per Item - **Ref: First Floor Rear** @ 1 Piece(s) 1,185.18 2,370.36
1no Piece(s) Per Item - 3.000mtr Length Fin110x18 Redwood R1E @ 4 Piece(s)
Trim to Jambs, Head & Cill, Supplied Loose.




1no Piece(s) Per Item - 2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards. @ 0,5 Pieces






1no Piece(s) Per Item - 62x37mm L.Siberian Larch Cill Ext Fitted. @ 2,100 Meter



16		4 Piece(s)	O/A Dims: 850 x 3300mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Type: Fixed Light with Standard Bead. Type: Top Hung Sash Fixed Light Gasket: Black Weather Gasket H/ware: Hardex Pol.Chrome Locking Cranked Connoisseur Handle. Friction Hinges Enhanced Security * Maco R.A.I.L Multipoint Espagnolette Lock.
----	---	------------	--

Carry over: 60,740.17


Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	60,740.17
		Bar: 22mm QW-BB3 Beveled External Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar.		
		Glass 4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled)		
		6mm Clear Toughened / 16 / 6mm Clear Toughened Low E - White Warmedge Spacer (Argon filled)		
		Approx Kg: 145Kg		
1no Piece(s)	Per Item -	Ref: Ground Floor Rear Bay	1,617.25	6,469.00
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jamb, Head & Cill, Supplied Loose.	@ 1 Piece(s)	
			@ 5 Piece(s)	
				
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 0,5 Pieces	
				
1no Piece(s)	Per Item -	62x37mm L.Siberian Larch Cill Ext Fitted.	@ 0,850 Meter	
				
1no Piece(s)	Per Item -	28x25 Redwood Drip Supplied Loose for Fitting to Transom - 88mm Transom	@ 0,850 Meter	
				
1no Piece(s)	Per Item -	109x13 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round	@ 3,400 Meter	
Carry over:				67,209.17

Quotation : 66623R4, of 25/03/2026


Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	67,209.17


Covermould, Supplied loose..



1no Piece(s) Per Item - **1No 2.400mtr 600x18mm Marine Plywood Strip Supplied Loose.** @ 2,0 Pieces

1no Piece(s) Per Item - **180x18 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round Covermould, Supplied loose..** @ 3,400 Meter



17		1 Piece(s)	O/A Dims: 1700 x 3300mm Product: 92mm Doorset Opening Out with OUM2 Aluminium.Threshold. Timber: Redwood & Laminated Sapele Door/Sash Cill Profile: Standard Doorframe Bottom. Coupling: 58mm Frame Head & Cill Horizontal Butt Coupling. Fr.Profile: Pencil RoundFrame Profile. Op.Profile: Lambs Tongue Door/Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Doorframe Externally Glazed Fixed Light with Standard Bead. 58mm Opening Out Door. Type: Fixed Light Left Hand, 1st Opening Out Door 809.5 x 2839.0mm Right Hand, 2nd Opening Out Door 809.5 x 2839.0mm Gasket: Black Weather Gasket H/ware: Standard Security Enhanced Security * Balmoral Polished Chrome Lever/Lever Handle. SAA OUM/2 RITB Aluminium Threshold Yale Silver Adjustable Door Hinges Spring Loaded 90Degree Opening Door Restrictor. Timber Door Deflector Door Prehung with Hinges and Lock ThumbTurn/Key Alike 3-Star Cylinder - 3No Keys Per Cylinder. Winkhaus Double Handle French Door Lock.	
			Carry over:	67,209.17

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
Carry over :				67,209.17

Bar: Multipoint Lock to 2nd Opening Door With Handle.
Sidelight Cottage Glazing Bar.
22mm QW-BB3 External Beveled Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar.
Glass 6.8mm Clear Laminated / 18 / 4mm Climaguard One Toughened - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 6mm Clear Toughened / 12 / 6mm Clear Toughened Low E - White Warmedge Spacer (Argon filled)
Approx Kg: 319Kg

3,835.28

3,835.28

1no Piece(s) Per Item - 1no Pairs of 30x8mm Hardwood Horizontal Covermoulds Supplied Loose as below:

@ 1,0 Pieces



1no Piece(s) Per Item - 30x8 Hardwood Round 2-Edge Covermould.

@ 1,900 Meter

1no Piece(s) Per Item - 30x8 Hardwood Round 2-Edge Covermould.


@ 1,900 Meter


1no Piece(s) Per Item - **Ref: Ground Floor Rear**

@ 1 Piece(s)

1no Piece(s) Per Item - 3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.

@ 7 Piece(s)



18		1 Piece(s)	O/A Dims: 800 x 1950mm Product: 159mm Cords & Weight Sliding Sash with 92mm Head & Jamb Architrave, Flush Staff Bead. Timber: Redwood with Hardwood Ext Architrave. Cill Profile: Frame Bottom + Window Board Groove Fr.Profile: Pencil Round External Liners. Op.Profile: Lambs Ogee Sash Profile, Externally Glazed Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Top Sash with 52mm Meeting Rail & Profile Horns. Bottom Sash with 52mm Meeting Rails, No Horns. Type: Top Cords & Weights Sliding Sash. Bottom Cords & Weights Sliding Sash. Gasket: White Weather Gasket H/ware: Enhanced Security * Polished Chrome Sash Ring Pull
----	---	------------	---

Carry over:

71,044.45


Quotation : 66623R4, of 25/03/2026


Item	Quantity	DescriptionXXX	Per Item	Total
Carry over :				71,044.45

		Polished Chrome Axial Pulleys. Horn Profile 07 to Top Sash - 65mm Overall Length Polished Chrome Sash Lift Hardex Chrome ERA Classic Lever, High Security ERA Cam Locks. 2No Pol.Chrome Face Fix Angel Ventlock Safety Restrictors./ Top Sash 2no White Sash D Handle Internally Fitted No Horns to Bottom Sash Standard Frame Cill. Glass 4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer (Argon filled) 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Approx Kg: 81Kg		
			1,306.06	1,306.06
1no Piece(s)	Per Item -	Ref: Ground Floor Rear	@ 1 Piece(s)	
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.	@ 4 Piece(s)	




1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 1,0 Pieces
--------------	------------	---	--------------



19		1 Piece(s)	O/A Dims: 1000 x 2500mm Product: 92mm Doorset Opening In, AM3 Aluminium Threshold with Hardwood Timber Cill Packer. Timber: Redwood Frame & Door Blade. Cill Profile: Standard Doorframe Bottom. Fr.Packer: Width: Description 37mm Frame Cill Packer with Cill Extension Groove on Packer. Frame Cill, No Grooves. Coupling: 58mm Frame Head & Cill Horizontal Butt Coupling. Fr.Profile: Pencil RoundFrame Profile. Op.Profile: Pencil Round Door/Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Doorframe Externally Glazed Fixed Light with Standard Bead. 54mm Opening In Door Leaf.	
----	---	------------	---	--

Carry over: 72,350.51

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	72,350.51
		Type: Fixed Light Right Hand Single Door Opening In 891.0 x 1999.0mm		
		Gasket: Black Weather Gasket		
		H/ware: Enhanced Security * Balmoral Polished Chrome Lever/Lever Handle. Yale Silver Adjustable Door Hinges Timber Door Deflector Matt Alum Stormguard Proline AM3EX Threshold Cill Door Prehung with Hinges and Lock 54mm Insulated Alutherm Mill Okoume Faced Door Leaf. ThumbTurn/Key 3-Star Cylinder - 3No Keys Per Cylinder. Winkhaus Thunderbolt 2070 Multipoint Lock.		
		Glass 6.8mm Clear Laminated Low E / 18 / 4mm Stippolyte Pattern (Privacy Level 4) Toughened - White Warmedge Spacer (Argon filled)		
		Panel: Door Blank Approx Kg: 81Kg		
1no Piece(s) Per Item -		Ref: Ground Floor Rear	1,928.78 @ 1 Piece(s)	1,928.78
1no Piece(s) Per Item -		3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.	@ 5 Piece(s)	
				
1no Piece(s) Per Item -		62x37mm Hardwood Cill Extension Fitted	@ 1,000 Meter	
				
1no Piece(s) Per Item -		4mm/16/4mm Obscure Stippolyte Float Climaguard One with White Warmedge Spacer Bar	@ 0,400 m²	
		300mm x 450mm		
			Carry over:	74,279.29



Quotation : 66623R4, of 25/03/2026


Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	74,279.29
20	1 Piece(s)	O/A Dims: 2100 x 2500mm Product: 159mm Cords & Weights 2-Coupled Frames with 92mm Jamb & Head, Flush Staff Bead. Timber: Redwood with Hardwood Ext Architrave. Cill Profile: Frame Bottom + Window Board Groove, Frame Bottom + Window Board Groove Coupling: Coupled Frame Detail with 42x6 Rebate to Frame to Internal & External Architrave & 40x6 Covermould. Fr.Profile: Pencil Round External Liners. Op.Profile: Lambs Ogee Sash Profile, Externally Glazed Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Top Sash with 52mm Meeting Rail & Profile Horns. Bottom Sash with 52mm Meeting Rails, No Horns. Type: Top Cords & Weights Sliding Sash. Gasket: Bottom Cords & Weights Sliding Sash. H/ware: White Weather Gasket Enhanced Security * Polished Chrome Sash Ring Pull Polished Chrome Axial Pulleys. Horn Profile 07 to Top Sash - 65mm Overall Length Polished Chrome Sash Lift Hardex Chrome ERA Classic Lever, High Security ERA Cam Locks. 2No Pol.Chrome Face Fix Angel Ventlock Safety Restrictors./ Top Sash 2no White Sash D Handle Internally Fitted No Horns to Bottom Sash Standard Frame Cill. Vent Concealed In Frame. 425 White TV90 (4300EA) Ventilator White Titon Slot Insect Grille Bar: 22mm QW-BB3 External Beveled Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar. Glass 4mm Clear Float / 16 / 4mm Clear Float Low E - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Approx Kg: 256Kg	3,528.68	3,528.68
1no Piece(s) Per Item - 1no Pairs of 30x8mm Hardwood Vertical Covermoulds Supplied Loose as below:			@ 1,0 Pieces	




Carry over: 77,807.97


Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	77,807.97
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,700 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,700 Meter	
1no Piece(s)	Per Item -	Ref: Ground Floor Rear	@ 1 Piece(s)	
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jamb, Head & Cill, Supplied Loose.	@ 6 Piece(s)	




1no Piece(s) Per Item - 2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards. @ 1,0 Pieces




21		1 Piece(s)	O/A Dims: 1000 x 1900mm Product: 159mm Cords & Weight Sliding Sash with 92mm Head & Jamb Architrave, Flush Staff Bead. Timber: Redwood with Hardwood Ext Architrave. Cill Profile: Frame Bottom + Window Board Groove Fr.Profile: Pencil Round External Liners. Op.Profile: Lambs Ogee Sash Profile, Externally Glazed Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Top Sash with 52mm Meeting Rail & Profile Horns. Bottom Sash with 52mm Meeting Rails, No Horns. Type: Top Cords & Weights Sliding Sash. Bottom Cords & Weights Sliding Sash. Gasket: White Weather Gasket H/ware: Enhanced Security * Polished Chrome Sash Ring Pull Polished Chrome Axial Pulleys. Horn Profile 07 to Top Sash - 65mm Overall Length Polished Chrome Sash Lift Hardex Chrome ERA Classic Lever, High Security ERA Cam Locks. 2No Pol.Chrome Face Fix Angel Ventlock Safety Restrictors./ Top Sash 2no White Sash D Handle Internally Fitted No Horns to Bottom Sash Standard Frame Cill. Bar: 22mm QW-BB3 External Beveled Astragal & 22mm QW-LB1 Internal Astragal Bar with Internal Duplux Glazing Bar.	
			Carry over:	77,807.97



Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	77,807.97
		Glass	4mm Clear Float Low E / 16 / 4mm Stippolyte Pattern (Privacy Level 4) Float - White Warmedge Spacer with (Grid) 18mm Duplex Bar (Argon filled) 4mm Clear Toughened Low E / 16 / 4mm Stippolyte Pattern (Privacy Level 4) Toughened - White Warmedge Spacer (Argon filled) Approx Kg: 98Kg	
1no Piece(s)	Per Item - Ref: Side		1,661.12 @ 1 Piece(s)	1,661.12
1no Piece(s)	Per Item - 3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.		@ 4 Piece(s)	
				
1no Piece(s)	Per Item - 2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.		@ 1,0 Pieces	
				
22	1 Piece(s)	O/A Dims: 1000 x 2000mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Fixed Light with Standard Bead. Type: Fixed Light Gasket: Black Weather Gasket H/ware: Bar: 9mm Lead Glass: 4mm Clear Toughened / 20 / 4mm Clear Toughened Low E - White Warmedge Spacer with 9mm Blackened Rectangle Lead (Argon filled) Approx Kg: 94Kg		
				
1no Piece(s)	Per Item - Ref: Side		1,746.67 @ 1 Piece(s)	1,746.67
1no Piece(s)	Per Item - 3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.		@ 4 Piece(s)	
			Carry over:	81,215.76



Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	81,215.76
				
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 0,5 Pieces	
				
1no Piece(s)	Per Item -	62x37mm L.Siberian Larch Cill Ext Fitted.	@ 1,000 Meter	
				
1no Piece(s)	Per Item -	N.B: No Allowance Stain Glass.	@ 1 Piece(s)	
23	1 Piece(s)	O/A Dims: 800 x 1200mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: Fixed Light with Standard Bead. Type: Fixed Light Gasket: Black Weather Gasket H/ware: Glass Glass: 4mm Clear Toughened Low E / 20 / 4mm Stippolyte Pattern (Privacy Level 4) Toughened - White Warmedge Spacer (Argon filled) Approx Kg: 43Kg	393.80	393.80
				
1no Piece(s)	Per Item -	Ref: Side	@ 1 Piece(s)	
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.	@ 3 Piece(s)	
			Carry over:	81,609.56



Quotation : 66623R4, of 25/03/2026


Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	81,609.56
				
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 0,5 Pieces	
				
1no Piece(s)	Per Item -	62x37mm L.Siberian Larch Cill Ext Fitted.	@ 0,800 Meter	
				
24	1 Piece(s)	O/A Dims: 1800 x 1200mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Fixed Light with Standard Bead. Type: Left Hand Side Hung Sash Fixed Light Right Hand Side Hung Sash Gasket: Black Weather Gasket H/ware: Hardex Pol.Chrome Locking Cranked Connoisseur Handle. Trojan Mega Egress Hinge Standard Security Maco R.A.I.L Multipoint Espagnolette Lock. Sash Rising Block Fitted Glass: 4mm Clear Toughened Low E / 16 / 4mm Stippolyte Pattern (Privacy Level 4) Toughened - White Warmedge Spacer (Argon filled) 4mm Clear Toughened Low E / 20 / 4mm Stippolyte Pattern (Privacy Level 4) Toughened - White Warmedge Spacer (Argon filled) Approx Kg: 104Kg	1,100.88	1,100.88
			Carry over:	82,710.44

Quotation : 66623R4, of 25/03/2026



Item	Quantity	DescriptionXXX	Per Item	Total
Carry over :				82,710.44
1no Piece(s) Per Item - Ref: Side			@ 1 Piece(s)	
1no Piece(s) Per Item - 3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.			@ 4 Piece(s)	
				
1no Piece(s) Per Item - 2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.			@ 0,5 Pieces	
				
1no Piece(s) Per Item - 62x37mm L.Siberian Larch Cill Ext Fitted.			@ 1,800 Meter	
				
25	2 Piece(s)	O/A Dims: 400 x 900mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Type: Fixed Light with Standard Bead. Gasket: Black Weather Gasket H/ware: Hardex Pol.Chrome Locking Cranked Connoisseur Handle. Friction Hinges Enhanced Security * Bar: Maco R.A.I.L Multipoint Espagnolette Lock. Glass: 4mm Clear Toughened Low E / 16 / 4mm Stippolyte Pattern (Privacy Level 4) Toughened - White Warmedge Spacer (Argon filled) 4mm Clear Toughened Low E / 20 / 4mm		
				
Carry over:				82,710.44

Quotation : 66623R4, of 25/03/2026




Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	82,710.44
		Stippolyte Pattern (Privacy Level 4) Toughened - White Warmedge Spacer with (Single Bar) 18mm Duplex Bar (Argon filled) Approx Kg: 18Kg	445.81	891.62
1no Piece(s)	Per Item -	Ref: Side	@ 1 Piece(s)	
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.	@ 2 Piece(s)	
				
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 0,5 Pieces	
				
1no Piece(s)	Per Item -	62x37mm L.Siberian Larch Cill Ext Fitted.	@ 0,400 Meter	
				
26	2 Piece(s)	O/A Dims: 500 x 750mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Type: Top Hung Sash Gasket: Black Weather Gasket H/ware: Hardex Satin Chrome Locking Cranked Connoisseur Handle. Friction Hinges Enhanced Security * Maco R.A.I.L Multipoint Espagnolette Lock. Glass 4mm Clear Toughened Low E / 16 / 4mm Stippolyte Pattern (Privacy Level 4) Toughened - White Warmedge Spacer (Argon filled)		
				Carry over: 83,602.06



Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	83,602.06
Approx Kg: 19Kg				
1no Piece(s) Per Item - Ref: Side			364.92	729.84
1no Piece(s) Per Item - 3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.			@ 1 Piece(s)	
			@ 2 Piece(s)	
				
1no Piece(s) Per Item - 2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.			@ 0,5 Pieces	
				
1no Piece(s) Per Item - 62x37mm L.Siberian Larch Cill Ext Fitted.			@ 0,500 Meter	
				
27	2 Piece(s)	O/A Dims: 800 x 2600mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Type: Fixed Light with Standard Bead. Gasket: Fixed Sash H/ware: Fixed Light Glass: Black Weather Gasket Panel: 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Approx Kg: 28mm Okoume Insulated Flat Panel 123Kg		
				
1no Piece(s) Per Item - Ref: Side			1,300.82	2,601.64
			@ 1 Piece(s)	
			Carry over:	86,933.54


Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
Carry over :				86,933.54
1no Piece(s)	Per Item -	3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.	@ 4 Piece(s)	
				
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 0,5 Pieces	
				
1no Piece(s)	Per Item -	62x37mm L.Siberian Larch Cill Ext Fitted.	@ 1,100 Meter	
				
1no Piece(s)	Per Item -	28x25 Redwood Drip Supplied Loose for Fitting to Transom - 88mm Transom	@ 1,000 Meter	
				
1no Piece(s)	Per Item -	109x13 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round Covermould, Supplied loose..	@ 2,700 Meter	
				
1no Piece(s)	Per Item -	180x18 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round	@ 2,700 Meter	
Carry over:				86,933.54

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	86,933.54


Covermould, Supplied loose..







1no Piece(s) Per Item - **1no 68x68 Hardwood ____ Degree Angled Post Supplied Loose as below:** @ 1,0 Pieces



1no Piece(s) Per Item - 68mm Hardwood Angled Bay Post Loose. @ 2,700 Meter
1no Piece(s) Per Item - 30x8 Hardwood Round 2-Edge Covermould. @ 2,700 Meter


28		1 Piece(s)	O/A Dims: 800 x 2600mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Fixed Light with Standard Bead. Type: Top Hung Sash Fixed Sash Fixed Light Gasket: Black Weather Gasket H/ware: Hardex Pol.Chrome Locking Cranked Connoisseur Handle. Friction Hinges Enhanced Security * Glass: Maco R.A.I.L Multipoint Espagnolette Lock. 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Panel: 28mm Okoume Insulated Flat Panel Approx Kg: 123Kg	1,340.30	1,340.30
1no Piece(s)	Per Item - Ref: Side		@ 1 Piece(s)		
1no Piece(s)	Per Item - 3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.		@ 4 Piece(s)		
			Carry over:	88,273.84	

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	88,273.84
				
1no Piece(s)	Per Item -	2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.	@ 0,5 Pieces	
				
1no Piece(s)	Per Item -	62x37mm L.Siberian Larch Cill Ext Fitted.	@ 1,100 Meter	
				
1no Piece(s)	Per Item -	28x25 Redwood Drip Supplied Loose for Fitting to Transom - 88mm Transom	@ 1,000 Meter	
				
1no Piece(s)	Per Item -	109x13 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round Covermould, Supplied loose..	@ 2,700 Meter	
				
1no Piece(s)	Per Item -	180x18 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round Covermould, Supplied loose..	@ 2,700 Meter	
			Carry over:	88,273.84

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	88,273.84




1no Piece(s) Per Item - **1no 68x68 Hardwood ____ Degree Angled Post Supplied Loose as below:** @ 1,0 Pieces



1no Piece(s) Per Item - 68mm Hardwood Angled Bay Post Loose. @ 2,700 Meter
1no Piece(s) Per Item - 30x8 Hardwood Round 2-Edge Covermould. @ 2,700 Meter

29



2 Piece(s)

O/A Dims:

800 x 2600mm

Product:

68mm Stormproof Casement.

Timber:

Redwood

Cill Profile:

Frame Cill with Cill Extension & Window Board Groove.

Fr.Profile:

Lambs Ogee Frame Profile

Op.Profile:

Lambs Tongue Sash Profile.

Finish:

HJ White 30% Gloss - 3-Coat Finish.

Pane:

78x58mm Stormproof Sash, Externally Glazed.

Fixed Light with Standard Bead.

Type:

Fixed Sash

Fixed Light

Gasket:

Black Weather Gasket

H/ware:

Glass

4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled)

Panel:

28mm Okoume Insulated Flat Panel

Approx Kg:

123Kg

1,300.82

2,601.64

1no Piece(s)

Per Item -

Ref: Side

@ 1 Piece(s)


1no Piece(s)

Per Item -

3.000mtr Length Fin110x18 Redwood R1E

@ 4 Piece(s)





Trim to Jambs, Head & Cill, Supplied Loose.



1no Piece(s) Per Item - **2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.** @ 0,5 Pieces

Carry over: 90,875.48

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	90,875.48
				
1no Piece(s)	Per Item -	62x37mm L.Siberian Larch Cill Ext Fitted.	@ 1,100 Meter	
				
1no Piece(s)	Per Item -	28x25 Redwood Drip Supplied Loose for Fitting to Transom - 88mm Transom	@ 1,000 Meter	
				
1no Piece(s)	Per Item -	109x13 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round Covermould, Supplied loose..	@ 2,700 Meter	
				
1no Piece(s)	Per Item -	180x18 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round Covermould, Supplied loose..	@ 2,700 Meter	
				
1no Piece(s)	Per Item -	1no 68x68 Hardwood ___ Degree Angled Post Supplied <u>Loose as below:</u>	@ 1,0 Pieces	
			Carry over:	90,875.48


Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	90,875.48



1no Piece(s) Per Item - 68mm Hardwood Angled Bay Post Loose. @ 2,700 Meter

1no Piece(s) Per Item - 30x8 Hardwood Round 2-Edge Covermould. @ 2,700 Meter

30		1 Piece(s)	O/A Dims: 800 x 2600mm Product: 68mm Stormproof Casement. Timber: Redwood Cill Profile: Frame Cill with Cill Extension & Window Board Groove. Fr.Profile: Lambs Ogee Frame Profile Op.Profile: Lambs Tongue Sash Profile. Finish: HJ White 30% Gloss - 3-Coat Finish. Pane: 78x58mm Stormproof Sash, Externally Glazed. Fixed Light with Standard Bead. Type: Top Hung Sash Fixed Sash Fixed Light Gasket: Black Weather Gasket H/ware: Hardex Pol.Chrome Locking Cranked Connoisseur Handle. Friction Hinges Enhanced Security * Glass: Maco R.A.I.L Multipoint Espagnolette Lock. 4mm Clear Toughened / 16 / 4mm Clear Toughened Low E - White Warmedge Spacer (Argon filled) Panel: 28mm Okoume Insulated Flat Panel Approx Kg: 123Kg	1,340.30	1,340.30
----	--	------------	--	----------	----------

1no Piece(s) Per Item - **Ref: Side**

@ 1 Piece(s)

1no Piece(s) Per Item - 3.000mtr Length Fin110x18 Redwood R1E Trim to Jambs, Head & Cill, Supplied Loose.

@ 4 Piece(s)







1no Piece(s) Per Item - 2.4mtr Length 50x22mm Moisture Resistant Nosed Window Boards.

@ 0,5 Pieces

Carry over: 92,215.78

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
			Carry over :	92,215.78
				
1no Piece(s)	Per Item -	62x37mm L.Siberian Larch Cill Ext Fitted.	@ 1,100 Meter	
				
1no Piece(s)	Per Item -	28x25 Redwood Drip Supplied Loose for Fitting to Transom - 88mm Transom	@ 1,000 Meter	
				
1no Piece(s)	Per Item -	109x13 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round Covermould, Supplied loose..	@ 2,700 Meter	
				
1no Piece(s)	Per Item -	180x18 Hardwood External Covermould - 135___ Degree Angled Jointed Pencil Round Covermould, Supplied loose..	@ 2,700 Meter	
				
1no Piece(s)	Per Item -	1no 68x68 Hardwood ___ Degree Angled Post Supplied <u>Loose as below</u>:	@ 1,0 Pieces	
			Carry over:	92,215.78

Quotation : 66623R4, of 25/03/2026

Item	Quantity	DescriptionXXX	Per Item	Total
Carry over :				92,215.78
				
1no Piece(s)	Per Item -	68mm Hardwood Angled Bay Post Loose.	@ 2,700 Meter	
1no Piece(s)	Per Item -	30x8 Hardwood Round 2-Edge Covermould.	@ 2,700 Meter	
Total of items				92,215.78
Installation of Windows & Doorsets				23,828.06
Total net				116,043.84
VAT				23,208.77
			20,00 %	
Total gross				139,252.61

Please note, this quotation is our interpretation of your enquiry. Please ensure you check all sizes and the full specification prior to placing an order otherwise our manufacturing jobsheets will be based on the information within this quotation.
Please note all quotations are valid for 30 days from date of offer. Heron Joinery reserve the right to revisit prices after this period.

Order Confirmation of Quotation

We confirm that the enclosed quotation is in line with our requirements. We would like to place an order with Heron Joinery with no changes to the details contained in the quotation.

Purchase order number _____

Signature _____

Date _____

Heron Joinery Terms and Conditions of sale are an integral part of this confirmation. These are available on request or at www.heronjoinery.com on the technical download section.