

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2026/2341
Application type	Conservation Area Notification
Site Address:	7 Bishopswood Road, Hornsey, London, N6 4PH
Proposal	<i>T1: Cherry (8m): Fell due to severe dieback and close proximity to building</i> <i>T2: Cherry (8m): Fell due to severe dieback and close proximity to building</i>

RECOMMENDATION:	No Objection	
Application date	20/08/2026	
Tree Inspector	DM	Date: 16 th September 2026

Site

The Cherry trees, as marked on the plan and seen in the photograph are situated in the grounds of the property. It is not clear if they are publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Highgate Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

T1: Cherry (8m): Fell due to severe dieback and close proximity to building

T2: Cherry (8m): Fell due to severe dieback and close proximity to building

Issues

I hold no objections to the removal of the declining cherries.

There is a duty to replace dead, dying and dangerous trees within a Conservation Area.

Recommendation

No Objection