



NOTE:
For pricing, allow reinforcement as shown, 6m lengths typical with 1m laps.
Subject to final detailing and final piling layout once engaged with Piling contractor with confirmed achievable pile capacities.

PILING NOTES:

1. 300Ø U.N.O.
2. Final pile capacity/ design to be confirmed by Piling Contractor to allow final design to be developed.
3. All ground beams 750wd x 600dp, UNO, to accommodate anticipated cavity width.



- [illegible]

Setting out dimensions, walls and levels to architects' drawings

PRELIMINARY

03	Added Piled Layout.	AF	14/08/26	AF	GN
02	Indicative ground beam reinforcement added	AF	27/08/26	GN	GN
01	First issued PO1	AF	19/08/26	GN	GN
Rev	Description	By	Date	Chk'd	Auth

**MARKS
HEELEY**

THE STABLES
CANNONS MILL LANE
BISHOPS STORTFORD
HERTFORDSHIRE SG2 2BN

TELEPHONE: 01279 465900
FACSIMILE: 01279 465999
GENERAL@MARKSHEELEY.CO.UK

CONSULTING STRUCTURAL AND CIVIL ENGINEERS

AJC

**505-511 ARCHWAY ROAD,
LONDON, N6 4HX**

FOUNDATION PLAN

Sheet Size A0	Original Scale 1:50	Designed/Drawn AF	Checked GN	Authorised GN
		Date 19/08/26	Date 19/08/26	Date 19/08/26
Status P	Drawing Number H19001/ 01			Rev P03