

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2026/2701
Application type	Conservation Area Notification
Site Address:	Hornsey Central Library, Haringey Park, Hornsey, London, N8 9JA
Proposal	<i>Five Day Notice (retrospective). x 3 dead Liquid amber trees along front elevation of the library - remove these trees asap due to them being dead and in a public place</i>

RECOMMENDATION:	No Objection	
Application date	29/09/2026	
Tree Inspector	DM	Date: 30 th September 2026

Site

The Liquidamber trees, as described above and seen in the photographs are situated in the frontage of the library. They are publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Crouch End Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

Five Day Notice (retrospective).

x 3 dead Liquid amber trees along front elevation of the library - remove these trees asap due to them being dead and in a public place

Issues

I hold no objections under a retrospective five- day Notice to the removal of the exempt dead three Liquidamber trees.

There is a duty to replant dead, dying, and dangerous trees in a Conservation Area.

There are plans to re plant.

The applicant has confirmed that they are grinding the stumps out to allow for re planting.

Recommendation

No Objection