

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2026/2454
Application type	Conservation Area Notification
Site Address:	65 Wood Lane, Hornsey, London, N6 5UD
Proposal	<i>T1 Ailanthus remove to ground level and poison stump. Invasive and growing shoots all over the garden and inside the house through the floor boards</i>

RECOMMENDATION:	No Objection	
Application date	02/09/2026	
Tree Inspector	DM	Date: 7 th October 2026

Site

The medium-size Ailanthus tree T1, as seen in the photographs and marked on the plan, is situated in the rear garden of the property. It is not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Highgate Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

T1 Ailanthus remove to ground level and poison stump. Invasive and growing shoots all over the garden and inside the house through the floor boards

Issues

I hold no objections to the removal of the young Ailanthus tree T1 and for the reasons given. The tree is inappropriately placed too close to the structure.

The trees do have the potential to propagate profusely within the urban environment due to the heat island affect.

The applicant has said that they will look at re planting.

Recommendation

No Objection