

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2026/2499
Application type	Conservation Area Notification
Site Address:	63 Grove Avenue, Hornsey, London, N10 2AL
Proposal	<i>Willow leaf Pear - Dismantle crown and cut as close to ground level as practically possible This tree is causing damage to the neighbouring property (tree photo added 01.10.2026)</i> <i>Maple - Crown reduce the height and spread back to previous reduction points (approx. 1.5m height and 1.2m spread) Maintenance works in line with good arboricultural practice</i>

RECOMMENDATION:	No Objection	
Application date	07/09/2026	
Tree Inspector	DM	Date: 15 th October 2026

Site

The Willow leaf Pear and Maple tree, as seen in the photograph and marked on the plan, are situated in the front and rear garden of the property. The Willow leaf Pear is publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Alexandra Park Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

Willow leaf Pear - Dismantle crown and cut as close to ground level as practically possible

This tree is causing damage to the neighbouring property (tree photo added 01.10.2026)

Maple - Crown reduce the height and spread back to previous reduction points (approx. 1.5m height and 1.2m spread)

Maintenance works in line with good arboricultural practice

Issues

I hold no objection to the removal of the Willow leaf Pear. However, not for the reasons stated as insufficient evidence has been submitted.

The tree is not worthy of further protection.

The pruning works to the Maple is within standard good arboricultural practice and husbandry.

Recommendation

No Objection