






Your Quote

Advisor **Steve Macdonald**

Qty (1) Overall Sizes 1160mm x 1550mm

Comments:



Overall Cill Length : 1,156.00mm
Quantity 1

Height LHS 1,550
Height RHS 1,550
Pitch 0.00
Height Offset Peak 0

Location: Specification

Product Type	Spectus Legacy Welded VS
Frame (Head)	VS41 Outerframe
Frame (Cill)	VS Bottom Outer
Frame (Left Jamb)	VS41 Outerframe Jamb
Frame (Right Jamb)	VS41 Outerframe Jamb
Flying mullion	VS Sash Overlap
Colour	White Woodgrain
Sash colour	White Woodgrain
Cill colour	White Woodgrain
Cill	VS42 150mm Upstand Cill
Drainage	Concealed/Base
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left Jamb)	No add-on
Add-on (Right Jamb)	No add-on
VS Tilt Facility	No Tilt Facility
VS Slide Facility	Fixed Bottom
VS Hardware Colour	Gold
VS Sash Restrictors	No
Security	Standard Security
VS D Handle	None Required
VS Pole Eyes	None Required
Ventilator (Head)	No Trickle Vent
Ventilator (Sash)	No Trickle Vent
VS Locking	Standard Locking
VS Fire Escape Kit	No
VS Quick Release Kit	Yes
Fixing brackets	No
Mock sash horn	Run-Through Horns
Deep Bottom Rail	None Required
Seamless Weld (Graft)	Yes Seamless

Balance type will be applied to best suit the sash specification

It is your responsibility to ensure the tricklevents achieve the adequate airflow 'EA' for where they will be installed. If you need to achieve a higher 'EA' than currently detailed please talk to us so we can advise on your options.

Glazing Details & Apertures

4/16/4 Total+ Argon 16mm Black Spacer N/A
A1(978 x 655) QTY x 1


Overall U-Value: 1.40 W/M2K

4/16/4 Total+ Argon Tough (Btm) 16mm Black Spacer
N/A


Argon Gas Filled

A6(978 x 673) QTY x 1


Overall U-Value: 1.40 W/M2K




Top Rail




Top Jamb



Side Jamb



Meeting Rail



Bottom Rail