



Legend

Site Boundary

Hand Pit Suitability

Suitable

Not Suitable

First Issue	18/04/2023	-	
Issue Details	HDF	KRJ	KRJ
Issue Purpose	Dwn	Chd	App'd
Client	Preliminary		
Project	Hills Partnership		
Dwg Title	St Ann's Hospital St Ann's Road, London		
Drawing No.	21914j-304-003		
Scale	1:1250	Date	18/04/2023
Drawn	HDF	Checked	KRJ
		Approved	KRJ
IDOM			
Cromford Mills, Mill Lane, Matlock, Derbyshire DE4 3RQ t: +44(0)1773 829 988 e: info.derbyshire@idom.com			



Legend

- Site Boundary
- Hand Pit Suitability
 - Suitable
 - Not Suitable

First Issue	18/04/2023	-	-
Issue Details	HDF	KRJ	KRJ
Issue Purpose	Dwn	Chd	App'd
Client	Preliminary		
Client	Hills Partnership		
Project	St Ann's Hospital St Ann's Road, London		
Dwg Title	Soils suitable for placement in areas residential areas without the possibility of homegrown produce		
Drawing No.	21914j-304-004		
Scale	1:1250	Date	18/04/2023
Drawn	HDF	Checked	KRJ
		Approved	KRJ

IDOM

Cromford Mills, Mill Lane, Matlock, Derbyshire DE4 3RQ
t: +44(0)1773 829 988 e: info.derbyshire@idom.com



Legend

Site Boundary

Hand Pit Suitability

Suitable

Not Suitable

IDOM

Cromford Mills, Mill Lane, Matlock, Derbyshire DE4 3RQ
t: +44(0)1773 829 988 e: info.derbyshire@idom.com



NOTES:

600 mm clean cover required (minimum 150 mm topsoil over subsoil, subsoil can be site won, but must be suitable for use in private gardens).

300 mm clean cover required (minimum 150 mm topsoil over subsoil, subsoil can be site won / made up from existing soils, but must be suitable for use in a park setting (POS Park))

300 mm clean cover required (minimum 150 mm topsoil over subsoil, subsoil can be site won, but must be suitable for use in communal gardens).

No clean cover requirements and general fill can be used below pile mat / building footprint

No clean cover requirements and general fill can be used below road and pavement formation levels

Bio tree pits with suitable growing medium

GENERAL NOTES:

- All tree pits irrespective of zones to have required growing mediums
- All planters / planting beds to have clean cover of minimum 300mm



PROJECT

St Ann's (X026)

TITLE

Remediation plan

REVISION

001

DRAWN BY

DW

ISSUE DATE

16/05/2023

IDOM

IDOM Cromford Mills, Mill Lane, Matlock, Derbyshire DE4 3RQ
t +44 (0)1773 829 988 **f** +44 (0)1773 829 393 **e** info.derbyshire@idom.com **idom.com**

Registered in England No. 02740216 Registered office: as above

offices Birmingham London Kent Derbyshire Cardiff Manchester Stirling