

The background is a complex, abstract geometric pattern composed of numerous dark, rectangular blocks of varying sizes and orientations. These blocks are arranged in a way that creates a sense of depth and perspective, with some blocks appearing to recede into the distance while others are in the foreground. The lighting is dramatic, with bright, white highlights on the edges and surfaces of the blocks, contrasting sharply with the deep, dark shadows. The overall effect is a high-contrast, modern, and architectural aesthetic.

QODA LIGHT

Issue	Date	Description	Prepared	Checked
1	11.08.2023	Preliminary Issue	P. Ferentinos	S. Dove
2	23.10.2023	Issue	P. Ferentinos	S. Dove
T	15.11.2023	Tender Issue	P. Ferentinos	S. Dove
T	07.12.2023	Tender Issue	P. Ferentinos	S. Dove



Luminaires

The Electrical Contractor shall allow to supply and install all luminaires shown on this schedule. This shall include all fixings, connections, lamps and equipment to ensure that the fittings are complete.

The Electrical Contractor shall ensure the catalogue numbers, dimensions and technical details are correct for the fittings to be installed in the associated site locations and mounting positions conditions before ordering.

Unless otherwise specified luminaires shall be complete electronic control gear/ballasts.

Any prices shown are manufacturers trade prices (£ Sterling) excluding VAT and are for guidance only.



Ref: A1

Manufacturer	Light Projects
Contact	Simon Gratton - 07974 423 954
Product Name	INFINITY STANDARD IN TRACK
Product Description	Track mounted Spotlight 3000K
Emitted Lumens	1313lm
Luminous Efficacy	65lm/W
Colour Temperature	3000K
Standard Deviation Colour Match	3 SDCM
CRI	90+
Wattage	12.8W
Optic	Adjustable beam angle 15° - 45°
Lighting Control	On Board dimming driver
IP/IK Rating	IP20
Finish	White
Reference Number	580010/3/9030/Z/8B1
Notes	

Ref: A2

Manufacturer	Light Projects
Contact	Simon Gratton - 07770 873 951
Product Name	GLOBAL TRAC PRO
Product Description	3 Circuit Suspended Track System
Emitted Lumens	-
Luminous Efficacy	-
Colour Temperature	-
Standard Deviation Colour Match	-
CRI	-
Wattage	-
Optic	-
Lighting Control	-
IP/IK Rating	IP20
Finish	White
Reference Number	198-110-1
Notes	

Ref: A3

Manufacturer	SYLVANIA
Contact	Richard Kellaway - 07770 873 951
Product Name	START SURFACE SLIM IP54 ROUND
Product Description	Ceiling surface mounting
Emitted Lumens	1500lm
Luminous Efficacy	100m/W
Colour Temperature	3000K
Standard Deviation Colour Match	3 SDCM
CRI	80
Wattage	15W
Optic	120°
Lighting Control	Mains: leading / trailing edge
IP/IK Rating	IP20
Finish	White
Reference Number	0043510
Notes	

EXISTING LIGHT FITTINGS
To be retained and refurbished where necessary
and re-lamped

Ref: A4

Manufacturer	-
Contact	-
Product Name	-
Product Description	-
Emitted Lumens	-
Luminous Efficacy	-
Colour Temperature	-
Standard Deviation Colour Match	-
CRI	-
Wattage	-
Optic	-
Lighting Control	-
IP/IK Rating	-
Finish	-
Reference Number	-
Notes	-

EXISTING PENDANTS
To be retained and refurbished where necessary
and re-lamped

Ref: A5


Manufacturer	-
Contact	-
Product Name	-
Product Description	-
Emitted Lumens	-
Luminous Efficacy	-
Colour Temperature	-
Standard Deviation Colour Match	-
CRI	-
Wattage	-
Optic	-
Lighting Control	-
IP/IK Rating	-
Finish	-
Reference Number	-
Notes	-

EXISTING PENDANTS
To be retained and refurbished where necessary
and re-lamped

Ref: A6

Manufacturer	-
Contact	-
Product Name	-
Product Description	-
Emitted Lumens	-
Luminous Efficacy	-
Colour Temperature	-
Standard Deviation Colour Match	-
CRI	-
Wattage	-
Optic	-
Lighting Control	-
IP/IK Rating	-
Finish	-
Reference Number	-
Notes	-

EXISTING LIGHT FITTINGS
To be retained and refurbished where necessary
and re-lamped



Ref: A7

Manufacturer	-
Contact	-
Product Name	-
Product Description	-
Emitted Lumens	-
Luminous Efficacy	-
Colour Temperature	-
Standard Deviation Colour Match	-
CRI	-
Wattage	-
Optic	-
Lighting Control	-
IP/IK Rating	-
Finish	-
Reference Number	-
Notes	-

Ref: EM

Manufacturer	CONCORD
Contact	Richard Kellaway - 07770 873 951
Product Name	RouteLED Track
Product Description	Miniature emergency track mounted
Emitted Lumens	175lm
Luminous Efficacy	-
Colour Temperature	4000K
Standard Deviation Colour Match	-
CRI	-
Wattage	2W
Optic	-
Lighting Control	-
IP/IK Rating	IP20
Finish	White
Reference Number	2698227
Notes	-

Ref:

Manufacturer	-
Contact	-
Product Name	-
Product Description	-
Emitted Lumens	-
Luminous Efficacy	-
Colour Temperature	-
Standard Deviation Colour Match	-
CRI	-
Wattage	-
Optic	-
Lighting Control	-
IP/IK Rating	-
Finish	-
Reference Number	-
Notes	-

