

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2024/0319
Application type	Conservation Area Notification
Site Address:	87 Claremont Road, Hornsey, London, N6 5BZ
Proposal	Rear Garden: T1: Mature Cherry: Approximately 10.00m: Reduce back to previous and most recent reduction points, approximately 1.50m. Thin crown density by approximately 20%. Remove dead wood. General maintenance. T2: Mature Apple: Approximately 8.00m: Reduce back to previous and most recent reduction points up to approximately 1.50m. Thin crown density throughout by approximately 20%. Remove dead wood. General maintenance. S1: Large Rose: Trim hard back to promote a compact crown. Remove low stems. General maintenance. 2 x Yucca Plants: Approximately 3.00m: Fell to ground level. Close proximity to building.

RECOMMENDATION:	No Objection	
Application date	07/01/2024	
Tree Inspector	DM	Date: 29 th February 2024

Site

The various trees, as described above and marked on the plan, are situated in the rear garden of the property. They are not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Highgate Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

Rear Garden:

T1: Mature Cherry: Approximately 10.00m: Reduce back to previous and most recent reduction points, approximately 1.50m. Thin crown density by approximately 20%. Remove dead wood. General maintenance.

T2: Mature Apple: Approximately 8.00m: Reduce back to previous and most recent reduction points up to approximately 1.50m. Thin crown density throughout by approximately 20%. Remove dead wood. General maintenance.

S1: Large Rose: Trim hard back to promote a compact crown. Remove low stems. General maintenance.

2 x Yucca Plants: Approximately 3.00m: Fell to ground level. Close proximity to building.

Issues

I hold no objections to the reasonable repeat proposed pruning works.

The two Yuccas are low grade and not worthy of a Tree Preservation Order.

Recommendation

No Objection