

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2024/0447
Application type	Conservation Area Notification
Site Address:	56 North Hill, Hornsey, London, N6 4RH
Proposal	Tree location - front and rear garden T1 - Approx. H11 S6 25DBH - Acer Crown reduce height by approx. 3-4m. Reduce laterals by 2-3m. Pruning back to suitable secondary growth to form a smaller neater canopy. T4 - Approx. H2 S1 10DBH Japonica Fell and grub stump. T5 - Approx. H3 S1 20DBH Japanese Laurel Fell and grub out stump as low as practically possible. T7 Approx. H4 S2.5 10DBH Laurel Crown reduce height by 1m. Reduce laterals by 0.5m. Reshape. T8 - Beech box hedge Reduce height by approx. 1m on both wings. Lightly retrim regrowth on arch leaving it just below previous point of last pruning.

RECOMMENDATION:	No Objection	
Application date	21/02/2024	
Tree Inspector	DM	Date: 26 th March 2024

Site

The various trees, as listed above, marked on the plan, and seen in the photographs are situated in the rear and front garden of the property. They are not publicly visible to the rear.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Highgate Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

Tree location - front and rear garden

T1 - Approx. H11 S6 25DBH - Acer

Crown reduce height by approx. 3-4m.

Reduce laterals by 2-3m.

Pruning back to suitable secondary growth to form a smaller neater canopy.

T4 - Approx. H2 S1 10DBH Japonica

Fell and grub stump.

T5 - Approx. H3 S1 20DBH Japanese Laurel

Fell and grub out stump as low as practically possible.

T7 Approx. H4 S2.5 10DBH Laurel

Crown reduce height by 1m.

Reduce laterals by 0.5m.

Reshape.

T8 - Beech box hedge

Reduce height by approx. 1m on both wings.

Lightly retrim regrowth on arch leaving it just below previous point of last pruning.

Issues

I hold no objection to the proposed pruning and removals.

The fells are low grade specimens not worthy of a Tree Preservation Order. The remaining specification is within good arboricultural practice and husbandry.

Recommendation

No Objection

Informative: There is a duty under Section 213 of the Town and Country Planning Act 1990 (as amended) to plant replacement trees for the removal of trees, and also dead, dying or dangerous.