



EW50 - External Brick Wall
(Substation)



EW-50 (Light Brick 02) A1, A5, B1, C1

Thickness 560mm
Target U-Value N/A
Fire Rating min. 240 mins
Acoustic Rating N/A


EW51 - External Brick Wall
(Soldier Recessed Panel - Substation)



EW-51 (Light Brick 02) A1, A5, B1, C1

Thickness 535mm
Target U-Value N/A
Fire Rating min. 240 mins
Acoustic Rating N/A


EW52 - External Glazed Ceramic
Brick Pleated (Substation)



EW-52 (Glazed Ceramic 01) A4 Only

Thickness 560mm
Target U-Value N/A
Fire Rating min. 240 mins
Acoustic Rating N/A


EW53 - External Soldier Brick Wall
(Substation)



EW-50 (Light Brick 02) A1, A5, B1, C1


Thickness 560mm
Target U-Value N/A
Fire Rating min. 240 mins
Acoustic Rating N/A

EW55 - Internal Party Wall
(Substation - Heated to Unheated)



Thickness 632mm
Target U-Value 0.13W/m²K
Fire Rating min. 240 mins
Acoustic Rating ???

EW56 - Substation Partion
Wall



Thickness 215mm
Target U-Value N/A
Fire Rating min. 240 mins
Acoustic Rating N/A

Notes

1. Do not scale this drawing.
 2. All dimensions must be checked on site and any discrepancies verified with the architect.
 3. Unless shown otherwise, all dimensions are to structural surfaces.
 4. Drawing to be read with all other issued information. Any discrepancies to be brought to the attention of the architect.
 5. This drawing is the copyright of Levitt Bernstein and may not be copied, altered or reproduced in any form, or passed to a third party without license or written consent.
 6. This document is prepared for the sole use of Formation D&B and no liability to any other persons is accepted by Levitt Bernstein. Levitt Bernstein accepts no liability for use of this drawing by parties other than the party for whom it was prepared or for purposes other than those for which it was prepared.
- This is not a construction drawing, it is unsuitable for the purpose of construction and must on no account be used as such.

P1	20/07/23	First Issue	SG/O
Rev	Date	Description	Drawn / Checked
Project name			
Ashley Road Depot			
Tottenham Hale			
Drawing number			
Rev			
3742B - LB - XX - XX - D - A - 450005			
P1			
Drawing			
External Wall Types 06			
Purpose of issue			
Stage 4A			
Scale			
1 : 10 @ A1			
Date			
20/07/23			
Client			
Formation D&B			
London			
Thane Studios			
2-4 Thane Villas			
London N1 7PA			
+44 (0)20 7275 7676			
Manchester			
Bonded Warehouse			
18 Lower Byrom Street			
Manchester M3 4AP			
+44 (0)161 669 6740			
Levitt Bernstein			
levittbernstein.co.uk			