



EW10 - External Brick Wall
(Ancillary)



EW-10A (Light Brick 01) A2, A3, B2, B3, C2
EW-10B (Light Brick 02) A1, A5, B1, C1
EW-10C (Dark Brick 01) A4 Only

Thickness 445mm
Target U-Value N/A
Fire Rating min. 60 mins
Acoustic Rating N/A


EW11 - External Brick Wall
(Soldier Recessed Panel - Ancillary)



EW-11A (Light Brick 01) A2, A3, B2, B3, C2
EW-11B (Light Brick 02) A1, A5, B1, C1
EW-11C (Dark Brick 01) A4 Only

Thickness 420mm
Target U-Value N/A
Fire Rating min. 60 mins
Acoustic Rating N/A


EW12 - External Glazed Ceramic
Tile Wall (Ancillary)



EW-12A (Glazed Ceramic 01) A4 Only
EW-12B (Glazed Ceramic 02) B2, C2

Thickness 445mm
Target U-Value N/A
Fire Rating min. 60 mins
Acoustic Rating N/A


EW13 - External Glazed Ceramic
Brick Pleated (Ancillary)



EW-13A (Glazed Ceramic 01) A4 Only
EW-13B (Glazed Ceramic 02) B2, C2

Thickness 445mm
Target U-Value N/A
Fire Rating min. 60 mins
Acoustic Rating N/A

EW15 - Internal Party Wall
(Heated to Unheated)




EW-15A 200mm Insulation
EW-15B 150mm Insulation

Thickness 517mm
Target U-Value 0.13W/m2K
Fire Rating min. 120 mins
Acoustic Rating ???

Typical Buildup
Localised buildup
for SVP setting out

Final target acoustic
rating TBC


EW16 - Internal Party Wall
(Heated to Unheated -
No Service Void)



Thickness 425mm
Target U-Value 0.170W/m2K
Fire Rating min. 90 mins
Acoustic Rating ???

Final target acoustic
rating TBC


EW17 - Internal Party Shear Wall
(Heated to Unheated)



Thickness 525mm
Target U-Value 0.160W/m2K
Fire Rating min. 90 mins
Acoustic Rating ???

Final target acoustic
rating TBC

EW18 - Party Wall Structural
Movement Joint
(Ancillary)



Thickness 513mm
Target U-Value ???
Fire Rating min. 60 mins
Acoustic Rating ???

Final target acoustic
rating TBC

Notes

1. Do not scale this drawing.
2. All dimensions must be checked on site and any discrepancies verified with the architect.
3. Unless shown otherwise, all dimensions are to structural surfaces.
4. Drawing to be read with all other issued information. Any discrepancies to be brought to the attention of the architect.
5. This drawing is the copyright of Levitt Bernstein and may not be copied, altered or reproduced in any form, or passed to a third party without license or written consent.
6. This document is prepared for the sole use of Formation D&B and no liability to any other persons is accepted by Levitt Bernstein. Levitt Bernstein accepts no liability for use of this drawing by parties other than the party for whom it was prepared or for purposes other than those for which it was prepared.

This is not a construction drawing, it is unsuitable for the purpose of construction and must on no account be used as such.

P1 20/07/23 First Issue SG/O B

Rev Date Description Drawn / Checked

Project name

Ashley Road Depot
Tottenham Hale

Drawing number Rev

3742B - LB - XX - XX - D - A - 450001 P1

Drawing

External Wall Types 02

Purpose of issue
Stage 4A

Scale Date
1 : 10 @ A1 20/07/23

Client
Formation D&B

London
Thane Studios
2-4 Thane Villas
London N17 7PA
+44 (0)20 7275 7676
Manchester
Bonded Warehouse
18 Lower Byron Street
Manchester M3 4AP
+44 (0)161 666 6740
Levitt Bernstein
levittbernstein.co.uk