



EW01 - External Brick Wall



EW-01A (Light Brick 01) A2, A3, B2, B3, C2
EW-01B (Light Brick 02) A1, A5, B1, C1
EW-01C (Dark Brick 01) A4 Only

Thickness 600mm
Target U-Value 0.12 W/m²K
Fire Rating min. 60 mins
Acoustic Rating N/A


EW02 - External Brick Wall (Soldier Banding)



EW-02A (Light Brick 01) A2, A3, B2, B3, C2
EW-02B (Light Brick 02) A1, A5, B1, C1
EW-02C (Dark Brick 01) A4 Only

Thickness 600mm
Target U-Value 0.12 W/m²K
Fire Rating min. 60 mins
Acoustic Rating N/A


EW03 - External Brick Wall (Soldier Recessed Panel)



EW-03A (Light Brick 01) A2, A3, B2, B3, C2
EW-03B (Light Brick 02) A1, A5, B1, C1
EW-03C (Dark Brick 01) A4 Only

Thickness 575mm
Target U-Value 0.13 W/m²K
Fire Rating min. 60 mins
Acoustic Rating N/A


EW04 - External Glazed Ceramic Brick Wall



EW-04A (Glazed Ceramic 01) A4 Only
EW-04B (Glazed Ceramic 02) B2, C2

Thickness 600mm
Target U-Value 0.12 W/m²K
Fire Rating min. 60 mins
Acoustic Rating N/A


EW05 - External Glazed Ceramic Brick Pleated (Stacked)



EW-05A (Glazed Ceramic 01) A4 Only
EW-05B (Glazed Ceramic 02) B2, C2

Thickness 600mm
Target U-Value 0.12 W/m²K
Fire Rating min. 60 mins
Acoustic Rating N/A


EW06 - External Sawtooth Brick Wall



EW-06 (Dark Brick 01) A4 Only

Thickness 650mm
Target U-Value 0.12 W/m²K
Fire Rating min. 60 mins
Acoustic Rating N/A

EW07 - External Precast Wall (Tower Portal Entrances)



EW-01A (Light Brick 01) A2, A3, B2, B3, C2
EW-01B (Light Brick 02) A1, A5, B1, C1
EW-01C (Dark Brick 01) A4 Only

Thickness 600mm
Target U-Value 0.12 W/m²K
Fire Rating min. 60 mins
Acoustic Rating N/A

**Final U-value TBC, design of concrete fixings to be calculated into buildup*

Notes

1. Do not scale this drawing.
 2. All dimensions must be checked on site and any discrepancies verified with the architect.
 3. Unless shown otherwise, all dimensions are to structural surfaces.
 4. Drawing to be read with all other issued information. Any discrepancies to be brought to the attention of the architect.
 5. This drawing is the copyright of Levitt Bernstein and may not be copied, altered or reproduced in any form, or passed to a third party without license or written consent.
 6. This document is prepared for the sole use of Formation D&B and no liability to any other persons is accepted by Levitt Bernstein. Levitt Bernstein accepts no liability for use of this drawing by parties other than the party for whom it was prepared or for purposes other than those for which it was prepared.
- This is not a construction drawing, it is unsuitable for the purpose of construction and must not on no account be used as such.

P1	20/07/23	First Issue	SG/O B
Rev	Date	Description	Drawn / Checked
Project name			

Ashley Road Depot
Tottenham Hale

Drawing number Rev

3742B - LB - XX - XX - D - A - 450000 P1

Drawing

External Wall Types 01

Purpose of issue
Stage 4A

Scale Date
1 : 10 @ A1 20/07/23

Client
Formation D&B

London
Thane Studios
2-4 Thane Villas
London N17 7PA
+44 (0)20 7275 7676
Manchester
Bonded Warehouse
18 Lower Byrom Street
Manchester M3 4AP
+44 (0)161 669 6740

Levitt Bernstein
levittbernstein.co.uk