

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2024/0449
Application type	Conservation Area Notification
Site Address:	56 Wolseley Road, Hornsey, London, N8 8RP
Proposal	We are applying to remove two trees on our boundary. The first is marked 1 on the attached plan. It is an elder tree that has two main trunks which were being strangled by ivy which we removed a few years ago. One of the main trunks has become rotten and the whole tree is suckering extensively so we would like to remove it. The second tree is marked 2 on the plan. It is a wild plum tree. It is part of a small thicket which was also growing next door (62 Wolseley Road). That plot is being developed and their wild plum was removed. This has had the effect of causing the tree on our side to sucker extensively which has damaged our pond. It is adjacent to a paved area and the suckers are very vigorous. We are concerned that the nation is not damaged. We already need to re-build our pond. We plan to replant tree 1 with a styrax as soon as possible. This will be suitable for a garden. We plan to replace tree 2 most likely with an amelanchier once we are sure that we have removed all the suckers that are growing.

RECOMMENDATION:	No Objection	
Application date	21/02/2024	
Tree Inspector	DM	Date: 9 th April 2024

Site

The Elder & Plum trees, marked 1 & 2 on the plan, and seen in the photograph are situated in the rear garden of the property. They are not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Crouch End Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

We are applying to remove two trees on our boundary.

The first is marked 1 on the attached plan. It is an elder tree that has two main trunks which were being strangled by ivy which we removed a few years ago. One of the main trunks has become rotten and the whole tree is suckering extensively so we would like to remove it.

The second tree is marked 2 on the plan. It is a wild plum tree. It is part of a small thicket which was also growing next door (62 Wolseley Road). That plot is being developed and their wild plum was removed. This has had the effect of causing the tree on our side to sucker extensively which has damaged our pond. It is adjacent to a paved area and the suckers are very vigorous. We are concerned that the nation is not damaged. We already need to re-build our pond.

We plan to replant tree 1 with a styrax as soon as possible. This will be suitable for a garden. We plan to replace tree 2 most likely with an amelanchier once we are sure that we have removed all the suckers that are growing.

Issues

I hold no objections to the proposed removal of the decayed elder and plum that is causing nuisance issues.

Both trees are low grade and not worthy of a Tree Preservation Order.

The residents intend to re plant.

Recommendation

No Objection

Informative: There is a duty under Section 213 of the Town and Country Planning Act 1990 (as amended) to plant replacement trees for the removal of trees, and also dead, dying or dangerous.