

Joshua Valler-Feltham
Unit 9B
Fountayne Road
Tottenham Hale
London
United Kingdom
N15 4BE

15 October 2024

**TOWN AND COUNTRY PLANNING ACT 1990
TOWN AND COUNTRY PLANNING (DEVELOPMENT MANAGEMENT PROCEDURE)
(ENGLAND) ORDER 2015
NOTICE OF PLANNING PERMISSION**

Case Reference	HGY/2023/1601
Location	Imperial House, 64 Willoughby Lane, Tottenham, London, N17 0SP
Proposal Received	Upward extension to allow for additional office space 19 June 2023

In pursuance of their powers under the above Act, the London Borough of Haringey as Local Planning Authority hereby PERMIT the above development received on the above date.

Title	Description	Date
Existing.pdf	Additional plans	19 June 2023
Proposed Plans Rev B		15 October 2024
Rev C-Proposed parking, Bin and Bike detail		15 October 2024

Robbie McNaugher

Robbie McNaugher
Head of Development Management and Planning Enforcement
Planning Service

Conditions: (8)

- 1** The development to which this permission relates must be begun no later than three years from the date of this decision notice, failing which the permission shall be of no effect.

Reason: This condition is imposed by virtue of Section 91 of the Town and Country Planning Act 1990 and to prevent the accumulation of unimplemented planning permissions.

- 2** The development hereby permitted shall be carried out in complete accordance with the approved plans and drawings listed in this decision notice, other than where those details are altered pursuant to the conditions of this planning permission.

Reason: For the avoidance of doubt and in the interests of proper planning.

- 3** Prior to the commencement of buildings works above grade, detailed drawings, including sections, to a scale of 1:20 to confirm the detailed design and materials of the:

- a) Detailed elevational treatment;
- b) Detailing of roof and parapet treatment;
- c) Windows and doors (including plan, elevation and section drawings indicating jamb, head, cill, reveal and surrounds of all external windows and doors at a scale of 1:10), which shall include a recess of at least 115mm;
- d) Details of entrances and porches which shall include a recess of at least 115mm;
- e) Details and locations of down pipes, rainwater pipes or foul pipes and all external vents;
- f) Details of balustrading;
- g) Facing Brickwork: sample panels of proposed brickwork to be used showing the colour, texture, pointing, bond, mortar, and brickwork detailing shall be provided;
- h) Details of cycle, refuse enclosures and plant room; and
- i) Any other external materials to be used,

Shall be submitted to and approved in writing by the Local Planning Authority prior to the commencement of the development hereby permitted and together with a full schedule of the exact product references for all materials.

The development shall thereafter be carried out solely in accordance with the approved details.

Reason: To safeguard and enhance the visual amenities of the locality in

compliance with Policies DM1, DM8 and DM9 of the Development Management Development Plan Document 2017.

- 4 Prior to above ground works or construction, details of the type and location of secure and covered cycle parking facilities have been submitted to and approved in writing by the Local Planning Authority. The development shall not be occupied until all the cycle parking spaces for users of the development have been installed in accordance with the approved details. Such spaces shall be retained thereafter for this use only.

Reason: To promote sustainable modes of transport in accordance with policy T5 of the London Plan 2021 and Policy SP7 of the Haringey Local Plan 2017.

- 5 Prior to occupation of the development, a detailed scheme for the provision of refuse and waste storage and recycling facilities has been submitted to and approved in writing by the Local Planning Authority. Waste management plan should include details of how refuse is to be collected from the site. Such a scheme as approved shall be implemented and permanently retained thereafter.

Reason: In order to protect the amenities of the locality and to comply with Policy DM4 of The Development Management DPD 2017 and Policy SI 2 of the London Plan 2021.

- 6 Prior to the commencement of development, a Construction Management Plan (including a Construction Logistics Plan) shall be submitted to and approved in writing by the Local Planning Authority. The document shall include the following matters and the development shall be undertaken in accordance with the details as approved:

- a) The routing of excavation and construction vehicles, including a response to existing or known projected major building works at other sites in the vicinity and local works on the highway;
- b) The estimated peak number and type of vehicles per day and week;
- c) Estimates for the number and type of parking suspensions that will be required; and
- d) Details of measures to protect pedestrians and other highway users from construction activities on the highway.

Reason: To provide the framework for understanding and managing construction vehicle activity into and out of a proposed development, encouraging modal shift

and reducing overall vehicle numbers. To give the Council an overview of the expected logistics activity during the construction programme. To protect of the amenity of neighbour properties and to main traffic safety.

- 7 The development hereby approved shall be constructed in accordance with the Energy Statement prepared by Archieve Green (dated 9 May 2024) delivering a minimum 359% improvement on carbon emissions over 2021 Building Regulations Part L, with high fabric efficiencies, air source heat pumps (ASHPs) and a minimum 40 kWp solar photovoltaic (PV) array.

(a) Prior to above ground construction, details of the Energy Strategy shall be submitted to and approved by the Local Planning Authority. This must include:

- Confirmation of how this development will meet the zero-carbon policy requirement in line with the Energy Hierarchy;
- Confirmation of the necessary fabric efficiencies to achieve a minimum 21% reduction, including details to reduce thermal bridging;
- Location, specification and efficiency of the proposed ASHPs (Coefficient of Performance, Seasonal Coefficient of Performance, and the Seasonal Performance Factor), with plans showing the ASHP pipework and noise and visual mitigation measures;
- Specification and efficiency of the proposed Mechanical Ventilation and Heat Recovery (MVHR), with plans showing the rigid MVHR ducting and location of the unit;
- Details of the PV, demonstrating the roof area has been maximised, with the following details: a roof plan; the number, angle, orientation, type, and efficiency level of the PVs; how overheating of the panels will be minimised; their peak output (kWp)
- Specification of any additional equipment installed to reduce carbon emissions.

The development shall be carried out strictly in accordance with the details so approved prior to first operation and shall be maintained and retained for the lifetime of the development. The solar PV array shall be installed with monitoring equipment prior to completion and shall be maintained at least annually thereafter.

(b) The solar PV arrays and air source heat pump must be installed and brought into use prior to first occupation of the relevant block. Six months following the first occupation of that block, evidence that the solar PV arrays have been installed correctly and are operational shall be submitted to and approved by the Local Planning Authority, including photographs of the solar array, installer confirmation, an energy generation statement for the period that the solar PV array has been installed, and a Microgeneration Certification Scheme certificate.

Reason: To ensure the development reduces its impact on climate change by reducing carbon emissions on site in compliance with the Energy Hierarchy, and in line with London Plan (2021) Policy SI2, and Local Plan

(2017) Policies SP4 and DM22.

- 8 (a) Prior to commencement on site, a Design Stage Assessment and evidence that the relevant information has been submitted to the BRE for a design stage accreditation certificate must be submitted to the Local Planning Authority confirming that the development will achieve a BREEAM “Excellent” outcome in accordance with the BREEAM Pre-Assessment prepared by Kent Sustainability (dated 13 May 2024). This should be accompanied by a tracker demonstrating which credits are being targeted, and why other credits cannot be met on site.
- (b) Within 6 months of commencement on site, the Design Stage Accreditation Certificate must be submitted. The development shall then be constructed in strict accordance with the details so approved, shall achieve the agreed rating and shall be maintained as such thereafter for the lifetime of the development.
- (c) Prior to occupation, the Post-Construction Stage Assessment and tool, and evidence that this has been submitted to BRE should be submitted for approval, confirming that the development has achieved a BREEAM “Very Good” outcome (or equivalent), aiming for “Excellent”, subject to certification by BRE.
- (d) Within 6 months of occupation, a Post-Construction certificate issued by the Building Research Establishment must be submitted to the local authority for approval, confirming this standard has been achieved.

In the event that the development fails to achieve the agreed rating for the development, a full schedule and costings of remedial works required to achieve this rating shall be submitted for our written approval with 2 months of the submission of the post construction certificate. Thereafter the schedule of remedial works must be implemented on site within 3 months of the Local Authority’s approval of the schedule, or the full costs and management fees given to the Council for offsite remedial actions.

Reason: In the interest of addressing climate change and securing sustainable development in accordance with London Plan (2021) Policies SI2, SI3 and SI4, and Local Plan (2017) Policies SP4 and DM21.

Informatives:

INFORMATIVE: Land Ownership

The applicant is advised that this planning permission does not convey the right to enter onto or build on land not within his ownership.

INFORMATIVE: Hours of Construction Work

The applicant is advised that under the Control of Pollution Act 1974, construction work which will be audible at the site boundary will be restricted to the following hours:-

8.00am - 6.00pm Monday to Friday

8.00am - 1.00pm Saturday

and not at all on Sundays and Bank Holidays.

INFORMATIVE: Party Wall Act

The applicant's attention is drawn to the Party Wall Act 1996 which sets out requirements for notice to be given to relevant adjoining owners of intended works on a shared wall, on a boundary or if excavations are to be carried out near a neighbouring building.

INFORMATIVE : Community Infrastructure Levy The applicant is advised that the proposed development will be liable for the Mayor of London and Haringey CIL. Based on the information given on the submitted CIL form the Mayoral CIL charge will be £22,343 (322.55sqm x £69.27) and the Haringey CIL charge will be £0. This will be collected by Haringey after the scheme is implemented and could be subject to surcharges for failure to assume liability, for failure to submit a commencement notice and/or for late payment, and subject to indexation in line with the construction costs index.

- 1 You can find advice in regard to your rights of appeal at:
<https://www.gov.uk/appeal-planning-decision>.
- 2 This notice relates solely to a planning decision and does not purport to convey any approval or consent which may be required under the Building Regulations or any other statutory purpose.
If you intend to submit an appeal that you would like examined by inquiry then you must notify the Local Planning Authority and Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal.
- 3 For more information about making a Building Regulations application, please contact Haringey Council Building Control Team by email building.control@haringey.gov.uk, telephone 020 8489 5504, or see our website at www.haringey.gov.uk/buildingcontrol.