



Appendix 9.5

DSO and Glare – Daylight/sunlight results: Baseline v Cumulative Scenarios

Property, room & window attributes					VSC				NSL				APSH (room)						
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)		
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E
Rivers Apartments																			
F02	R1	LKD	Layout	W1 ←	8.7	7.1	1.6	0.82											
		LKD	Layout	W2 ↓	38.3	23.1	15.2	0.60											
		LKD	Layout	W3 ↓	38.2	23.0	15.1	0.60	100%	100%	0.00	1.00	90	70	N/A	N/A	30	17	N/A
	R2	LKD	Layout	W4 ↓	38.0	22.7	15.3	0.60											
		LKD	Layout	W5 ↓	37.8	22.6	15.3	0.60											
		LKD	Layout	W6 →	4.2	2.9	1.2	0.71	99%	99%	0.01	1.00	87	67	N/A	N/A	30	18	N/A
	R3	Bedroom	Layout	W7 →	26.4	25.4	1.0	0.96	76%	76%	0.00	1.00	39	39	N/A	N/A	11	11	N/A
	R4	Bedroom	Layout	W8 →	26.5	25.8	0.8	0.97	91%	91%	0.00	1.00	38	38	N/A	N/A	10	10	N/A
	R5	Bedroom	Layout	W9 →	27.0	26.7	0.3	0.99	92%	92%	0.00	1.00	39	39	N/A	N/A	9	9	N/A
	R6	Kitchen	Layout	W10 →	27.3	27.1	N/A	N/A	85%	85%	0.00	1.00	39	39	N/A	N/A	8	8	N/A
F03	R1	LKD	Layout	W1 ←	9.0	7.8	1.2	0.86											
		LKD	Layout	W2 ↓	38.8	24.9	13.9	0.64											
		LKD	Layout	W3 ↓	38.8	24.9	13.8	0.64	100%	100%	0.00	1.00	92	73	N/A	N/A	30	18	N/A
	R2	LKD	Layout	W4 ↓	38.6	24.6	14.0	0.64											
		LKD	Layout	W5 ↓	38.5	24.4	14.1	0.63											
		LKD	Layout	W6 →	5.5	4.6	0.9	0.83	99%	99%	0.00	1.00	87	68	N/A	N/A	29	18	N/A
	R3	Bedroom	Layout	W7 →	29.2	28.5	N/A	N/A	84%	84%	0.00	1.00	45	45	N/A	N/A	12	12	N/A
	R4	Bedroom	Layout	W8 →	29.1	28.6	N/A	N/A	95%	95%	0.00	1.00	45	45	N/A	N/A	12	12	N/A
	R5	Bedroom	Layout	W9 →	29.4	29.2	N/A	N/A	93%	93%	0.00	1.00	42	42	N/A	N/A	11	11	N/A
	R6	Kitchen	Layout	W10 →	29.6	29.4	N/A	N/A	86%	86%	0.00	1.00	42	42	N/A	N/A	11	11	N/A
F04	R1	LKD	Layout	W1 ←	9.1	8.3	0.8	0.91											
		LKD	Layout	W2 ↓	39.1	26.7	12.4	0.68											
		LKD	Layout	W3 ↓	39.0	26.9	12.2	0.69	100%	100%	0.00	1.00	92	76	N/A	N/A	30	21	N/A
	R2	LKD	Layout	W4 ↓	39.0	26.5	12.5	0.68											
		LKD	Layout	W5 ↓	38.9	26.3	12.6	0.68											
		LKD	Layout	W6 →	6.9	6.3	0.6	0.92	99%	99%	0.00	1.00	89	73	N/A	N/A	30	22	N/A
	R3	Bedroom	Layout	W7 →	32.2	31.7	N/A	N/A	99%	99%	0.00	1.00	47	47	N/A	N/A	12	12	N/A
	R4	Bedroom	Layout	W8 →	31.8	31.5	N/A	N/A	99%	99%	0.00	1.00	47	47	N/A	N/A	12	12	N/A
	R5	Bedroom	Layout	W9 →	31.8	31.6	N/A	N/A	96%	96%	0.00	1.00	43	43	N/A	N/A	12	12	N/A
	R6	Kitchen	Layout	W10 →	31.9	31.7	N/A	N/A	89%	89%	0.00	1.00	44	44	N/A	N/A	13	13	N/A
F05	R1	LKD	Layout	W1 ←	9.1	8.7	0.5	0.95											
		LKD	Layout	W2 ↓	39.2	28.3	N/A	N/A											
		LKD	Layout	W3 ↓	39.2	28.6	N/A	N/A	100%	100%	0.00	1.00	92	77	N/A	N/A	30	22	N/A
	R2	LKD	Layout	W4 ↓	39.2	28.2	N/A	N/A											
		LKD	Layout	W5 ↓	39.2	28.0	N/A	N/A											
		LKD	Layout	W6 →	8.0	7.8	0.2	0.97	99%	99%	0.00	1.00	89	74	N/A	N/A	30	23	N/A
	R3	Bedroom	Layout	W7 →	34.8	34.6	N/A	N/A	99%	99%	0.00	1.00	49	49	N/A	N/A	14	14	N/A
	R4	Bedroom	Layout	W8 →	34.3	34.2	N/A	N/A	99%	99%	0.00	1.00	49	49	N/A	N/A	14	14	N/A
	R5	Bedroom	Layout	W9 →	34.2	34.1	N/A	N/A	99%	99%	0.00	1.00	46	46	N/A	N/A	13	13	N/A
	R6	Kitchen	Layout	W10 →	34.1	34.1	N/A	N/A	93%	93%	0.00	1.00	44	44	N/A	N/A	13	13	N/A
F06	R1	LKD	Layout	W1 ←	9.1	8.9	0.2	0.97											
		LKD	Layout	W2 ↓	39.3	29.4	N/A	N/A											
		LKD	Layout	W3 ↓	39.3	29.6	N/A	N/A	100%	100%	0.00	1.00	92	77	N/A	N/A	30	22	N/A
	R2	LKD	Layout	W4 ↓	39.3	29.2	N/A	N/A											
		LKD	Layout	W5 ↓	39.3	29.0	N/A	N/A											
		LKD	Layout	W6 →	8.9	8.7	0.1	0.98	99%	99%	0.00	1.00	89	76	N/A	N/A	30	24	N/A
	R3	Bedroom	Layout	W7 →	36.8	36.7	N/A	N/A	99%	99%	0.00	1.00	50	50	N/A	N/A	15	15	N/A
	R4	Bedroom	Layout	W8 →	36.3	36.2	N/A	N/A	99%	99%	0.00	1.00	50	50	N/A	N/A	15	15	N/A
	R5	Bedroom	Layout	W9 →	36.2	36.1	N/A	N/A	99%	99%	0.00	1.00	50	50	N/A	N/A	15	15	N/A
	R6	Kitchen	Layout	W10 →	36.1	36.0	N/A	N/A	99%	99%	0.00	1.00	47	47	N/A	N/A	15	15	N/A
F07	R1	LKD	Layout	W1 ←	13.0	12.8	0.2	0.98											
		LKD	Layout	W2 ↓	39.4	29.6	N/A	N/A											
		LKD	Layout	W3 ↓	39.4	29.9	N/A	N/A	100%	100%	0.00	1.00	94	79	N/A	N/A	30	22	N/A
	R2	LKD	Layout	W4 ↓	39.4	29.5	N/A	N/A											
		LKD	Layout	W5 ↓	39.4	29.3	N/A	N/A											
		LKD	Layout	W6 →	12.4	12.3	0.1	0.99	100%	100%	0.00	1.00	93	80	N/A	N/A	30	24	N/A
	R3	Bedroom	Layout	W7 →	37.8	37.8	N/A	N/A	99%	99%	0.00	1.00	50	50	N/A	N/A	15	15	N/A
	R4	Bedroom	Layout	W8 →	37.4	37.4	N/A	N/A	99%	99%	0.00	1.00	50	50	N/A	N/A	15	15	N/A
	R5	Bedroom	Layout	W9 →	37.6	37.5	N/A	N/A	99%	99%	0.00	1.00	50	50	N/A	N/A	15	15	N/A
	R6	Kitchen	Layout	W10 →	37.5	37.5	N/A	N/A	99%	99%	0.00	1.00	50	50	N/A	N/A	15	15	N/A
F08	R1	LKD	Layout	W1 ←	13.0	12.8	0.2	0.98											
		LKD	Layout	W2 ↓	39.4	29.8	N/A	N/A											
		LKD	Layout	W3 ↓	39.4	30.1	N/A	N/A	100%	100%	0.00	1.00	94	79	N/A	N/A	30	22	N/A
	R2	LKD	Layout	W4 ↓	39.4	29.8	N/A	N/A											

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
F09		LKD	Layout	W5	↓	39.4	29.6	N/A	N/A											
		LKD	Layout	W6	→	12.6	12.5	0.1	0.99	100%	100%	0.00	1.00	93	80	N/A	N/A	30	24	N/A
	R3	Bedroom	Layout	W7	→	38.5	38.4	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R4	Bedroom	Layout	W8	→	38.1	38.1	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R5	Bedroom	Layout	W9	→	38.5	38.5	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R6	Kitchen	Layout	W10	→	38.5	38.5	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R1	LKD	Layout	W1	←	13.0	12.8	0.2	0.98											
		LKD	Layout	W2	↓	39.5	30.0	N/A	N/A											
		LKD	Layout	W3	↓	39.5	30.3	N/A	N/A	100%	100%	0.00	1.00	94	81	N/A	N/A	30	22	N/A
		LKD	Layout	W4	↓	39.5	30.0	N/A	N/A											
F10		LKD	Layout	W5	↓	39.5	29.9	N/A	N/A											
		LKD	Layout	W6	→	12.8	12.7	0.1	0.99	100%	100%	0.00	1.00	93	80	N/A	N/A	30	24	N/A
	R3	Bedroom	Layout	W7	→	38.9	38.9	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R4	Bedroom	Layout	W8	→	38.6	38.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R5	Bedroom	Layout	W9	→	39.2	39.2	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R6	Kitchen	Layout	W10	→	39.2	39.2	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R1	LKD	Layout	W1	←	13.0	12.8	0.2	0.99											
		LKD	Layout	W2	↓	39.5	30.2	N/A	N/A											
		LKD	Layout	W3	↓	39.5	30.5	N/A	N/A	100%	100%	0.00	1.00	94	81	N/A	N/A	30	22	N/A
		LKD	Layout	W4	↓	39.5	30.2	N/A	N/A											
F11		LKD	Layout	W5	↓	39.5	30.1	N/A	N/A											
		LKD	Layout	W6	→	12.9	12.8	0.1	0.99	100%	100%	0.00	1.00	93	81	N/A	N/A	30	24	N/A
	R3	Bedroom	Layout	W7	→	39.1	39.0	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R4	Bedroom	Layout	W8	→	38.8	38.7	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R5	Bedroom	Layout	W9	→	39.4	39.4	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R6	Kitchen	Layout	W10	→	39.4	39.4	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R1	LKD	Layout	W1	←	13.0	12.8	0.2	0.99											
		LKD	Layout	W2	↓	39.6	30.4	N/A	N/A											
		LKD	Layout	W3	↓	39.6	30.7	N/A	N/A	100%	100%	0.00	1.00	94	81	N/A	N/A	30	22	N/A
		LKD	Layout	W4	↓	39.6	30.5	N/A	N/A											
F12		LKD	Layout	W5	↓	39.6	30.3	N/A	N/A											
		LKD	Layout	W6	→	12.9	12.8	0.1	0.99	100%	100%	0.00	1.00	93	81	N/A	N/A	30	24	N/A
	R3	Bedroom	Layout	W7	→	39.1	39.1	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R4	Bedroom	Layout	W8	→	38.8	38.8	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R5	Bedroom	Layout	W9	→	39.4	39.4	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R6	Kitchen	Layout	W10	→	39.4	39.4	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R1	LKD	Layout	W1	←	13.0	12.8	0.2	0.99											
		LKD	Layout	W2	↓	39.6	30.6	N/A	N/A											
		LKD	Layout	W3	↓	39.6	30.9	N/A	N/A	100%	100%	0.00	1.00	94	81	N/A	N/A	30	22	N/A
		LKD	Layout	W4	↓	39.6	30.7	N/A	N/A											
F13		LKD	Layout	W5	↓	39.6	30.5	N/A	N/A											
		LKD	Layout	W6	→	12.9	12.9	0.1	0.99	100%	100%	0.00	1.00	93	83	N/A	N/A	30	24	N/A
	R3	Bedroom	Layout	W7	→	39.2	39.1	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R4	Bedroom	Layout	W8	→	38.9	38.8	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R5	Bedroom	Layout	W9	→	39.5	39.5	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R6	Kitchen	Layout	W10	→	39.5	39.5	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R1	LKD	Layout	W1	←	13.0	12.8	0.2	0.99											
		LKD	Layout	W2	↓	39.6	30.9	N/A	N/A											
		LKD	Layout	W3	↓	39.6	31.2	N/A	N/A	100%	100%	0.00	1.00	94	82	N/A	N/A	30	22	N/A
		LKD	Layout	W4	↓	39.6	31.0	N/A	N/A											
F14		LKD	Layout	W5	↓	39.6	30.8	N/A	N/A											
		LKD	Layout	W6	→	13.0	12.9	0.1	0.99	100%	100%	0.00	1.00	93	83	N/A	N/A	30	24	N/A
	R3	Bedroom	Layout	W7	→	39.2	39.2	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R4	Bedroom	Layout	W8	→	38.9	38.9	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R5	Bedroom	Layout	W9	→	39.5	39.5	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R6	Kitchen	Layout	W10	→	39.5	39.5	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R1	LKD	Layout	W1	←	13.0	12.8	0.2	0.99											
		LKD	Layout	W2	↓	39.6	31.2	N/A	N/A											
		LKD	Layout	W3	↓	39.6	31.4	N/A	N/A	100%	100%	0.00	1.00	94	82	N/A	N/A	30	22	N/A
		LKD	Layout	W4	↓	39.6	31.1	N/A	N/A											
F15		LKD	Layout	W6	→	13.0	12.9	0.1	0.99	100%	100%	0.00	1.00	93	84	N/A	N/A	30	24	N/A
	R3	Bedroom	Layout	W7	→	39.3	39.2	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R4	Bedroom	Layout	W8	→	39.0	38.9	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R5	Bedroom	Layout	W9	→	39.6	39.5	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A
	R6	Kitchen	Layout	W10	→	39.6	39.5	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
F15	R1	LKD	Layout	W1 ←	13.0	12.8	0.2	0.99												
		LKD	Layout	W2 ↓	39.6	31.5	N/A	N/A												
	R2	LKD	Layout	W3 ↓	39.6	31.7	N/A	N/A	100%	100%	0.00	1.00	94	83	N/A	N/A	30	22	N/A	
		LKD	Layout	W4 ↓	39.6	31.6	N/A	N/A												
		LKD	Layout	W5 ↓	39.6	31.4	N/A	N/A												
		LKD	Layout	W6 →	13.0	12.9	0.1	0.99	100%	100%	0.00	1.00	93	84	N/A	N/A	30	24	N/A	
	R3	Bedroom	Layout	W7 →	39.3	39.3	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R4	Bedroom	Layout	W8 →	39.0	39.0	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R5	Bedroom	Layout	W9 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R6	Kitchen	Layout	W10 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
F16	R1	LKD	Layout	W1 ←	13.0	12.8	0.2	0.99												
		LKD	Layout	W2 ↓	39.6	31.8	N/A	N/A												
	R2	LKD	Layout	W3 ↓	39.6	32.1	N/A	N/A	100%	100%	0.00	1.00	94	84	N/A	N/A	30	23	N/A	
		LKD	Layout	W4 ↓	39.6	31.9	N/A	N/A												
		LKD	Layout	W5 ↓	39.6	31.8	N/A	N/A												
		LKD	Layout	W6 →	13.0	13.0	0.1	0.99	100%	100%	0.00	1.00	93	85	N/A	N/A	30	24	N/A	
	R3	Bedroom	Layout	W7 →	39.3	39.3	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R4	Bedroom	Layout	W8 →	39.0	39.0	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R5	Bedroom	Layout	W9 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R6	Kitchen	Layout	W10 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
F17	R1	LKD	Layout	W1 ←	9.1	9.0	0.1	0.98												
		LKD	Layout	W2 ↓	39.6	32.2	N/A	N/A												
	R2	LKD	Layout	W3 ↓	39.6	32.4	N/A	N/A	100%	100%	0.00	1.00	92	82	N/A	N/A	30	23	N/A	
		LKD	Layout	W4 ↓	39.6	32.3	N/A	N/A												
		LKD	Layout	W5 ↓	39.6	32.2	N/A	N/A												
		LKD	Layout	W6 →	9.4	9.4	0.1	0.99	99%	99%	0.00	1.00	89	81	N/A	N/A	30	24	N/A	
	R3	Bedroom	Layout	W7 →	39.3	39.3	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R4	Bedroom	Layout	W8 →	39.0	39.0	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R5	Bedroom	Layout	W9 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R6	Kitchen	Layout	W10 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
F18	R1	LKD	Layout	W1 ←	9.1	9.0	0.1	0.99												
		LKD	Layout	W2 ↓	39.6	32.7	N/A	N/A												
	R2	LKD	Layout	W3 ↓	39.6	32.9	N/A	N/A	100%	100%	0.00	1.00	92	83	N/A	N/A	30	23	N/A	
		LKD	Layout	W4 ↓	39.6	32.8	N/A	N/A												
		LKD	Layout	W5 ↓	39.6	32.7	N/A	N/A												
		LKD	Layout	W6 →	9.4	9.4	0.1	0.99	99%	99%	0.00	1.00	89	82	N/A	N/A	30	24	N/A	
	R3	Bedroom	Layout	W7 →	39.4	39.3	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R4	Bedroom	Layout	W8 →	39.1	39.0	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R5	Bedroom	Layout	W9 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R6	Kitchen	Layout	W10 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
F19	R1	LKD	Layout	W1 ←	9.1	9.0	0.1	0.99												
		LKD	Layout	W2 ↓	39.6	33.2	N/A	N/A												
	R2	LKD	Layout	W3 ↓	39.6	33.4	N/A	N/A	100%	100%	0.00	1.00	92	86	N/A	N/A	30	24	N/A	
		LKD	Layout	W4 ↓	39.6	33.3	N/A	N/A												
		LKD	Layout	W5 ↓	39.6	33.2	N/A	N/A												
		LKD	Layout	W6 →	9.4	9.4	0.1	0.99	99%	99%	0.00	1.00	89	83	N/A	N/A	30	24	N/A	
	R3	Bedroom	Layout	W7 →	39.4	39.4	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R4	Bedroom	Layout	W8 →	39.1	39.1	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R5	Bedroom	Layout	W9 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R6	Kitchen	Layout	W10 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
F20	R1	LKD	Layout	W1 ←	9.1	9.0	0.1	0.99												
		LKD	Layout	W2 ↓	39.6	33.7	N/A	N/A												
	R2	LKD	Layout	W3 ↓	39.6	33.9	N/A	N/A	100%	100%	0.00	1.00	92	86	N/A	N/A	30	24	N/A	
		LKD	Layout	W4 ↓	39.6	33.9	N/A	N/A												
		LKD	Layout	W5 ↓	39.6	33.8	N/A	N/A												
		LKD	Layout	W6 →	9.4	9.4	0.1	0.99	99%	99%	0.00	1.00	89	84	N/A	N/A	30	25	N/A	
	R3	Bedroom	Layout	W7 →	39.4	39.4	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R4	Bedroom	Layout	W8 →	39.2	39.1	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R5	Bedroom	Layout	W9 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R6	Kitchen	Layout	W10 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
F21	R1	LKD	Layout	W1 ←	9.1	9.0	0.1	0.99												
		LKD	Layout	W2 ↓	39.6	34.3	N/A	N/A												
	R2	LKD	Layout	W3 ↓	39.6	34.5	N/A	N/A	100%	100%	0.00	1.00	92	87	N/A	N/A	30	25	N/A	
		LKD	Layout	W4 ↓	39.6	34.5	N/A	N/A												
		LKD	Layout	W5 ↓	39.6	34.5	N/A	N/A												
		LKD	Layout	W6 →	9.1	9.1	0.1	0.99	99%	99%	0.00	1.00	88	84	N/A	N/A	30	26	N/A	

Ratio: N/A or ≥ 0.8 = inside BRE (N/A* satisfies 4% APSH criterion); Red = outside BRE

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
	R3	Bedroom	Layout	W7 →	39.5	39.5	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R4	Bedroom	Layout	W8 →	39.3	39.2	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R5	Bedroom	Layout	W9 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R6	Kitchen	Layout	W10 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
F22	R1	Bedroom	Layout	W1 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
	R2	Kitchen	Layout	W2 →	39.6	39.6	N/A	N/A	99%	99%	0.00	1.00	51	51	N/A	N/A	15	15	N/A	
Ambrose Court Apartments																				
F00	R1	LKD	Layout	W1 ↓	6.1	2.5	3.5	0.42	46%	18%	4.25	0.40	13	7	6	0.54	5	2	0.40	
	R2	LKD	Layout	W2 ↓	4.8	3.8	1.0	0.80	16%	16%	0.12	0.95	11	9	2	0.82	0	0	N/A	
	R3	LKD	Layout	W3 ↓	4.7	3.8	0.9	0.82	19%	19%	0.11	0.96	12	10	2	0.83	0	0	N/A	
	R4	Bedroom	Layout	W4 ↓	12.1	11.7	0.5	0.96	36%	35%	0.02	1.00	29	26	N/A	N/A	0	0	N/A	
	R5	Living Room	Layout	W5 ↓	0.0	0.0	0.0	0.70												
		Living Room	Layout	W6 ↓	15.5	15.1	0.4	0.97	50%	47%	0.56	0.94	45	43	N/A	N/A	3	3	1.00	
	R6	Bedroom	Layout	W7 ↓	17.8	16.6	1.2	0.93	49%	45%	0.46	0.93	43	39	N/A	N/A	4	2	0.50	
	R7	Bedroom	Layout	W8 ↓	19.4	17.9	1.5	0.92												
		Bedroom	Layout	W9 →	17.7	17.5	0.2	0.99	92%	92%	0.05	1.00	51	47	N/A	N/A	9	7	N/A	
F01	R1	Bedroom	Layout	W1 ↓	18.6	14.5	4.0	0.78												
		Bedroom	Layout	W2 ↓	18.2	14.9	3.3	0.82	87%	74%	1.62	0.86	52	45	N/A	N/A	10	6	N/A	
	R2	Bedroom	Layout	W3 ↓	17.8	15.8	2.0	0.89												
		Bedroom	Layout	W4 ↓	17.8	16.3	1.5	0.91	81%	77%	0.55	0.95	48	44	N/A	N/A	6	5	N/A	
	R3	Bedroom	Layout	W5 ↓	17.8	16.4	1.3	0.92												
		Bedroom	Layout	W6 ↓	17.7	16.6	1.1	0.94	77%	76%	0.11	0.99	48	44	N/A	N/A	4	3	0.75	
	R4	KD	Layout	W7 ↓	14.5	13.7	0.8	0.95	32%	32%	0.01	1.00	33	31	N/A	N/A	1	1	1.00	
	R5	Living Room	Layout	W8 ↓	2.4	2.2	0.1	0.95	27%	26%	0.28	0.94	4	4	0	1.00	3	3	1.00	
	R6	Bedroom	Layout	W9 ↓	18.8	18.0	0.8	0.96	38%	37%	0.20	0.96	52	49	N/A	N/A	3	3	1.00	
	R7	Bedroom	Layout	W10 ↓	2.5	2.2	0.3	0.87	36%	32%	0.49	0.91	4	4	0	1.00	4	4	1.00	
	R8	Living Room	Layout	W11 ←	2.6	1.8	0.8	0.68												
		Living Room	Layout	W12 ↓	20.2	18.9	1.3	0.94	44%	39%	0.64	0.90	54	51	N/A	N/A	5	5	N/A	
	R9	Bedroom	Layout	W13 ↓	20.9	19.4	1.5	0.93	53%	50%	0.43	0.94	56	53	N/A	N/A	5	5	N/A	
	R10	LKD	Layout	W14 ↓	22.5	20.7	1.8	0.92												
		LKD	Layout	W15 →	4.6	4.3	0.3	0.94												
		LKD	Layout	W16 →	26.8	26.6	0.2	0.99	99%	98%	0.15	0.99	62	59	N/A	N/A	9	9	N/A	
F02	R1	Living Room	Layout	W1 ←	24.6	22.3	2.3	0.91												
		Living Room	Layout	W2 ↓	21.1	16.8	4.3	0.80												
		Living Room	Layout	W3 ↓	20.8	17.1	3.7	0.82												
		Living Room	Layout	W4 →	5.3	5.3	0.0	1.00	98%	86%	1.92	0.89	63	57	N/A	N/A	13	9	N/A	
	R2	KD	Layout	W5 ↓	0.0	0.0	0.0	1.00	19%	18%	0.13	0.95	0	0	0	N/A	0	0	N/A	
	R3	Bedroom	Layout	W6 ↓	3.4	2.2	1.3	0.63	56%	48%	1.11	0.84	8	5	3	N/A*	8	5	N/A	
	R4	Bedroom	Layout	W7 ↓	2.9	2.3	0.6	0.80	34%	33%	0.17	0.96	5	4	1	0.80	5	4	0.80	
	R5	KD	Layout	W8 ↓	0.4	0.2	0.2	0.54	30%	29%	0.21	0.95	1	0	1	N/A*	1	0	N/A*	
	R6	Living Room	Layout	W9 ←	3.4	2.2	1.3	0.63												
		Living Room	Layout	W10 ↓	19.9	18.5	1.3	0.93												
		Living Room	Layout	W11 ↓	17.6	16.4	1.2	0.93	80%	79%	0.13	0.99	50	46	N/A	N/A	9	7	N/A	
	R7	Living Room	Layout	W12 ↓	5.4	5.0	0.4	0.93	27%	26%	0.40	0.95	8	7	1	0.88	7	6	N/A	
	R8	Bedroom	Layout	W13 ↓	22.3	21.0	1.3	0.94	42%	42%	0.02	1.00	58	55	N/A	N/A	8	8	N/A	
	R9	Bedroom	Layout	W14 ↓	5.0	4.5	0.6	0.89	37%	36%	0.16	0.97	8	8	0	1.00	8	8	N/A	
	R10	Living Room	Layout	W15 ←	3.5	2.4	1.2	0.67												
		Living Room	Layout	W16 ↓	23.5	21.9	1.7	0.93	50%	46%	0.57	0.92	62	58	N/A	N/A	11	10	N/A	
	R11	Bedroom	Layout	W17 ↓	24.2	22.4	1.8	0.92	63%	60%	0.45	0.95	63	59	N/A	N/A	11	10	N/A	
	R12	LKD	Layout	W18 ↓	25.6	23.5	2.1	0.92												
		LKD	Layout	W19 →	6.5	6.3	0.3	0.96												
		LKD	Layout	W20 →	29.6	29.4	N/A	N/A	100%	100%	0.00	1.00	71	67	N/A	N/A	16	15	N/A	
F03	R1	Living Room	Layout	W1 ←	25.4	23.1	2.3	0.91												
		Living Room	Layout	W2 ↓	23.8	19.3	4.5	0.81												
		Living Room	Layout	W3 ↓	23.6	19.6	4.0	0.83												
		Living Room	Layout	W4 →	6.5	6.5	0.0	1.00	100%	99%	0.08	1.00	67	61	N/A	N/A	18	14	N/A	
	R2	KD	Layout	W5 ↓	1.4	1.3	0.1	0.90	53%	51%	0.19	0.97	3	3	0	1.00	3	3	1.00	
	R3	Bedroom	Layout	W6 ↓	6.1	4.2	1.9	0.69	77%	72%	0.59	0.94	12	8	4	N/A*	12	8	N/A	
	R4	Bedroom	Layout	W7 ↓	6.0	4.6	1.3	0.78	68%	66%	0.20	0.98	10	7	3	N/A*	10	7	N/A	
	R5	KD	Layout	W8 ↓	1.8	1.4	0.4	0.78	52%	50%	0.28	0.96	2	1	1	N/A*	2	1	N/A*	
	R6	Living Room	Layout	W9 ←	4.1	2.5	1.6	0.61												
		Living Room	Layout	W10 ↓	23.2	21.4	1.8	0.92												
		Living Room	Layout	W11 ↓	21.0	19.3	1.7	0.92	92%	89%	0.45	0.97	56	50	N/A	N/A	15	12	N/A	
	R7	Living Room	Layout	W12 ↓	8.7	7.7	1.0	0.89	37%	36%	0.25	0.98	14	13	1	0.93	13	12	N/A	
	R8	Bedroom	Layout	W13 ↓	26.1	24.3	1.8	0.93	60%	60%	0.00	1.00	63	59	N/A	N/A	12	12	N/A	

Ratio: N/A or ≥ 0.8 = inside BRE (N/A* satisfies 4% APSH criterion); Red = outside BRE

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% <i>rm</i>)	Cum. (% <i>rm</i>)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
	R9	Bedroom	Layout	W14 ↓	7.8	7.0	0.9	0.89	48%	47%	0.08	0.99	13	13	0	1.00	13	13	N/A	
	R10	Living Room	Layout	W15 ←	4.6	3.0	1.6	0.65												
		Living Room	Layout	W16 ↓	27.2	25.1	2.1	0.92	62%	58%	0.67	0.93	67	62	N/A	N/A	15	13	N/A	
	R11	Bedroom	Layout	W17 ↓	27.7	25.5	2.2	0.92	81%	77%	0.56	0.95	70	65	N/A	N/A	17	15	N/A	
	R12	LKD	Layout	W18 ↓	28.9	26.5	2.3	0.92												
		LKD	Layout	W19 →	8.8	8.6	0.2	0.98												
		LKD	Layout	W20 →	32.0	31.9	N/A	N/A	100%	100%	0.00	1.00	78	73	N/A	N/A	21	19	N/A	
F04	R1	Living Room	Layout	W1 ←	25.8	23.5	2.3	0.91												
		Living Room	Layout	W2 ↓	26.5	21.9	4.6	0.82												
		Living Room	Layout	W3 ↓	26.3	22.0	4.3	0.84												
		Living Room	Layout	W4 →	7.6	7.6	0.0	1.00	100%	100%	0.00	1.00	70	64	N/A	N/A	22	18	N/A	
	R2	KD	Layout	W5 ↓	3.8	3.3	0.5	0.87	91%	90%	0.16	0.99	7	6	1	0.86	7	6	N/A	
	R3	Bedroom	Layout	W6 ↓	8.9	6.5	2.5	0.72	99%	99%	0.00	1.00	17	13	4	N/A*	17	13	N/A	
	R4	Bedroom	Layout	W7 ↓	9.1	7.1	2.1	0.77	99%	95%	0.54	0.96	16	12	4	N/A*	16	12	N/A	
	R5	KD	Layout	W8 ↓	4.0	3.0	0.9	0.76	86%	70%	2.25	0.82	8	7	1	0.88	8	7	N/A	
	R6	Living Room	Layout	W9 ←	4.9	2.9	2.0	0.60												
		Living Room	Layout	W10 ↓	26.6	24.2	2.4	0.91												
		Living Room	Layout	W11 ↓	24.5	22.2	2.4	0.90	97%	97%	0.00	1.00	63	59	N/A	N/A	22	19	N/A	
	R7	Living Room	Layout	W12 ↓	12.4	10.6	1.7	0.86	80%	74%	1.66	0.93	18	17	1	0.94	17	16	N/A	
	R8	Bedroom	Layout	W13 ↓	30.2	27.7	N/A	N/A	99%	99%	0.00	1.00	71	66	N/A	N/A	20	18	N/A	
	R9	Bedroom	Layout	W14 ↓	10.8	9.5	1.3	0.88	84%	84%	0.00	1.00	16	16	0	1.00	16	16	N/A	
	R10	Living Room	Layout	W15 ←	5.6	3.6	2.1	0.63												
		Living Room	Layout	W16 ↓	31.1	28.4	N/A	N/A	91%	90%	0.07	0.99	73	67	N/A	N/A	21	18	N/A	
	R11	Bedroom	Layout	W17 ↓	31.5	28.8	N/A	N/A	98%	94%	0.44	0.97	74	68	N/A	N/A	21	18	N/A	
	R12	LKD	Layout	W18 ↓	32.3	29.5	N/A	N/A												
		LKD	Layout	W19 →	10.8	10.7	0.1	0.99												
		LKD	Layout	W20 →	34.1	34.0	N/A	N/A	100%	100%	0.00	1.00	83	77	N/A	N/A	24	21	N/A	
F05	R1	Living Room	Layout	W1 ←	26.2	23.9	2.2	0.92												
		Living Room	Layout	W2 ↓	28.4	23.6	4.9	0.83												
		Living Room	Layout	W3 ↓	27.5	22.8	4.7	0.83												
		Living Room	Layout	W4 →	8.7	8.7	0.0	1.00	100%	100%	0.00	1.00	71	65	N/A	N/A	26	22	N/A	
	R2	KD	Layout	W5 ↓	6.6	5.6	1.0	0.85	90%	89%	0.15	0.99	10	9	1	0.90	10	9	N/A	
	R3	Bedroom	Layout	W6 ↓	11.8	8.6	3.2	0.73	99%	99%	0.00	1.00	21	16	5	0.76	21	16	N/A	
	R4	Bedroom	Layout	W7 ↓	12.3	9.5	2.8	0.77	99%	99%	0.00	1.00	21	15	6	0.71	21	15	N/A	
	R5	KD	Layout	W8 ↓	6.5	4.8	1.7	0.74	85%	76%	1.32	0.89	10	8	2	0.80	10	8	N/A	
	R6	Living Room	Layout	W9 ←	5.6	3.3	2.3	0.59												
		Living Room	Layout	W10 ↓	28.8	25.6	3.2	0.89												
		Living Room	Layout	W11 ↓	27.7	24.5	3.2	0.88	97%	97%	0.00	1.00	67	62	N/A	N/A	26	22	N/A	
	R7	Living Room	Layout	W12 ↓	16.0	13.3	2.7	0.83	98%	89%	2.41	0.91	25	22	3	0.88	24	21	N/A	
	R8	Bedroom	Layout	W13 ↓	34.2	30.8	N/A	N/A	100%	100%	0.00	1.00	79	72	N/A	N/A	27	23	N/A	
	R9	Bedroom	Layout	W14 ↓	13.6	11.9	1.8	0.87	100%	100%	0.00	1.00	22	20	2	0.91	22	20	N/A	
	R10	Living Room	Layout	W15 ←	6.7	4.1	2.6	0.61												
		Living Room	Layout	W16 ↓	34.8	31.4	N/A	N/A	96%	96%	0.00	1.00	80	73	N/A	N/A	28	24	N/A	
	R11	Bedroom	Layout	W17 ↓	35.1	31.7	N/A	N/A	98%	95%	0.38	0.97	83	76	N/A	N/A	29	25	N/A	
	R12	LKD	Layout	W18 ↓	35.6	32.2	N/A	N/A												
		LKD	Layout	W19 →	12.6	12.6	0.0	1.00												
		LKD	Layout	W20 →	36.0	36.0	N/A	N/A	100%	100%	0.00	1.00	89	83	N/A	N/A	29	25	N/A	
F06	R1	Living Room	Layout	W1 ←	26.4	24.2	2.2	0.92												
		Living Room	Layout	W2 ↓	24.5	19.2	5.3	0.79												
		Living Room	Layout	W3 ↓	15.0	11.0	4.0	0.73												
		Living Room	Layout	W4 →	4.2	4.2	0.0	1.00	100%	100%	0.00	1.00	49	42	N/A	N/A	25	21	N/A	
	R2	KD	Layout	W5 ↓	4.1	3.2	1.0	0.77	88%	87%	0.15	0.99	2	2	0	1.00	2	2	1.00	
	R3	Bedroom	Layout	W6 ↓	8.4	6.1	2.3	0.72	99%	99%	0.00	1.00	12	9	3	N/A*	12	9	N/A	
	R4	Bedroom	Layout	W7 ↓	8.9	6.2	2.7	0.70	99%	99%	0.00	1.00	12	8	4	N/A*	12	8	N/A	
	R5	KD	Layout	W8 ↓	4.1	2.8	1.3	0.69	84%	72%	1.64	0.86	3	2	1	N/A*	3	2	N/A*	
	R6	Living Room	Layout	W9 ←	2.7	1.2	1.6	0.43												
		Living Room	Layout	W10 ↓	16.4	13.3	3.1	0.81												
		Living Room	Layout	W11 ↓	21.9	18.8	3.1	0.86	97%	97%	0.00	1.00	44	40	N/A	N/A	26	22	N/A	
	R7	LKD	Layout	W12 ↓	19.0	15.4	3.6	0.81	98%	89%	2.35	0.91	27	22	5	0.81	26	21	N/A	
	R8	Bedroom	Layout	W13 ↓	37.3	33.1	N/A	N/A	100%	100%	0.00	1.00	79	72	N/A	N/A	27	23	N/A	
	R9	Bedroom	Layout	W14 ↓	16.0	13.7	2.3	0.86	100%	100%	0.00	1.00	22	20	2	0.91	22	20	N/A	
	R10	Living Room	Layout	W15 ←	7.7	4.5	3.1	0.59												
		Living Room	Layout	W16 ↓	37.9	33.7	N/A	N/A	96%	96%	0.00	1.00	81	74	N/A	N/A	28	24	N/A	
	R11	Bedroom	Layout	W17 ↓	38.1	33.9	N/A	N/A	98%	95%	0.36	0.97	84	77	N/A	N/A	30	25	N/A	
	R12	LKD	Layout	W18 ↓	38.3	34.2	N/A	N/A												
		LKD	Layout	W19 →	14.0	14.0	0.0	1.00												

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% <i>rm</i>)	Cum. (% <i>rm</i>)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
		LKD	Layout	W20 →	37.5	37.5	N/A	N/A	100%	100%	0.00	1.00	90	83	N/A	N/A	30	25	N/A	
F07	R1	LKD	Layout	W1 ←	26.6	24.5	2.1	0.92												
		LKD	Layout	W2 ↓	25.7	20.7	5.0	0.80												
		LKD	Layout	W3 ↓	16.7	12.1	4.6	0.72	97%	97%	0.03	1.00	50	45	N/A	N/A	26	22	N/A	
	R2	LKD	Layout	W4 ↓	19.0	14.4	4.6	0.76												
		LKD	Layout	W5 ↓	28.4	24.6	3.8	0.87	3%	3%	0.00	1.00	55	48	N/A	N/A	28	22	N/A	
	R3	LKD	Layout	W6 ↓	28.5	23.7	4.8	0.83												
		LKD	Layout	W7 ↓	18.0	13.7	4.3	0.76	2%	2%	0.00	1.00	49	43	N/A	N/A	26	21	N/A	
	R4	LKD	Layout	W8 ↓	19.1	14.9	4.2	0.78												
		LKD	Layout	W9 ↓	24.2	20.6	3.6	0.85	97%	97%	0.02	1.00	45	40	N/A	N/A	28	23	N/A	
	R5	LKD	Layout	W10 ↓	19.7	15.6	4.1	0.79	98%	90%	2.16	0.92	27	22	5	0.81	26	21	N/A	
	R6	Bedroom	Layout	W11 ↓	37.9	33.6	N/A	N/A	100%	100%	0.00	1.00	80	73	N/A	N/A	28	23	N/A	
	R7	Bedroom	Layout	W12 ↓	16.3	13.9	2.3	0.86	100%	100%	0.00	1.00	22	20	2	0.91	22	20	N/A	

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% m)	Cum. (% m)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
	R6	Bedroom	Layout	W7 ↓	35.6	14.7	20.9	0.41												
		Bedroom	Layout	W8 →	19.9	14.5	5.4	0.73	99%	74%	3.03	0.75	86	47	N/A	N/A	27	2	0.07	
	R7	Living Room	Layout	W9 ↓	13.4	2.9	10.5	0.22												
		Living Room	Layout	W10 ↓	13.0	0.6	12.4	0.04	100%	16%	17.11	0.16	25	5	20	0.20	24	4	0.17	
	R8	Living Room	Layout	W9 ↓	13.4	2.9	10.5	0.22												
		Living Room	Layout	W10 ↓	13.0	0.6	12.4	0.04	100%	16%	17.11	0.17	25	5	20	0.20	24	4	0.17	
	R9	Bedroom	Layout	W11 ↓	11.3	0.1	11.2	0.01	98%	9%	10.75	0.09	16	0	16	0.00	16	0	0.00	
	R10	Bedroom	Layout	W12 ↓	22.2	9.5	12.7	0.43	99%	42%	7.08	0.42	44	27	N/A	N/A	21	4	0.19	
	R11	Bedroom	Layout	W13 ↓	28.5	12.5	16.0	0.44	98%	35%	7.78	0.36	58	30	N/A	N/A	25	5	N/A	
	R12	Bedroom	Layout	W14 ↓	13.4	0.2	13.2	0.01	98%	7%	10.96	0.07	22	1	21	0.05	18	0	0.00	
	R13	Bedroom	Layout	W15 ↓	12.6	0.3	12.3	0.03	98%	20%	9.41	0.21	15	0	15	0.00	15	0	0.00	
	R14	Bedroom	Layout	W16 ↓	11.7	0.0	11.7	0.00	98%	10%	10.78	0.10	15	1	14	0.07	14	0	0.00	
	R15	Bedroom	Layout	W17 ↓	14.9	2.9	12.0	0.19	99%	26%	8.89	0.26	23	7	16	0.30	18	2	0.11	
	R16	Bedroom	Layout	W18 ↓	19.3	8.0	11.3	0.42	97%	37%	7.25	0.38	40	18	22	0.45	17	2	0.12	
	R17	Bedroom	Layout	W19 ←	16.9	7.9	9.0	0.47												
		Bedroom	Layout	W20 ↓	37.3	15.7	21.5	0.42	99%	80%	2.47	0.81	85	45	N/A	N/A	29	1	0.03	
	R18	Bedroom	Layout	W21 ↓	36.2	15.6	20.6	0.43	100%	50%	4.42	0.50	77	37	N/A	N/A	29	2	0.07	
	R19	Bedroom	Layout	W22 ↓	25.6	7.9	17.6	0.31												
		Bedroom	Layout	W23 →	26.8	21.7	5.1	0.81	100%	87%	1.73	0.87	76	45	N/A	N/A	30	9	N/A	
	R20	Bedroom	Layout	W24 →	6.2	5.8	0.4	0.94												
		Bedroom	Layout	W25 →	7.2	5.1	2.1	0.71	70%	61%	1.33	0.87	11	7	4	N/A*	4	0	N/A*	
F02	R1	Bedroom	Layout	W1 ←	21.2	14.5	6.7	0.68	54%	54%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Bedroom	Layout	W2 ←	23.4	15.7	7.7	0.67	77%	76%	0.10	0.99	North	North	N/A	N/A	North	North	N/A	
	R3	Kitchen	Layout	W3 ←	24.6	16.1	8.5	0.65	88%	86%	0.16	0.98	North	North	N/A	N/A	North	North	N/A	
	R4	Living Room	Layout	W4 ←	10.8	5.3	5.6	0.48												
		Living Room	Layout	W5 ↓	37.9	16.8	21.2	0.44	100%	82%	3.45	0.83	92	55	N/A	N/A	30	6	N/A	
	R5	Bedroom	Layout	W6 ↓	38.0	17.4	20.6	0.46	99%	49%	6.32	0.50	88	49	N/A	N/A	30	5	N/A	
	R6	Bedroom	Layout	W7 ↓	38.0	17.9	20.1	0.47												
		Bedroom	Layout	W8 →	20.9	16.6	4.3	0.80	99%	83%	1.95	0.84	89	53	N/A	N/A	30	7	N/A	
	R7	Living Room	Layout	W9 ↓	13.5	5.2	8.3	0.38												
		Living Room	Layout	W10 ↓	11.7	2.5	9.2	0.21	99%	36%	12.97	0.36	23	9	14	0.39	22	8	N/A	
	R8	Living Room	Layout	W11 ↓	19.2	6.2	13.0	0.32	100%	30%	15.16	0.30	31	13	18	0.42	28	11	N/A	
	R9	Bedroom	Layout	W12 ↓	31.0	18.0	12.9	0.58	99%	68%	3.76	0.69	60	41	N/A	N/A	29	10	N/A	
	R10	Bedroom	Layout	W13 ↓	31.4	15.2	16.3	0.48	98%	56%	5.20	0.57	59	29	N/A	N/A	28	9	N/A	
	R11	Living Room	Layout	W14 ↓	20.2	6.1	14.1	0.30	100%	29%	15.29	0.29	33	10	23	0.30	30	9	N/A	
	R12	Living Room	Layout	W15 ↓	19.7	5.7	14.0	0.29	100%	32%	14.69	0.32	32	10	22	0.31	28	9	N/A	
	R13	Bedroom	Layout	W16 ↓	24.3	13.0	11.2	0.54	85%	55%	3.80	0.64	44	28	N/A	N/A	24	8	N/A	
	R14	Bedroom	Layout	W17 ←	17.9	8.7	9.1	0.49												
		Bedroom	Layout	W18 ↓	38.2	19.3	18.9	0.51	100%	90%	1.11	0.91	86	52	N/A	N/A	30	5	N/A	
	R15	Bedroom	Layout	W19 ↓	37.7	19.4	18.3	0.51	100%	57%	5.37	0.57	81	46	N/A	N/A	30	4	0.13	
	R16	Living Room	Layout	W20 ↓	16.8	4.1	12.7	0.25	100%	75%	6.76	0.75	35	19	16	0.54	25	9	N/A	
	R17	KD	Layout	W21 →	27.0	25.0	2.0	0.93	55%	55%	0.00	1.00	37	33	N/A	N/A	12	8	N/A	
F03	R1	Bedroom	Layout	W1 ←	21.6	15.1	6.4	0.70	54%	54%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Bedroom	Layout	W2 ←	23.8	16.4	7.3	0.69	77%	76%	0.10	0.99	North	North	N/A	N/A	North	North	N/A	
	R3	Kitchen	Layout	W3 ←	25.0	16.8	8.2	0.67	88%	86%	0.15	0.98	North	North	N/A	N/A	North	North	N/A	
	R4	Living Room	Layout	W4 ←	11.3	5.9	5.4	0.52												
		Living Room	Layout	W5 ↓	38.8	20.6	18.1	0.53	100%	92%	1.47	0.93	92	60	N/A	N/A	30	11	N/A	
	R5	Bedroom	Layout	W6 ↓	38.8	21.0	17.7	0.54	99%	76%	2.94	0.77	88	55	N/A	N/A	30	11	N/A	
	R6	Bedroom	Layout	W7 ↓	38.8	21.4	17.4	0.55												
		Bedroom	Layout	W8 →	22.2	19.1	3.1	0.86	99%	92%	0.92	0.92	89	57	N/A	N/A	30	11	N/A	
	R7	Living Room	Layout	W9 ↓	13.9	7.7	6.3	0.55												
		Living Room	Layout	W10 ↓	12.3	4.6	7.7	0.37	99%	71%	5.83	0.71	23	14	9	0.61	22	13	N/A	
	R8	Living Room	Layout	W11 ↓	20.0	9.0	11.0	0.45	100%	53%	10.03	0.53	32	16	16	0.50	28	14	N/A	
	R9	Bedroom	Layout	W12 ↓	31.8	20.9	10.8	0.66	99%	96%	0.34	0.97	60	45	N/A	N/A	29	14	N/A	
	R10	Bedroom	Layout	W13 ↓	32.3	18.3	14.0	0.57	98%	80%	2.19	0.82	59	33	N/A	N/A	28	13	N/A	
	R11	Living Room	Layout	W14 ↓	21.0	9.1	11.9	0.43	100%	53%	10.13	0.53	34	15	19	0.44	30	14	N/A	
	R12	Living Room	Layout	W15 ↓	20.4	8.8	11.6	0.43	100%	54%	9.82	0.54	32	14	18	0.44	28	13	N/A	
	R13	Bedroom	Layout	W16 ↓	24.9	15.8	9.2	0.63	85%	85%	0.01	1.00	44	31	N/A	N/A	24	11	N/A	
	R14	Bedroom	Layout	W17 ←	18.9	10.1	8.8	0.53												
		Bedroom	Layout	W18 ↓	38.8	23.7	15.1	0.61	100%	92%	0.89	0.92	86	60	N/A	N/A	30	12	N/A	
	R15	Bedroom	Layout	W19 ↓	38.2	23.8	14.4	0.62	100%	75%	3.10	0.75	81	54	N/A	N/A	30	12	N/A	
	R16	Living Room	Layout	W20 ↓	16.9	7.6	9.3	0.45	100%	87%	3.45	0.87	33	21	12	0.64	23	11	N/A	
	R17	KD	Layout	W21 →	30.7	29.1	N/A	N/A	76%	76%	0.00	1.00	41	39	N/A	N/A	13	11	N/A	
F04	R1	Bedroom	Layout	W1 ←	21.7	15.7	6.1	0.72	54%	54%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Bedroom	Layout	W2 ←	23.9	17.0	6.9	0.71	77%	76%	0.09	0.99	North	North	N/A	N/A	North	North	N/A	
	R3	Kitchen	Layout	W3 ←	25.2	17.5	7.7	0.69	88%	86%	0.14	0.98	North	North	N/A	N/A	North	North	N/A	

Ratio: N/A or ≥0.8 = inside BRE (N/A* satisfies 4% APSH criterion); Red = outside BRE

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% m)	Cum. (% m)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
	R4	Living Room	Layout	W4 ←	11.3	6.3	5.0	0.56												
		Living Room	Layout	W5 ↓	39.1	24.0	15.1	0.61	100%	99%	0.13	0.99	92	66	N/A	N/A	30	17	N/A	
	R5	Bedroom	Layout	W6 ↓	39.1	24.3	14.8	0.62	99%	95%	0.56	0.96	88	60	N/A	N/A	30	16	N/A	
	R6	Bedroom	Layout	W7 ↓	39.1	24.6	14.5	0.63												
		Bedroom	Layout	W8 →	25.5	23.7	1.9	0.93	99%	95%	0.50	0.96	89	62	N/A	N/A	30	16	N/A	
	R7	Living Room	Layout	W9 ↓	14.2	10.1	4.1	0.71												
		Living Room	Layout	W10 ↓	12.7	6.7	6.0	0.53	99%	99%	0.06	1.00	24	20	4	0.83	23	19	N/A	
	R8	Living Room	Layout	W11 ↓	20.5	11.7	8.8	0.57	100%	100%	0.09	1.00	35	26	N/A	N/A	28	21	N/A	
	R9	Bedroom	Layout	W12 ↓	32.9	24.4	8.5	0.74	99%	97%	0.32	0.97	63	54	N/A	N/A	29	20	N/A	
	R10	Bedroom	Layout	W13 ↓	33.5	22.0	11.4	0.66	98%	82%	2.02	0.83	60	41	N/A	N/A	28	20	N/A	
	R11	Living Room	Layout	W14 ↓	21.5	12.1	9.4	0.56	100%	99%	0.19	0.99	36	25	N/A	N/A	30	22	N/A	
	R12	Living Room	Layout	W15 ↓	20.9	11.7	9.2	0.56	100%	100%	0.00	1.00	33	23	10	0.70	28	20	N/A	
	R13	Bedroom	Layout	W16 ↓	26.3	19.1	7.2	0.73	86%	86%	0.00	1.00	45	38	N/A	N/A	24	17	N/A	
	R14	Bedroom	Layout	W17 ←	21.2	12.9	8.3	0.61												
		Bedroom	Layout	W18 ↓	39.0	27.8	N/A	N/A	100%	100%	0.01	1.00	88	69	N/A	N/A	30	19	N/A	
	R15	Bedroom	Layout	W19 ↓	38.5	27.8	N/A	N/A	100%	99%	0.10	0.99	81	60	N/A	N/A	30	18	N/A	
	R16	Living Room	Layout	W20 ↓	17.2	10.7	6.5	0.62	100%	98%	0.61	0.98	34	27	N/A	N/A	24	17	N/A	
	R17	KD	Layout	W21 →	33.8	32.8	N/A	N/A	99%	99%	0.00	1.00	47	47	N/A	N/A	13	13	N/A	
F05	R1	Bedroom	Layout	W1 ←	21.8	16.2	5.6	0.74	54%	54%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Bedroom	Layout	W2 ←	24.1	17.6	6.4	0.73	77%	76%	0.09	0.99	North	North	N/A	N/A	North	North	N/A	
	R3	Kitchen	Layout	W3 ←	25.3	18.1	7.2	0.72	88%	86%	0.14	0.98	North	North	N/A	N/A	North	North	N/A	
	R4	Living Room	Layout	W4 ←	11.5	6.9	4.6	0.60												
		Living Room	Layout	W5 ↓	39.2	26.8	12.4	0.68	100%	100%	0.00	1.00	92	71	N/A	N/A	30	22	N/A	
	R5	Bedroom	Layout	W6 ↓	39.2	27.2	N/A	N/A	99%	95%	0.49	0.96	88	65	N/A	N/A	30	21	N/A	
	R6	Bedroom	Layout	W7 ↓	39.2	27.6	N/A	N/A												
		Bedroom	Layout	W8 →	31.2	30.5	N/A	N/A	100%	96%	0.44	0.96	92	70	N/A	N/A	30	21	N/A	
	R7	Living Room	Layout	W9 ↓	27.1	25.1	2.0	0.93												
		Living Room	Layout	W10 ↓	30.9	24.2	6.7	0.78	100%	100%	0.00	1.00	70	58	N/A	N/A	23	20	N/A	
	R8	Living Room	Layout	W11 ↓	37.3	28.4	N/A	N/A	100%	100%	0.00	1.00	81	66	N/A	N/A	28	22	N/A	
	R9	Bedroom	Layout	W12 ↓	38.8	29.5	N/A	N/A	100%	98%	0.17	0.99	88	70	N/A	N/A	30	23	N/A	
	R10	Bedroom	Layout	W13 ↓	38.9	29.9	N/A	N/A	99%	84%	1.84	0.85	88	69	N/A	N/A	30	23	N/A	
	R11	Living Room	Layout	W14 ↓	38.8	30.0	N/A	N/A	100%	100%	0.02	1.00	88	69	N/A	N/A	30	23	N/A	
	R12	Living Room	Layout	W15 ↓	38.1	29.8	N/A	N/A	100%	100%	0.00	1.00	83	68	N/A	N/A	28	21	N/A	
	R13	Bedroom	Layout	W16 ↓	33.5	26.0	7.5	0.78	92%	92%	0.00	1.00	67	52	N/A	N/A	24	17	N/A	
	R14	Bedroom	Layout	W17 ←	24.8	16.9	7.9	0.68												
		Bedroom	Layout	W18 ↓	39.2	31.2	N/A	N/A	100%	100%	0.01	1.00	91	75	N/A	N/A	30	22	N/A	
	R15	Bedroom	Layout	W19 ↓	39.2	31.5	N/A	N/A	100%	99%	0.07	0.99	89	73	N/A	N/A	30	22	N/A	
	R16	Living Room	Layout	W20 ↓	20.4	16.2	4.1	0.80	100%	100%	0.02	1.00	39	34	N/A	N/A	27	22	N/A	
	R17	KD	Layout	W21 →	36.5	36.1	N/A	N/A	99%	99%	0.00	1.00	49	49	N/A	N/A	15	15	N/A	
Brook House Primary School																				
F00	R1	Class Room	Layout	W1 ←	15.5	14.7	0.7	0.95												
		Class Room	Layout	W2 ←	15.7	14.5	1.2	0.92	81%	72%	4.91	0.89	North	North	N/A	N/A	North	North	N/A	
	R2	Class Room	Layout	W3 ←	15.3	13.3	2.0	0.87												
		Class Room	Layout	W4 ←	15.9	12.5	3.4	0.78	84%	53%	18.24	0.63	North	North	N/A	N/A	North	North	N/A	
	R3	Class Room	Layout	W5 ←	17.7	12.7	5.0	0.72												
		Class Room	Layout	W6 ←	17.6	15.6	2.0	0.89												
		Class Room	Layout	W22 ↓	5.7	7.7	-2.0	1.36	97%	77%	11.76	0.80	44	45	N/A	1.02	6	7	1.17	
	R4	Class Room	Layout	W7 →	4.9	5.8	-0.9	1.19												
		Class Room	Layout	W8 →	5.6	6.0	-0.4	1.06												
		Class Room	Layout	W21 ↓	16.3	15.4	0.8	0.95	99%	100%	-0.26	1.00	51	48	N/A	N/A	2	8	4.00	
	R5	Class Room	Layout	W9 →	6.0	6.0	0.0	1.00												
		Class Room	Layout	W10 →	5.8	5.7	0.1	0.99	99%	99%	-0.02	1.00	8	8	0	1.00	3	3	1.00	
	R6	Class Room	Layout	W11 →	5.4	5.3	0.1	0.98	97%	97%	0.00	1.00	5	5	0	1.00	3	3	1.00	
	R7	Class Room	Layout	W12 →	4.8	4.8	0.1	0.99												
		Class Room	Layout	W13 →	4.5	4.4	0.0	0.99	100%	100%	0.00	1.00	5	5	0	1.00	3	3	1.00	
	R8	Office	Layout	W14 ↘	1.5	1.5	0.0	1.00	78%	78%	0.00	1.00	2	2	0	1.00	2	2	1.00	
	R10	Office	Layout	W16 ↘	1.6	1.6	0.1	0.95												
		Office	Layout	W17 ↓	1.6	1.4	0.2	0.88	64%	61%	0.51	0.95	1	1	0	1.00	1	1	1.00	
	R11	Hall	Layout	W18 →	33.5	33.5	N/A	N/A												
		Hall	Layout	W19 →	33.3	33.3	N/A	N/A												
		Hall	Layout	W20 →	33.1	33.1	N/A	N/A												
		Hall	Layout	W23 ↓	33.3	32.6	N/A	N/A												
		Hall	Layout	W24 ↓	33.9	33.1	N/A	N/A												
		Hall	Layout	W25 ↓	34.4	33.5	N/A	N/A												
		Hall	Layout	W26 ↓	35.2	34.0	N/A	N/A												

Property, room & window attributes					VSC				NSL				APSH (room)						
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (Ref. % VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)		
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E
		Hall	Layout	W27 ↓	35.8	34.4	N/A	N/A											
		Hall	Layout	W28 →	34.7	34.7	N/A	N/A											
		Hall	Layout	W29 →	34.5	34.5	N/A	N/A											
		Hall	Layout	W30 →	34.3	34.3	N/A	N/A											
		Hall	Layout	W31 →	34.1	34.1	N/A	N/A	100%	100%	0.00	1.00	89	86	N/A	N/A	27	25	N/A
	R12	Class Room		W23 ↓	6.0	7.8	-1.8	1.30											
		Class Room		W24 ↓	6.7	9.2	-2.6	1.39	37%	47%	-1.39	1.26	18	34	N/A	1.89	0	4	####
F01	R1	Class Room		W1 ←	18.8	17.9	0.9	0.95											
		Class Room		W2 ←	19.3	17.9	1.5	0.92	83%	74%	4.69	0.90	North	North	N/A	N/A	North	North	N/A
	R2	Class Room		W3 ←	19.5	16.9	2.6	0.87											
		Class Room		W4 ←	20.6	15.9	4.7	0.77	87%	58%	17.25	0.66	North	North	N/A	N/A	North	North	N/A
	R3	Class Room		W5 ←	23.5	16.1	7.4	0.68											
		Class Room		W6 ←	27.2	19.0	8.3	0.70											
		Class Room		W7 ↓	38.1	9.7	28.4	0.25	98%	85%	7.71	0.87	89	50	N/A	N/A	30	10	N/A
	R4	Class Room		W8 ↓	38.1	10.8	27.2	0.28	97%	29%	10.02	0.29	88	32	N/A	N/A	30	5	N/A
	R5	Class Room		W10 ↓	38.0	20.1	18.0	0.53											
		Class Room		W11 →	36.5	36.5	N/A	N/A											
		Class Room		W12 →	36.3	36.3	N/A	N/A	100%	100%	0.00	1.00	94	60	N/A	N/A	30	15	N/A
	R6	Class Room		W13 →	35.8	35.8	N/A	N/A											
		Class Room		W14 →	35.4	35.4	N/A	N/A	100%	100%	0.00	1.00	49	49	N/A	N/A	15	15	N/A
	R7	Class Room		W15 →	34.6	34.6	N/A	N/A	100%	100%	0.00	1.00	46	46	N/A	N/A	15	15	N/A
	R8	Class Room		W16 →	33.5	33.5	N/A	N/A											
		Class Room		W17 →	31.3	31.3	N/A	N/A	100%	100%	0.00	1.00	46	46	N/A	N/A	15	15	N/A
	R9	Office		W18 ↓	31.7	31.6	N/A	N/A	99%	99%	0.00	1.00	50	50	N/A	N/A	15	15	N/A
	R10	iff Common Room		W20 ↓	32.8	32.6	N/A	N/A											
		iff Common Room		W21 ↓	30.4	29.9	N/A	N/A											
		iff Common Room		W22 ↓	31.7	31.1	N/A	N/A	99%	98%	0.69	0.99	73	73	N/A	N/A	23	23	N/A
Beachcroft Court																			
F01	R1	LKD	Layout	W1 ←	6.6	5.1	1.5	0.77											
		LKD	Layout	W2 ←	7.0	5.6	1.5	0.79	97%	94%	0.74	0.97	North	North	N/A	N/A	North	North	N/A
	R2	LKD	Layout	W3 ←	8.9	6.0	3.0	0.67											
		LKD	Layout	W15 →	3.3	3.3	0.0	1.00	95%	95%	0.00	1.00	17	8	9	0.47	10	4	0.40
	R3	Bedroom	Layout	W4 ←	11.1	8.1	3.0	0.73											
		Bedroom	Layout	W5 ←	18.4	16.3	2.0	0.89	90%	73%	1.93	0.81	North	North	N/A	N/A	North	North	N/A
	R4	Bedroom	Layout	W6 ←	21.3	16.6	4.7	0.78	92%	88%	0.38	0.96	North	North	N/A	N/A	North	North	N/A
	R5	LKD	Layout	W7 ←	10.4	6.2	4.2	0.60											
		LKD	Layout	W8 ↓	38.8	23.8	15.0	0.61											
		LKD	Layout	W9 ↓	38.8	24.5	14.3	0.63											
		LKD	Layout	W10 →	4.3	4.2	0.1	0.98	98%	97%	0.05	1.00	89	68	N/A	N/A	30	14	N/A
	R6	Bedroom	Layout	W12 →	3.5	3.5	0.0	0.99	84%	84%	0.00	1.00	1	1	0	1.00	0	0	N/A
	R7	Bedroom	Layout	W13 →	3.8	3.8	0.0	1.00	85%	85%	0.00	1.00	4	4	0	1.00	2	2	1.00
	R8	Bedroom	Layout	W17 →	2.9	2.9	0.0	1.00	79%	79%	0.00	1.00	0	0	0	N/A	0	0	N/A
	R9	Living Room	Layout	W18 ↙	3.6	3.4	0.2	0.95											
		Living Room	Layout	W19 ↘	36.1	35.9	N/A	N/A	100%	100%	0.00	1.00	68	68	N/A	N/A	21	21	N/A
	R10	Bedroom	Layout	W20 ↘	36.8	36.5	N/A	N/A	100%	100%	0.00	1.00	71	71	N/A	N/A	22	22	N/A
	R11	Bedroom	Layout	W21 ↘	37.0	36.8	N/A	N/A	99%	99%	0.00	1.00	72	72	N/A	N/A	23	23	N/A
	R12	Living Room	Layout	W22 ↘	13.3	13.3	0.0	1.00	97%	97%	0.00	1.00	20	20	0	1.00	14	14	N/A
	R13	Living Room	Layout	W23 ↘	13.9	13.9	0.0	1.00	96%	96%	0.00	1.00	20	20	0	1.00	16	16	N/A
	R14	Bedroom	Layout	W24 ↘	37.1	36.9	N/A	N/A	100%	100%	0.00	1.00	75	74	N/A	N/A	26	25	N/A
	R15	Bedroom	Layout	W25 ↘	12.6	12.6	0.0	1.00	99%	99%	0.00	1.00	21	21	0	1.00	14	14	N/A
F02	R1	LKD	Layout	W1 ←	8.3	5.6	2.8	0.67											
		LKD	Layout	W2 ←	11.1	7.8	3.3	0.70	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A
	R2	LKD	Layout	W3 ←	12.1	8.2	3.9	0.68											
		LKD	Layout	W15 →	4.0	4.0	0.0	1.00	96%	96%	0.00	1.00	22	14	8	0.64	12	7	N/A
	R3	Bedroom	Layout	W4 ←	14.8	10.4	4.5	0.70											
		Bedroom	Layout	W5 ←	24.2	19.5	4.8	0.80	99%	98%	0.08	0.99	North	North	N/A	N/A	North	North	N/A
	R4	Bedroom	Layout	W6 ←	23.5	19.3	4.2	0.82	98%	98%	0.02	1.00	North	North	N/A	N/A	North	North	N/A
	R5	LKD	Layout	W7 ←	16.1	9.4	6.7	0.59											
		LKD	Layout	W8 ↓	39.0	27.5	N/A	N/A											
		LKD	Layout	W9 ↓	39.0	28.3	N/A	N/A											
		LKD	Layout	W10 →	4.6	4.6	0.0	0.99	98%	97%	0.05	1.00	89	75	N/A	N/A	30	20	N/A
	R6	Bedroom	Layout	W12 →	3.5	3.5	0.0	1.00	85%	85%	0.00	1.00	2	2	0	1.00	0	0	N/A
	R7	Bedroom	Layout	W13 →	3.3	3.3	0.0	1.00	85%	85%	0.00	1.00	2	2	0	1.00	0	0	N/A
	R8	Bedroom	Layout	W17 →	3.7	3.7	0.0	1.00	80%	80%	0.00	1.00	3	3	0	1.00	3	3	1.00
	R9	Living Room	Layout	W18 ↙	4.7	4.3	0.4	0.92											

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% mm)	Cum. (% mm)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
		Living Room	Layout	W19 ↘	36.9	36.8	N/A	N/A	100%	100%	0.00	1.00	74	73	N/A	N/A	23	23	N/A	
	R10	Bedroom	Layout	W20 ↘	37.4	37.3	N/A	N/A	100%	100%	0.00	1.00	72	72	N/A	N/A	23	23	N/A	
	R11	Bedroom	Layout	W21 ↘	37.5	37.4	N/A	N/A	99%	99%	0.00	1.00	74	73	N/A	N/A	25	24	N/A	
	R12	Living Room	Layout	W22 ↘	13.5	13.5	0.0	1.00	97%	97%	0.00	1.00	20	20	0	1.00	14	14	N/A	
	R13	Living Room	Layout	W23 ↘	14.1	14.1	0.0	1.00	96%	96%	0.00	1.00	20	20	0	1.00	16	16	N/A	
	R14	Bedroom	Layout	W24 ↘	37.4	37.2	N/A	N/A	100%	100%	0.00	1.00	76	74	N/A	N/A	27	25	N/A	
	R15	Bedroom	Layout	W25 ↘	13.0	13.0	0.0	1.00	99%	99%	0.00	1.00	21	21	0	1.00	14	14	N/A	
F03	R1	LKD	Layout	W1 ←	28.8	24.9	3.9	0.87												
		LKD	Layout	W2 ←	30.1	26.1	4.0	0.87	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	LKD	Layout	W3 ←	30.5	26.1	4.4	0.85												
		LKD	Layout	W15 →	4.1	4.1	0.0	1.00	96%	96%	0.00	1.00	45	36	N/A	N/A	17	11	N/A	
	R3	Bedroom	Layout	W4 ←	32.3	27.4	N/A	N/A												
		Bedroom	Layout	W5 ←	32.5	27.4	N/A	N/A	100%	100%	0.01	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Bedroom	Layout	W6 ←	30.0	25.4	4.5	0.85	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R5	LKD	Layout	W7 ←	33.3	27.0	N/A	N/A												
		LKD	Layout	W8 ↓	39.1	31.7	N/A	N/A												
		LKD	Layout	W9 ↓	39.1	32.3	N/A	N/A												
		LKD	Layout	W10 →	4.6	4.6	0.0	1.00	98%	97%	0.05	1.00	90	81	N/A	N/A	30	24	N/A	
	R6	Bedroom	Layout	W12 →	3.3	3.3	0.0	1.00	83%	83%	0.00	1.00	5	5	0	1.00	3	3	1.00	
	R7	Bedroom	Layout	W13 →	3.7	3.7	0.0	1.00	85%	85%	0.00	1.00	4	4	0	1.00	3	3	1.00	
	R8	Bedroom	Layout	W17 →	3.9	3.9	0.0	1.00	82%	82%	0.00	1.00	2	2	0	1.00	2	2	1.00	
	R9	Living Room	Layout	W18 ↙	22.8	21.2	1.6	0.93												
		Living Room	Layout	W19 ↘	37.7	37.7	N/A	N/A	100%	100%	0.00	1.00	85	82	N/A	N/A	26	24	N/A	
	R10	Bedroom	Layout	W20 ↘	37.9	37.8	N/A	N/A	100%	100%	0.00	1.00	75	74	N/A	N/A	26	25	N/A	
	R11	Bedroom	Layout	W21 ↘	37.9	37.8	N/A	N/A	99%	99%	0.00	1.00	76	74	N/A	N/A	27	25	N/A	
	R12	Living Room	Layout	W22 ↘	13.9	13.9	0.0	1.00	97%	97%	0.00	1.00	20	20	0	1.00	14	14	N/A	
	R13	Living Room	Layout	W23 ↘	14.4	14.4	0.0	1.00	97%	97%	0.00	1.00	20	20	0	1.00	16	16	N/A	
	R14	Bedroom	Layout	W24 ↘	37.7	37.5	N/A	N/A	100%	100%	0.00	1.00	77	75	N/A	N/A	27	25	N/A	
	R15	Bedroom	Layout	W25 ↘	13.4	13.4	0.0	1.00	99%	99%	0.00	1.00	22	22	0	1.00	14	14	N/A	
1-12 Altair Close																				
F00	R1	Residential	Assumed	W1 ↑	25.2	25.2	0.0	1.00												
		Residential	Assumed	W2 ←	33.7	31.3	N/A	N/A	98%	98%	0.00	1.00	48	44	N/A	N/A	15	12	N/A	
	R2	Residential	Assumed	W3 ←	33.7	31.3	N/A	N/A	100%	100%	0.00	1.00	46	42	N/A	N/A	15	12	N/A	
	R3	Residential	Assumed	W4 ←	33.9	31.3	N/A	N/A	100%	100%	0.00	1.00	46	43	N/A	N/A	15	13	N/A	
	R4	Residential	Assumed	W5 ←	34.0	31.3	N/A	N/A	98%	98%	0.00	1.00	46	44	N/A	N/A	15	13	N/A	
	R5	Residential	Assumed	W6 ←	34.0	31.3	N/A	N/A	97%	97%	0.03	1.00	46	44	N/A	N/A	15	13	N/A	
	R6	Residential	Assumed	W7 ←	33.9	31.1	N/A	N/A	100%	100%	0.00	1.00	44	43	N/A	N/A	13	12	N/A	
	R7	Residential	Assumed	W8 ←	33.6	30.7	N/A	N/A	100%	100%	0.00	1.00	42	39	N/A	N/A	11	9	N/A	
	R8	Residential	Assumed	W9 ←	33.3	30.5	N/A	N/A												
		Residential	Assumed	W10 ↓	29.0	28.4	N/A	N/A	99%	99%	0.00	1.00	79	76	N/A	N/A	18	16	N/A	
F01	R1	Residential	Assumed	W1 ↑	25.7	25.7	0.0	1.00												
		Residential	Assumed	W2 ←	34.3	31.9	N/A	N/A	98%	98%	0.00	1.00	47	43	N/A	N/A	15	12	N/A	
	R2	Residential	Assumed	W3 ←	34.4	31.9	N/A	N/A	100%	100%	0.00	1.00	46	42	N/A	N/A	15	12	N/A	
	R3	Residential	Assumed	W4 ←	34.6	31.9	N/A	N/A	100%	100%	0.00	1.00	45	42	N/A	N/A	15	13	N/A	
	R4	Residential	Assumed	W5 ←	34.7	31.9	N/A	N/A	98%	98%	0.00	1.00	44	42	N/A	N/A	15	13	N/A	
	R5	Residential	Assumed	W6 ←	34.7	31.9	N/A	N/A	98%	97%	0.03	1.00	44	42	N/A	N/A	15	13	N/A	
	R6	Residential	Assumed	W7 ←	34.6	31.8	N/A	N/A	100%	100%	0.00	1.00	44	43	N/A	N/A	14	13	N/A	
	R7	Residential	Assumed	W8 ←	34.5	31.7	N/A	N/A	100%	100%	0.00	1.00	44	41	N/A	N/A	14	12	N/A	
	R8	Residential	Assumed	W9 ←	34.4	31.6	N/A	N/A												
		Residential	Assumed	W10 ↓	32.7	32.0	N/A	N/A	99%	99%	0.00	1.00	86	83	N/A	N/A	25	23	N/A	
F02	R1	Residential	Assumed	W1 ↑	21.9	21.9	0.0	1.00												
		Residential	Assumed	W2 ←	30.0	27.6	N/A	N/A	97%	97%	0.00	1.00	39	35	N/A	N/A	13	10	N/A	
	R2	Residential	Assumed	W3 ←	32.2	29.7	N/A	N/A	100%	100%	0.00	1.00	38	34	N/A	N/A	13	10	N/A	
	R3	Residential	Assumed	W4 ←	32.4	29.8	N/A	N/A	100%	100%	0.00	1.00	37	34	N/A	N/A	13	11	N/A	
	R4	Residential	Assumed	W5 ←	30.4	27.7	N/A	N/A	97%	97%	0.00	1.00	36	34	N/A	N/A	13	11	N/A	
	R5	Residential	Assumed	W6 ←	30.5	27.7	N/A	N/A	97%	96%	0.03	1.00	36	34	N/A	N/A	13	11	N/A	
	R6	Residential	Assumed	W7 ←	32.6	29.8	N/A	N/A	100%	100%	0.00	1.00	38	36	N/A	N/A	13	11	N/A	
	R7	Residential	Assumed	W8 ←	32.7	29.8	N/A	N/A	100%	100%	0.00	1.00	39	36	N/A	N/A	13	10	N/A	
	R8	Residential	Assumed	W9 ←	30.5	27.6	N/A	N/A												
		Residential	Assumed	W10 ↓	30.3	29.6	N/A	N/A	99%	99%	0.00	1.00	86	82	N/A	N/A	30	27	N/A	
56-67 Altair Close																				
F00	R1	Residential	Assumed	W1 ↑	28.6	28.6	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	29.4	29.4	N/A	N/A	90%	90%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	30.1	30.1	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% m)	Cum. (% m)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
	R4	Residential	Assumed	W4 ↑	30.4	30.3	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R5	Residential	Assumed	W5 ↑	30.9	30.8	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W6 ↑	31.1	31.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W8 ↓	34.2	33.6	N/A	N/A	97%	97%	0.00	1.00	82	80	N/A	N/A	26	25	N/A	
	R9	Residential	Assumed	W9 ↓	34.2	33.6	N/A	N/A	100%	100%	0.00	1.00	82	80	N/A	N/A	26	25	N/A	
	R10	Residential	Assumed	W10 ↓	34.5	34.0	N/A	N/A	100%	100%	0.00	1.00	82	80	N/A	N/A	26	25	N/A	
	R11	Residential	Assumed	W11 ↓	34.8	34.3	N/A	N/A	98%	98%	0.00	1.00	82	80	N/A	N/A	26	25	N/A	
	R12	Residential	Assumed	W12 ↓	35.0	34.5	N/A	N/A	97%	97%	0.00	1.00	82	80	N/A	N/A	26	25	N/A	
F01	R1	Residential	Assumed	W1 ↑	30.1	30.1	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	30.6	30.6	N/A	N/A	92%	92%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	31.1	31.1	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	31.3	31.3	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R5	Residential	Assumed	W5 ↑	31.7	31.7	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W6 ↑	31.9	31.8	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W8 ↓	35.5	34.9	N/A	N/A	97%	97%	0.00	1.00	83	81	N/A	N/A	27	26	N/A	
	R9	Residential	Assumed	W9 ↓	35.6	35.0	N/A	N/A	100%	100%	0.00	1.00	83	81	N/A	N/A	27	26	N/A	
	R10	Residential	Assumed	W10 ↓	35.8	35.3	N/A	N/A	99%	99%	0.00	1.00	84	82	N/A	N/A	28	27	N/A	
	R11	Residential	Assumed	W11 ↓	36.0	35.4	N/A	N/A	98%	98%	0.00	1.00	84	82	N/A	N/A	28	27	N/A	
	R12	Residential	Assumed	W12 ↓	36.1	35.6	N/A	N/A	97%	97%	0.00	1.00	84	82	N/A	N/A	28	27	N/A	
F02	R1	Residential	Assumed	W1 ↑	28.5	28.5	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	27.2	27.2	N/A	N/A	91%	91%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	27.4	27.3	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	29.3	29.3	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R5	Residential	Assumed	W5 ↑	29.6	29.5	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W6 ↑	27.7	27.6	N/A	N/A	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W8 ↓	28.1	27.5	N/A	N/A	96%	96%	0.00	1.00	62	59	N/A	N/A	30	28	N/A	
	R9	Residential	Assumed	W9 ↓	31.1	30.5	N/A	N/A	100%	100%	0.00	1.00	72	70	N/A	N/A	28	27	N/A	
	R10	Residential	Assumed	W10 ↓	31.2	30.6	N/A	N/A	100%	100%	0.00	1.00	72	70	N/A	N/A	28	27	N/A	
	R11	Residential	Assumed	W11 ↓	28.2	27.7	N/A	N/A	96%	96%	0.04	1.00	60	58	N/A	N/A	28	27	N/A	
	R12	Residential	Assumed	W12 ↓	28.3	27.7	N/A	N/A	96%	96%	0.00	1.00	62	59	N/A	N/A	30	28	N/A	
Coach and Horses PH 862 High Road																				
F01	R1	Residential	Assumed	W1 ←	29.7	27.5	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	29.5	27.1	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ←	30.8	28.4	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F02	R1	Residential	Assumed	W1 ←	34.3	30.9	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	34.3	30.8	N/A	N/A	99%	98%	0.04	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ←	34.3	30.8	N/A	N/A	99%	98%	0.02	1.00	North	North	N/A	N/A	North	North	N/A	
850 High Road																				
F01	R1	Residential	Assumed	W1 ↖	23.3	20.8	2.5	0.89												
		Residential	Assumed	W2 ←	33.4	29.2	N/A	N/A												
		Residential	Assumed	W3 ↙	27.7	24.3	3.4	0.88	99%	98%	0.20	0.99	46	45	N/A	N/A	12	11	N/A	
848 High Road																				
F01	R1	Residential	Assumed	W1 ↖	26.4	23.4	2.9	0.89												
		Residential	Assumed	W2 ←	33.8	29.1	N/A	N/A												
		Residential	Assumed	W3 ↙	29.9	26.5	3.4	0.89	99%	99%	0.15	0.99	47	41	N/A	N/A	12	10	N/A	
846 High Road																				
F01	R1	Residential	Assumed	W1 ↖	28.2	24.9	3.3	0.88												
		Residential	Assumed	W2 ←	34.0	29.2	N/A	N/A												
		Residential	Assumed	W3 ↙	29.6	26.4	3.2	0.89	99%	99%	0.04	1.00	46	41	N/A	N/A	11	10	N/A	
844 High Road																				
F01	R1	Residential	Assumed	W1 ↖	28.6	25.0	3.6	0.88												
		Residential	Assumed	W2 ←	33.9	29.1	N/A	N/A												
		Residential	Assumed	W3 ↙	29.2	26.2	3.0	0.90	99%	99%	0.00	1.00	47	40	N/A	N/A	11	10	N/A	
842 High Road																				
F01	R1	Residential	Assumed	W1 ↖	28.6	25.1	3.5	0.88												
		Residential	Assumed	W2 ←	33.5	29.0	N/A	N/A												
		Residential	Assumed	W3 ↙	27.6	25.0	2.6	0.91	99%	99%	0.00	1.00	48	41	N/A	N/A	12	11	N/A	

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% m)	Cum. (% m)	Loss (m ²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
840 High Road																				
F01	R1	Residential	Assumed	W1 ↖	26.0	22.6	3.4	0.87												
		Residential	Assumed	W2 ←	33.0	28.9	N/A	N/A												
		Residential	Assumed	W3 ↙	28.1	25.7	2.4	0.92	99%	99%	0.00	1.00	49	43	N/A	N/A	15	14	N/A	
838-832 High Road																				
F01	R1	Residential	Assumed	W1 ←	32.2	28.8	N/A	N/A												
		Residential	Assumed	W2 ←	33.6	30.2	N/A	N/A												
		Residential	Assumed	W3 ↙	32.6	29.7	N/A	N/A	98%	98%	0.00	1.00	47	42	N/A	N/A	12	12	N/A	
	R2	Residential	Assumed	W4 ←	32.2	28.9	N/A	N/A												
		Residential	Assumed	W5 ←	33.7	30.6	N/A	N/A												
		Residential	Assumed	W6 ↙	32.7	30.1	N/A	N/A	98%	98%	0.00	1.00	47	43	N/A	N/A	13	13	N/A	
	R3	Residential	Assumed	W7 ←	32.2	29.0	N/A	N/A												
		Residential	Assumed	W8 ←	33.9	30.6	N/A	N/A												
		Residential	Assumed	W9 ↙	32.9	30.1	N/A	N/A	98%	98%	0.00	1.00	46	43	N/A	N/A	13	13	N/A	
	R4	Residential	Assumed	W10 ←	32.4	29.2	N/A	N/A												
		Residential	Assumed	W11 ←	34.1	30.9	N/A	N/A												
		Residential	Assumed	W12 ↙	32.9	30.1	N/A	N/A	99%	99%	0.00	1.00	46	43	N/A	N/A	13	13	N/A	
F02	R1	Residential	Assumed	W1 ←	36.0	31.1	N/A	N/A												
		Residential	Assumed	W2 ←	35.9	31.0	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W3 ←	35.8	31.1	N/A	N/A												
		Residential	Assumed	W4 ←	35.8	31.2	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W5 ←	35.9	31.2	N/A	N/A												
		Residential	Assumed	W6 ←	35.9	31.2	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W7 ←	36.0	31.4	N/A	N/A												
		Residential	Assumed	W8 ←	36.1	31.5	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
830 High Road																				
F01	R1	Residential	Assumed	W1 ←	32.4	28.9	N/A	N/A												
		Residential	Assumed	W2 ←	32.7	29.1	N/A	N/A												
		Residential	Assumed	W3 ←	33.0	29.4	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
828-824 High Road																				
F01	R1	Residential	Assumed	W1 ←	34.7	31.1	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	35.0	31.4	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ←	35.1	31.3	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ←	33.0	29.0	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F02	R1	Residential	Assumed	W1 ←	37.0	32.4	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	37.2	32.6	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ←	37.4	32.6	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ←	36.7	31.8	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
822 High Road																				
F01	R1	Residential	Assumed	W1 ←	34.7	30.9	N/A	N/A	95%	95%	0.02	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	34.7	31.0	N/A	N/A	95%	94%	0.07	0.99	North	North	N/A	N/A	North	North	N/A	
F02	R1	Residential	Assumed	W1 ←	37.0	32.2	N/A	N/A	96%	96%	0.01	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	37.0	32.2	N/A	N/A	96%	96%	0.03	1.00	North	North	N/A	N/A	North	North	N/A	
820 High Road																				
F01	R1	Residential	Assumed	W1 ←	32.4	28.2	N/A	N/A												
		Residential	Assumed	W2 ←	35.5	31.2	N/A	N/A	99%	99%	0.00	1.00	49	45	N/A	N/A	14	13	N/A	
	R2	Residential	Assumed	W3 ←	35.9	31.7	N/A	N/A												
		Residential	Assumed	W4 ←	36.0	31.9	N/A	N/A	99%	99%	0.00	1.00	48	44	N/A	N/A	13	13	N/A	
F02	R1	Residential	Assumed	W1 ←	38.1	33.1	N/A	N/A												
		Residential	Assumed	W2 ←	38.2	33.1	N/A	N/A												
		Residential	Assumed	W3 ←	38.2	33.2	N/A	N/A	99%	99%	0.00	1.00	50	45	N/A	N/A	15	14	N/A	
816-818 High Road																				
F00	R1	Residential	Assumed	W1 ←	29.4	26.5	2.8	0.90												
		Residential	Assumed	W2 ←	31.9	28.8	N/A	N/A	99%	99%	0.00	1.00	46	42	N/A	N/A	12	11	N/A	
F01	R1	Residential	Assumed	W1 ←	36.2	32.0	N/A	N/A												
		Residential	Assumed	W2 ←	36.2	32.1	N/A	N/A	99%	99%	0.00	1.00	48	43	N/A	N/A	13	12	N/A	
	R2	Residential	Assumed	W3 ←	36.2	32.1	N/A	N/A												
		Residential	Assumed	W4 ←	36.1	32.1	N/A	N/A	99%	99%	0.00	1.00	48	44	N/A	N/A	13	13	N/A	
	R3	Residential	Assumed	W5 ←	30.5	27.0	N/A	N/A	99%	99%	0.00	1.00	33	30	N/A	N/A	7	7	N/A	
F02	R1	Residential	Assumed	W1 ←	38.2	33.3	N/A	N/A												

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% <i>rm</i>)	Cum. (% <i>rm</i>)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
		Residential	Assumed	W2 ←	38.2	33.3	N/A	N/A	99%	99%	0.00	1.00	50	45	N/A	N/A	15	14	N/A	
	R2	Residential	Assumed	W3 ←	38.2	33.4	N/A	N/A												
		Residential	Assumed	W4 ←	38.1	33.4	N/A	N/A	99%	99%	0.00	1.00	50	45	N/A	N/A	15	14	N/A	
814 High Road #																				
F01	R1	Bedsit	Layout	W1 ↑	33.9	32.6	N/A	N/A												
		Bedsit	Layout	W2 ↑	32.9	31.5	N/A	N/A												
		Bedsit	Layout	W3 ↑	32.8	31.3	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Bedroom	Layout	W4 ↑	33.0	31.6	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Bedroom	Layout	W5 ↑	33.1	31.7	N/A	N/A												
		Bedroom	Layout	W6 ←	34.0	30.6	N/A	N/A	99%	99%	0.00	1.00	46	40	N/A	N/A	13	12	N/A	
	R4	Kitchen	Layout	W7 ←	32.7	29.2	N/A	N/A	99%	99%	0.00	1.00	38	32	N/A	N/A	11	9	N/A	
	R5	Living Room	Layout	W8 ←	34.1	30.4	N/A	N/A	97%	97%	0.00	1.00	42	35	N/A	N/A	12	11	N/A	
810-812 High Road #																				
B00	R1	Residential	Layout	W1 ←	26.2	24.6	1.6	0.94												
		Residential	Layout	W2 ←	27.3	24.8	2.4	0.91	90%	90%	0.00	1.00	40	36	N/A	N/A	6	6	N/A	
F00	R2	Residential	Layout	W2 ←	11.0	8.6	2.4	0.78												
		Residential	Layout	W3 ←	29.9	27.2	N/A	N/A												
		Residential	Layout	W4 ←	32.1	29.2	N/A	N/A	94%	94%	0.00	1.00	43	40	N/A	N/A	9	9	N/A	
F01	R1	Residential	Layout	W1 ←	32.0	30.1	N/A	N/A	96%	96%	0.00	1.00	46	42	N/A	N/A	14	13	N/A	
	R2	Residential	Layout	W2 ←	34.9	32.0	N/A	N/A												
		Residential	Layout	W3 ←	35.5	32.4	N/A	N/A												
		Residential	Layout	W4 ←	35.6	32.4	N/A	N/A	99%	99%	0.00	1.00	48	45	N/A	N/A	13	13	N/A	
F02	R1	Residential	Layout	W1 ←	34.7	31.0	N/A	N/A	91%	91%	0.05	1.00	32	29	N/A	N/A	6	6	N/A	
	R2	Residential	Layout	W2 ←	37.6	33.9	N/A	N/A												
		Residential	Layout	W3 ←	37.5	33.9	N/A	N/A												
		Residential	Layout	W4 ←	37.4	33.9	N/A	N/A	99%	99%	0.00	1.00	46	44	N/A	N/A	14	14	N/A	
F03	R1	Residential	Layout	W1 ←	37.6	34.3	N/A	N/A	60%	49%	1.87	0.83	47	46	N/A	N/A	16	16	N/A	
808 High Road #																				
B00	R1	Residential	Assumed	W1 ←	26.3	25.1	1.2	0.96												
		Residential	Assumed	W2 ←	25.1	23.1	2.0	0.92	88%	88%	0.00	1.00	27	24	3	0.89	3	3	1.00	
F00	R1	Residential	Assumed	W1 ←	32.1	29.3	N/A	N/A												
		Residential	Assumed	W2 ←	31.3	28.7	N/A	N/A												
		Residential	Assumed	W3 ←	10.6	8.3	2.3	0.79												
		Residential	Assumed	W4 ←	29.1	26.6	2.5	0.91	95%	95%	0.00	1.00	39	37	N/A	N/A	5	5	N/A	
F01	R1	Residential	Assumed	W1 ←	35.4	32.3	N/A	N/A												
		Residential	Assumed	W2 ←	34.8	31.9	N/A	N/A												
		Residential	Assumed	W3 ←	33.9	31.0	N/A	N/A												
		Residential	Assumed	W4 ←	32.0	29.3	N/A	N/A	99%	99%	0.00	1.00	46	44	N/A	N/A	11	11	N/A	
	R2	Residential	Assumed	W5 ←	24.8	22.3	2.5	0.90	88%	88%	0.00	1.00	12	10	2	0.83	0	0	N/A	
F02	R1	Residential	Assumed	W1 ←	37.3	33.9	N/A	N/A												
		Residential	Assumed	W2 ←	37.1	33.9	N/A	N/A												
		Residential	Assumed	W3 ←	36.9	33.8	N/A	N/A												
		Residential	Assumed	W4 ←	36.5	33.5	N/A	N/A	99%	99%	0.00	1.00	49	48	N/A	N/A	16	16	N/A	
	R2	Residential	Assumed	W5 ←	28.8	26.0	2.8	0.90	78%	73%	0.69	0.94	30	29	N/A	N/A	2	2	1.00	
F03	R1	Residential	Assumed	W1 ←	35.6	33.6	N/A	N/A	53%	43%	1.86	0.81	47	46	N/A	N/A	15	15	N/A	
806 High Road #																				
F01	R1	Residential	Assumed	W1 ←	33.8	31.7	N/A	N/A												
		Residential	Assumed	W2 ←	33.8	31.7	N/A	N/A	97%	97%	0.00	1.00	47	45	N/A	N/A	13	13	N/A	
	R2	Residential	Assumed	W3 ←	33.7	31.8	N/A	N/A												
		Residential	Assumed	W4 ←	33.7	31.9	N/A	N/A	98%	98%	0.00	1.00	46	44	N/A	N/A	13	13	N/A	
	R3	Residential	Assumed	W5 ←	33.7	32.0	N/A	N/A												
		Residential	Assumed	W6 ←	33.7	32.1	N/A	N/A	99%	99%	0.00	1.00	46	45	N/A	N/A	14	14	N/A	
	R4	Residential	Assumed	W7 ←	33.8	32.2	N/A	N/A												
		Residential	Assumed	W8 ←	33.8	32.3	N/A	N/A	98%	98%	0.00	1.00	48	47	N/A	N/A	15	15	N/A	
F02	R1	Residential	Assumed	W1 ←	34.4	31.8	N/A	N/A												
		Residential	Assumed	W2 ←	34.3	31.8	N/A	N/A	97%	97%	0.00	1.00	43	42	N/A	N/A	14	14	N/A	
	R2	Residential	Assumed	W3 ←	34.3	31.9	N/A	N/A												
		Residential	Assumed	W4 ←	34.3	32.0	N/A	N/A	98%	98%	0.00	1.00	43	41	N/A	N/A	14	14	N/A	
	R3	Residential	Assumed	W5 ←	34.4	32.2	N/A	N/A												
		Residential	Assumed	W6 ←	34.4	32.3	N/A	N/A	99%	99%	0.00	1.00	43	41	N/A	N/A	14	14	N/A	
	R4	Residential	Assumed	W7 ←	34.5	32.4	N/A	N/A												
		Residential	Assumed	W8 ←	34.4	32.4	N/A	N/A	98%	98%	0.00	1.00	44	42	N/A	N/A	15	15	N/A	

Ratio: N/A or ≥0.8 = inside BRE (N/A* satisfies 4% APSH criterion); Red = outside BRE

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m ²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
804 High Road #																				
F01	R1	Residential	Assumed	W1 ←	33.9	32.5	N/A	N/A												
		Residential	Assumed	W2 ←	33.9	32.5	N/A	N/A	97%	97%	0.00	1.00	47	46	N/A	N/A	14	14	N/A	
F02	R1	Residential	Assumed	W1 ←	34.5	32.6	N/A	N/A												
		Residential	Assumed	W2 ←	34.5	32.7	N/A	N/A	97%	97%	0.00	1.00	44	42	N/A	N/A	15	15	N/A	
791 High Road																				
F01	R1	Bedroom	Layout	W1 →	31.4	31.4	N/A	N/A	95%	95%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Living Room	Layout	W2 →	31.5	31.5	N/A	N/A												
		Living Room	Layout	W3 ↗	32.6	32.5	N/A	N/A												
		Living Room	Layout	W4 ↑	32.0	30.1	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Bedroom	Layout	W5 ↑	32.4	29.9	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Bedroom	Layout	W6 ↑	32.8	30.3	N/A	N/A	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F02	R1	Bedroom	Layout	W1 →	32.6	32.6	N/A	N/A	95%	95%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Living Room	Layout	W2 →	32.7	32.7	N/A	N/A												
		Living Room	Layout	W3 ↗	34.6	34.4	N/A	N/A												
		Living Room	Layout	W4 ↑	34.8	32.6	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Bedroom	Layout	W5 ↑	35.1	32.3	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Bedroom	Layout	W6 ↑	35.4	32.4	N/A	N/A	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
1 White Hart Lane																				
F01	R1	Living Room	Layout	W1 ↑	33.1	30.7	N/A	N/A												
		Living Room	Layout	W2 ↑	33.6	31.1	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F02	R1	Living Room	Layout	W1 ↑	35.7	32.6	N/A	N/A												
		Living Room	Layout	W2 ↑	35.9	32.8	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
3-5 White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↑	33.9	31.5	N/A	N/A												
		Residential	Assumed	W2 ↑	34.3	31.9	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W3 ↑	34.6	32.2	N/A	N/A												
		Residential	Assumed	W4 ↑	34.7	32.5	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W5 ↑	34.7	32.5	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F02	R1	Residential	Assumed	W1 ↑	36.2	33.1	N/A	N/A												
		Residential	Assumed	W2 ↑	36.6	33.4	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W3 ↑	36.9	33.7	N/A	N/A												
		Residential	Assumed	W4 ↑	37.0	33.8	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W5 ↑	37.1	33.8	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
7 White Hart Lane																				
F00	R1	Bedroom	Assumed	W1 ↖	24.2	22.6	1.6	0.93	82%	82%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Living Room	Assumed	W3 ↖	32.1	30.6	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F01	R1	Bedroom	Assumed	W1 ↖	25.5	22.7	2.8	0.89	74%	74%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Bedroom	Assumed	W2 ↖	31.7	28.9	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Living Room	Assumed	W3 ↖	33.2	30.3	N/A	N/A	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
9-39 White Hart Lane																				
F00	R1	Residential	Assumed	W1 ↑	25.9	24.1	1.8	0.93	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	29.9	28.1	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	28.6	26.7	1.8	0.94	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	31.6	29.6	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R5	Residential	Assumed	W5 ↑	33.9	31.9	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W6 ↑	34.2	32.2	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R7	Residential	Assumed	W7 ↑	34.3	32.4	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W8 ↑	33.9	32.0	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R9	Residential	Assumed	W9 ↑	30.7	28.9	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R10	Residential	Assumed	W10 ↑	31.2	29.5	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R11	Residential	Assumed	W11 ↑	34.1	32.4	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R12	Residential	Assumed	W12 ↑	34.5	32.6	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F01	R1	Residential	Assumed	W1 ↑	31.6	29.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	34.2	31.6	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	32.7	30.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	36.1	33.5	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R5	Residential	Assumed	W5 ↑	34.0	31.4	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W6 ↑	35.9	33.2	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R7	Residential	Assumed	W7 ↑	36.1	33.4	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% <i>rm</i>)	Cum. (% <i>rm</i>)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
	R8	Residential	Assumed	W8 ↑	36.2	33.5	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R9	Residential	Assumed	W9 ↑	35.9	33.4	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R10	Residential	Assumed	W10 ↑	33.6	31.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R11	Residential	Assumed	W11 ↑	36.4	34.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R12	Residential	Assumed	W12 ↑	33.5	31.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R13	Residential	Assumed	W13 ↑	35.9	33.5	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R14	Residential	Assumed	W14 ↑	36.1	33.8	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F02	R1	Residential	Assumed	W1 ↑	36.5	33.5	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	36.7	33.7	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	34.4	31.3	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	37.8	34.7	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R5	Residential	Assumed	W5 ↑	35.2	32.2	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W6 ↑	37.1	34.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R7	Residential	Assumed	W7 ↑	37.3	34.4	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W8 ↑	37.3	34.4	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R9	Residential	Assumed	W9 ↑	37.1	34.2	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R10	Residential	Assumed	W10 ↑	34.9	32.0	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R11	Residential	Assumed	W11 ↑	37.8	34.9	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R12	Residential	Assumed	W12 ↑	34.5	31.7	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R13	Residential	Assumed	W13 ↑	36.8	34.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R14	Residential	Assumed	W14 ↑	37.1	34.4	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F03	R1	Residential	Assumed	W1 ↑	29.0	26.1	2.9	0.90	94%	94%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	28.9	26.0	2.9	0.90	95%	95%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	27.7	24.8	2.9	0.90	95%	95%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	38.4	35.5	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R5	Residential	Assumed	W5 ↑	36.4	33.6	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W6 ↑	37.8	35.0	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R7	Residential	Assumed	W7 ↑	37.9	35.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W8 ↑	37.9	35.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R9	Residential	Assumed	W9 ↑	37.9	35.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R10	Residential	Assumed	W10 ↑	36.2	33.4	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R11	Residential	Assumed	W11 ↑	38.4	35.6	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R12	Residential	Assumed	W12 ↑	27.7	25.0	2.8	0.90	95%	95%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R13	Residential	Assumed	W13 ↑	29.0	26.2	2.7	0.91	94%	94%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R14	Residential	Assumed	W14 ↑	29.0	26.3	2.7	0.91	93%	93%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
1-60 Charles House Love Lane																				
F00	R1	Residential	Assumed	W1 ↑	30.1	27.9	N/A	N/A	94%	94%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	28.8	26.6	2.3	0.92	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	26.8	24.5	2.3	0.92	94%	94%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	23.8	21.7	2.1	0.91	95%	95%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R5	Residential	Assumed	W5 →	27.6	27.2	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W6 →	29.3	28.9	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R7	Residential	Assumed	W7 →	29.2	28.9	N/A	N/A												
		Residential	Assumed	W8 →	24.4	23.8	0.5	0.98												
		Residential	Assumed	W9 ↑	36.1	32.9	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W10 ↑	36.2	33.1	N/A	N/A												
		Residential	Assumed	W11 ←	23.8	23.8	0.0	1.00												
		Residential	Assumed	W12 ←	28.6	28.6	N/A	N/A	99%	99%	0.00	1.00	36	36	N/A	N/A	7	7	N/A	
	R9	Residential	Assumed	W13 ←	28.4	28.4	N/A	N/A	97%	97%	0.00	1.00	28	28	N/A	N/A	4	4	1.00	
	R10	Residential	Assumed	W14 ←	26.4	26.4	0.0	1.00	96%	96%	0.00	1.00	26	26	N/A	N/A	3	3	1.00	
	R12	Residential	Assumed	W22 ↖	23.6	23.1	0.5	0.98	94%	94%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R13	Residential	Assumed	W23 ↖	26.2	24.8	1.4	0.95	94%	94%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R14	Residential	Assumed	W24 ↖	27.9	26.4	1.6	0.94	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R15	Residential	Assumed	W25 ↖	28.9	27.4	N/A	N/A	94%	94%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F01	R1	Residential	Assumed	W1 ↑	31.2	28.9	N/A	N/A	94%	94%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	29.8	27.6	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	27.7	25.4	2.3	0.92	95%	95%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	24.8	22.5	2.2	0.91	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W7 →	28.5	28.0	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R7	Residential	Assumed	W8 →	30.2	29.8	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W9 →	30.3	29.9	N/A	N/A												
		Residential	Assumed	W10 →	25.3	24.7	0.6	0.98												
		Residential	Assumed	W11 ↑	37.2	34.2	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R9	Residential	Assumed	W12 ↑	37.3	34.4	N/A	N/A												
		Residential	Assumed	W13 ←	25.6	25.6	0.0	1.00												

Ratio: N/A or ≥0.8 = inside BRE (N/A* satisfies 4% APSH criterion); Red = outside BRE

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% <i>rm</i>)	Cum. (% <i>rm</i>)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
		Residential	Assumed	W14 ←	30.4	30.4	N/A	N/A	99%	99%	0.00	1.00	37	37	N/A	N/A	8	8	N/A	
	R10	Residential	Assumed	W15 ←	30.2	30.2	N/A	N/A	97%	97%	0.00	1.00	30	30	N/A	N/A	5	5	N/A	
	R11	Residential	Assumed	W16 ←	28.2	28.2	N/A	N/A	97%	97%	0.00	1.00	28	28	N/A	N/A	4	4	1.00	
	R12	Residential	Assumed	W17 ←	21.1	21.1	0.0	1.00												
		Residential	Assumed	W18 ←	21.7	21.7	0.0	1.00												
		Residential	Assumed	W19 ↖	20.0	20.0	0.0	1.00												
		Residential	Assumed	W20 ↖	20.3	20.3	0.0	1.00	74%	74%	0.00	1.00	17	17	0	1.00	1	1	1.00	
	R13	Residential	Assumed	W21 ↖	24.6	24.2	0.4	0.98	94%	94%	0.01	1.00	North	North	N/A	N/A	North	North	N/A	
	R14	Residential	Assumed	W22 ↖	27.4	26.1	1.3	0.95	95%	95%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R15	Residential	Assumed	W23 ↖	29.3	27.8	N/A	N/A	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R16	Residential	Assumed	W24 ↖	30.5	29.0	N/A	N/A	95%	95%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
		Residential	Assumed	W14 ←	34.0	34.0	N/A	N/A	99%	99%	0.00	1.00	46	46	N/A	N/A	10	10	N/A	
	R10	Residential	Assumed	W15 ←	33.9	33.9	N/A	N/A	97%	97%	0.00	1.00	38	38	N/A	N/A	7	7	N/A	
	R11	Residential	Assumed	W16 ←	31.7	31.7	N/A	N/A	96%	96%	0.00	1.00	32	32	N/A	N/A	6	6	N/A	
	R12	Residential	Assumed	W17 ←	23.8	23.8	0.0	1.00												
		Residential	Assumed	W18 ↖	21.5	21.5	0.0	1.00												
		Residential	Assumed	W19 ←	23.9	23.9	0.0	1.00												
		Residential	Assumed	W20 ↖	21.5	21.5	0.0	1.00	75%	75%	0.00	1.00	18	18	0	1.00	2	2	1.00	
	R13	Residential	Assumed	W21 ↖	26.8	26.5	0.3	0.99	96%	96%	0.01	1.00	North	North	N/A	N/A	North	North	N/A	
	R14	Residential	Assumed	W22 ↖	30.1	29.0	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R15	Residential	Assumed	W23 ↖	32.4	31.1	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R16	Residential	Assumed	W24 ↖	33.9	32.6	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F05	R1	Residential	Assumed	W1 ↑	34.2	32.3	N/A	N/A	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	32.8	30.9	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	30.5	28.6	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	27.0	25.2	1.8	0.93	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W8 →	31.1	30.8	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R7	Residential	Assumed	W9 →	33.1	32.8	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W10 →	33.1	32.9	N/A	N/A												
		Residential	Assumed	W11 →	27.4	27.0	N/A	N/A												
		Residential	Assumed	W12 ↑	38.9	36.9	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
R9		Residential	Assumed	W13 ↑	39.0	37.0	N/A	N/A												
		Residential	Assumed	W14 ←	28.9	28.9	N/A	N/A												
		Residential	Assumed	W15 ←	34.5	34.5	N/A	N/A	99%	99%	0.00	1.00	47	47	N/A	N/A	10	10	N/A	
	R10	Residential	Assumed	W16 ←	34.4	34.4	N/A	N/A	98%	98%	0.00	1.00	42	42	N/A	N/A	7	7	N/A	
	R11	Residential	Assumed	W17 ←	32.2	32.2	N/A	N/A	97%	97%	0.00	1.00	32	32	N/A	N/A	6	6	N/A	
	R12	Residential	Assumed	W18 ←	24.0	24.0	0.0	1.00												
		Residential	Assumed	W19 ↖	21.5	21.5	0.0	1.00												
		Residential	Assumed	W20 ←	24.0	24.0	0.0	1.00												
		Residential	Assumed	W21 ↖	21.5	21.5	0.0	1.00	75%	75%	0.00	1.00	18	18	0	1.00	2	2	1.00	
	R13	Residential	Assumed	W22 ↖	27.3	27.1	N/A	N/A	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R14	Residential	Assumed	W23 ↖	30.8	29.8	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R15	Residential	Assumed	W24 ↖	33.0	31.8	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R16	Residential	Assumed	W25 ↖	34.5	33.3	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F06	R1	Residential	Assumed	W1 ↑	35.0	33.3	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	33.7	32.0	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	31.4	29.7	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	27.8	26.1	1.7	0.94	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W7 →	32.0	31.7	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R7	Residential	Assumed	W8 →	33.9	33.7	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W9 →	33.9	33.6	N/A	N/A												
		Residential	Assumed	W10 →	28.1	27.7	N/A	N/A												
		Residential	Assumed	W11 ↑	39.0	37.2	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
R9		Residential	Assumed	W12 ↑	39.0	37.2	N/A	N/A												
		Residential	Assumed	W13 ←	29.3	29.3	N/A	N/A												
		Residential	Assumed	W14 ←	35.0	35.0	N/A	N/A	99%	99%	0.00	1.00	50	50	N/A	N/A	11	11	N/A	
	R10	Residential	Assumed	W15 ←	35.0	35.0	N/A	N/A	98%	98%	0.00	1.00	44	44	N/A	N/A	8	8	N/A	
	R11	Residential	Assumed	W16 ←	33.0	33.0	N/A	N/A	98%	98%	0.00	1.00	38	38	N/A	N/A	6	6	N/A	
	R12	Residential	Assumed	W17 ←	24.2	24.2	0.0	1.00												
		Residential	Assumed	W18 ↖	21.6	21.6	0.0	1.00												
		Residential	Assumed	W19 ←	24.3	24.3	0.0	1.00												
		Residential	Assumed	W20 ↖	21.6	21.6	0.0	1.00	75%	75%	0.00	1.00	19	19	0	1.00	2	2	1.00	
	R13	Residential	Assumed	W21 ↖	28.2	27.9	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R14	Residential	Assumed	W22 ↖	31.8	30.7	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R15	Residential	Assumed	W23 ↖	33.9	32.7	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R16	Residential	Assumed	W24 ↖	35.2	34.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F07	R1	Residential	Assumed	W1 ↑	35.9	34.3	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	34.8	33.2	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	32.7	31.2	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	29.1	27.6	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W7 →	33.2	32.9	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R7	Residential	Assumed	W8 →	34.9	34.7	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W9 →	34.7	34.5	N/A	N/A												
		Residential	Assumed	W10 →	28.8	28.6	N/A	N/A												
		Residential	Assumed	W11 ↑	39.0	37.4	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
R9		Residential	Assumed	W12 ↑	39.1	37.4	N/A	N/A												
		Residential	Assumed	W13 ←	29.9	29.9	N/A	N/A												

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m ²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
		Residential	Assumed	W14 ←	35.7	35.7	N/A	N/A	99%	99%	0.00	1.00	53	53	N/A	N/A	15	15	N/A	
	R10	Residential	Assumed	W15 ←	35.9	35.9	N/A	N/A	98%	98%	0.00	1.00	47	47	N/A	N/A	9	9	N/A	
	R11	Residential	Assumed	W16 ←	34.1	34.1	N/A	N/A	98%	98%	0.00	1.00	41	41	N/A	N/A	6	6	N/A	
	R12	Residential	Assumed	W17 ←	24.6	24.6	0.0	1.00												
		Residential	Assumed	W18 ↖	21.7	21.7	0.0	1.00												
		Residential	Assumed	W19 ←	25.0	25.0	0.0	1.00												
		Residential	Assumed	W20 ↖	21.8	21.8	0.0	1.00	76%	76%	0.00	1.00	20	20	0	1.00	2	2	1.00	
	R13	Residential	Assumed	W21 ↖	29.6	29.4	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R14	Residential	Assumed	W22 ↖	33.1	32.1	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R15	Residential	Assumed	W23 ↖	35.0	33.9	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R16	Residential	Assumed	W24 ↖	36.1	35.1	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F08	R1	Residential	Assumed	W1 ↑	37.0	35.5	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	36.1	34.6	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	34.4	33.0	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	31.2	29.8	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W7 →	34.8	34.6	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R7	Residential	Assumed	W8 →	36.1	35.9	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W9 →	35.8	35.6	N/A	N/A												
		Residential	Assumed	W10 →	29.2	28.9	N/A	N/A												
		Residential	Assumed	W11 ↑	39.0	37.5	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R9	Residential	Assumed	W12 ↑	39.0	37.5	N/A	N/A												
		Residential	Assumed	W13 ←	30.1	30.1	N/A	N/A												
		Residential	Assumed	W14 ←	36.6	36.6	N/A	N/A	100%	100%	0.00	1.00	54	54	N/A	N/A	16	16	N/A	
	R10	Residential	Assumed	W15 ←	36.9	36.9	N/A	N/A	98%	98%	0.00	1.00	50	50	N/A	N/A	13	13	N/A	
	R11	Residential	Assumed	W16 ←	35.4	35.4	N/A	N/A	98%	98%	0.00	1.00	47	47	N/A	N/A	9	9	N/A	
	R12	Residential	Assumed	W17 ←	25.7	25.7	0.0	1.00												
		Residential	Assumed	W18 ↖	22.0	22.0	0.0	1.00												
		Residential	Assumed	W19 ←	26.7	26.7	0.0	1.00												
		Residential	Assumed	W20 ↖	22.4	22.4	0.0	1.00	79%	79%	0.00	1.00	24	24	0	1.00	2	2	1.00	
	R13	Residential	Assumed	W21 ↖	31.7	31.4	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R14	Residential	Assumed	W22 ↖	34.8	33.8	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R15	Residential	Assumed	W23 ↖	36.2	35.2	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R16	Residential	Assumed	W24 ↖	37.1	36.1	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F09	R1	Residential	Assumed	W1 ↑	35.7	34.3	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	35.2	33.8	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ↑	34.3	32.9	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ↑	32.3	30.9	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Assumed	W7 →	33.3	33.1	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R7	Residential	Assumed	W8 →	34.0	33.8	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R8	Residential	Assumed	W9 →	34.3	34.1	N/A	N/A												
		Residential	Assumed	W10 →	36.5	36.2	N/A	N/A												
		Residential	Assumed	W11 ↑	35.8	34.3	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R9	Residential	Assumed	W12 ↑	35.8	34.4	N/A	N/A												
		Residential	Assumed	W13 ←	37.5	37.5	N/A	N/A												
		Residential	Assumed	W14 ←	35.7	35.7	N/A	N/A	100%	100%	0.00	1.00	55	55	N/A	N/A	19	19	N/A	
	R10	Residential	Assumed	W15 ←	35.3	35.3	N/A	N/A	97%	97%	0.00	1.00	50	50	N/A	N/A	17	17	N/A	
	R11	Residential	Assumed	W16 ←	34.5	34.5	N/A	N/A	97%	97%	0.00	1.00	47	47	N/A	N/A	14	14	N/A	
	R12	Residential	Assumed	W17 ←	29.1	29.1	N/A	N/A												
		Residential	Assumed	W18 ↖	23.6	23.6	0.0	1.00												
		Residential	Assumed	W19 ←	24.9	24.9	0.0	1.00												
		Residential	Assumed	W20 ↖	21.9	21.9	0.0	1.00	89%	89%	0.00	1.00	36	36	N/A	N/A	5	5	N/A	
	R13	Residential	Assumed	W21 ↖	32.7	32.1	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R14	Residential	Assumed	W22 ↖	34.5	33.5	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R15	Residential	Assumed	W23 ↖	35.3	34.3	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R16	Residential	Assumed	W24 ↖	35.7	34.8	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
57 White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↖	37.6	36.0	N/A	N/A												
		Residential	Assumed	W2 ↖	37.7	36.0	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F02	R1	Residential	Assumed	W1 ↖	38.7	37.0	N/A	N/A												
		Residential	Assumed	W2 ↖	38.7	37.1	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
59 White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↖	37.7	36.1	N/A	N/A												
		Residential	Assumed	W2 ↖	37.8	36.1	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F02	R1	Residential	Assumed	W1 ↖	38.8	37.2	N/A	N/A												

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% <i>rm</i>)	Cum. (% <i>rm</i>)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Loss	Cum/E
		Residential	Assumed	W2 ↖	38.8	37.2	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
61 White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↖	37.7	36.1	N/A	N/A												
		Residential	Assumed	W2 ↖	37.7	36.2	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
F02	R1	Residential	Assumed	W1 ↖	38.8	37.2	N/A	N/A												
		Residential	Assumed	W2 ↖	38.8	37.3	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
63 White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↖	37.7	36.2	N/A	N/A												
		Residential	Assumed	W2 ←	32.4	32.4	N/A	N/A	99%	98%	0.07	1.00	51	50	N/A	N/A	13	13	N/A	N/A
F02	R1	Residential	Assumed	W1 ↖	38.8	37.3	N/A	N/A												
		Residential	Assumed	W2 ←	35.6	35.6	N/A	N/A	100%	100%	0.07	1.00	56	56	N/A	N/A	17	17	N/A	N/A
1 Pretoria Road																				
F00	R1	Residential	Assumed	W1 →	36.4	31.8	N/A	N/A												
		Residential	Assumed	W2 →	36.4	31.8	N/A	N/A	99%	99%	0.02	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R3	Residential	Assumed	W13 ↘	29.2	27.8	N/A	N/A												
		Residential	Assumed	W14 →	35.6	30.8	N/A	N/A												
		Residential	Assumed	W15 ↗	23.9	21.7	2.2	0.91	100%	100%	0.00	1.00	46	45	N/A	N/A	12	12	N/A	N/A
F01	R1	Residential	Assumed	W1 →	37.1	33.1	N/A	N/A												
		Residential	Assumed	W2 →	37.1	33.0	N/A	N/A	99%	98%	0.07	0.99	North	North	N/A	N/A	North	North	N/A	N/A
	R2	Residential	Assumed	W3 →	36.6	32.2	N/A	N/A												
		Residential	Assumed	W4 →	36.8	32.3	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
2 Pretoria Road																				
F00	R2	Residential	Assumed	W2 ↘	31.6	30.1	N/A	N/A												
		Residential	Assumed	W3 →	36.3	31.0	N/A	N/A												
		Residential	Assumed	W4 ↗	31.1	24.0	7.0	0.77	100%	100%	0.00	1.00	48	46	N/A	N/A	13	13	N/A	N/A
F01	R1	Residential	Assumed	W1 →	37.2	32.7	N/A	N/A												
		Residential	Assumed	W2 →	37.2	32.5	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
3 Pretoria Road																				
F00	R1	Residential	Assumed	W1 ↘	29.8	28.2	N/A	N/A												
		Residential	Assumed	W2 →	36.4	30.7	N/A	N/A												
		Residential	Assumed	W3 ↗	32.9	25.5	7.4	0.78	100%	100%	0.00	1.00	47	45	N/A	N/A	12	12	N/A	N/A
F01	R1	Residential	Assumed	W1 →	37.1	32.1	N/A	N/A												
		Residential	Assumed	W2 →	37.3	32.1	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
4 Pretoria Road																				
F00	R2	Residential	Assumed	W3 ↘	31.4	29.6	N/A	N/A												
		Residential	Assumed	W4 →	36.4	30.2	N/A	N/A												
		Residential	Assumed	W5 ↗	31.2	23.2	8.0	0.74	100%	100%	0.00	1.00	47	46	N/A	N/A	13	13	N/A	N/A
F01	R1	Residential	Assumed	W1 →	37.3	31.9	N/A	N/A												
		Residential	Assumed	W2 →	37.4	31.7	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
5 Pretoria Road																				
F00	R1	Residential	Assumed	W1 ↘	29.9	27.8	N/A	N/A												
		Residential	Assumed	W2 →	36.5	29.8	N/A	N/A												
		Residential	Assumed	W3 ↗	33.1	24.7	8.4	0.75	100%	100%	0.00	1.00	47	46	N/A	N/A	13	13	N/A	N/A
F01	R1	Residential	Assumed	W1 →	37.4	31.4	N/A	N/A												
		Residential	Assumed	W2 →	37.4	31.2	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
6 Pretoria Road																				
F00	R2	Residential	Assumed	W3 ↘	31.7	29.3	N/A	N/A												
		Residential	Assumed	W4 →	36.6	29.2	N/A	N/A												
		Residential	Assumed	W5 ↗	31.2	22.2	9.0	0.71	100%	100%	0.00	1.00	48	46	N/A	N/A	13	13	N/A	N/A
F01	R1	Residential	Assumed	W1 →	37.4	30.9	N/A	N/A												
		Residential	Assumed	W2 →	37.4	30.8	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
7 Pretoria Road																				
F00	R1	Residential	Assumed	W1 ↘	30.1	27.5	N/A	N/A												
		Residential	Assumed	W2 →	36.6	28.9	N/A	N/A												
		Residential	Assumed	W3 ↗	33.1	23.7	9.3	0.72	100%	100%	0.00	1.00	48	46	N/A	N/A	13	13	N/A	N/A
F01	R1	Residential	Assumed	W1 →	37.5	30.5	N/A	N/A												
		Residential	Assumed	W2 →	37.5	30.3	N/A	N/A	99%	99%	0.02	1.00	North	North	N/A	N/A	North	North	N/A	N/A

Ratio: N/A or ≥0.8 = inside BRE (N/A* satisfies 4% APSH criterion); Red = outside BRE

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m ²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Loss	Cum/E
8 Pretoria Road																				
F00	R2	Residential	Assumed	W2 ↘	31.8	28.9	N/A	N/A												
		Residential	Assumed	W3 →	36.6	28.3	N/A	N/A												
		Residential	Assumed	W4 ↗	31.5	21.6	10.0	0.68	100%	100%	0.00	1.00	48	45	N/A	N/A	13	12	N/A	
F01	R1	Residential	Assumed	W1 →	37.5	29.9	N/A	N/A												
		Residential	Assumed	W2 →	37.5	29.8	N/A	N/A	99%	99%	0.01	1.00	North	North	N/A	N/A	North	North	N/A	
9 Pretoria Road																				
F00	R1	Residential	Assumed	W1 ↘	30.1	26.9	3.2	0.90												
		Residential	Assumed	W2 →	36.6	27.8	N/A	N/A												
		Residential	Assumed	W3 ↗	33.1	22.7	10.4	0.69	100%	100%	0.00	1.00	48	43	N/A	N/A	13	12	N/A	
F01	R1	Residential	Assumed	W1 →	37.5	29.5	N/A	N/A												
		Residential	Assumed	W2 →	37.5	29.2	N/A	N/A	99%	99%	0.03	1.00	North	North	N/A	N/A	North	North	N/A	
10 Pretoria Road																				
F00	R2	Residential	Assumed	W4 ↘	32.0	28.4	N/A	N/A												
		Residential	Assumed	W5 →	36.7	27.0	N/A	N/A												
		Residential	Assumed	W6 ↗	31.2	20.2	11.1	0.65	100%	100%	0.00	1.00	48	42	N/A	N/A	13	12	N/A	
F01	R1	Residential	Assumed	W1 →	37.5	28.8	N/A	N/A												
		Residential	Assumed	W2 →	37.6	28.6	N/A	N/A	99%	99%	0.03	1.00	North	North	N/A	N/A	North	North	N/A	
11 Pretoria Road																				
F00	R1	Residential	Assumed	W1 ↘	30.3	26.4	3.9	0.87												
		Residential	Assumed	W2 →	36.6	26.3	10.3	0.72												
		Residential	Assumed	W3 ↗	33.4	21.8	11.6	0.65	100%	100%	0.00	1.00	47	43	N/A	N/A	12	11	N/A	
F01	R1	Residential	Assumed	W1 →	37.6	28.2	N/A	N/A												
		Residential	Assumed	W2 →	37.6	27.9	N/A	N/A	99%	99%	0.10	0.99	North	North	N/A	N/A	North	North	N/A	
12 Pretoria Road																				
F00	R1	Residential	Assumed	W1 ↘	30.5	26.5	4.1	0.87												
		Residential	Assumed	W2 →	36.7	25.9	10.8	0.71												
		Residential	Assumed	W3 ↗	19.8	12.8	7.0	0.65	100%	100%	0.00	1.00	48	45	N/A	N/A	13	12	N/A	
	R3	Residential	Assumed	W6 →	37.2	25.7	11.5	0.69	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F01	R1	Residential	Assumed	W1 →	37.3	27.1	N/A	N/A												
		Residential	Assumed	W2 →	37.2	26.9	10.3	0.72	98%	98%	0.05	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W3 →	37.7	26.8	10.9	0.71	98%	97%	0.11	0.99	North	North	N/A	N/A	North	North	N/A	
15 Pretoria Road																				
F00	R1	Residential	Assumed	W1 →	37.4	23.6	13.8	0.63												
		Residential	Assumed	W2 →	37.4	23.4	13.9	0.63	99%	92%	0.76	0.93	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W4 ↘	29.9	22.2	7.7	0.74												
		Residential	Assumed	W5 →	36.9	22.4	14.5	0.61												
		Residential	Assumed	W6 ↗	31.7	17.8	13.9	0.56	100%	99%	0.06	0.99	46	38	N/A	N/A	12	10	N/A	
F01	R1	Residential	Assumed	W1 →	37.8	24.5	13.3	0.65												
		Residential	Assumed	W2 →	37.8	24.4	13.5	0.64	99%	92%	0.78	0.92	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W3 →	36.8	23.1	13.7	0.63												
		Residential	Assumed	W4 →	37.5	23.4	14.0	0.63	99%	95%	0.58	0.96	North	North	N/A	N/A	North	North	N/A	
16 Pretoria Road																				
F00	R2	Residential	Assumed	W3 ↘	32.3	23.8	8.5	0.74												
		Residential	Assumed	W4 →	37.0	21.7	15.3	0.59												
		Residential	Assumed	W5 ↗	31.6	17.4	14.2	0.55	100%	99%	0.10	0.99	47	40	N/A	N/A	12	10	N/A	
F01	R1	Residential	Assumed	W1 →	37.5	23.0	14.5	0.61												
		Residential	Assumed	W2 →	37.5	22.7	14.8	0.61	99%	93%	0.91	0.94	North	North	N/A	N/A	North	North	N/A	
17 Pretoria Road																				
F00	R1	Residential	Assumed	W1 ↘	31.0	21.8	9.2	0.70												
		Residential	Assumed	W2 →	37.0	21.2	15.8	0.57												
		Residential	Assumed	W3 ↗	34.6	20.4	14.3	0.59	100%	99%	0.13	0.99	47	39	N/A	N/A	12	10	N/A	
F01	R1	Residential	Assumed	W1 →	37.5	22.3	15.2	0.59												
		Residential	Assumed	W2 →	37.5	21.9	15.6	0.58	99%	92%	1.13	0.92	North	North	N/A	N/A	North	North	N/A	
1-52 Lorenzo House 9 College Road																				
F00	R2	Living Room	Layout	W2 ↓	34.8	32.6	N/A	N/A												
		Living Room	Layout	W3 →	19.1	6.1	13.0	0.32	100%	100%	0.01	1.00	88	74	N/A	N/A	26	25	N/A	

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Loss	Cum/E
	R3	Bedroom	Layout	W4 →	17.2	6.1	11.1	0.35	99%	95%	0.58	0.96	North	North	N/A	N/A	North	North	N/A	N/A
	R4	Living Room	Layout	W5 →	18.5	5.4	13.0	0.29	100%	97%	0.43	0.98	North	North	N/A	N/A	North	North	N/A	N/A
	R5	Bedroom	Layout	W6 →	17.2	5.9	11.3	0.34	99%	98%	0.10	0.99	North	North	N/A	N/A	North	North	N/A	N/A
	R6	Living Room	Layout	W7 →	17.7	4.6	13.1	0.26	99%	99%	0.01	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R7	Bedroom	Layout	W8 →	16.4	5.6	10.8	0.34	99%	97%	0.31	0.98	North	North	N/A	N/A	North	North	N/A	N/A
	R8	Living Room	Layout	W9 →	18.9	6.2	12.7	0.33	100%	99%	0.19	0.99	North	North	N/A	N/A	North	North	N/A	N/A
	R9	Bedroom	Layout	W10 →	17.1	5.3	11.8	0.31	99%	97%	0.31	0.98	North	North	N/A	N/A	North	North	N/A	N/A
	R10	Living Room	Layout	W11 →	18.1	5.6	12.5	0.31	100%	96%	0.75	0.96	North	North	N/A	N/A	North	North	N/A	N/A
	R11	Bedroom	Layout	W12 →	17.0	5.1	11.9	0.30	99%	92%	0.96	0.93	North	North	N/A	N/A	North	North	N/A	N/A
	R12	Living Room	Layout	W13 →	17.4	5.2	12.2	0.30	99%	96%	0.72	0.97	North	North	N/A	N/A	North	North	N/A	N/A
	R13	Living Room	Layout	W14 →	16.3	4.7	11.6	0.29												
		Living Room	Layout	W15 →	19.5	6.2	13.4	0.32	100%	94%	4.83	0.94	North	North	N/A	N/A	North	North	N/A	N/A
F01	R2	Living Room	Layout	W2 ↓	37.5	35.5	N/A	N/A												
		Living Room	Layout	W3 →	15.3	4.6	10.6	0.30	100%	100%	0.00	1.00	92	77	N/A	N/A	30	28	N/A	N/A
	R3	Bedroom	Layout	W4 →	13.8	4.8	9.0	0.35	99%	95%	0.64	0.95	North	North	N/A	N/A	North	North	N/A	N/A
	R4	Living Room	Layout	W5 →	14.7	4.1	10.6	0.28	100%	97%	0.44	0.98	North	North	N/A	N/A	North	North	N/A	N/A
	R5	Bedroom	Layout	W6 →	13.7	4.6	9.1	0.34	99%	98%	0.14	0.99	North	North	N/A	N/A	North	North	N/A	N/A
	R6	Living Room	Layout	W7 →	14.1	3.5	10.7	0.25	100%	100%	0.01	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R7	Bedroom	Layout	W8 →	13.1	4.4	8.7	0.34	99%	97%	0.29	0.98	North	North	N/A	N/A	North	North	N/A	N/A
	R8	Living Room	Layout	W9 →	15.4	4.9	10.5	0.32	100%	99%	0.07	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R9	Bedroom	Layout	W10 →	13.9	4.3	9.6	0.31	99%	97%	0.39	0.97	North	North	N/A	N/A	North	North	N/A	N/A
	R10	Living Room	Layout	W11 →	14.7	4.3	10.4	0.29	100%	96%	0.73	0.96	North	North	N/A	N/A	North	North	N/A	N/A
	R11	Bedroom	Layout	W12 →	13.8	4.1	9.8	0.29	99%	93%	0.92	0.93	North	North	N/A	N/A	North	North	N/A	N/A
	R12	Living Room	Layout	W13 →	14.2	3.9	10.3	0.27	99%	92%	1.45	0.92	North	North	N/A	N/A	North	North	N/A	N/A
	R13	Bedroom	Layout	W14 →	13.3	3.8	9.5	0.29	99%	90%	1.30	0.91	North	North	N/A	N/A	North	North	N/A	N/A
	R14	Bedroom	Layout	W15 →	16.0	6.2	9.8	0.39	100%	97%	0.36	0.98	North	North	N/A	N/A	North	North	N/A	N/A
	R15	Living Room	Layout	W16 →	17.2	5.0	12.2	0.29	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R16	Living Room	Layout	W17 →	16.3	5.5	10.8	0.34	100%	99%	0.12	0.99	North	North	N/A	N/A	North	North	N/A	N/A
	R17	Bedroom	Layout	W18 →	16.5	4.8	11.7	0.29												
		Bedroom	Layout	W19 ↑	36.3	34.4	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R18	Bedroom	Layout	W20 ↑	36.4	34.6	N/A	N/A												
		Bedroom	Layout	W21 ↑	36.4	34.7	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
F02	R2	Living Room	Layout	W2 ↓	38.9	37.0	N/A	N/A												
		Living Room	Layout	W3 →	28.5	14.9	13.6	0.52												
		Living Room	Layout	W4 →	25.5	12.2	13.3	0.48	100%	100%	0.00	1.00	92	78	N/A	N/A	30	29	N/A	N/A
	R3	Bedroom	Layout	W5 →	36.1	21.5	14.5	0.60	99%	94%	0.80	0.94	North	North	N/A	N/A	North	North	N/A	N/A
	R4	Living Room	Layout	W6 →	28.3	14.5	13.8	0.51												
		Living Room	Layout	W7 →	25.4	12.0	13.3	0.47	99%	99%	0.12	0.99	North	North	N/A	N/A	North	North	N/A	N/A
	R5	Bedroom	Layout	W8 →	35.9	21.3	14.6	0.59	99%	94%	0.70	0.95	North	North	N/A	N/A	North	North	N/A	N/A
	R6	Living Room	Layout	W9 →	24.1	10.8	13.3	0.45	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R7	Bedroom	Layout	W10 →	30.9	17.0	13.9	0.55	97%	90%	1.03	0.93	North	North	N/A	N/A	North	North	N/A	N/A
	R8	Living Room	Layout	W11 →	28.3	13.9	14.4	0.49												
		Living Room	Layout	W12 →	25.2	11.9	13.3	0.47	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R9	Bedroom	Layout	W13 →	35.9	21.1	14.8	0.59	99%	91%	1.20	0.92	North	North	N/A	N/A	North	North	N/A	N/A
	R10	Living Room	Layout	W14 →	28.0	13.7	14.2	0.49												
		Living Room	Layout	W15 →	25.0	11.7	13.3	0.47	99%	98%	0.31	0.98	North	North	N/A	N/A	North	North	N/A	N/A
	R11	Bedroom	Layout	W16 →	35.7	20.9	14.7	0.59	99%	87%	1.73	0.88	North	North	N/A	N/A	North	North	N/A	N/A
	R12	Living Room	Layout	W17 →	22.5	9.1	13.4	0.40	100%	95%	0.83	0.96	North	North	N/A	N/A	North	North	N/A	N/A
	R13	Bedroom	Layout	W18 →	26.2	14.0	12.2	0.53	95%	74%	3.01	0.78	North	North	N/A	N/A	North	North	N/A	N/A
	R14	Bedroom	Layout	W19 →	16.5	6.8	9.7	0.41	100%	98%	0.31	0.98	North	North	N/A	N/A	North	North	N/A	N/A
	R15	Living Room	Layout	W20 →	17.6	5.5	12.1	0.31	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R16	Living Room	Layout	W21 →	16.8	6.1	10.7	0.36	100%	100%	0.07	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R17	Bedroom	Layout	W22 →	17.0	5.3	11.7	0.31												
		Bedroom	Layout	W23 ↑	38.2	36.3	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R18	Bedroom	Layout	W24 ↑	38.3	36.5	N/A	N/A												
		Bedroom	Layout	W25 ↑	38.3	36.6	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
F03	R2	Living Room	Layout	W2 ↓	39.0	37.3	N/A	N/A												
		Living Room	Layout	W3 →	38.5	24.5	14.0	0.64												
		Living Room	Layout	W4 →	38.5	24.5	14.0	0.64	100%	100%	0.00	1.00	92	79	N/A	N/A	30	29	N/A	N/A
	R3	Bedroom	Layout	W5 →	38.5	24.5	14.0	0.64	99%	93%	0.81	0.94	North	North	N/A	N/A	North	North	N/A	N/A
	R4	Living Room	Layout	W6 →	38.5	24.5	14.0	0.64												
		Living Room	Layout	W7 →	38.5	24.4	14.1	0.63	99%	99%	0.12	0.99	North	North	N/A	N/A	North	North	N/A	N/A
	R5	Bedroom	Layout	W8 →	38.4	24.3	14.1	0.63	99%	95%	0.67	0.95	North	North	N/A	N/A	North	North	N/A	N/A
	R6	Living Room	Layout	W9 →	38.1	23.9	14.1	0.63	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R7	Bedroom	Layout	W10 →	33.4	19.7	13.7	0.59	99%	91%	1.02	0.93	North	North	N/A	N/A	North	North	N/A	N/A
	R8	Living Room	Layout	W11 →	38.4	24.0	14.4	0.63												

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Loss	Cum/E
		Living Room	Layout	W12 →	38.4	24.1	14.3	0.63	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R9	Bedroom	Layout	W13 →	38.4	24.1	14.3	0.63	99%	91%	1.14	0.92	North	North	N/A	N/A	North	North	N/A	N/A
	R10	Living Room	Layout	W14 →	38.4	24.1	14.3	0.63												
		Living Room	Layout	W15 →	38.3	24.0	14.3	0.63	99%	98%	0.28	0.98	North	North	N/A	N/A	North	North	N/A	N/A
	R11	Bedroom	Layout	W16 →	38.2	23.9	14.3	0.63	99%	88%	1.65	0.88	North	North	N/A	N/A	North	North	N/A	N/A
	R12	Living Room	Layout	W17 →	37.1	22.8	14.3	0.62	100%	96%	0.80	0.96	North	North	N/A	N/A	North	North	N/A	N/A
	R13	Bedroom	Layout	W18 →	29.7	17.8	11.9	0.60	99%	82%	2.43	0.83	North	North	N/A	N/A	North	North	N/A	N/A
	R14	Bedroom	Layout	W19 →	15.0	6.1	8.9	0.41	100%	98%	0.32	0.98	North	North	N/A	N/A	North	North	N/A	N/A
	R15	Living Room	Layout	W20 →	16.0	5.0	11.1	0.31	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R16	Living Room	Layout	W21 →	15.3	5.5	9.8	0.36	100%	100%	0.06	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R17	Bedroom	Layout	W22 →	15.5	4.8	10.6	0.31												
		Bedroom	Layout	W23 ↑	38.8	36.9	N/A	N/A	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
	R18	Bedroom	Layout	W24 ↑	38.8	37.1	N/A	N/A												
		Bedroom	Layout	W25 ↑	38.8	37.2	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
35 Pretoria Road																				
F00	R2	Residential	Assumed	W3 ↓	32.7	26.5	6.2	0.81												
		Residential	Assumed	W4 ↓	32.9	26.6	6.3	0.81	96%	96%	0.00	1.00	80	63	N/A	N/A	23	17	N/A	
	R3	Residential	Assumed	W5 ↑	15.3	13.5	1.8	0.88												
		Residential	Assumed	W6 ↑	16.8	15.4	1.3	0.92	88%	84%	0.47	0.96	North	North	N/A	N/A	North	North	N/A	N/A
F01	R1	Residential	Assumed	W1 ↓	32.3	26.5	5.8	0.82												
		Residential	Assumed	W2 ↓	32.5	26.6	5.9	0.82	95%	94%	0.22	0.99	79	63	N/A	N/A	25	19	N/A	
	R2	Residential	Assumed	W3 ↑	24.3	22.4	1.9	0.92												
		Residential	Assumed	W4 ↑	24.6	22.9	1.7	0.93	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	N/A
34 Pretoria Road																				
F00	R1	Residential	Assumed	W1 ↓	33.4	26.7	6.7	0.80												
		Residential	Assumed	W2 ↓	33.6	26.8	6.8	0.80	99%	99%	0.05	1.00	80	62	N/A	N/A	24	19	N/A	
	R3	Residential	Assumed	W5 ↑	16.8	15.1	1.7	0.90												
		Residential	Assumed	W6 ↑	14.8	12.8	2.1	0.86	88%	87%	0.17	0.99	North	North	N/A	N/A	North	North	N/A	N/A
F01	R1	Residential	Assumed	W1 ↓	32.1	25.9	6.2	0.81												
		Residential	Assumed	W2 ↓	32.3	26.0	6.3	0.80	92%	92%	0.07	1.00	79	61	N/A	N/A	26	21	N/A	
	R2	Residential	Assumed	W3 ↑	26.7	24.5	2.2	0.92												
		Residential	Assumed	W4 ↑	23.9	21.8	2.1	0.91	98%	97%	0.21	0.98	North	North	N/A	N/A	North	North	N/A	N/A
36 Pretoria Road																				
F00	R2	Residential	Assumed	W2 →	34.0	15.8	18.1	0.47												
		Residential	Assumed	W3 →	34.9	16.3	18.6	0.47	99%	94%	0.69	0.95	49	24	25	0.49	15	8	N/A	
F01	R1	Residential	Assumed	W1 →	34.7	16.1	18.6	0.46												
		Residential	Assumed	W2 →	34.6	16.0	18.5	0.46	96%	90%	1.07	0.93	51	26	N/A	N/A	17	10	N/A	
37 Pretoria Road																				
F00	R1	Residential	Assumed	W1 →	35.9	17.3	18.5	0.48												
		Residential	Assumed	W2 →	35.9	17.5	18.4	0.49	99%	91%	1.05	0.93	52	28	N/A	N/A	16	10	N/A	
F01	R1	Residential	Assumed	W1 →	35.1	16.8	18.3	0.48												
		Residential	Assumed	W2 →	34.9	16.7	18.2	0.48	96%	90%	0.99	0.94	49	25	N/A	N/A	15	9	N/A	
38 Pretoria Road																				
F00	R2	Residential	Assumed	W6 →	35.0	17.0	18.0	0.48												
		Residential	Assumed	W7 →	35.1	17.1	17.9	0.49	99%	94%	0.62	0.95	48	23	25	0.48	15	8	N/A	
F01	R1	Residential	Assumed	W1 →	35.5	17.7	17.9	0.50												
		Residential	Assumed	W2 →	35.4	17.7	17.8	0.50	97%	94%	0.45	0.97	49	23	26	0.47	15	8	N/A	
F02	R1	Residential	Assumed	W1 Inc	84.4	66.5	N/A	N/A	35%	23%	1.72	0.67	82	56	N/A	N/A	24	17	N/A	
39 Pretoria Road																				
F00	R1	Residential	Assumed	W1 →	34.3	16.7	17.6	0.49												
		Residential	Assumed	W2 →	34.2	16.7	17.5	0.49	99%	94%	0.67	0.95	48	24	24	0.50	15	7	N/A	
F01	R1	Residential	Assumed	W1 →	34.6	17.2	17.4	0.50												
		Residential	Assumed	W2 →	34.6	17.3	17.3	0.50	96%	95%	0.18	0.99	48	27	N/A	N/A	15	8	N/A	
F02	R1	Residential	Assumed	W1 Inc	84.3	66.7	N/A	N/A	40%	33%	1.04	0.82	79	57	N/A	N/A	21	14	N/A	
40 Pretoria Road																				
F00	R2	Residential	Assumed	W3 →	34.0	16.9	17.1	0.50												
		Residential	Assumed	W4 →	34.0	17.0	17.0	0.50	99%	94%	0.61	0.95	48	22	26	0.46	15	6	N/A	
F01	R1	Residential	Assumed	W1 →	34.3	17.3	17.0	0.50												
		Residential	Assumed	W2 →	34.3	17.4	16.9	0.51	97%	96%	0.15	0.99	48	22	26	0.46	15	6	N/A	

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
41 Pretoria Road																				
F00	R1	Residential	Assumed	W1 →	33.5	16.8	16.7	0.50												
		Residential	Assumed	W2 →	33.4	16.8	16.6	0.50	99%	94%	0.68	0.95	48	23	25	0.48	15	6	N/A	
F01	R1	Residential	Assumed	W1 →	34.6	18.0	16.6	0.52												
		Residential	Assumed	W2 →	34.6	18.1	16.5	0.52	97%	96%	0.15	0.99	48	23	25	0.48	15	6	N/A	
42 Pretoria Road																				
F00	R2	Residential	Assumed	W2 →	33.3	17.1	16.2	0.51												
		Residential	Assumed	W3 →	33.4	17.3	16.1	0.52	99%	95%	0.53	0.96	48	25	N/A	N/A	15	7	N/A	
F01	R1	Residential	Assumed	W1 →	34.4	18.3	16.1	0.53												
		Residential	Assumed	W2 →	34.3	18.3	16.0	0.53	97%	96%	0.12	0.99	48	25	N/A	N/A	15	7	N/A	
43 Pretoria Road																				
F00	R1	Residential	Assumed	W1 →	33.6	17.7	15.9	0.53												
		Residential	Assumed	W2 →	33.6	17.9	15.7	0.53	99%	95%	0.45	0.96	48	25	N/A	N/A	15	7	N/A	
F01	R1	Residential	Assumed	W1 →	34.2	18.5	15.7	0.54												
		Residential	Assumed	W2 →	34.2	18.6	15.6	0.54	97%	97%	0.06	1.00	48	26	N/A	N/A	15	8	N/A	
44 Pretoria Road																				
F00	R2	Residential	Assumed	W3 →	33.7	18.4	15.3	0.55												
		Residential	Assumed	W4 →	33.7	18.5	15.2	0.55	99%	97%	0.29	0.97	48	22	26	0.46	15	9	N/A	
F01	R1	Residential	Assumed	W1 →	34.2	18.9	15.4	0.55												
		Residential	Assumed	W2 →	34.3	19.1	15.3	0.56	97%	96%	0.10	0.99	49	25	N/A	N/A	16	10	N/A	
45 Pretoria Road																				
F00	R1	Residential	Assumed	W1 →	33.7	18.7	15.0	0.56												
		Residential	Assumed	W2 →	33.9	19.0	14.9	0.56	100%	99%	0.09	0.99	48	25	N/A	N/A	15	10	N/A	
F01	R1	Residential	Assumed	W1 →	35.0	20.1	14.9	0.57												
		Residential	Assumed	W2 →	35.0	20.1	14.8	0.58	97%	97%	0.08	0.99	50	28	N/A	N/A	16	11	N/A	
46-48 Pretoria Road																				
F00	R2	Residential	Assumed	W7 ↓	30.4	23.8	6.6	0.78												
		Residential	Assumed	W8 ↓	32.6	25.4	7.2	0.78	99%	98%	0.21	0.98	81	63	N/A	N/A	24	20	N/A	
	R4	Residential	Assumed	W11 →	33.6	21.3	12.3	0.63	97%	90%	0.90	0.93	55	30	N/A	N/A	17	9	N/A	
	R5	Residential	Assumed	W12 →	22.0	10.8	11.2	0.49	98%	90%	1.15	0.92	44	22	22	0.50	17	10	N/A	
F01	R1	Residential	Assumed	W1 ↓	35.5	28.4	N/A	N/A												
		Residential	Assumed	W2 →	13.8	5.9	7.9	0.43	100%	100%	0.00	1.00	89	70	N/A	N/A	28	23	N/A	
	R2	Residential	Assumed	W4 →	12.0	4.2	7.8	0.35	78%	63%	0.77	0.81	24	13	11	0.54	12	7	N/A	
	R3	Residential	Assumed	W5 ↓	13.9	9.3	4.7	0.67												
		Residential	Assumed	W7 →	34.3	21.9	12.3	0.64	100%	100%	0.04	1.00	57	35	N/A	N/A	21	14	N/A	
	R4	Residential	Assumed	W8 →	28.0	16.1	11.9	0.57	98%	91%	1.10	0.92	52	29	N/A	N/A	18	11	N/A	
F02	R1	Residential	Assumed	W1 ↓	36.3	29.3	N/A	N/A	98%	98%	0.04	1.00	86	68	N/A	N/A	30	25	N/A	
	R2	Residential	Assumed	W2 ↓	34.9	27.6	N/A	N/A												
		Residential	Assumed	W3 →	9.9	3.9	6.1	0.39	100%	100%	0.00	1.00	85	70	N/A	N/A	30	26	N/A	
	R3	Residential	Assumed	W5 →	4.4	1.2	3.2	0.27	33%	21%	0.63	0.62	3	2	1	N/A*	2	1	N/A*	
	R4	Residential	Assumed	W6 ↓	10.1	6.1	4.0	0.60												
		Residential	Assumed	W8 →	28.8	16.5	12.3	0.57	100%	100%	0.03	1.00	46	24	22	0.52	18	11	N/A	
	R5	Residential	Assumed	W9 →	32.1	20.1	11.9	0.63	98%	92%	0.92	0.93	48	26	N/A	N/A	16	8	N/A	
49 Pretoria Road																				
F00	R2	Residential	Assumed	W4 →	33.1	21.8	11.3	0.66	99%	96%	0.30	0.97	50	25	N/A	N/A	14	5	N/A	
F01	R1	Residential	Assumed	W1 →	32.3	20.9	11.5	0.65	97%	83%	0.75	0.85	44	21	23	0.48	11	3	0.27	
	R2	Residential	Assumed	W2 →	33.9	22.6	11.3	0.67	99%	89%	1.21	0.89	51	28	N/A	N/A	15	6	N/A	
F02	R1	Residential	Assumed	W1 →	29.3	18.0	11.3	0.61	99%	90%	1.09	0.90	44	20	24	0.45	15	5	N/A	
50 Pretoria Road																				
F00	R1	Residential	Assumed	W1 →	33.0	22.1	11.0	0.67	99%	96%	0.31	0.97	54	34	N/A	N/A	17	10	N/A	
F01	R1	Residential	Assumed	W1 →	33.8	22.7	11.1	0.67	99%	89%	1.22	0.89	53	33	N/A	N/A	16	9	N/A	
	R2	Residential	Assumed	W2 →	33.3	22.5	10.8	0.68	97%	82%	0.73	0.84	47	27	N/A	N/A	15	7	N/A	
F02	R1	Residential	Assumed	W1 →	29.2	18.1	11.1	0.62	99%	90%	1.09	0.91	44	23	21	0.52	15	7	N/A	
51 Pretoria Road																				
F00	R2	Residential	Assumed	W4 →	32.7	22.5	10.2	0.69	99%	96%	0.34	0.97	52	34	N/A	N/A	16	9	N/A	
F01	R1	Residential	Assumed	W1 →	33.1	22.6	10.6	0.68	97%	86%	0.61	0.88	50	29	N/A	N/A	17	9	N/A	
	R2	Residential	Assumed	W2 →	33.5	23.2	10.2	0.69	99%	92%	0.85	0.92	53	34	N/A	N/A	18	10	N/A	

Ratio: N/A or ≥0.8 = inside BRE (N/A* satisfies 4% APSH criterion); Red = outside BRE

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m ²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
					Exis.	Cum.	Loss		Exis.	Cum.	Loss		Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
F02	R1	Residential	Assumed	W1 →	28.9	18.6	10.2	0.64	99%	92%	0.77	0.93	42	23	19	0.55	15	7	N/A	
52 Pretoria Road																				
F00	R1	Residential	Assumed	W1 →	32.6	22.8	9.8	0.70	99%	96%	0.29	0.97	54	36	N/A	N/A	18	11	N/A	
F01	R1	Residential	Assumed	W1 →	33.4	23.4	9.9	0.70	99%	89%	1.18	0.90	54	34	N/A	N/A	19	10	N/A	
	R2	Residential	Assumed	W2 →	32.8	23.2	9.6	0.71	97%	87%	0.48	0.90	46	25	N/A	N/A	15	5	N/A	
F02	R1	Residential	Assumed	W1 →	28.7	18.8	9.9	0.66	99%	90%	1.06	0.91	42	23	19	0.55	15	7	N/A	
53 Pretoria Road																				
F00	R2	Residential	Assumed	W4 →	32.2	23.2	9.0	0.72	99%	96%	0.33	0.97	51	32	N/A	N/A	16	7	N/A	
F01	R1	Residential	Assumed	W1 →	32.7	23.3	9.3	0.71	97%	93%	0.19	0.96	49	29	N/A	N/A	17	7	N/A	
	R2	Residential	Assumed	W2 →	33.0	24.0	9.0	0.73	98%	95%	0.43	0.96	53	34	N/A	N/A	19	10	N/A	
F02	R1	Residential	Assumed	W1 →	28.3	19.3	9.0	0.68	98%	96%	0.31	0.97	41	23	18	0.56	15	6	N/A	
54 Pretoria Road																				
F00	R1	Residential	Assumed	W1 →	32.0	23.4	8.6	0.73	99%	98%	0.10	0.99	54	34	N/A	N/A	19	9	N/A	
F01	R1	Residential	Assumed	W1 →	32.8	24.1	8.7	0.74	99%	91%	0.90	0.92	53	34	N/A	N/A	19	10	N/A	
	R2	Residential	Assumed	W2 →	32.3	23.9	8.4	0.74	97%	94%	0.18	0.96	46	28	N/A	N/A	15	6	N/A	
F02	R1	Residential	Assumed	W1 →	28.2	19.5	8.7	0.69	99%	92%	0.83	0.93	41	22	19	0.54	15	6	N/A	
55 Pretoria Road																				
F00	R2	Residential	Assumed	W4 →	31.7	23.9	7.8	0.76	99%	99%	0.00	1.00	51	34	N/A	N/A	17	8	N/A	
F01	R1	Residential	Assumed	W1 →	32.1	24.0	8.1	0.75	96%	96%	0.00	1.00	49	32	N/A	N/A	17	8	N/A	
	R2	Residential	Assumed	W2 →	32.5	24.7	7.8	0.76	95%	95%	0.00	1.00	52	35	N/A	N/A	19	10	N/A	
F02	R1	Residential	Assumed	W1 →	27.8	20.1	7.8	0.72	95%	95%	0.00	1.00	40	24	16	0.60	15	7	N/A	
56 Pretoria Road																				
F00	R1	Residential	Assumed	W1 →	31.5	24.2	7.3	0.77	99%	99%	0.00	1.00	53	37	N/A	N/A	19	11	N/A	
F01	R1	Residential	Assumed	W1 →	32.3	24.8	7.5	0.77	99%	94%	0.61	0.95	52	35	N/A	N/A	19	10	N/A	
	R2	Residential	Assumed	W2 →	31.6	24.5	7.2	0.77	97%	97%	0.02	1.00	43	29	N/A	N/A	15	7	N/A	
F02	R1	Residential	Assumed	W1 →	27.6	20.2	7.4	0.73	99%	95%	0.51	0.96	40	25	N/A	N/A	15	8	N/A	
57 Pretoria Road																				
F00	R2	Residential	Assumed	W4 →	29.1	22.6	6.6	0.77	99%	99%	0.00	1.00	47	35	N/A	N/A	17	10	N/A	
F01	R1	Residential	Assumed	W1 →	31.5	24.6	6.9	0.78	92%	92%	0.00	1.00	45	33	N/A	N/A	17	10	N/A	
	R2	Residential	Assumed	W2 →	30.3	23.7	6.6	0.78	93%	93%	0.00	1.00	48	36	N/A	N/A	19	12	N/A	
F02	R1	Residential	Assumed	W1 →	26.5	20.0	6.5	0.75	93%	93%	0.00	1.00	36	25	N/A	N/A	15	9	N/A	
58-67 Pretoria Road																				
F00	R1	Residential	Assumed	W1 →	22.8	17.6	5.2	0.77	95%	95%	0.02	1.00	38	30	N/A	N/A	9	6	N/A	
	R2	Residential	Assumed	W5 →	30.3	24.4	5.9	0.81	84%	84%	0.02	1.00	43	33	N/A	N/A	16	10	N/A	
	R3	Residential	Assumed	W6 →	28.7	23.1	5.6	0.81	95%	94%	0.04	1.00	48	37	N/A	N/A	18	11	N/A	
	R5	Residential	Assumed	W13 →	27.4	23.4	4.0	0.85	96%	95%	0.02	1.00	30	24	6	0.80	7	3	0.43	
F01	R1	Residential	Assumed	W1 →	25.2	18.8	6.3	0.75	96%	95%	0.02	1.00	47	36	N/A	N/A	19	13	N/A	
	R2	Residential	Assumed	W5 →	31.3	25.3	5.9	0.81	85%	84%	0.02	1.00	46	36	N/A	N/A	16	10	N/A	
	R3	Residential	Assumed	W6 →	31.1	25.4	5.7	0.82	95%	95%	0.04	1.00	48	37	N/A	N/A	19	12	N/A	
	R4	Residential	Assumed	W7 →	29.5	24.4	5.1	0.83	90%	90%	0.00	1.00	34	26	N/A	N/A	10	5	N/A	
	R5	Residential	Assumed	W8 →	30.9	25.7	5.2	0.83	75%	75%	0.00	1.00	44	36	N/A	N/A	16	10	N/A	
	R6	Residential	Assumed	W9 →	31.1	26.1	5.0	0.84	97%	97%	0.00	1.00	46	38	N/A	N/A	17	11	N/A	
	R7	Residential	Assumed	W10 →	25.1	20.5	4.6	0.82	97%	97%	0.00	1.00	43	37	N/A	N/A	17	13	N/A	
F02	R1	Residential	Assumed	W1 →	30.7	24.4	6.3	0.80	96%	95%	0.02	1.00	47	36	N/A	N/A	19	13	N/A	
	R2	Residential	Assumed	W5 →	25.6	19.8	5.8	0.77	83%	83%	0.02	1.00	36	26	N/A	N/A	15	9	N/A	
	R3	Residential	Assumed	W6 →	27.6	22.0	5.6	0.80	95%	94%	0.04	1.00	41	30	N/A	N/A	16	9	N/A	
	R4	Residential	Assumed	W7 →	30.1	25.1	5.0	0.83	90%	90%	0.00	1.00	34	27	N/A	N/A	10	5	N/A	
	R5	Residential	Assumed	W8 →	31.4	26.3	5.1	0.84	76%	76%	0.00	1.00	44	36	N/A	N/A	16	10	N/A	
	R6	Residential	Assumed	W9 →	31.8	26.9	4.9	0.85	97%	97%	0.00	1.00	46	38	N/A	N/A	17	11	N/A	
	R7	Residential	Assumed	W11 →	25.6	21.1	4.5	0.82	97%	97%	0.00	1.00	43	37	N/A	N/A	17	13	N/A	
F03	R1	Residential	Assumed	W1 →	31.8	26.9	5.0	0.84	76%	76%	0.00	1.00	43	35	N/A	N/A	16	10	N/A	
	R2	Residential	Assumed	W2 →	32.3	27.6	N/A	N/A	97%	97%	0.00	1.00	46	39	N/A	N/A	17	12	N/A	
	R3	Residential	Assumed	W3 →	32.3	27.9	N/A	N/A	98%	98%	0.00	1.00	46	41	N/A	N/A	17	14	N/A	
865 High Road																				
F00	R1	Residential	Assumed	W1 ↑	20.8	16.5	4.3	0.79	62%	58%	0.43	0.94	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	27.1	21.0	6.1	0.78	84%	81%	0.34	0.96	North	North	N/A	N/A	North	North	N/A	
F01	R1	Residential	Assumed	W1 ↑	23.1	20.1	2.9	0.87	62%	61%	0.07	0.99	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	25.2	20.2	5.0	0.80	98%	79%	2.15	0.80	North	North	N/A	N/A	North	North	N/A	

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% <i>rm</i>)	Cum. (% <i>rm</i>)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
	R3	Residential	Assumed	W3 ←	18.7	18.1	0.6	0.97	65%	56%	0.87	0.86	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ←	16.9	16.6	0.3	0.98	49%	44%	0.82	0.89	North	North	N/A	N/A	North	North	N/A	
	R5	Residential	Assumed	W5 ↗	23.2	20.4	2.8	0.88												
		Residential	Assumed	W6 ↗	25.2	22.1	3.1	0.88												
		Residential	Assumed	W7 ↑	28.3	20.6	7.7	0.73												
		Residential	Assumed	W8 ←	20.0	17.1	2.9	0.85	99%	88%	4.28	0.88	27	23	4	0.85	8	8	N/A	
	R6	Residential	Assumed	W9 ↑	27.3	16.8	10.5	0.62												
		Residential	Assumed	W10 ↑	30.3	21.0	9.3	0.69												
		Residential	Assumed	W11 ↑	29.2	19.4	9.8	0.66												
		Residential	Assumed	W12 Inc	80.0	65.2	N/A	N/A	100%	84%	9.52	0.84	80	72	N/A	N/A	23	21	N/A	
F02	R1	Residential	Assumed	W1 ↑	27.4	25.4	2.0	0.93	96%	96%	0.06	0.99	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	37.2	27.0	N/A	N/A	98%	85%	1.53	0.86	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ←	37.2	27.3	N/A	N/A	98%	87%	0.99	0.89	North	North	N/A	N/A	North	North	N/A	
	R4	Residential	Assumed	W4 ←	37.3	27.5	N/A	N/A	96%	91%	0.60	0.94	North	North	N/A	N/A	North	North	N/A	
	R5	Residential	Assumed	W5 ←	26.3	21.2	5.1	0.81	100%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F03	R1	Residential	Assumed	W1 ←	37.8	28.8	N/A	N/A	97%	89%	0.97	0.91	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	37.8	28.9	N/A	N/A	98%	90%	0.80	0.92	North	North	N/A	N/A	North	North	N/A	
	R3	Residential	Assumed	W3 ←	37.9	29.0	N/A	N/A	93%	83%	1.54	0.89	North	North	N/A	N/A	North	North	N/A	
853 High Road																				
F01	R1	Residential	Assumed	W1 ←	20.8	16.8	4.0	0.81												
		Residential	Assumed	W2 ←	27.9	23.0	4.9	0.82	96%	94%	0.29	0.98	North	North	N/A	N/A	North	North	N/A	
851 High Road																				
F01	R1	Residential	Assumed	W1 ←	30.2	24.3	5.9	0.80	97%	95%	0.20	0.99	North	North	N/A	N/A	North	North	N/A	
849 High Road																				
F01	R1	Residential	Assumed	W1 ←	26.2	20.1	6.1	0.77	94%	91%	0.48	0.97	North	North	N/A	N/A	North	North	N/A	
841-843 High Road																				
F01	R1	Landing	Layout	W1 ←	19.9	16.2	3.8	0.81	92%	92%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Kitchen	Layout	W2 ↑	16.9	15.6	1.4	0.92												
		Kitchen	Layout	W3 ↓	20.0	18.2	1.8	0.91	79%	79%	0.00	1.00	48	37	N/A	N/A	13	10	N/A	
	R3	Bedroom	Layout	W4 ←	25.9	20.4	5.5	0.79	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F02	R3	Bedroom	Layout	W4 ←	32.4	24.3	8.2	0.75	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F03	R1	Bedroom	Layout	W1 ←	35.7	27.9	N/A	N/A												
		Bedroom	Layout	W2 ←	35.5	27.6	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Kitchen	Layout	W3 ←	35.5	27.7	N/A	N/A	95%	95%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
839 High Road																				
F01	R1	Residential	Assumed	W1 ←	33.1	25.9	7.2	0.78	97%	88%	0.81	0.90	North	North	N/A	N/A	North	North	N/A	
F02	R1	Residential	Assumed	W1 ←	35.8	27.8	N/A	N/A	98%	89%	0.75	0.91	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	34.3	26.9	7.4	0.79	95%	84%	0.95	0.88	North	North	N/A	N/A	North	North	N/A	
837 High Road																				
F01	R1	Residential	Assumed	W1 ←	32.7	25.6	7.0	0.78	98%	93%	0.53	0.95	North	North	N/A	N/A	North	North	N/A	
	R2	Residential		W2 ←	23.8	18.6	5.2	0.78	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F02	R1	Residential	Assumed	W1 ←	36.2	28.2	N/A	N/A	98%	93%	0.52	0.95	North	North	N/A	N/A	North	North	N/A	
	R2	Residential		W2 ←	30.1	24.2	5.9	0.80	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
835 High Road																				
F01	R1	Bedroom	Layout	W1 ←	11.2	9.2	2.0	0.82	75%	71%	0.33	0.94	North	North	N/A	N/A	North	North	N/A	
	R2	Kitchen	Layout	W2 ↑	14.7	13.7	1.0	0.93	53%	45%	1.08	0.86	North	North	N/A	N/A	North	North	N/A	
F02	R1	Bedroom	Layout	W1 ←	18.0	15.0	3.0	0.83	74%	67%	0.60	0.90	North	North	N/A	N/A	North	North	N/A	
831-833 High Road																				
F01	R1	LD	Layout	W1 ↑	11.6	11.5	0.1	0.99												
		LD	Layout	W2 ←	26.8	20.5	6.3	0.77	98%	90%	1.53	0.92	North	North	N/A	N/A	North	North	N/A	
	R2	Bedroom	Layout	W3 ←	27.8	21.1	6.6	0.76	97%	80%	3.63	0.82	North	North	N/A	N/A	North	North	N/A	
	R3	Bedroom	Layout	W4 ↓	35.3	13.3	22.0	0.38	99%	25%	15.36	0.25	88	43	N/A	N/A	29	3	0.10	
	R4	LD	Layout	W5 ↓	34.8	15.7	19.1	0.45	99%	24%	14.47	0.24	86	51	N/A	N/A	27	6	N/A	
	R6	Bedroom	Layout	W7 ↓	32.1	25.4	6.7	0.79	93%	81%	2.51	0.87	82	69	N/A	N/A	23	15	N/A	
	R7	Kitchen	Layout	W8 ↓	25.9	27.7	N/A	1.07	92%	96%	-0.76	1.05	73	72	N/A	N/A	14	15	1.07	
F02	R1	LD	Layout	W1 ↑	31.7	29.8	N/A	N/A												
		LD	Layout	W2 ←	31.1	23.4	7.7	0.75	100%	99%	0.08	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Bedroom	Layout	W3 ←	32.9	24.8	8.1	0.75	99%	91%	1.68	0.92	North	North	N/A	N/A	North	North	N/A	

Ratio: N/A or ≥0.8 = inside BRE (N/A* satisfies 4% APSH criterion); Red = outside BRE

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m ²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
	R3	Bedroom	Layout	W4 ↓	36.9	22.3	14.7	0.60	99%	42%	11.75	0.43	88	63	N/A	N/A	29	8	N/A	
	R4	LD	Layout	W5 ↓	36.9	25.5	11.4	0.69	99%	58%	7.84	0.59	88	70	N/A	N/A	29	12	N/A	
	R6	Bedroom	Layout	W7 ↓	36.5	32.7	N/A	N/A	96%	96%	0.16	0.99	88	82	N/A	N/A	29	23	N/A	
	R7	Kitchen	Layout	W8 ↓	35.9	34.2	N/A	N/A	97%	97%	0.03	1.00	88	85	N/A	N/A	29	27	N/A	
813-817 High Road																				
F01	R1	Bedroom	Layout	W1 ←	30.2	20.7	9.5	0.68	90%	40%	6.70	0.44	37	30	N/A	N/A	10	6	N/A	
	R2	Bedroom	Layout	W2 ←	27.1	18.4	8.7	0.68	92%	79%	0.76	0.86	20	12	8	0.60	3	0	0.00	
	R3	LKD	Layout	W3 ←	33.9	23.0	10.9	0.68												
		LKD	Layout	W4 ↓	32.7	27.7	N/A	N/A												
		LKD	Layout	W5 ↓	32.6	27.8	N/A	N/A	98%	97%	0.16	0.99	91	76	N/A	N/A	27	18	N/A	
F02	R1	Bedroom	Layout	W1 ←	35.0	24.9	10.2	0.71	100%	45%	7.22	0.46	46	36	N/A	N/A	12	9	N/A	
	R2	Bedroom	Layout	W2 ←	31.2	22.1	9.1	0.71	93%	88%	0.30	0.95	24	14	10	0.58	3	0	0.00	
	R3	LKD	Layout	W3 ←	36.8	26.3	10.5	0.72												
		LKD	Layout	W4 ↓	35.4	31.6	N/A	N/A												
		LKD	Layout	W5 ↓	35.2	31.6	N/A	N/A	99%	98%	0.32	0.99	94	82	N/A	N/A	29	23	N/A	
809-811 High Road																				
F01	R1	Residential	Assumed	W1 ←	29.3	22.8	6.5	0.78	100%	99%	0.05	0.99	44	34	N/A	N/A	9	7	N/A	
	R2	Residential	Assumed	W2 ←	32.3	25.0	7.3	0.77	100%	96%	0.31	0.96	46	35	N/A	N/A	11	7	N/A	
	R3	Residential	Assumed	W3 ←	32.9	24.9	8.0	0.76	100%	86%	1.23	0.86	42	30	N/A	N/A	7	4	0.57	
	R4	Residential	Assumed	W4 ←	29.3	20.0	9.2	0.68	100%	85%	1.12	0.85	25	13	12	0.52	4	0	0.00	
F02	R1	Residential	Assumed	W1 Inc	55.2	48.4	N/A	N/A												
		Residential	Assumed	W2 ←	36.1	28.8	N/A	N/A	100%	91%	1.27	0.91	61	48	N/A	N/A	19	12	N/A	
	R2	Residential	Assumed	W3 ←	37.0	28.2	N/A	N/A												
		Residential	Assumed	W4 Inc	58.2	34.3	N/A	N/A	100%	82%	2.75	0.82	56	30	N/A	N/A	15	6	N/A	
803-805 High Road																				
F00	R1	Residential	Layout	W1 ↓	10.0	10.0	0.0	1.00	40%	40%	0.00	1.00	24	23	1	0.96	1	1	1.00	
	R2	Residential	Layout	W2 ↓	7.4	7.3	0.0	1.00												
		Residential	Layout	W3 ↓	6.2	6.1	0.0	1.00	42%	42%	0.00	1.00	20	20	0	1.00	1	1	1.00	
	R3	WC	Layout	W4 ←	21.8	14.3	7.5	0.66	85%	85%	0.00	1.00	10	8	2	0.80	0	0	N/A	
	R4	WC	Layout	W5 ←	12.8	9.5	3.4	0.74	83%	80%	0.03	0.97	5	3	2	N/A*	0	0	N/A	
	R5	Kitchen	Layout	W6 ↑	18.7	13.6	5.1	0.73												
		Kitchen	Layout	W7 ↑	20.8	14.6	6.1	0.70	100%	100%	0.02	1.00	North	North	N/A	N/A	North	North	N/A	
	R6	Residential	Layout	W8 ↑	22.4	15.1	7.3	0.67												
		Residential	Layout	W9 ↑	22.1	14.5	7.6	0.65	100%	100%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R7	Storage	Layout	W10 ↑	24.7	15.2	9.4	0.62	0%	0%	0.00	N/A	North	North	N/A	N/A	North	North	N/A	
F01	R1	Residential	Layout	W1 ←	34.0	22.5	11.5	0.66	100%	78%	1.92	0.78	44	36	N/A	N/A	9	9	N/A	
	R2	Bathroom	Layout	W2 ↓	9.2	9.1	0.0	1.00	68%	68%	0.00	1.00	27	27	N/A	N/A	2	2	1.00	
	R3	Landing	Layout	W3 ↓	2.5	2.5	0.0	0.98	2%	2%	0.00	1.00	10	10	0	1.00	2	2	1.00	
	R4	Residential	Layout	W4 ←	8.5	7.8	0.7	0.92	34%	34%	0.00	1.00	5	4	1	0.80	0	0	N/A	
	R5	Residential	Layout	W5 ←	24.5	21.1	3.4	0.86												
		Residential	Layout	W6 ←	22.6	18.5	4.1	0.82	84%	69%	2.85	0.83	27	25	N/A	N/A	0	0	N/A	
	R6	WC	Layout	W7 ↑	12.7	9.5	3.2	0.75	43%	36%	0.11	0.83	North	North	N/A	N/A	North	North	N/A	
	R7	Landing	Layout	W8 ↑	12.2	9.9	2.3	0.81	71%	66%	0.21	0.94	North	North	N/A	N/A	North	North	N/A	
	R8	Bathroom	Layout	W9 ↑	24.7	18.9	5.7	0.77	97%	96%	0.02	1.00	North	North	N/A	N/A	North	North	N/A	
	R9	Residential	Layout	W10 ←	36.2	29.4	N/A	N/A												
		Residential	Layout	W11 ←	36.3	30.1	N/A	N/A	99%	99%	0.00	1.00	49	47	N/A	N/A	14	14	N/A	
F02	R1	Residential	Layout	W1 ←	37.6	27.4	N/A	N/A	100%	94%	0.51	0.94	48	42	N/A	N/A	13	13	N/A	
	R2	Bathroom	Layout	W2 ↓	13.6	13.5	0.1	1.00	77%	77%	0.00	1.00	31	31	N/A	N/A	6	6	N/A	
	R4	Residential	Layout	W4 ←	20.7	16.6	4.1	0.80	35%	35%	0.00	1.00	9	7	2	N/A*	0	0	N/A	
	R5	Residential	Layout	W5 ←	34.5	29.9	N/A	N/A												
		Residential	Layout	W6 ←	33.8	29.2	N/A	N/A	93%	86%	1.32	0.93	45	43	N/A	N/A	10	10	N/A	
	R9	Residential	Layout	W8 ↑	18.7	15.5	3.1	0.83	99%	97%	0.08	0.98	North	North	N/A	N/A	North	North	N/A	
801 High Road																				
F00	R1	Residential	Layout	W1 ←	20.3	20.2	0.1	0.99												
		Residential	Layout	W2 ←	25.8	25.2	0.6	0.98												
		Residential	Layout	W3 ↓	25.7	25.7	0.0	1.00												
		Residential	Layout	W4 ↓	24.8	24.8	0.0	1.00												
		Residential	Layout	W5 ↓	23.6	23.6	0.0	1.00												
		Residential	Layout	W6 ↓	21.6	21.5	0.0	1.00	94%	94%	0.03	1.00	62	62	N/A	N/A	16	16	N/A	
	R2	Residential	Layout	W7 ←	18.7	18.3	0.4	0.98	60%	60%	0.00	1.00	32	31	N/A	N/A	4	4	1.00	
F01	R1	Residential	Layout	W1 ←	24.2	23.6	0.6	0.98												
		Residential	Layout	W2 ←	28.6	26.8	1.8	0.94	97%	97%	0.00	1.00	49	47	N/A	N/A	14	14	N/A	

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% <i>rm</i>)	Cum. (% <i>rm</i>)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
	R2	Kitchen	Layout	W3 ↓	23.0	23.0	0.0	1.00	96%	96%	0.00	1.00	50	50	N/A	N/A	13	13	N/A	
	R3	Residential	Layout	W4 ↓	17.0	17.0	0.0	1.00	76%	76%	0.00	1.00	37	37	N/A	N/A	9	9	N/A	
	R4	Residential	Layout	W5 ←	23.8	23.4	0.4	0.98	82%	82%	0.00	1.00	38	38	N/A	N/A	9	9	N/A	
F02	R1	Residential	Layout	W1 ←	25.8	25.1	0.7	0.97												
		Residential	Layout	W2 ←	30.7	28.7	N/A	N/A	98%	98%	0.00	1.00	49	48	N/A	N/A	14	14	N/A	
	R2	Kitchen	Layout	W3 ↓	28.6	28.6	N/A	N/A	97%	97%	0.00	1.00	63	63	N/A	N/A	20	20	N/A	
	R3	Residential	Layout	W4 ↓	21.3	21.3	0.0	1.00	97%	97%	0.00	1.00	47	47	N/A	N/A	14	14	N/A	
	R4	Residential	Layout	W5 ←	34.2	32.6	N/A	N/A	87%	87%	0.00	1.00	47	47	N/A	N/A	13	13	N/A	
799 High Road #																				
F01	R1	Residential	Assumed	W1 ←	27.0	26.1	0.9	0.97	73%	71%	0.20	0.98	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	33.3	30.5	N/A	N/A	91%	91%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
F02	R1	Residential	Assumed	W1 ←	33.6	31.6	N/A	N/A	85%	85%	0.03	1.00	North	North	N/A	N/A	North	North	N/A	
797 High Road #																				
F01	R1	Residential	Assumed	W1 ←	31.0	28.8	N/A	N/A	95%	95%	0.00	1.00	41	40	N/A	N/A	5	5	N/A	
	R2	Residential	Assumed	W2 ←	22.5	20.1	2.4	0.89	73%	73%	0.00	1.00	14	13	1	0.93	0	0	N/A	
F02	R1	Residential	Assumed	W1 ←	36.1	33.5	N/A	N/A	95%	95%	0.00	1.00	48	47	N/A	N/A	12	12	N/A	
793-795 High Road																				
F00	R1	Residential	Assumed	W1 ←	30.7	28.8	N/A	N/A	94%	94%	0.00	1.00	50	49	N/A	N/A	13	13	N/A	
F01	R1	Residential	Assumed	W1 ←	36.5	34.0	N/A	N/A												
		Residential	Assumed	W2 ←	36.3	33.8	N/A	N/A	99%	99%	0.00	1.00	56	55	N/A	N/A	19	19	N/A	
	R2	Residential	Assumed	W3 ←	34.7	32.7	N/A	N/A	94%	94%	0.00	1.00	56	55	N/A	N/A	19	19	N/A	
F02	R1	Residential	Assumed	W1 ←	34.9	32.2	N/A	N/A												
		Residential	Assumed	W2 ←	32.1	29.4	N/A	N/A	97%	97%	0.00	1.00	44	43	N/A	N/A	9	9	N/A	
	R2	Residential	Assumed	W3 ←	37.5	35.1	N/A	N/A	96%	95%	0.07	0.99	57	56	N/A	N/A	20	20	N/A	
F03	R1	Residential	Assumed	W1 ←	37.1	34.6	N/A	N/A	80%	78%	0.45	0.97	53	52	N/A	N/A	16	16	N/A	
2 White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↑	34.6	30.1	N/A	N/A	98%	98%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
4 White Hart Lane																				
F00	R1	Residential	Assumed	W1 Hz	90.8	89.6	N/A	N/A												
		Residential	Assumed	W3 ←	12.6	10.7	1.9	0.85												
		Residential	Assumed	W4 ←	25.8	23.9	1.8	0.93	98%	92%	0.98	0.94	70	69	N/A	N/A	12	12	N/A	
	R2	Residential	Assumed	W2 Hz	93.2	92.4	N/A	N/A												
		Residential	Assumed	W5 ←	25.1	23.4	1.8	0.93	100%	100%	0.00	1.00	78	76	N/A	N/A	16	16	N/A	
F01	R1	Residential	Assumed	W1 ↑	35.2	30.6	N/A	N/A	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	35.0	30.5	N/A	N/A	96%	81%	0.97	0.84	North	North	N/A	N/A	North	North	N/A	
6-6a White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↑	33.7	29.6	N/A	N/A	93%	90%	0.21	0.98	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	26.3	23.6	2.6	0.90	54%	33%	1.20	0.61	North	North	N/A	N/A	North	North	N/A	
8 White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↑	29.5	27.1	N/A	N/A	93%	93%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	36.7	30.9	N/A	N/A	98%	97%	0.13	0.99	North	North	N/A	N/A	North	North	N/A	
10 White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↑	36.6	30.8	N/A	N/A	97%	97%	0.08	0.99	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	32.8	28.2	N/A	N/A												
		Residential	Assumed	W3 ↑	6.6	6.6	0.0	1.00	96%	96%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
12a White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↑	26.5	24.4	2.1	0.92	94%	94%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	36.7	31.1	N/A	N/A	99%	98%	0.08	0.99	North	North	N/A	N/A	North	North	N/A	
14a White Hart Lane #																				
F01	R1	Residential	Assumed	W1 ↑	36.6	31.0	N/A	N/A	99%	99%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	21.7	19.6	2.1	0.90	94%	85%	1.00	0.90	North	North	N/A	N/A	North	North	N/A	
16 White Hart Lane #																				
F01	R1	Residential	Assumed	W1 ↑	25.7	23.9	1.8	0.93	94%	92%	0.29	0.97	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	32.4	27.2	N/A	N/A	97%	96%	0.05	1.00	North	North	N/A	N/A	North	North	N/A	

Property, room & window attributes					VSC				NSL				APSH (room)							
Floor	Room	Room use	Room layout	Window Ref./Orient.	Exis. (% VSC)	Cum. (% VSC)	Loss (% VSC)	Cum/E x ratio	Exis. (% rm)	Cum. (% rm)	Loss (m²)	Cum/E x ratio	Annual (%APSH)				Winter (%APSH)			
													Exis.	Cum.	Loss	Cum/E	Exis.	Cum.	Cum/E	
18 White Hart Lane																				
F00	R1	Residential	Assumed	W1 ↑	22.3	20.2	2.1	0.91	80%	75%	0.39	0.94	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	25.5	23.8	1.7	0.93												
		Residential	Assumed	W3 ←	22.3	20.6	1.6	0.93	74%	74%	0.00	1.00	24	22	2	0.92	1	1	1.00	
	R3	Residential	Assumed	W4 ←	29.5	28.4	N/A	N/A	91%	91%	0.00	1.00	43	43	N/A	N/A	11	11	N/A	
F01	R1	Residential	Assumed	W1 ↑	36.4	30.8	N/A	N/A	97%	95%	0.09	0.99	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	27.1	25.3	1.8	0.93	86%	86%	0.00	1.00	26	25	N/A	N/A	3	3	1.00	
	R3	Residential	Assumed	W3 ↑	28.3	24.3	4.0	0.86												
		Residential	Assumed	W4 ←	33.4	32.1	N/A	N/A	98%	98%	0.00	1.00	49	48	N/A	N/A	13	13	N/A	
24 White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↑	36.5	30.4	N/A	N/A	95%	90%	0.60	0.95	North	North	N/A	N/A	North	North	N/A	
26 White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↑	36.4	30.2	N/A	N/A	97%	97%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ←	23.2	21.3	1.9	0.92	69%	69%	0.03	0.99	32	31	N/A	N/A	5	5	N/A	
	R3	Residential	Assumed	W3 ←	17.8	17.0	0.8	0.95	74%	73%	0.06	0.98	15	15	0	1.00	0	0	N/A	
	R4	Residential	Assumed	W4 ↑	28.7	25.2	3.5	0.88	94%	94%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
28 White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↑	23.4	21.7	1.7	0.93	91%	91%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	34.7	28.9	N/A	N/A												
		Residential	Assumed	W3 ↑	33.0	27.3	N/A	N/A	99%	94%	0.44	0.95	North	North	N/A	N/A	North	North	N/A	
30 White Hart Lane																				
F01	R1	Residential	Assumed	W1 ↑	14.8	11.1	3.7	0.75	95%	95%	0.00	1.00	North	North	N/A	N/A	North	North	N/A	
	R2	Residential	Assumed	W2 ↑	29.2	24.1	5.1	0.83	92%	87%	0.30	0.95	North	North	N/A	N/A	North	North	N/A	
F02	R1	Residential	Assumed	W1 ↑	18.3	14.3	4.0	0.78	29%	22%	0.41	0.77	North	North	N/A	N/A	North	North	N/A	